

Qin-Shi Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2993260/publications.pdf>

Version: 2024-02-01

181
papers

3,113
citations

201674

27
h-index

289244

40
g-index

190
all docs

190
docs citations

190
times ranked

3041
citing authors

#	ARTICLE	IF	CITATIONS
1	New Isoprenylated Flavones, Artochamins A-E, and Cytotoxic Principles from <i>Artocarpus chama</i> . <i>Journal of Natural Products</i> , 2004, 67, 757-761.	3.0	83
2	Lycopodine A, a Novel Alkaloid from <i>Lycopodium japonicum</i> . <i>Organic Letters</i> , 2009, 11, 1397-1400.	4.6	66
3	Macrophyllionium and Macrophyllines A and B, Oxindole Alkaloids from <i>Uncaria macrophylla</i> . <i>Journal of Natural Products</i> , 2011, 74, 12-15.	3.0	66
4	Qualitative and quantitative analysis of diterpenoids in <i>Salvia</i> species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 4847-4858.	3.7	64
5	Construction of Tetracyclic 3-Spirooxindole through Cross-Dehydrogenation of Pyridinium: Applications in Facile Synthesis of (±)-Corynoxine and (±)-Corynoxine B. <i>Journal of the American Chemical Society</i> , 2014, 136, 17962-17965.	13.7	62
6	Bioassay and Ultrapformance Liquid Chromatography/Mass Spectrometry Guided Isolation of Apoptosis-Inducing Benzophenones and Xanthone from the Pericarp of <i>Garcinia yunnanensis</i> Hu. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 11144-11150.	5.2	61
7	Przewalskin B, a Novel Diterpenoid with an Unprecedented Skeleton from <i>Salvia przewalskii</i> Maxim. <i>Organic Letters</i> , 2006, 9, 291-293.	4.6	59
8	The Functional Roles of Lipid Rafts in T Cell Activation, Immune Diseases and HIV Infection and Prevention. <i>Cellular and Molecular Immunology</i> , 2008, 5, 1-7.	10.5	57
9	Hypercohin A, a new polycyclic polyprenylated acylphloroglucinol possessing an unusual bicyclo[5.3.1]hendecane core from <i>Hypericum cohaerens</i> . <i>Chemical Communications</i> , 2012, 48, 5998.	4.1	53
10	Lycopalhine A, a novel sterically congested <i>Lycopodium</i> alkaloid with an unprecedented skeleton from <i>Palhinhaea cernua</i> . <i>Chemical Communications</i> , 2012, 48, 9038.	4.1	49
11	Isopalhinine A, a Unique Pentacyclic <i>Lycopodium</i> Alkaloid from <i>Palhinhaea cernua</i> . <i>Organic Letters</i> , 2013, 15, 3570-3573.	4.6	49
12	New Cleroindicins from <i>Clerodendrum indicum</i> . <i>Journal of Natural Products</i> , 1997, 60, 766-769.	3.0	48
13	Polycyclic Polyprenylated Acylphloroglucinols and Chromone O-Glucosides from <i>Hypericum henryi</i> subsp. <i>uraloides</i> . <i>Chemistry and Biodiversity</i> , 2010, 7, 196-204.	2.1	48
14	Two New Abietane Diterpenoids from <i>Salvia yunnanensis</i> . <i>Planta Medica</i> , 2006, 72, 84-86.	1.3	43
15	Compounds from <i>Dryopteris fragrans</i> (L.) Schott with Cytotoxic Activity. <i>Molecules</i> , 2014, 19, 3345-3355.	3.8	41
16	Novel Diterpenoids from <i>Salvia dugesii</i> . <i>Helvetica Chimica Acta</i> , 2004, 87, 949-955.	1.6	40
17	Przewalskin A: A New C ₂₃ Terpenoid with a 6/6/7 Carbon Ring Skeleton from <i>Salvia przewalskii</i> Maxim. <i>Organic Letters</i> , 2006, 8, 4453-4456.	4.6	40
18	New compound ChIA-F induces autophagy-dependent anti-cancer effect via upregulating Sestrin-2 in human bladder cancer. <i>Cancer Letters</i> , 2018, 436, 38-51.	7.2	40

#	ARTICLE	IF	CITATIONS
19	Lycospidine A, a New Type of <i>Lycopodium</i> Alkaloid from <i>Lycopodium complanatum</i> . <i>Organic Letters</i> , 2013, 15, 2438-2441.	4.6	38
20	Crucial Role of c-Jun Phosphorylation at Ser63/73 Mediated by PHLPP Protein Degradation in the Cheliensisin A Inhibition of Cell Transformation. <i>Cancer Prevention Research</i> , 2014, 7, 1270-1281.	1.5	35
21	Terpenoids and Norlignans from <i>Metasequoia glyptostroboides</i> . <i>Journal of Natural Products</i> , 2011, 74, 234-239.	3.0	34
22	Design, Synthesis, and Biological Activities of Vibsantin B Derivatives: A New Class of HSP90 C-Terminal Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 9053-9066.	6.4	34
23	Phleghenrines A and Neophleghenrine A, Bioactive and Structurally Rigid <i>Lycopodium</i> Alkaloids from <i>Phlegmarius henryi</i> . <i>Organic Letters</i> , 2016, 18, 4498-4501.	4.6	33
24	Pseudolaric acid B induces apoptosis via proteasome-mediated Bcl-2 degradation in hormone-refractory prostate cancer DU145 cells. <i>Toxicology in Vitro</i> , 2012, 26, 595-602.	2.4	30
25	New cytotoxic and anti-inflammatory compounds isolated from <i>Morus alba</i> L.. <i>Natural Product Research</i> , 2015, 29, 1711-1718.	1.8	30
26	Bioactive sesquiterpenoids from the flowers of <i>Inula japonica</i> . <i>Phytochemistry</i> , 2016, 129, 68-76.	2.9	30
27	Dichotomains A and B: Two New Highly Oxygenated Phenolic Derivatives from <i>Dicranopteris dichotoma</i> . <i>Organic Letters</i> , 2006, 8, 1937-1940.	4.6	29
28	Lycoplanine A, a C ₁₆ N <i>Lycopodium</i> Alkaloid with a 6/9/5 Tricyclic Skeleton from <i>Lycopodium complanatum</i> . <i>Organic Letters</i> , 2017, 19, 4668-4671.	4.6	29
29	Isolation and Complete Structural Assignment of <i>Lycopodium</i> Alkaloid Cernupalhine A: Theoretical Prediction and Total Synthesis Validation. <i>Organic Letters</i> , 2014, 16, 2700-2703.	4.6	28
30	Natural Product Vibsantin A Induces Differentiation of Myeloid Leukemia Cells through PKC Activation. <i>Cancer Research</i> , 2016, 76, 2698-2709.	0.9	27
31	Identification and validation of p50 as the cellular target of ericalyxin B. <i>Oncotarget</i> , 2014, 5, 11354-11364.	1.8	26
32	Alkaloids from the Bulbs of <i>Lycoris aurea</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 2550-2553.	1.6	25
33	Structure Revision of Hassananes with Use of Quantum Mechanical ¹³ C NMR Chemical Shifts and UV-Vis Absorption Spectra. <i>Journal of Physical Chemistry A</i> , 2008, 112, 12132-12139.	2.5	25
34	Hypercohonones C, acylphloroglucinol derivatives with homo-adamantane cores from <i>Hypericum cohaerens</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 233-237.	4.3	25
35	Sesquiterpenoids from <i>Tussilago farfara</i> and Their Inhibitory Effects on Nitric Oxide Production. <i>Planta Medica</i> , 2014, 80, 703-709.	1.3	25
36	Vibsatins A and B, Two New Tetranorvibsane-Type Diterpenoids from <i>Viburnum tinus</i> cv. <i>variegatus</i> . <i>Organic Letters</i> , 2014, 16, 980-983.	4.6	25

#	ARTICLE	IF	CITATIONS
37	Geissoschizine methyl ether N-oxide, a new alkaloid with antiacetylcholinesterase activity from <i>Uncaria rhynchophylla</i> . <i>Natural Product Research</i> , 2015, 29, 842-847.	1.8	25
38	Chemical constituents from the aerial parts of <i>Musella lasiocarpa</i> . <i>Natural Products and Bioprospecting</i> , 2011, 1, 41-47.	4.3	24
39	Novel ent-Abietane Diterpenoids from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> . <i>Helvetica Chimica Acta</i> , 2003, 86, 299-306.	1.6	23
40	Six New Dammarane Triterpenoids from <i>Viburnum cylindricum</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 1578-1587.	1.6	23
41	Casuarines A and B, Lycopodium alkaloids from <i>Lycopodium casuarinoides</i> . <i>Tetrahedron Letters</i> , 2013, 54, 4555-4557.	1.4	23
42	Isolation, characterisation, and antioxidant activities of flavonoids from chufa (<i>Eleocharis tuberosa</i>) peels. <i>Food Chemistry</i> , 2014, 164, 30-35.	8.2	23
43	Vibsanin B Preferentially Targets HSP90 α , Inhibits Interstitial Leukocyte Migration, and Ameliorates Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2015, 194, 4489-4497.	0.8	23
44	Hupehenols A-E, Selective 11 β -Hydroxysteroid Dehydrogenase Type 1 (11 β -HSD1) Inhibitors from <i>Viburnum hupehense</i> . <i>Journal of Natural Products</i> , 2015, 78, 330-334.	3.0	22
45	PIDA ² -Mediated β - and γ -C(sp ³) ³ -H Bond Dual Functionalization of Tertiary Amines. <i>Journal of Organic Chemistry</i> , 2018, 83, 10166-10174.	3.2	22
46	Two New Icetexane Diterpenoids from <i>Salvia przewalskii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 1575-1576.	1.3	21
47	Tetranorclerodanes and Clerodane-Type Diterpene Glycosides from <i>Dicranopteris dichotoma</i> . <i>Journal of Natural Products</i> , 2007, 70, 265-268.	3.0	21
48	Cytotoxic sesquiterpenoids from the leaves of <i>Magnolia grandiflora</i> . <i>Phytochemistry</i> , 2018, 155, 182-190.	2.9	21
49	Japonicumins A-D: Four New Compounds from <i>Lycopodium japonicum</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 1467-1473.	1.6	20
50	Diterpenoid Constituents of the Roots of <i>Salvia digitaloides</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12157-12161.	5.2	20
51	Hypophyllins A-D, Labdane-Type Diterpenoids with Vasorelaxant Activity from <i>Hypoestes phyllostachya</i> - Rosea. <i>Organic Letters</i> , 2016, 18, 6484-6487.	4.6	20
52	neo-Clerodane diterpenoids from <i>Salvia dugesii</i> and their bioactive studies. <i>Natural Products and Bioprospecting</i> , 2011, 1, 81-86.	4.3	19
53	Carinatines A and B, Lycopodium Alkaloids from <i>Phlegmariurus carinatus</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 221-225.	4.3	19
54	neo-Clerodanes from the aerial parts of <i>Salvia leucantha</i> . <i>Tetrahedron</i> , 2016, 72, 5507-5514.	1.9	19

#	ARTICLE	IF	CITATIONS
55	The inhibitory effect of compound ChIA-F on human bladder cancer cell invasion can be attributed to its blockage of SOX2 protein. <i>Cell Death and Differentiation</i> , 2020, 27, 632-645.	11.2	19
56	Four New Lignans from <i>Viburnum foetidum</i> var. <i>foetidum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1129-1131.	1.3	18
57	Pseudoferic acids A-C, three novel triterpenoids from the root bark of <i>Pseudolarix kaempferi</i> . <i>Tetrahedron Letters</i> , 2012, 53, 800-803.	1.4	18
58	Discovery and structure-activity relationships of ent-Kaurene diterpenoids as potent and selective 11 β -HSD1 inhibitors: Potential impact in diabetes. <i>European Journal of Medicinal Chemistry</i> , 2013, 65, 403-414.	5.5	18
59	Hupserines A-E, Lycopodium alkaloids from <i>Huperzia serrata</i> . <i>Fä-toterapÄ-Äç</i> , 2014, 99, 72-77.	2.2	18
60	Obscurumines H-P, new Lycopodium alkaloids from the club moss <i>Lycopodium obscurum</i> . <i>Fä-toterapÄ-Äç</i> , 2016, 109, 155-161.	2.2	18
61	Huperserratines A and B, Two Macrocylic Lycopodium Alkaloids with an Unusual Skeleton from <i>Huperzia serrata</i> . <i>Journal of Organic Chemistry</i> , 2020, 85, 6803-6807.	3.2	18
62	Three New Diterpenoids from <i>Salvia przewalskii</i> Maxim. <i>Helvetica Chimica Acta</i> , 2009, 92, 409-413.	1.6	17
63	Two New Indole Alkaloids from <i>Emmenopterys henryi</i> . <i>Helvetica Chimica Acta</i> , 2013, 96, 2207-2213.	1.6	17
64	Three new abietane diterpenoids from <i>Podocarpus fleuryi</i> . <i>Phytochemistry Letters</i> , 2013, 6, 364-367.	1.2	17
65	New alkaloids sinomacutines A-E, and cephalonine-2-O- β -d-glucopyranoside from rhizomes of <i>Sinomenium acutum</i> . <i>Tetrahedron</i> , 2014, 70, 8893-8899.	1.9	17
66	Alisol B Alleviates Hepatocyte Lipid Accumulation and Lipotoxicity via Regulating RAR α -PPAR γ -CD36 Cascade and Attenuates Non-Alcoholic Steatohepatitis in Mice. <i>Nutrients</i> , 2022, 14, 2411.	4.1	17
67	ent-Kaurane Diterpenoids from <i>Isodon lungshengensis</i> . <i>Journal of Natural Products</i> , 1999, 62, 941-945.	3.0	16
68	Triterpenoids and Diterpenoids from <i>Viburnum chingii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 496-498.	1.3	16
69	Dual-Functional abeo-Taxane Derivatives Destabilizing Microtubule Equilibrium and Inhibiting NF- κ B Activation. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 4749-4757.	6.4	16
70	Neo-clerodane diterpenoids from aerial parts of <i>Salvia hispanica</i> L. and their cardioprotective effects. <i>Phytochemistry</i> , 2019, 166, 112065.	2.9	16
71	Cyclization Approaching to (α^{\sim})-Lycojapodine A: Synthesis of Two Unnatural Alkaloids. <i>Journal of Organic Chemistry</i> , 2010, 75, 1317-1320.	3.2	15
72	Norditerpenoids from <i>Salvia castanea</i> Diels f. <i>pubescens</i> . <i>Fä-toterapÄ-Äç</i> , 2012, 83, 1072-1075.	2.2	15

#	ARTICLE	IF	CITATIONS
73	Diterpenoids from the Twigs and Leaves of <i>Fokienia hodginsii</i> . Journal of Natural Products, 2013, 76, 1032-1038.	3.0	15
74	Triterpenoids and Steroids with Cytotoxic Activity from <i>Emmenopterys henryi</i> . Planta Medica, 2013, 79, 1356-1361.	1.3	15
75	Six new cassane diterpenoids from the seeds of <i>Caesalpinia sappan</i> . Phytochemistry Letters, 2016, 16, 207-212.	1.2	15
76	Vibsan-type diterpenes from leaves and twigs of <i>Viburnum odoratissimum</i> . F \ddot{A} -totera \ddot{P} - \ddot{A} \ddot{C} , 2016, 109, 224-229.	2.2	15
77	Phlegmadine A: A <i>Lycopodium</i> Alkaloid with a Unique Cyclobutane Ring from <i>Phlegmariurus phlegmaria</i> . Journal of Organic Chemistry, 2019, 84, 11301-11305.	3.2	15
78	Micranthin C, a Novel 13(12 \hat{a} '11)abeo-Abietanoid from <i>Isodon lophanthoids</i> var. <i>micranthus</i> . Helvetica Chimica Acta, 2003, 86, 3470-3475.	1.6	14
79	Terpenoids from Two <i>Dicranopteris</i> Species. Helvetica Chimica Acta, 2008, 91, 856-861.	1.6	14
80	Isolation, structural elucidation, and chemical transformation of interconvertible 8,12-hemiketal germacranolide sesquiterpenoids from <i>Salvia castanea</i> Diels f. <i>tomentosa</i> Stib.. Tetrahedron, 2008, 64, 9490-9494.	1.9	14
81	Development of novel conformation-constrained cytotoxic derivatives of <i>cheliensisin A</i> by embedment of small heterocycles. European Journal of Medicinal Chemistry, 2011, 46, 4238-4244.	5.5	14
82	Vincamajorines A and B, monoterpene indole alkaloids with new carbon skeletons from <i>Vinca major</i> . Tetrahedron Letters, 2014, 55, 6490-6494.	1.4	14
83	Chemical constituents and biological activities of lycophytes and ferns. Chinese Journal of Natural Medicines, 2019, 17, 887-891.	1.3	14
84	Activation of SIK1 by phanginin A inhibits hepatic gluconeogenesis by increasing PDE4 activity and suppressing the cAMP signaling pathway. Molecular Metabolism, 2020, 41, 101045.	6.5	14
85	An Approach for the Synthesis of Pyrazolo[1,5- <i>a</i>]pyrimidines via Cu(II)-Catalyzed [3+3] Annulation of Saturated Ketones with Aminopyrazoles. Journal of Organic Chemistry, 2021, 86, 12762-12771.	3.2	14
86	Rhynchines A-E: Ca ^v 3.1 Calcium Channel Blockers from <i>Uncaria rhynchophylla</i> . Organic Letters, 2021, 23, 9463-9467.	4.6	14
87	Castanolide and epi-castanolide, two novel diterpenoids with a unique seco-norabietane skeleton from <i>Salvia castanea</i> Diels f. <i>pubescens</i> Stib.. Tetrahedron Letters, 2010, 51, 5083-5085.	1.4	13
88	Three New Sucrose Fatty Acid Esters from <i>Equisetum hiemale</i> L. Helvetica Chimica Acta, 2012, 95, 1158-1163.	1.6	13
89	New <i>Lycopodium</i> alkaloids from <i>Lycopodium obscurum</i> . Natural Products and Bioprospecting, 2013, 3, 52-55.	4.3	13
90	New neo-clerodane diterpenoids with neurotrophic activity from the aerial parts of <i>Salvia tiliifolia</i> . F \ddot{A} -totera \ddot{P} - \ddot{A} \ddot{C} , 2017, 123, 44-50.	2.2	13

#	ARTICLE	IF	CITATIONS
91	Protostane-Type Triterpenoids from <i>Alisma orientale</i> . <i>Chemistry and Biodiversity</i> , 2017, 14, e1700452.	2.1	13
92	Vibsane-Type Diterpenoids from <i>Viburnum odoratissimum</i> and Their Cytotoxic and $\text{HSP}90$ Inhibitory Activities. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800049.	2.1	13
93	Diterpenoids and sesquiterpenoids from the stem bark of <i>Metasequoia glyptostroboides</i> . <i>Phytochemistry</i> , 2019, 161, 86-96.	2.9	13
94	Caesalpanins A-C, Three Dimeric Cassane Diterpenoids from the Seeds of <i>Caesalpinia sappan</i> L.. <i>Chemistry and Biodiversity</i> , 2020, 17, e2000103.	2.1	13
95	Discovery and biological evaluation of tanshinone derivatives as potent dual inhibitors of indoleamine 2, 3-dioxygenase 1 and tryptophan 2, 3-dioxygenase. <i>European Journal of Medicinal Chemistry</i> , 2022, 235, 114294.	5.5	13
96	New Sesquiterpenoids from <i>Salvia castanea</i> Diels f. <i>tomentosa</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 2370-2374.	1.6	12
97	Exploring of drug leads from diversity-oriented Michael-acceptor library derived from natural products. <i>Natural Products and Bioprospecting</i> , 2012, 2, 210-216.	4.3	12
98	Benzophenone glycosides and epicatechin derivatives from <i>Malania oleifera</i> . <i>FÄ-toterapÄ-tÄ</i> , 2012, 83, 1068-1071.	2.2	12
99	Further Lignans from <i>Saururus chinensis</i> . <i>Planta Medica</i> , 2013, 79, 1720-1723.	1.3	12
100	Mechanisms of the dilator action of the <i>Erigerontis Herba</i> on rat aorta. <i>Journal of Ethnopharmacology</i> , 2014, 155, 1561-1567.	4.1	12
101	Collective formal synthesis of (\pm)-rhynchophylline and homologues. <i>RSC Advances</i> , 2016, 6, 63131-63135.	3.6	12
102	Lycodine-Type Lycopodium Alkaloids from the Whole Plants of <i>Huperzia serrata</i> . <i>Natural Products and Bioprospecting</i> , 2017, 7, 405-411.	4.3	12
103	Two New Anti-Proliferative C ₁₈ -Norditerpenes from the Roots of <i>Podocarpus macrophyllus</i> . <i>Chemistry and Biodiversity</i> , 2018, 15, e1800043.	2.1	12
104	Isolation, Structural Assignment of Isoselagintamarlin A from <i>Selaginella tamariscina</i> and Its Biomimetic Synthesis. <i>Natural Products and Bioprospecting</i> , 2019, 9, 69-74.	4.3	12
105	Artemilavanolides A and B, two sesquiterpenoids with a 6-oxabicyclo[3.2.1]octane scaffold from <i>Artemisia lavandulaefolia</i> . <i>Tetrahedron Letters</i> , 2020, 61, 151872.	1.4	12
106	Seven New Phenolic Glucosides from <i>Viburnum cylindricum</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1324-1332.	1.6	11
107	Two New Sesquiterpene Glucosides from <i>Dennstaedtia scabra</i> (WALL.) MOORE. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1123-1125.	1.3	11
108	Euglobal-IIIa, a novel acylphloroglucinol-sesquiterpene derivative from <i>Eucalyptus robusta</i> : absolute structure and cytotoxicity. <i>Natural Products and Bioprospecting</i> , 2011, 1, 101-103.	4.3	11

#	ARTICLE	IF	CITATIONS
109	Two new diterpenoids from <i>Excoecaria acerifolia</i> . <i>Journal of Asian Natural Products Research</i> , 2013, 15, 151-157.	1.4	11
110	(\pm)-Salviaprione, a pair of unprecedented abietane-type diterpenoids from <i>Salvia prionitis</i> . <i>Tetrahedron Letters</i> , 2015, 56, 5457-5459.	1.4	11
111	Synthesis of a Small-Molecule Library with Skeletal Diversity from Hemslecin A via the Reaction-Discovery Strategy. <i>Organic Letters</i> , 2016, 18, 3948-3951.	4.6	11
112	Vinmajorines C-E, Monoterpenoid Indole Alkaloids from <i>Vinca major</i> . <i>Helvetica Chimica Acta</i> , 2016, 99, 157-160.	1.6	11
113	Neo-clerodane and abietane diterpenoids with neurotrophic activities from the aerial parts of <i>Salvia leucantha</i> Cav.. <i>FÄ-toterapÄ-Äç</i> , 2018, 127, 367-374.	2.2	11
114	Three new <i>Lycopodium</i> alkaloids from <i>Lycopodium japonicum</i> . <i>Journal of Asian Natural Products Research</i> , 2019, 21, 17-24.	1.4	11
115	Polycyclic Polyprenylated Acylphloroglucinols and Cytotoxic Constituents of <i>Hypericum androsaemum</i> . <i>Chemistry and Biodiversity</i> , 2012, 9, 1213-1220.	2.1	10
116	Three New Sesquiterpenes from <i>Laggera pterodonta</i> . <i>Helvetica Chimica Acta</i> , 2013, 96, 732-737.	1.6	10
117	Cheliensin A Inhibits EGF-Induced Cell Transformation with Stabilization of p53 Protein Via a Hydrogen Peroxide/Chk1-Dependent Axis. <i>Cancer Prevention Research</i> , 2013, 6, 949-958.	1.5	10
118	Diphaladine A, a New <i>Lycopodium</i> Alkaloid from <i>Diphasiastrum complanatum</i> ; (Lycopodiaceae). <i>Acta Botanica Yunnanica</i> , 2010, 31, 93-96.	0.1	10
119	Structures of Two New Diterpenoid Dimers from Bulbs of <i>Fritillaria ebeiensis</i> . <i>Journal of Asian Natural Products Research</i> , 1999, 1, 251-257.	1.4	9
120	Four new labdane-type diterpenoid glycosides from <i>Diplopterygium laevisissimum</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 38-42.	4.3	9
121	(\pm)-Evodiakine, A Pair of Rearranged Rutaecarpine-Type Alkaloids From <i>Evodia rutaecarpa</i> . <i>Natural Products and Bioprospecting</i> , 2016, 6, 291-296.	4.3	9
122	Total Synthesis of (\pm)-Cermizine B. <i>Journal of Organic Chemistry</i> , 2017, 82, 11110-11116.	3.2	9
123	A biomimetic semisynthesis enables structural elucidation of selaginellin U: a tautomeric cyclic alkynylphenol from <i>Selaginella tamariscina</i> . <i>Royal Society Open Science</i> , 2017, 4, 170352.	2.4	9
124	A New <i>ent</i> -Kauranoid Diterpenoid from <i>Hicriopteris glauca</i> (Gleicheniaceae). <i>Acta Botanica Yunnanica</i> , 2009, 31, 183-186.	0.1	9
125	Cassane diterpenoids from the seeds of <i>Caesalpinia bonduc</i> and their nitric oxide production and \pm -glucosidase inhibitory activities. <i>Phytochemistry</i> , 2022, 193, 112973.	2.9	9
126	Chemical Constituents of <i>Isodon melissoides</i> . <i>Journal of Asian Natural Products Research</i> , 1999, 1, 277-284.	1.4	8

#	ARTICLE	IF	CITATIONS
127	New <i>Lycopodium</i> alkaloids from <i>Phlegmariurus squarrosus</i> . <i>Journal of Asian Natural Products Research</i> , 2014, 16, 574-580.	1.4	8
128	Evollionines A-C, Three New Alkaloids Isolated from the Fruits of <i>Evodia rutaecarpa</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 1481-1486.	1.6	8
129	Lycopodine-Type Alkaloids from <i>Lycopodium japonicum</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 213-219.	4.3	8
130	Synthesis of l-Ascorbic Acid Lactone Derivatives. <i>Natural Products and Bioprospecting</i> , 2014, 4, 181-188.	4.3	8
131	Diterpenoids from <i>Diplopterygium rufopilosum</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 1085-1090.	1.6	7
132	Fragmentations of 13-oxo-taxyunnansin A and their application to preparation of abeo-paclitaxel and abeo-docetaxel analogues. <i>Tetrahedron Letters</i> , 2011, 52, 139-142.	1.4	7
133	Synthesis and neurite outgrowth promoting activity of vibsantin B derivatives. <i>Tetrahedron Letters</i> , 2014, 55, 3414-3417.	1.4	7
134	Nor-lupane triterpenoid and guaiane sesquiterpenoids from <i>Schefflera venulosa</i> . <i>FÄ-toterapÄ-Ä</i> , 2015, 103, 294-298.	2.2	7
135	Synthesis of hupehenols A, B, and E from protopanaxadiol. <i>RSC Advances</i> , 2016, 6, 35792-35803.	3.6	7
136	Five new <i>Lycopodium</i> alkaloids from the aerial parts of <i>Phlegmariurus henryi</i> . <i>FÄ-toterapÄ-Ä</i> , 2016, 115, 148-154.	2.2	7
137	Lycogladines A-H, fawcettimine-type <i>Lycopodium</i> alkaloids from <i>Lycopodium complanatum</i> var. <i>glaucum</i> Ching. <i>Tetrahedron</i> , 2018, 74, 1692-1697.	1.9	7
138	Salvihispin A and its glycoside, two neo-clerodane diterpenoids with neurotrophic activities from <i>Salvia hispanica</i> L.. <i>Tetrahedron Letters</i> , 2018, 59, 143-146.	1.4	7
139	Magnograndins J-M, elemene sesquiterpenoids from the leaves of <i>Magnolia grandiflora</i> and their inhibitory effects on nitric oxide production. <i>Phytochemistry Letters</i> , 2019, 31, 121-124.	1.2	7
140	Phlegmadines B and C, two <i>Lycopodium</i> alkaloids with 6/5/5/5/7 pentacyclic skeleton from <i>Phlegmariurus phlegmaria</i> . <i>Tetrahedron Letters</i> , 2020, 61, 151381.	1.4	7
141	Illilanceolide A, a unique seco-prezizaane sesquiterpenoid with 5/5/6 tricyclic scaffold from the fruits of <i>Illicium lanceolatum</i> A. C. Smith. <i>Tetrahedron Letters</i> , 2021, 70, 153022.	1.4	7
142	Polar auxin transport May Be responsive to specific features of flavonoid structure. <i>Phytochemistry</i> , 2021, 185, 112702.	2.9	7
143	Novel ent-äKaurane Diterpenoids from <i>Isodon xerophilus</i> . <i>Chinese Journal of Chemistry</i> , 2001, 19, 365-370.	4.9	6
144	Splendidins A-C, Three New Clerodane Diterpenoids from <i>Salvia splendens</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 417-422.	1.6	6

#	ARTICLE	IF	CITATIONS
145	Four new fawcettimine-related alkaloids from <i>Phlegmariurus squarrosus</i> . Journal of Asian Natural Products Research, 2015, 17, 967-975.	1.4	6
146	Synthesis of selective 11 β -HSD1 inhibitors based on dammarane scaffold. European Journal of Medicinal Chemistry, 2017, 135, 324-338.	5.5	6
147	Sesquiterpenes from the Leaves of <i>Magnolia delavayi</i> Franch. and Their Cytotoxic Activities. Chemistry and Biodiversity, 2019, 16, e1900013.	2.1	6
148	Discovery of pseudolaric acid A as a new Hsp90 inhibitor uncovers its potential anticancer mechanism. Bioorganic Chemistry, 2021, 112, 104963.	4.1	6
149	Cunlanceoic acids A-D: unprecedented labdane diterpenoid dimers with AChE inhibitory and cytotoxic activities from <i>Cunninghamia lanceolata</i> . Organic Chemistry Frontiers, 2021, 8, 5777-5784.	4.5	6
150	<i>seco</i> -Prezizanne Sesquiterpenes and Prenylated C ₆ -C ₃ Compounds from the Fruits of <i>Illicium lanceolatum</i> A. C. Smith. Chemistry and Biodiversity, 2022, 19, .	2.1	6
151	Vibsanin-Type Diterpenoids: Structures, Derivatives, Bioactivities, and Synthesis. Chemistry and Biodiversity, 2022, 19, .	2.1	6
152	Interconvertible Eudesmanolides Containing a 6,12-Hemiketal Function from <i>Salvia castanea</i> Diels f. <i>tomentosa</i> Stib. Helvetica Chimica Acta, 2010, 93, 1773-1778.	1.6	5
153	Triterpenoids from <i>Viburnum betulifolium</i> . Journal of Asian Natural Products Research, 2011, 13, 105-110.	1.4	5
154	Three new iridoids from two <i>Viburnum</i> species. Journal of Asian Natural Products Research, 2015, 17, 976-981.	1.4	5
155	Lyconadins G and H, Two Rare Lyconadin-Type Lycopodium Alkaloids from <i>Lycopodium complanatum</i> . Natural Products and Bioprospecting, 2016, 6, 279-284.	4.3	5
156	Three new monoterpene indole alkaloids from <i>Vinca major</i> . Journal of Asian Natural Products Research, 2016, 18, 328-333.	1.4	5
157	Sesquiterpenoids from the twigs and leaves of <i>Fokienia hodginsii</i> . Journal of Asian Natural Products Research, 2017, 19, 666-672.	1.4	5
158	Vibsanin A sensitizes human acute myeloid leukemia cells to tyrosine kinase inhibitor-induced myeloid differentiation via activation of PKC and upregulation of Lyn. Biochemical and Biophysical Research Communications, 2018, 502, 110-115.	2.1	5
159	Rearranged neoclerodane diterpenoids from the aerial parts of <i>Salvia hispanica</i> L. F α -toterap α , 2020, 146, 104672.	2.2	5
160	Cheliensisin A (Chel A) induces apoptosis in human bladder cancer cells by promoting PHLPP2 protein degradation. Oncotarget, 2016, 7, 66689-66699.	1.8	5
161	Monoterpene Indole Alkaloids with Cav3.1 T-Type Calcium Channel Inhibitory Activity from <i>Catharanthus roseus</i> . Molecules, 2021, 26, 6516.	3.8	5
162	Spiroligustolides A and B: Two pairs of enantiomeric spiro-orthoester-containing phthalide dimers as Cav3.1 calcium channel inhibitors from <i>Ligusticum Chuanxiong</i> Hort. Bioorganic Chemistry, 2022, 123, 105749.	4.1	5

#	ARTICLE	IF	CITATIONS
163	Sauruchinenols A and B, unprecedented monocyclic diterpenes with new carbon skeleton from the aerial parts of <i>Saururus chinensis</i> . <i>F₃-totera</i> , 2017, 116, 116-120.	2.2	4
164	Hypofolins A–L, Labdane Diterpenoids from the Roots of <i>Hypoestes phyllostachya</i> "Pink Splash". <i>Chemistry and Biodiversity</i> , 2018, 15, e1800124.	2.1	4
165	Lycoplanines B-D, Three Lycopodium Alkaloids from <i>Lycopodium complanatum</i> . <i>Natural Products and Bioprospecting</i> , 2018, 8, 177-182.	4.3	4
166	Salvifarinin A, a neo-clerodane diterpenoid with a 6/5/7 tricyclic skeleton from <i>Salvia farinacea</i> . <i>Tetrahedron Letters</i> , 2018, 59, 3065-3068.	1.4	4
167	Tetranorlanostane and Lanostane Triterpenoids with Cytotoxic Activity from the Epidermis of <i>Poria cocos</i> . <i>Chemistry and Biodiversity</i> , 2021, 18, e2100196.	2.1	4
168	Hypoestins A–D: highly modified fusicoccane diterpenoids with promising Ca ^v 3.1 calcium channel inhibitory activity from <i>Hypoestes purpurea</i> . <i>Organic Chemistry Frontiers</i> , 0, , .	4.5	4
169	Glabcensin Q-U, Five New Ent-Kaurane Diterpenoids from <i>Isodon angustifolius</i> Var. <i>Glabrescens</i> . <i>Journal of Asian Natural Products Research</i> , 1998, 1, 77-86.	1.4	3
170	Structural Elucidations of Two Ent-Kaurane Dimers from Bulbs of <i>Fritillaria ebeiensis</i> var. <i>purpurea</i> . <i>Journal of Asian Natural Products Research</i> , 2000, 2, 213-218.	1.4	3
171	Clerodane-type Diterpene Glycosides from <i>Dicranopteris pedata</i> . <i>Natural Products and Bioprospecting</i> , 2021, 11, 557-564.	4.3	3
172	Neo-clerodane Diterpenoids with Hypoglycemic Effects <i>in Vivo</i> from the Aerial Parts of <i>Salvia hispanica</i> L.. <i>Chemistry and Biodiversity</i> , 2021, 18, e2100517.	2.1	3
173	Design, synthesis and structural-activity relationship studies of phanginin A derivatives for regulating SIK1-cAMP/CREB signaling to suppress hepatic gluconeogenesis. <i>European Journal of Medicinal Chemistry</i> , 2022, 232, 114171.	5.5	3
174	A Practical Total Synthesis of (±)-Cermizine D and a Formal Synthesis of (±)-Cermizine C. <i>Journal of Chemical Research</i> , 2018, 42, 274-279.	1.3	2
175	Two New Glycosides from <i>Diplopterygium laevissimum</i> (Gleicheniaceae). <i>Acta Botanica Yunnanica</i> , 2010, 31, 559-562.	0.1	2
176	Chemical constituents of <i>Viburnum betulifolium</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 390-391.	0.8	1
177	An efficient and concise synthesis of a selective small molecule non-peptide inhibitor of cathepsin L: KGP94. <i>Bioorganic Chemistry</i> , 2021, 116, 105317.	4.1	1
178	Total synthesis of huperserratin A and B. <i>Organic Chemistry Frontiers</i> , 2022, 9, 3664-3668.	4.5	1
179	Hupertimines A–E, Fawcettimine-type Lycopodium Alkaloids from <i>Huperzia serrata</i> . <i>Chemistry and Biodiversity</i> , 2022, 19, .	2.1	1
180	Four Highly Oxygenated Sesquiterpenoids from the Fruits of <i>Illicium micranthum</i> Dunn. <i>Chemistry and Biodiversity</i> , 2022, 19, .	2.1	1

#	ARTICLE	IF	CITATIONS
181	Hypopurolides A–G, Labdane Diterpenoids from <i>Hypoestes purpurea</i> and Their Nitric Oxide Inhibitory Activity. <i>Chemistry and Biodiversity</i> , 2022, , .	2.1	0