

Qin-Shi Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2993260/publications.pdf>

Version: 2024-02-01

181
papers

3,113
citations

201674

27
h-index

289244

40
g-index

190
all docs

190
docs citations

190
times ranked

3041
citing authors

#	ARTICLE	IF	CITATIONS
1	Cassane diterpenoids from the seeds of <i>Caesalpinia bonduc</i> and their nitric oxide production and β -glucosidase inhibitory activities. <i>Phytochemistry</i> , 2022, 193, 112973.	2.9	9
2	< i>seco</i> Prezizanne Sesquiterpenes and Prenylated C6-C3 Compounds from the Fruits of < i>Illicium lanceolatum</i> A. C. Smith. <i>Chemistry and Biodiversity</i> , 2022, 19, .	2.1	6
3	Vibsane α -Type Diterpenoids: Structures, Derivatives, Bioactivities, and Synthesis. <i>Chemistry and Biodiversity</i> , 2022, 19, .	2.1	6
4	Design, synthesis and structural-activity relationship studies of phanginin A derivatives for regulating SIK1-cAMP/CREB signaling to suppress hepatic gluconeogenesis. <i>European Journal of Medicinal Chemistry</i> , 2022, 232, 114171.	5.5	3
5	Hypopurolides A-G, Labdane Diterpenoids from < i>Hypoestes purpurea</i> and Their Nitric Oxide Inhibitory Activity. <i>Chemistry and Biodiversity</i> , 2022, .	2.1	0
6	Discovery and biological evaluation of tanshinone derivatives as potent dual inhibitors of indoleamine 2, 3-dioxygenase 1 and tryptophan 2, 3-dioxygenase. <i>European Journal of Medicinal Chemistry</i> , 2022, 235, 114294.	5.5	13
7	Spiroligustolides A and B: Two pairs of enantiomeric spiro-orthoester-containing phthalide dimers as Cav3.1 calcium channel inhibitors from <i>Ligusticum Chuanxiong</i> Hort. <i>Bioorganic Chemistry</i> , 2022, 123, 105749.	4.1	5
8	Total synthesis of hupserratin A and B. <i>Organic Chemistry Frontiers</i> , 2022, 9, 3664-3668.	4.5	1
9	Hupertimines A-E, Fawcettimine α -Type < i>Lycopodium</i> Alkaloids from < i>Hyperzia serrata</i>. <i>Chemistry and Biodiversity</i> , 2022, 19, .	2.1	1
10	Four Highly Oxygenated Sesquiterpenoids from the Fruits of < i>Illicium micranthum</i> Dunn. <i>Chemistry and Biodiversity</i> , 2022, 19, .	2.1	1
11	Alisol B Alleviates Hepatocyte Lipid Accumulation and Lipotoxicity via Regulating RAR β -PPAR γ -CD36 Cascade and Attenuates Non-Alcoholic Steatohepatitis in Mice. <i>Nutrients</i> , 2022, 14, 2411.	4.1	17
12	Tetranorlanostane and Lanostane Triterpenoids with Cytotoxic Activity from the Epidermis of < i>Poria cocos</i>. <i>Chemistry and Biodiversity</i> , 2021, 18, e2100196.	2.1	4
13	Illilanceolide A, a unique seco-prezizaane sesquiterpenoid with 5/5/6 tricyclic scaffold from the fruits of <i>Illicium lanceolatum</i> A. C. Smith. <i>Tetrahedron Letters</i> , 2021, 70, 153022.	1.4	7
14	Polar auxin transport May Be responsive to specific features of flavonoid structure. <i>Phytochemistry</i> , 2021, 185, 112702.	2.9	7
15	Clerodane-type Diterpene Glycosides from <i>Dicranopteris pedata</i> . <i>Natural Products and Bioprospecting</i> , 2021, 11, 557-564.	4.3	3
16	Discovery of pseudolaric acid A as a new Hsp90 inhibitor uncovers its potential anticancer mechanism. <i>Bioorganic Chemistry</i> , 2021, 112, 104963.	4.1	6
17	< i>Neo</i>-clerodane Diterpenoids with Hypoglycemic Effects < i>in Vivo</i> from the Aerial Parts of < i>Salvia hispanica</i> L.. <i>Chemistry and Biodiversity</i> , 2021, 18, e2100517.	2.1	3
18	An Approach for the Synthesis of Pyrazolo[1,5-< i>a</i>]pyrimidines via Cu(II)-Catalyzed [3+3] Annulation of Saturated Ketones with Aminopyrazoles. <i>Journal of Organic Chemistry</i> , 2021, 86, 12762-12771.	3.2	14

#	ARTICLE	IF	CITATIONS
19	An efficient and concise synthesis of a selective small molecule non-peptide inhibitor of cathepsin L: KGP94. <i>Bioorganic Chemistry</i> , 2021, 116, 105317.	4.1	1
20	Cunlanceloic acids A-D: unprecedented labdane diterpenoid dimers with AChE inhibitory and cytotoxic activities from <i>< i> Cunninghamia lanceolata</i></i> . <i>Organic Chemistry Frontiers</i> , 2021, 8, 5777-5784.	4.5	6
21	Monoterpene Indole Alkaloids with Cav3.1 T-Type Calcium Channel Inhibitory Activity from <i>Catharanthus roseus</i> . <i>Molecules</i> , 2021, 26, 6516.	3.8	5
22	Rhynchines A-E: Ca_v3.1 Calcium Channel Blockers from <i>< i> Uncaria rhynchophylla</i></i> . <i>Organic Letters</i> , 2021, 23, 9463-9467.	4.6	14
23	The inhibitory effect of compound ChIA-F on human bladder cancer cell invasion can be attributed to its blockage of SOX2 protein. <i>Cell Death and Differentiation</i> , 2020, 27, 632-645.	11.2	19
24	Phlegmadines B and C, two <i>Lycopodium</i> alkaloids with 6/5/5/5/7 pentacyclic skeleton from <i>Phlegmariurus phlegmaria</i> . <i>Tetrahedron Letters</i> , 2020, 61, 151381.	1.4	7
25	Caesalpanins A-C, Three Dimeric Cassane Diterpenoids from the Seeds of <i>< i> Caesalpinia sappan</i></i> L.. <i>Chemistry and Biodiversity</i> , 2020, 17, e2000103.	2.1	13
26	Activation of SIK1 by phanginin A inhibits hepatic gluconeogenesis by increasing PDE4 activity and suppressing the cAMP signaling pathway. <i>Molecular Metabolism</i> , 2020, 41, 101045.	6.5	14
27	Rearranged neoclerodane diterpenoids from the aerial parts of <i>Salvia hispanica</i> L.. F- α -toterap- β -c, 2020, 146, 104672.	2.2	5
28	Artemilavanolides A and B, two sesquiterpenoids with a 6-oxabicyclo[3.2.1]octane scaffold from <i>Artemisia lavandulaefolia</i> . <i>Tetrahedron Letters</i> , 2020, 61, 151872.	1.4	12
29	Hupserratinines A and B, Two Macroyclic <i>< i> Lycopodium</i></i> Alkaloids with an Unusual Skeleton from <i>< i> Huperzia serrata</i></i> . <i>Journal of Organic Chemistry</i> , 2020, 85, 6803-6807.	3.2	18
30	Phlegmadine A: A <i>< i> Lycopodium</i></i> Alkaloid with a Unique Cyclobutane Ring from <i>< i> Phlegmariurus phlegmaria</i></i> . <i>Journal of Organic Chemistry</i> , 2019, 84, 11301-11305.	3.2	15
31	Neo-clerodane diterpenoids from aerial parts of <i>Salvia hispanica</i> L. and their cardioprotective effects. <i>Phytochemistry</i> , 2019, 166, 112065.	2.9	16
32	Isolation, Structural Assignment of Isoselagintamarlin A from <i>Selaginella tamariscina</i> and Its Biomimetic Synthesis. <i>Natural Products and Bioprospecting</i> , 2019, 9, 69-74.	4.3	12
33	Magnograndins J-M, elemane sesquiterpenoids from the leaves of <i>Magnolia grandiflora</i> and their inhibitory effects on nitric oxide production. <i>Phytochemistry Letters</i> , 2019, 31, 121-124.	1.2	7
34	Sesquiterpenes from the Leaves of <i>< i> Magnolia delavayi</i></i> Franch. and Their Cytotoxic Activities. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900013.	2.1	6
35	Diterpenoids and sesquiterpenoids from the stem bark of <i>Metasequoia glyptostroboides</i> . <i>Phytochemistry</i> , 2019, 161, 86-96.	2.9	13
36	Chemical constituents and biological activities of lycophytes and ferns. <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 887-891.	1.3	14

#	ARTICLE	IF	CITATIONS
37	Three new <i>Lycopodium</i> alkaloids from <i>Lycopodium japonicum</i> . <i>Journal of Asian Natural Products Research</i> , 2019, 21, 17-24.	1.4	11
38	Lycogladines A-H, fawcettimine-type <i>Lycopodium</i> alkaloids from <i>Lycopodium complanatum</i> var. <i>glaucum</i> Ching. <i>Tetrahedron</i> , 2018, 74, 1692-1697.	1.9	7
39	Neo-clerodane and abietane diterpenoids with neurotrophic activities from the aerial parts of <i>Salvia leucantha</i> Cav.. FÄ–toterapÃ–Ä¢, 2018, 127, 367-374.	2.2	11
40	Two New Antiâ€¢Proliferative C ₁₈ â€¢Norditerpenes from the Roots of <i>Podocarpus macrophyllus</i> . <i>Chemistry and Biodiversity</i> , 2018, 15, e1800043.	2.1	12
41	Vibsaneâ€¢Type Diterpenoids from <i>Viburnum odoratissimum</i> and Their Cytotoxic and <i>HSP</i> Inhibitory Activities. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800049.	2.1	13
42	Salvihispin A and its glycoside, two neo -clerodane diterpenoids with neurotrophic activities from <i>Salvia hispanica</i> L.. <i>Tetrahedron Letters</i> , 2018, 59, 143-146.	1.4	7
43	Vibsanin A sensitizes human acute myeloid leukemia cells to tyrosine kinase inhibitor-induced myeloid differentiation via activation of PKC and upregulation of Lyn. <i>Biochemical and Biophysical Research Communications</i> , 2018, 502, 110-115.	2.1	5
44	Hypofolins A â€“ L, <i>ent</i> -abdanane Diterpenoids from the Roots of <i>Hypoestes phyllostachya</i> â€“Pink Splashâ€™. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800124.	2.1	4
45	A Practical Total Synthesis of (\pm)-Cermizine D and a Formal Synthesis of (\pm)-Cermizine C. <i>Journal of Chemical Research</i> , 2018, 42, 274-279.	1.3	2
46	PIDA/I ₂ -Mediated $\overset{\pm}{\beta}$ - and $\overset{2}{\beta}$ -C(sp ³)â€“H Bond Dual Functionalization of Tertiary Amines. <i>Journal of Organic Chemistry</i> , 2018, 83, 10166-10174.	3.2	22
47	Lycoplanines B-D, Three <i>Lycopodium</i> Alkaloids from <i>Lycopodium complanatum</i> . <i>Natural Products and Bioprospecting</i> , 2018, 8, 177-182.	4.3	4
48	Cytotoxic sesquiterpenoids from the leaves of <i>Magnolia grandiflora</i> . <i>Phytochemistry</i> , 2018, 155, 182-190.	2.9	21
49	New compound ChIA-F induces autophagy-dependent anti-cancer effect via upregulating Sestrin-2 in human bladder cancer. <i>Cancer Letters</i> , 2018, 436, 38-51.	7.2	40
50	Salifarinin A, a neo-clerodane diterpenoid with a 6/5/7 tricyclic skeleton from <i>Salvia farinacea</i> . <i>Tetrahedron Letters</i> , 2018, 59, 3065-3068.	1.4	4
51	Synthesis of selective 11 β -HSD1 inhibitors based on dammarane scaffold. <i>European Journal of Medicinal Chemistry</i> , 2017, 135, 324-338.	5.5	6
52	Sauruchinenols A and B, unprecedented monocyclic diterpenes with new carbon skeleton from the aerial parts of <i>Saururus chinensis</i> . FÄ–toterapÃ–Ä¢, 2017, 116, 116-120.	2.2	4
53	Sesquiterpenoids from the twigs and leaves of <i>Fokienia hodginsii</i> . <i>Journal of Asian Natural Products Research</i> , 2017, 19, 666-672.	1.4	5
54	New neo -clerodane diterpenoids with neurotrophic activity from the aerial parts of <i>Salvia tiliifolia</i> . FÄ–toterapÃ–Ä¢, 2017, 123, 44-50.	2.2	13

#	ARTICLE	IF	CITATIONS
55	Total Synthesis of (\pm)-Cermizine B. <i>Journal of Organic Chemistry</i> , 2017, 82, 11110-11116.	3.2	9
56	Design, Synthesis, and Biological Activities of Vibsanin B Derivatives: A New Class of HSP90 C-Terminal Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 9053-9066.	6.4	34
57	Lycopanine A, a C ₁₆ N <i>i>Lycopodium</i> Alkaloid with a 6/9/5 Tricyclic Skeleton from <i>i>Lycopodium complanatum</i> . <i>Organic Letters</i> , 2017, 19, 4668-4671.	4.6	29
58	A biomimetic semisynthesis enables structural elucidation of selaginellin U: a tautomeric cyclic alkynylphenol from <i>i>Selaginella tamariscina</i> . <i>Royal Society Open Science</i> , 2017, 4, 170352.	2.4	9
59	Lycodine-Type Lycopodium Alkaloids from the Whole Plants of <i>Huperzia serrata</i> . <i>Natural Products and Bioprospecting</i> , 2017, 7, 405-411.	4.3	12
60	Protostane- Δ -Triterpenoids from <i>i>Alisma orientale</i> . <i>Chemistry and Biodiversity</i> , 2017, 14, e1700452.	2.1	13
61	Hypophyllins A-D, Labdane-Type Diterpenoids with Vasorelaxant Activity from <i>i>Hypoestes phyllostachya</i> . <i>Organic Letters</i> , 2016, 18, 6484-6487.	4.6	20
62	Synthesis of hupehenols A, B, and E from protopanaxadiol. <i>RSC Advances</i> , 2016, 6, 35792-35803.	3.6	7
63	Six new cassane diterpenoids from the seeds of <i>Caesalpinia sappan</i> . <i>Phytochemistry Letters</i> , 2016, 16, 207-212.	1.2	15
64	Bioactive sesquiterpenoids from the flowers of <i>Inula japonica</i> . <i>Phytochemistry</i> , 2016, 129, 68-76.	2.9	30
65	Synthesis of a Small-Molecule Library with Skeletal Diversity from Hemslecin A via the Reaction-Discovery Strategy. <i>Organic Letters</i> , 2016, 18, 3948-3951.	4.6	11
66	Phleghenrines A-D and Neophleghenrine A, Bioactive and Structurally Rigid <i>i>Lycopodium</i> Alkaloids from <i>i>Phlegmariurus henryi</i> . <i>Organic Letters</i> , 2016, 18, 4498-4501.	4.6	33
67	(\pm)-Evodiakine, A Pair of Rearranged Rutaecarpine-Type Alkaloids From <i>Evodia rutaecarpa</i> . <i>Natural Products and Bioprospecting</i> , 2016, 6, 291-296.	4.3	9
68	neo-Clerodanes from the aerial parts of <i>Salvia leucantha</i> . <i>Tetrahedron</i> , 2016, 72, 5507-5514.	1.9	19
69	Lyconadins G and H, Two Rare Lyconadin-Type Lycopodium Alkaloids from <i>Lycopodium complanatum</i> . <i>Natural Products and Bioprospecting</i> , 2016, 6, 279-284.	4.3	5
70	Five new Lycopodium alkaloids from the aerial parts of <i>Phlegmariurus henryi</i> . <i>FÄtoterapÄ, 2016, 115, 148-154.</i>	2.2	7
71	Vinmajorines C-E, Monoterpene Indole Alkaloids from <i>i>Vinca major</i> . <i>Helvetica Chimica Acta</i> , 2016, 99, 157-160.	1.6	11
72	Collective formal synthesis of (\pm)-rhynchophylline and homologues. <i>RSC Advances</i> , 2016, 6, 63131-63135.	3.6	12

#	ARTICLE	IF	CITATIONS
73	Vibsane-type diterpenes from leaves and twigs of <i>Viburnum odoratissimum</i> . FÄ¬toterapÄ¬Ä¢, 2016, 109, 224-229.	2.2	15
74	Three new monoterpenoid indole alkaloids from <i>< i>Vinca major</i></i> . Journal of Asian Natural Products Research, 2016, 18, 328-333.	1.4	5
75	Natural Product Vibsanin A Induces Differentiation of Myeloid Leukemia Cells through PKC Activation. Cancer Research, 2016, 76, 2698-2709.	0.9	27
76	Obscurumines Hâ€“P, new <i>Lycopodium</i> alkaloids from the club moss <i>Lycopodium obscurum</i> . FÄ¬toterapÄ¬Ä¢, 2016, 109, 155-161.	2.2	18
77	Cheliensisin A (Chel A) induces apoptosis in human bladder cancer cells by promoting PHLPP2 protein degradation. Oncotarget, 2016, 7, 66689-66699.	1.8	5
78	Three new iridoids from two <i>< i>Viburnum</i></i> species. Journal of Asian Natural Products Research, 2015, 17, 976-981.	1.4	5
79	New cytotoxic and anti-inflammatory compounds isolated from <i>< i>Morus alba</i></i> L.. Natural Product Research, 2015, 29, 1711-1718.	1.8	30
80	Hupehenols Aâ€“E, Selective 11Î²-Hydroxysteroid Dehydrogenase Type 1 (11Î²-HSD1) Inhibitors from <i>< i>Viburnum hupehense</i></i> . Journal of Natural Products, 2015, 78, 330-334.	3.0	22
81	Nor-lupane triterpenoid and guaiane sesquiterpenoids from <i>Schefflera venulosa</i> . FÄ¬toterapÄ¬Ä¢, 2015, 103, 294-298.	2.2	7
82	Vibsanin B Preferentially Targets HSP90Î², Inhibits Interstitial Leukocyte Migration, and Ameliorates Experimental Autoimmune Encephalomyelitis. Journal of Immunology, 2015, 194, 4489-4497.	0.8	23
83	Four new fawcettimine-related alkaloids from <i>< i>Phlegmariurus squarrosum</i></i> . Journal of Asian Natural Products Research, 2015, 17, 967-975.	1.4	6
84	(Â±)-Salviaprione, a pair of unprecedented abietane-type diterpenoids from <i>Salvia prionitis</i> . Tetrahedron Letters, 2015, 56, 5457-5459.	1.4	11
85	Geissoschizine methyl ether <i>< i>N</i></i> -oxide, a new alkaloid with antiacetylcholinesterase activity from <i>< i>Uncaria rhynchophylla</i></i> . Natural Product Research, 2015, 29, 842-847.	1.8	25
86	Compounds from <i>Dryopteris Fragrans</i> (L.) Schott with Cytotoxic Activity. Molecules, 2014, 19, 3345-3355.	3.8	41
87	Crucial Role of c-Jun Phosphorylation at Ser63/73 Mediated by PHLPP Protein Degradation in the Cheliensisin A Inhibition of Cell Transformation. Cancer Prevention Research, 2014, 7, 1270-1281.	1.5	35
88	Sesquiterpenoids from <i>Tussilago farfara</i> and Their Inhibitory Effects on Nitric Oxide Production. Planta Medica, 2014, 80, 703-709.	1.3	25
89	New alkaloids sinomacutines Aâ€“E, and cephalonine-2-O-Î²-d-glucopyranoside from rhizomes of <i>Sinomenium acutum</i> . Tetrahedron, 2014, 70, 8893-8899.	1.9	17
90	Construction of Tetracyclic 3-Spirooxindole through Cross-Dehydrogenation of Pyridinium: Applications in Facile Synthesis of (Â±)-Corynoxine and (Â±)-Corynoxine B. Journal of the American Chemical Society, 2014, 136, 17962-17965.	13.7	62

#	ARTICLE	IF	CITATIONS
91	New <i>Lycopodium</i> alkaloids from <i>Phlegmariurus squarrosum</i> . <i>Journal of Asian Natural Products Research</i> , 2014, 16, 574-580.	1.4	8
92	Isolation, characterisation, and antioxidant activities of flavonoids from chufa (<i>Eleocharis tuberosa</i>) peels. <i>Food Chemistry</i> , 2014, 164, 30-35.	8.2	23
93	Isolation and Complete Structural Assignment of <i>Lycopodium</i> Alkaloid Cernupalhine A: Theoretical Prediction and Total Synthesis Validation. <i>Organic Letters</i> , 2014, 16, 2700-2703.	4.6	28
94	Evollionines A-C, Three New Alkaloids Isolated from the Fruits of <i>Evodia rutaecarpa</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 1481-1486.	1.6	8
95	Vincamajorines A and B, monoterpenoid indole alkaloids with new carbon skeletons from <i>Vinca major</i> . <i>Tetrahedron Letters</i> , 2014, 55, 6490-6494.	1.4	14
96	Mechanisms of the dilator action of the <i>Erigerontis Herba</i> on rat aorta. <i>Journal of Ethnopharmacology</i> , 2014, 155, 1561-1567.	4.1	12
97	Huperserines A-E, <i>Lycopodium</i> alkaloids from <i>Huperzia serrata</i> . <i>Fá-toterapÃ-Ác</i> , 2014, 99, 72-77.	2.2	18
98	Lycopodine-Type Alkaloids from <i>Lycopodium japonicum</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 213-219.	4.3	8
99	Carinatines A and B, <i>Lycopodium</i> Alkaloids from <i>Phlegmariurus carinatus</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 221-225.	4.3	19
100	Vibsatins A and B, Two New Tetranorvibsane-Type Diterpenoids from <i>Viburnum tinus</i> cv. <i>variegatus</i> . <i>Organic Letters</i> , 2014, 16, 980-983.	4.6	25
101	Synthesis of l-Ascorbic Acid Lactone Derivatives. <i>Natural Products and Bioprospecting</i> , 2014, 4, 181-188.	4.3	8
102	Synthesis and neurite outgrowth promoting activity of vibsatin B derivatives. <i>Tetrahedron Letters</i> , 2014, 55, 3414-3417.	1.4	7
103	Identification and validation of p50 as the cellular target of eriocalyxin B. <i>Oncotarget</i> , 2014, 5, 11354-11364.	1.8	26
104	Four new labdane-type diterpenoid glycosides from <i>Diplopterygium laevissimum</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 38-42.	4.3	9
105	New <i>Lycopodium</i> alkaloids from <i>Lycopodium obscurum</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 52-55.	4.3	13
106	Casuarines A and B, <i>Lycopodium</i> alkaloids from <i>Lycopodium casuarinoides</i> . <i>Tetrahedron Letters</i> , 2013, 54, 4555-4557.	1.4	23
107	Lycospidine A, a New Type of <i>Lycopodium</i> Alkaloid from <i>Lycopodium complanatum</i> . <i>Organic Letters</i> , 2013, 15, 2438-2441.	4.6	38
108	Chemical constituents of <i>Viburnum betulifolium</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 390-391.	0.8	1

#	ARTICLE	IF	CITATIONS
109	Two New Indole Alkaloids from <i>< i>Emmenopterys henryi</i></i> . Helvetica Chimica Acta, 2013, 96, 2207-2213.	1.6	17
110	Two new diterpenoids from <i>< i>Excoecaria acerifolia</i></i> . Journal of Asian Natural Products Research, 2013, 15, 151-157.	1.4	11
111	Three New Sesquiterpenes from <i>< i>Laggera pterodonta</i></i> . Helvetica Chimica Acta, 2013, 96, 732-737.	1.6	10
112	Discovery and structure-activity relationships of ent-Kaurene diterpenoids as potent and selective 11 β -HSD1 inhibitors: Potential impact in diabetes. European Journal of Medicinal Chemistry, 2013, 65, 403-414.	5.5	18
113	Diterpenoids from the Twigs and Leaves of <i>< i>Fokienia hodginsii</i></i> . Journal of Natural Products, 2013, 76, 1032-1038.	3.0	15
114	Dual-Functional abeo-Taxane Derivatives Destabilizing Microtubule Equilibrium and Inhibiting NF- κ B Activation. Journal of Medicinal Chemistry, 2013, 56, 4749-4757.	6.4	16
115	Three new abietane diterpenoids from <i>< i>Podocarpus fleuryi</i></i> . Phytochemistry Letters, 2013, 6, 364-367.	1.2	17
116	Isopalhinine A, a Unique Pentacyclic <i>< i>Lycopodium</i></i> Alkaloid from <i>< i>Palhinhaea cernua</i></i> . Organic Letters, 2013, 15, 3570-3573.	4.6	49
117	Hypercohones A-C, acylphloroglucinol derivatives with homo-adamantane cores from <i>< i>Hypericum cohaerens</i></i> . Natural Products and Bioprospecting, 2013, 3, 233-237.	4.3	25
118	Further Lignans from <i>Saururus chinensis</i> . Planta Medica, 2013, 79, 1720-1723.	1.3	12
119	Triterpenoids and Steroids with Cytotoxic Activity from <i>< i>Emmenopterys henryi</i></i> . Planta Medica, 2013, 79, 1356-1361.	1.3	15
120	Cheliensisin A Inhibits EGF-Induced Cell Transformation with Stabilization of p53 Protein Via a Hydrogen Peroxide/Chk1-Dependent Axis. Cancer Prevention Research, 2013, 6, 949-958.	1.5	10
121	Exploring of drug leads from diversity-oriented Michael-acceptor library derived from natural products. Natural Products and Bioprospecting, 2012, 2, 210-216.	4.3	12
122	Hypercochin A, a new polycyclic polyprenylated acylphloroglucinol possessing an unusual bicyclo[5.3.1]hendecane core from <i>< i>Hypericum cohaerens</i></i> . Chemical Communications, 2012, 48, 5998.	4.1	53
123	Lycopalhine A, a novel sterically congested <i>Lycopodium</i> alkaloid with an unprecedented skeleton from <i>< i>Palhinhaea cernua</i></i> . Chemical Communications, 2012, 48, 9038.	4.1	49
124	Pseudolaric acid B induces apoptosis via proteasome-mediated Bcl-2 degradation in hormone-refractory prostate cancer DU145 cells. Toxicology in Vitro, 2012, 26, 595-602.	2.4	30
125	Norditerpenoids from <i>Salvia castanea</i> Diels f. pubescens. F1-toterap- $\ddot{\alpha}$, 2012, 83, 1072-1075.	2.2	15
126	Benzophenone glycosides and epicatechin derivatives from <i>Malania oleifera</i> . F1-toterap- $\ddot{\alpha}$, 2012, 83, 1068-1071.	2.2	12

#	ARTICLE	IF	CITATIONS
127	Three New Sucrose Fatty Acid Esters from <i>Equisetum hiemale</i> L.. <i>Helvetica Chimica Acta</i> , 2012, 95, 1158-1163.	1.6	13
128	Polycyclic Polyprenylated Acylphloroglucinols and Cytotoxic Constituents of <i>Hypericum androsaemum</i> . <i>Chemistry and Biodiversity</i> , 2012, 9, 1213-1220.	2.1	10
129	Pseudoferic acids A-C, three novel triterpenoids from the root bark of <i>Pseudolarix kaempferi</i> . <i>Tetrahedron Letters</i> , 2012, 53, 800-803.	1.4	18
130	Triterpenoids from <i>Viburnum betulifolium</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 105-110.	1.4	5
131	Terpenoids and Norlignans from <i>Metasequoia glyptostroboides</i> . <i>Journal of Natural Products</i> , 2011, 74, 234-239.	3.0	34
132	Macrophyllionium and Macrophyllines A and B, Oxindole Alkaloids from <i>Uncaria macrophylla</i> . <i>Journal of Natural Products</i> , 2011, 74, 12-15.	3.0	66
133	Triterpenoids and Diterpenoids from <i>Viburnum chingii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 496-498.	1.3	16
134	Development of novel conformation-constrained cytotoxic derivatives of cheliensisin A by embedment of small heterocycles. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 4238-4244.	5.5	14
135	Chemical constituents from the aerial parts of <i>Musella lasiocarpa</i> . <i>Natural Products and Bioprospecting</i> , 2011, 1, 41-47.	4.3	24
136	neo-Clerodane diterpenoids from <i>Salvia dugesii</i> and their bioactive studies. <i>Natural Products and Bioprospecting</i> , 2011, 1, 81-86.	4.3	19
137	Euglobal-IIIa, a novel acylphloroglucinol-sesquiterpene derivative from <i>Eucalyptus robusta</i> : absolute structure and cytotoxicity. <i>Natural Products and Bioprospecting</i> , 2011, 1, 101-103.	4.3	11
138	Splendidins A-E, Three New Clerodane Diterpenoids from <i>Salvia splendens</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 417-422.	1.6	6
139	Diterpenoids from <i>Diplopterygium rufopilosum</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 1085-1090.	1.6	7
140	Fragmentations of 13-oxo-taxyunnansin A and their application to preparation of abeo-paclitaxel and abeo-docetaxel analogues. <i>Tetrahedron Letters</i> , 2011, 52, 139-142.	1.4	7
141	Interconvertible Eudesmanolides Containing a 6,12-Hemiketal Function from <i>Salvia castanea</i> Diels f. <i>tomentosa</i> Stib. <i>Helvetica Chimica Acta</i> , 2010, 93, 1773-1778.	1.6	5
142	Polycyclic Polyprenylated Acylphloroglucinols and Chromone O- Glucosides from <i>Hypericum henryi</i> subsp. <i>uraloides</i> . <i>Chemistry and Biodiversity</i> , 2010, 7, 196-204.	2.1	48
143	Castanolide and epi-castanolide, two novel diterpenoids with a unique seco-norabietane skeleton from <i>Salvia castanea</i> Diels f. pubescens Stib.. <i>Tetrahedron Letters</i> , 2010, 51, 5083-5085.	1.4	13
144	Diterpenoid Constituents of the Roots of <i>Salvia digitaloides</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12157-12161.	5.2	20

#	ARTICLE	IF	CITATIONS
145	Cyclization Approaching to ($\hat{\alpha}$)-Lycojapodine A: Synthesis of Two Unnatural Alkaloids. <i>Journal of Organic Chemistry</i> , 2010, 75, 1317-1320.	3.2	15
146	Two New Glycosides from <i>Diplopterygium laevissimum</i> (Gleicheniaceae). <i>Acta Botanica Yunnanica</i> , 2010, 31, 559-562.	0.1	2
147	Diphalaidine A, a New Lycopodium Alkaloid from <> <i>Diphasiastrum complanatum</i> </> (Lycopodiaceae). <i>Acta Botanica Yunnanica</i> , 2010, 31, 93-96.	0.1	10
148	Three New Diterpenoids from <i>Salvia przewalskii</i>^{Maxim}. <i>Helvetica Chimica Acta</i> , 2009, 92, 409-413.	1.6	17
149	Seven New Phenolic Glucosides from <i>Viburnum cylindricum</i>. <i>Helvetica Chimica Acta</i> , 2009, 92, 1324-1332.	1.6	11
150	Qualitative and quantitative analysis of diterpenoids in <i>Salvia</i> species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 4847-4858.	3.7	64
151	Lycojapodine A, a Novel Alkaloid from <i>Lycopodium japonicum</i>. <i>Organic Letters</i> , 2009, 11, 1397-1400.	4.6	66
152	Two New Sesquiterpene Glucosides from <i>Dennstaedtia scabra</i> (WALL.) MOORE. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1123-1125.	1.3	11
153	Four New Lignans from <i>Viburnum foetidum</i> var. <i>foetidum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1129-1131.	1.3	18
154	A New <i>ent</i>-Kauranoid Diterpenoid from <i>Hicriopteris glauca</i> (Gleicheniaceae). <i>Acta Botanica Yunnanica</i> , 2009, 31, 183-186.	0.1	9
155	Terpenoids from Two <i>Dicranopteris</i> Species. <i>Helvetica Chimica Acta</i> , 2008, 91, 856-861.	1.6	14
156	Six New Dammarane Triterpenoids from <i>Viburnum cylindricum</i>. <i>Helvetica Chimica Acta</i> , 2008, 91, 1578-1587.	1.6	23
157	Isolation, structural elucidation, and chemical transformation of interconvertible 8,12-hemiketal germacranoide sesquiterpenoids from <i>Salvia castanea</i> Diels f. <i>tomentosa</i> Stib.. <i>Tetrahedron</i> , 2008, 64, 9490-9494.	1.9	14
158	The Functional Roles of Lipid Rafts in T Cell Activation, Immune Diseases and HIV Infection and Prevention. <i>Cellular and Molecular Immunology</i> , 2008, 5, 1-7.	10.5	57
159	Structure Revision of Hassananes with Use of Quantum Mechanical ¹³ C NMR Chemical Shifts and UV-vis Absorption Spectra. <i>Journal of Physical Chemistry A</i> , 2008, 112, 12132-12139.	2.5	25
160	Bioassay and Ultraperformance Liquid Chromatography/Mass Spectrometry Guided Isolation of Apoptosis-Inducing Benzophenones and Xanthone from the Pericarp of <i>Garcinia yunnanensis</i> Hu. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 11144-11150.	5.2	61
161	Tetranorclerodanes and Clerodane-Type Diterpene Glycosides from <i>Dicranopteris dichotoma</i> . <i>Journal of Natural Products</i> , 2007, 70, 265-268.	3.0	21
162	Przewalskin B, a Novel Diterpenoid with an Unprecedented Skeleton from <i>Salvia przewalskii</i> Maxim. <i>Organic Letters</i> , 2006, 9, 291-293.	4.6	59

#	ARTICLE	IF	CITATIONS
163	Przewalskin A: A New C23Terpenoid with a 6/6/7 Carbon Ring Skeleton from <i>Salvia przewalskii</i> Maxim. <i>Organic Letters</i> , 2006, 8, 4453-4456.	4.6	40
164	Dichotomains A and B: Two New Highly Oxygenated Phenolic Derivatives from <i>Dicranopteris dichotoma</i> . <i>Organic Letters</i> , 2006, 8, 1937-1940.	4.6	29
165	Japonicumins A-D: Four New Compounds from <i>Lycopodium japonicum</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 1467-1473.	1.6	20
166	Two New Abietane Diterpenoids from <i>Salvia yunnanensis</i> . <i>Planta Medica</i> , 2006, 72, 84-86.	1.3	43
167	Two New Ictexane Diterpenoids from <i>Salvia przewalskii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 1575-1576.	1.3	21
168	New Sesquiterpenoids from <i>Salvia castanea</i> Diels f.tomentosa. <i>Helvetica Chimica Acta</i> , 2005, 88, 2370-2374.	1.6	12
169	Alkaloids from the Bulbs of <i>Lycoris aurea</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 2550-2553.	1.6	25
170	Novel Diterpenoids from <i>Salvia dugesii</i> . <i>Helvetica Chimica Acta</i> , 2004, 87, 949-955.	1.6	40
171	New Isoprenylated Flavones, Artochamins A-E, and Cytotoxic Principles from <i>Artocarpus chama</i> . <i>Journal of Natural Products</i> , 2004, 67, 757-761.	3.0	83
172	Novel ent-Abietane Diterpenoids from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> . <i>Helvetica Chimica Acta</i> , 2003, 86, 299-306.	1.6	23
173	Micranthin C, a Novel 13(12 α)-abeo-Abietanoid from <i>Isodon lophanthoides</i> var. <i>micranthus</i> . <i>Helvetica Chimica Acta</i> , 2003, 86, 3470-3475.	1.6	14
174	Novel ent-Kaurane Diterpenoids from <i>Isodon xerophilus</i> . <i>Chinese Journal of Chemistry</i> , 2001, 19, 365-370.	4.9	6
175	Structural Elucidations of Two Ent-Kaurane Dimers from Bulbs of <i>Fritillaria ebeiensis</i> var. <i>purpurea</i> . <i>Journal of Asian Natural Products Research</i> , 2000, 2, 213-218.	1.4	3
176	Structures of Two New Diterpenoid Dimers from Bulbs of <i>Fritillaria ebeiensis</i> . <i>Journal of Asian Natural Products Research</i> , 1999, 1, 251-257.	1.4	9
177	Chemical Constituents of <i>Isodon melisoïdes</i> . <i>Journal of Asian Natural Products Research</i> , 1999, 1, 277-284.	1.4	8
178	ent-Kaurane Diterpenoids from <i>Isodon lungshengensis</i> . <i>Journal of Natural Products</i> , 1999, 62, 941-945.	3.0	16
179	Glabcensin Q-U, Five New ent-Kaurane Diterpenoids from <i>Isodon angustifolius</i> Var. <i>Glabcens</i> . <i>Journal of Asian Natural Products Research</i> , 1998, 1, 77-86.	1.4	3
180	New Cleroindicins from <i>Clerodendrum indicum</i> . <i>Journal of Natural Products</i> , 1997, 60, 766-769.	3.0	48

ARTICLE

IF CITATIONS

- 181 Hypoestins A–D: highly modified fusicoccane diterpenoids with promising $\text{Ca}_{\text{v}3.1}$ calcium channel inhibitory activity from *Hypoestes purpurea*. *Organic Chemistry Frontiers*, 0, , . 4.5 4