

Ryo Okubo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2995644/publications.pdf>

Version: 2024-02-01

41
papers

682
citations

759055

12
h-index

610775

24
g-index

43
all docs

43
docs citations

43
times ranked

875
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 Vaccine Hesitancy and Its Associated Factors in Japan. <i>Vaccines</i> , 2021, 9, 662.	2.1	115
2	Effect of bifidobacterium breve A-1 on anxiety and depressive symptoms in schizophrenia: A proof-of-concept study. <i>Journal of Affective Disorders</i> , 2019, 245, 377-385.	2.0	90
3	Association of Use of Omega-3 Polyunsaturated Fatty Acids With Changes in Severity of Anxiety Symptoms. <i>JAMA Network Open</i> , 2018, 1, e182327.	2.8	82
4	Increase in Social Isolation during the COVID-19 Pandemic and Its Association with Mental Health: Findings from the JACSIS 2020 Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8238.	1.2	64
5	Urbanization level and neighborhood deprivation, not COVID-19 case numbers by residence area, are associated with severe psychological distress and new-onset suicidal ideation during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021, 287, 89-95.	2.0	42
6	Impact of chemotherapy on the association between fear of cancer recurrence and the gut microbiota in breast cancer survivors. <i>Brain, Behavior, and Immunity</i> , 2020, 85, 186-191.	2.0	32
7	Factors associated with serious psychological distress during the COVID-19 pandemic in Japan: a nationwide cross-sectional internet-based study. <i>BMJ Open</i> , 2021, 11, e051115.	0.8	30
8	Lipid and Energy Metabolism of the Gut Microbiota Is Associated with the Response to Probiotic Bifidobacterium breve Strain for Anxiety and Depressive Symptoms in Schizophrenia. <i>Journal of Personalized Medicine</i> , 2021, 11, 987.	1.1	17
9	Absent activation in medial prefrontal cortex and temporoparietal junction but not superior temporal sulcus during the perception of biological motion in schizophrenia: a functional MRI study. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 2221.	1.0	16
10	Simple Pulmonary Eosinophilia Associated With Clozapine Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 99-101.	0.7	15
11	Diet quality and depression risk in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2019, 9, 7150.	1.6	15
12	Expectations of and recommendations for a cancer survivorship guideline in Japan: a literature review of guidelines for cancer survivorship. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 812-822.	0.6	14
13	<p>Pilot Validation Study of the Japanese Translation of the Brief Negative Symptoms Scale (BNSS)</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3511-3518.	1.0	13
14	The mediator effect of personality traits on the relationship between childhood abuse and depressive symptoms in schizophrenia. <i>Psychiatry Research</i> , 2017, 257, 126-131.	1.7	12
15	Temporary employment and suicidal ideation in COVID-19 pandemic in Japan: A cross-sectional nationwide survey. <i>Journal of Occupational Health</i> , 2022, 64, e12319.	1.0	12
16	Mechanisms underlying the effects of n-3 polyunsaturated fatty acids on fear memory processing and their hypothetical effects on fear of cancer recurrence in cancer survivors. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 131, 14-23.	1.0	10
17	Effect of home-based high-intensity interval training and behavioural modification using information and communication technology on cardiorespiratory fitness and exercise habits among sedentary breast cancer survivors: habit-B study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e030911.	0.8	10
18	Developing the structure of Japan's cancer survivorship guidelines using an expert panel and modified Delphi method. <i>Journal of Cancer Survivorship</i> , 2020, 14, 273-283.	1.5	9

#	ARTICLE	IF	CITATIONS
19	Evaluation of Social Cognition Measures for Japanese Patients with Schizophrenia Using an Expert Panel and Modified Delphi Method. <i>Journal of Personalized Medicine</i> , 2021, 11, 275.	1.1	8
20	Association between blood polyunsaturated fatty acid levels and depressive symptoms in breast cancer survivors. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 139, 9-13.	1.0	7
21	Pregnancy in GNE myopathy patients: a nationwide repository survey in Japan. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 245.	1.2	7
22	Sex Differences in Social Cognition and Association of Social Cognition and Neurocognition in Early Course Schizophrenia. <i>Frontiers in Psychology</i> , 2022, 13, 867468.	1.1	7
23	Fear of cancer recurrence among breast cancer survivors could be controlled by prudent dietary modification with polyunsaturated fatty acids. <i>Journal of Affective Disorders</i> , 2019, 245, 1114-1118.	2.0	6
24	A pilot validation study of the Japanese translation of the Positive and Negative Syndrome Scale (PANSS). <i>Asian Journal of Psychiatry</i> , 2020, 54, 102210.	0.9	6
25	Study Protocol: The Evaluation Study for Social Cognition Measures in Japan (ESCoM). <i>Journal of Personalized Medicine</i> , 2021, 11, 667.	1.1	5
26	The type rather than the daily dose or number of antipsychotics affects the incidence of hyperglycemic progression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110453.	2.5	5
27	Serum polyunsaturated fatty acids and risk of psychiatric disorder at 6 months after acute coronary syndrome: A prospective cohort study. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019, 149, 18-23.	1.0	4
28	Study protocol for a nationwide questionnaire survey of physical activity among breast cancer survivors in Japan. <i>BMJ Open</i> , 2020, 10, e032871.	0.8	4
29	Smoking and drinking among patients with mental disorders: Evidence from a nationally representative Japanese survey. <i>Journal of Affective Disorders</i> , 2021, 279, 443-450.	2.0	3
30	Perceptions of and subjective difficulties with social cognition in schizophrenia from an internet survey: Knowledge, clinical experiences, and awareness of association with social functioning. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 429-436.	1.0	3
31	Predictive factors for hyperglycaemic progression in patients with schizophrenia or bipolar disorder. <i>BJPsych Open</i> , 2018, 4, 454-460.	0.3	2
32	Development and validation of the hypersomnia-specific beliefs scale. <i>Sleep Medicine</i> , 2020, 75, 256-262.	0.8	2
33	The association of work-related stress according to the demand-control model with aggravation of pre-existing disease during the first state of COVID-19 emergency in Japan. <i>Journal of Epidemiology</i> , 2021, 31, 642-647.	1.1	2
34	Oncology care providers' awareness and practice related to physical activity promotion for breast cancer survivors and barriers and facilitators to such promotion: a nationwide cross-sectional web-based survey. <i>Supportive Care in Cancer</i> , 2022, 30, 3105-3118.	1.0	2
35	Impact of state of emergency for coronavirus disease 2019 on hospital visits and disease exacerbation: the Japan COVID-19 and Society Internet Survey. <i>Family Practice</i> , 2022, 39, 883-890.	0.8	2
36	OUP accepted manuscript. <i>Journal of Surgical Case Reports</i> , 2021, 2021, rjab356.	0.2	1

#	ARTICLE	IF	CITATIONS
37	Potential beneficial effects of Bifidobacterium breve A1 on cognitive impairment and psychiatric disorders. , 2021, , 497-504.		1
38	1503The association of work-related stress with aggravation of pre-existing disease during COVID-19 emergency in Japan. International Journal of Epidemiology, 2021, 50, .	0.9	1
39	Impact of peritraumatic distress on posttraumatic stress disorder symptoms at 6 months after acute coronary syndrome: a prospective cohort study. HÅrre Utbildning, 2021, 12, 1854511.	1.4	1
40	Perilla Oil and Bifidobacterium for Alleviating Fear of Cancer Recurrence in Breast Cancer Survivors: Study Protocol for a Three-Arm Phase II Randomized Controlled Study (POB Study). Methods and Protocols, 2021, 4, 46.	0.9	0
41	Abstract OT3-12-01: Effect of home-based high-intensity interval training and behavioral modification using information and communication technology on cardiorespiratory fitness and exercise habits among sedentary breast cancer survivors: The habit-B randomized controlled trial in progress. , 2020, .		0