

Ryo Okubo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2995644/ryo-okubo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

289
citations

9
h-index

16
g-index

43
ext. papers

503
ext. citations

4.6
avg. IF

3.96
L-index

#	Paper	IF	Citations
38	The type rather than the daily dose or number of antipsychotics affects the incidence of hyperglycemic progression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110453	5.5	0
37	Temporary employment and suicidal ideation in COVID-19 pandemic in Japan: A cross-sectional nationwide survey.. <i>Journal of Occupational Health</i> , 2022 , 64, e12319	2.3	2
36	Sex Differences in Social Cognition and Association of Social Cognition and Neurocognition in Early Course Schizophrenia.. <i>Frontiers in Psychology</i> , 2022 , 13, 867468	3.4	0
35	Oncology care providers' awareness and practice related to physical activity promotion for breast cancer survivors and barriers and facilitators to such promotion: a nationwide cross-sectional web-based survey. <i>Supportive Care in Cancer</i> , 2021 , 1	3.9	0
34	Factors Associated with Serious Psychological Distress during the COVID-19 Pandemic in Japan 2021 ,		1
33	Evaluation of Social Cognition Measures for Japanese Patients with Schizophrenia Using an Expert Panel and Modified Delphi Method. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	4
32	Urbanization level and neighborhood deprivation, not COVID-19 case numbers by residence area, are associated with severe psychological distress and new-onset suicidal ideation during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021 , 287, 89-95	6.6	15
31	COVID-19 Vaccine Hesitancy and Its Associated Factors in Japan. <i>Vaccines</i> , 2021 , 9,	5.3	30
30	Smoking and drinking among patients with mental disorders: Evidence from a nationally representative Japanese survey. <i>Journal of Affective Disorders</i> , 2021 , 279, 443-450	6.6	1
29	A word of caution: bilateral axillofemoral bypass could not provide sufficient blood flow in a patient who underwent aortic resection for aorto-esophageal fistula: a case report. <i>Journal of Surgical Case Reports</i> , 2021 , 2021, rjab356	0.6	
28	The Association of Work-related Stress According to the Demand-Control Model With Aggravation of Pre-existing Disease During the First State of COVID-19 Emergency in Japan. <i>Journal of Epidemiology</i> , 2021 , 31, 642-647	3.4	0
27	Potential beneficial effects of Bifidobacterium breve A1 on cognitive impairment and psychiatric disorders 2021 , 497-504		
26	Factors associated with serious psychological distress during the COVID-19 pandemic in Japan: a nationwide cross-sectional internet-based study. <i>BMJ Open</i> , 2021 , 11, e051115	3	9
25	Study Protocol: The Evaluation Study for Social Cognition Measures in Japan (ESCoM). <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	2
24	Increase in Social Isolation during the COVID-19 Pandemic and Its Association with Mental Health: Findings from the JACSIS 2020 Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	12
23	Lipid and Energy Metabolism of the Gut Microbiota Is Associated with the Response to Probiotic Strain for Anxiety and Depressive Symptoms in Schizophrenia. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	4
22	Impact of peritraumatic distress on posttraumatic stress disorder symptoms at 6 months after acute coronary syndrome: a prospective cohort study. <i>Högre Utbildning</i> , 2021 , 12, 1854511	5	

21	A pilot validation study of the Japanese translation of the Positive and Negative Syndrome Scale (PANSS). <i>Asian Journal of Psychiatry</i> , 2020 , 54, 102210	6.7	3
20	Developing the structure of JapanW/cancer survivorship guidelines using an expert panel and modified Delphi method. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 273-283	5.1	5
19	National database study on the use of long-acting antipsychotic injections and hospital readmission proportions in patients with schizophrenia in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 211-217	6.2	1
18	Pregnancy in GNE myopathy patients: a nationwide repository survey in Japan. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 245	4.2	1
17	Development and validation of the hypersomnia-specific beliefs scale. <i>Sleep Medicine</i> , 2020 , 75, 256-262	4.6	0
16	Study protocol for a nationwide questionnaire survey of physical activity among breast cancer survivors in Japan. <i>BMJ Open</i> , 2020 , 10, e032871	3	1
15	Impact of chemotherapy on the association between fear of cancer recurrence and the gut microbiota in breast cancer survivors. <i>Brain, Behavior, and Immunity</i> , 2020 , 85, 186-191	16.6	13
14	Diet quality and depression risk in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2019 , 9, 7150	4.9	9
13	Expectations of and recommendations for a cancer survivorship guideline in Japan: a literature review of guidelines for cancer survivorship. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 812-822	2.8	9
12	Serum polyunsaturated fatty acids and risk of psychiatric disorder at 6 months after acute coronary syndrome: A prospective cohort study. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019 , 149, 18-23	2.8	2
11	Effect of home-based high-intensity interval training and behavioural modification using information and communication technology on cardiorespiratory fitness and exercise habits among sedentary breast cancer survivors: habit-B study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e030911	3	5
10	Pilot Validation Study of the Japanese Translation of the Brief Negative Symptoms Scale (BNSS). <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 3511-3518	3.1	9
9	Fear of cancer recurrence among breast cancer survivors could be controlled by prudent dietary modification with polyunsaturated fatty acids. <i>Journal of Affective Disorders</i> , 2019 , 245, 1114-1118	6.6	2
8	Effect of bifidobacterium breve A-1 on anxiety and depressive symptoms in schizophrenia: A proof-of-concept study. <i>Journal of Affective Disorders</i> , 2019 , 245, 377-385	6.6	60
7	Mechanisms underlying the effects of n-3 polyunsaturated fatty acids on fear memory processing and their hypothetical effects on fear of cancer recurrence in cancer survivors. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018 , 131, 14-23	2.8	9
6	Predictive factors for hyperglycaemic progression in patients with schizophrenia or bipolar disorder. <i>BJPsych Open</i> , 2018 , 4, 454-460	5	2
5	Association between blood polyunsaturated fatty acid levels and depressive symptoms in breast cancer survivors. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018 , 139, 9-13	2.8	3
4	Association of Use of Omega-3 Polyunsaturated Fatty Acids With Changes in Severity of Anxiety Symptoms: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2018 , 1, e182327	10.4	43

3	The mediator effect of personality traits on the relationship between childhood abuse and depressive symptoms in schizophrenia. <i>Psychiatry Research</i> , 2017 , 257, 126-131	9.9	8
2	Simple pulmonary eosinophilia associated with clozapine treatment. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 99-101	1.7	10
1	Absent activation in medial prefrontal cortex and temporoparietal junction but not superior temporal sulcus during the perception of biological motion in schizophrenia: a functional MRI study. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 2221-30	3.1	12