

# Jong Hyun Jhee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2996094/publications.pdf>

Version: 2024-02-01

51  
papers

779  
citations

566801

15  
h-index

580395

25  
g-index

51  
all docs

51  
docs citations

51  
times ranked

1274  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction model development of late-onset preeclampsia using machine learning-based methods. PLoS ONE, 2019, 14, e0221202.	1.1	96
2	A Diet Rich in Vegetables and Fruit and Incident CKD: A Community-Based Prospective Cohort Study. American Journal of Kidney Diseases, 2019, 74, 491-500.	2.1	48
3	High and low sodium intakes are associated with incident chronic kidney disease in patients with normal renal function and hypertension. Kidney International, 2018, 93, 921-931.	2.6	47
4	Phosphate is a potential biomarker of disease severity and predicts adverse outcomes in acute kidney injury patients undergoing continuous renal replacement therapy. PLoS ONE, 2018, 13, e0191290.	1.1	40
5	Vitamin D deficiency is significantly associated with depression in patients with chronic kidney disease. PLoS ONE, 2017, 12, e0171009.	1.1	37
6	Early initiation of continuous renal replacement therapy improves survival of elderly patients with acute kidney injury: a multicenter prospective cohort study. Critical Care, 2016, 20, 260.	2.5	34
7	Warfarin Use in Patients With Atrial Fibrillation Undergoing Hemodialysis. Stroke, 2017, 48, 2472-2479.	1.0	33
8	Effects of Coffee Intake on Incident Chronic Kidney Disease: A Community-Based Prospective Cohort Study. American Journal of Medicine, 2018, 131, 1482-1490.e3.	0.6	31
9	Removal of large middle molecules via haemodialysis with medium cut-off membranes at lower blood flow rates: an observational prospective study. BMC Nephrology, 2020, 21, 2.	0.8	30
10	Dietary zinc intake and incident chronic kidney disease. Clinical Nutrition, 2021, 40, 1039-1045.	2.3	28
11	Body mass index is inversely associated with mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. Kidney Research and Clinical Practice, 2017, 36, 39-47.	0.9	24
12	Extracellular Fluid Excess Is Significantly Associated With Coronary Artery Calcification in Patients With Chronic Kidney Disease. Journal of the American Heart Association, 2018, 7, .	1.6	23
13	PGC-1 $\alpha$ inhibits the NLRP3 inflammasome via preserving mitochondrial viability to protect kidney fibrosis. Cell Death and Disease, 2022, 13, 31.	2.7	23
14	Low serum intact parathyroid hormone level is an independent risk factor for overall mortality and major adverse cardiac and cerebrovascular events in incident dialysis patients. Osteoporosis International, 2016, 27, 2717-2726.	1.3	22
15	Framingham risk score and risk of incident chronic kidney disease: A community-based prospective cohort study. Kidney Research and Clinical Practice, 2019, 38, 49-59.	0.9	22
16	High muscle-to-fat ratio is associated with lower risk of chronic kidney disease development. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 726-734.	2.9	18
17	Ambulatory blood pressure variability and risk of cardiovascular events, all-cause mortality, and progression of kidney disease. Journal of Hypertension, 2020, 38, 1712-1721.	0.3	17
18	Impact of body mass index on survival in patients undergoing peritoneal dialysis: Analysis of data from the Insan Memorial End-Stage Renal Disease Registry of Korea (1985-2014). Kidney Research and Clinical Practice, 2019, 38, 239-249.	0.9	13

#	ARTICLE	IF	CITATIONS
19	The impact of disease severity on paradoxical association between body mass index and mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. <i>BMC Nephrology</i> , 2018, 19, 32.	0.8	12
20	Clinical usefulness of the Oxford classification in determining immunosuppressive treatment in IgA nephropathy. <i>Annals of Medicine</i> , 2017, 49, 217-229.	1.5	11
21	Association of Reproductive Lifespan Duration and Chronic Kidney Disease in Postmenopausal Women. <i>Mayo Clinic Proceedings</i> , 2020, 95, 2621-2632.	1.4	11
22	Characterization of IgA Deposition in the Kidney of Patients with IgA Nephropathy and Minimal Change Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 2619.	1.0	10
23	Changes in resting-state brain connectivity following computerized cognitive behavioral therapy for insomnia in dialysis patients: A pilot study. <i>General Hospital Psychiatry</i> , 2020, 66, 24-29.	1.2	10
24	Association Between Nocturnal Blood Pressure Dipping and Chronic Kidney Disease Among Patients With Controlled Office Blood Pressure. <i>American Journal of Hypertension</i> , 2021, 34, 821-830.	1.0	10
25	Carbohydrate-Rich Diet Is Associated with Increased Risk of Incident Chronic Kidney Disease in Non-Diabetic Subjects. <i>Journal of Clinical Medicine</i> , 2019, 8, 793.	1.0	9
26	The Impact of Comorbidity Burden on The Association between Vascular Access Type and Clinical Outcomes among Elderly Patients Undergoing Hemodialysis. <i>Scientific Reports</i> , 2019, 9, 18156.	1.6	9
27	Association between non-alcoholic fatty liver disease and coronary calcification depending on sex and obesity. <i>Scientific Reports</i> , 2020, 10, 1025.	1.6	9
28	Soluble Urokinase-type Plasminogen Activator Receptor, Changes of 24-hour Blood Pressure, and Progression of Chronic Kidney Disease. <i>Journal of the American Heart Association</i> , 2021, 10, e017225.	1.6	9
29	Kidney Mesenchymal Stem Cell-derived Extracellular Vesicles Engineered to Express Erythropoietin Improve Renal Anemia in Mice with Chronic Kidney Disease. <i>Stem Cell Reviews and Reports</i> , 2022, 18, 980-992.	1.7	9
30	High serum adiponectin is associated with anemia development in chronic kidney disease: The results from the KNOW-CKD study. <i>Cytokine</i> , 2018, 103, 1-9.	1.4	8
31	Microparticles derived from human erythropoietin mRNA-transfected mesenchymal stem cells inhibit epithelial-to-mesenchymal transition and ameliorate renal interstitial fibrosis. <i>Stem Cell Research and Therapy</i> , 2020, 11, 422.	2.4	7
32	A Case of Autoimmune Hepatitis Combined with Graves' Disease. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2015, 65, 48.	0.2	6
33	Intensity of statin therapy and renal outcome in chronic kidney disease: Results from the Korean Cohort Study for Outcome in Patients With Chronic Kidney Disease. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 93-102.	0.9	6
34	Characteristics and Clinical Outcomes of End-Stage Renal Disease Patients on Peritoneal Dialysis for over 15 Years: A Single-Center Experience. <i>Peritoneal Dialysis International</i> , 2017, 37, 535-541.	1.1	5
35	CD71 mesangial IgA1 receptor and the progression of IgA nephropathy. <i>Translational Research</i> , 2021, 230, 34-43.	2.2	5
36	Cumulative fluid balance and mortality in elderly patients with acute kidney injury requiring continuous renal-replacement therapy: a multicenter prospective cohort study. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 414-425.	0.9	5

#	ARTICLE	IF	CITATIONS
37	Preoperative Ionized Magnesium Levels and Risk of Acute Kidney Injury After Cardiac Surgery. American Journal of Kidney Diseases, 2022, 80, 629-637.e1.	2.1	5
38	Low Dentin Matrix Protein 1 Is Associated With Incident Cardiovascular Events in Peritoneal Dialysis Patients. Journal of Bone and Mineral Research, 2016, 31, 2149-2158.	3.1	4
39	The interactive effects of input and output on managing fluid balance in patients with acute kidney injury requiring continuous renal replacement therapy. Critical Care, 2019, 23, 329.	2.5	4
40	Effects of Intensive Individualized Nutrition Counseling on Nutritional Status and Kidney Function in Patients With Stage 3 and 4 Chronic Kidney Disease. , 2020, 31, 593-601.		4
41	Effect of Psychosocial Distress on the Rate of Kidney Function Decline. Journal of General Internal Medicine, 2021, 36, 2966-2974.	1.3	4
42	Differential effects of arterial stiffness and fluid overload on blood pressure according to renal function in patients at risk for cardiovascular disease. Hypertension Research, 2019, 42, 341-353.	1.5	3
43	New oral spherical carbon adsorbent effectively reduces serum indoxyl sulfate levels in moderate to advanced chronic kidney disease patients: a multicenter, prospective, open-label study. BMC Nephrology, 2020, 21, 317.	0.8	3
44	Physical performance and chronic kidney disease development in elderly adults: results from a nationwide cohort study. Aging, 2020, 12, 17393-17417.	1.4	3
45	Dialysis Adequacy and Risk of Dementia in Elderly Hemodialysis Patients. Frontiers in Medicine, 2021, 8, 769490.	1.2	3
46	Colchicine use and the risk of CKD progression: a multicentre nested case-control study. Rheumatology, 2022, 61, 4314-4323.	0.9	3
47	Body weight fluctuation is associated with rapid kidney function decline. Obesity, 2022, 30, 257-267.	1.5	3
48	Differential Association of Vitamin D Deficiency With Albuminuria by Sex in the Korean General Population: A Cross-sectional Study of the Korea National Health and Nutrition Examination Survey 2011-2012. Journal of Preventive Medicine and Public Health, 2018, 51, 92-99.	0.7	2
49	A Case of Aortitis with Systemic Lupus Erythematosus. Journal of Rheumatic Diseases, 2015, 22, 205.	0.4	1
50	P0688 GREATER MUSCLE STRENGTH IS ASSOCIATED WITH LOWER RISK OF CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
51	MO425: Rosuvastatin Activates Hox13-Usag-1 Pathway and Prevents Renal Fibrosis. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0