

Jong Hyun Jhee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2996094/publications.pdf>

Version: 2024-02-01

51
papers

779
citations

516710

16
h-index

580821

25
g-index

51
all docs

51
docs citations

51
times ranked

1274
citing authors

#	ARTICLE	IF	CITATIONS
1	Kidney Mesenchymal Stem Cellâ€derived Extracellular Vesicles Engineered to Express Erythropoietin Improve Renal Anemia in Mice with Chronic Kidney Disease. Stem Cell Reviews and Reports, 2022, 18, 980-992.	3.8	9
2	PGC-1 α inhibits the NLRP3 inflammasome via preserving mitochondrial viability to protect kidney fibrosis. Cell Death and Disease, 2022, 13, 31.	6.3	23
3	Colchicine use and the risk of CKD progression: a multicentre nested case-control study. Rheumatology, 2022, 61, 4314-4323.	1.9	3
4	Body weight fluctuation is associated with rapid kidney function decline. Obesity, 2022, 30, 257-267.	3.0	3
5	Preoperative Ionized Magnesium Levels and Risk of Acute Kidney Injury After Cardiac Surgery. American Journal of Kidney Diseases, 2022, 80, 629-637.e1.	1.9	5
6	MO425: Rosuvastatin Activates Hox13-Usag-1 Pathway and Prevents Renal Fibrosis. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0
7	Dietary zinc intake and incident chronic kidney disease. Clinical Nutrition, 2021, 40, 1039-1045.	5.0	28
8	Soluble Urokinaseâ€Type Plasminogen Activator Receptor, Changes of 24â€Hour Blood Pressure, and Progression of Chronic Kidney Disease. Journal of the American Heart Association, 2021, 10, e017225.	3.7	9
9	CD71 mesangial IgA1 receptor and the progression of IgA nephropathy. Translational Research, 2021, 230, 34-43.	5.0	5
10	Association Between Nocturnal Blood Pressure Dipping and Chronic Kidney Disease Among Patients With Controlled Office Blood Pressure. American Journal of Hypertension, 2021, 34, 821-830.	2.0	10
11	Effect of Psychosocial Distress on the Rate of Kidney Function Decline. Journal of General Internal Medicine, 2021, 36, 2966-2974.	2.6	4
12	Dialysis Adequacy and Risk of Dementia in Elderly Hemodialysis Patients. Frontiers in Medicine, 2021, 8, 769490.	2.6	3
13	Removal of large middle molecules via haemodialysis with medium cut-off membranes at lower blood flow rates: an observational prospective study. BMC Nephrology, 2020, 21, 2.	1.8	30
14	Microparticles derived from human erythropoietin mRNA-transfected mesenchymal stem cells inhibit epithelial-to-mesenchymal transition and ameliorate renal interstitial fibrosis. Stem Cell Research and Therapy, 2020, 11, 422.	5.5	7
15	Association of Reproductive Lifespan Duration and Chronic Kidney Disease in Postmenopausal Women. Mayo Clinic Proceedings, 2020, 95, 2621-2632.	3.0	11
16	New oral spherical carbon adsorbent effectively reduces serum indoxyl sulfate levels in moderate to advanced chronic kidney disease patients: a multicenter, prospective, open-label study. BMC Nephrology, 2020, 21, 317.	1.8	3
17	P0688 GREATER MUSCLE STRENGTH IS ASSOCIATED WITH LOWER RISK OF CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
18	Ambulatory blood pressure variability and risk of cardiovascular events, all-cause mortality, and progression of kidney disease. Journal of Hypertension, 2020, 38, 1712-1721.	0.5	17

#	ARTICLE	IF	CITATIONS
19	Characterization of IgA Deposition in the Kidney of Patients with IgA Nephropathy and Minimal Change Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 2619.	2.4	10
20	Effects of Intensive Individualized Nutrition Counseling on Nutritional Status and Kidney Function in Patients With Stage 3 and 4 Chronic Kidney Disease. , 2020, 31, 593-601.		4
21	Changes in resting-state brain connectivity following computerized cognitive behavioral therapy for insomnia in dialysis patients: A pilot study. <i>General Hospital Psychiatry</i> , 2020, 66, 24-29.	2.4	10
22	Association between non-alcoholic fatty liver disease and coronary calcification depending on sex and obesity. <i>Scientific Reports</i> , 2020, 10, 1025.	3.3	9
23	High muscle-to-fat ratio is associated with lower risk of chronic kidney disease development. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 726-734.	7.3	18
24	Physical performance and chronic kidney disease development in elderly adults: results from a nationwide cohort study. <i>Aging</i> , 2020, 12, 17393-17417.	3.1	3
25	Cumulative fluid balance and mortality in elderly patients with acute kidney injury requiring continuous renal-replacement therapy: a multicenter prospective cohort study. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 414-425.	2.2	5
26	Intensity of statin therapy and renal outcome in chronic kidney disease: Results from the Korean Cohort Study for Outcome in Patients With Chronic Kidney Disease. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 93-102.	2.2	6
27	Framingham risk score and risk of incident chronic kidney disease: A community-based prospective cohort study. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 49-59.	2.2	22
28	The interactive effects of input and output on managing fluid balance in patients with acute kidney injury requiring continuous renal replacement therapy. <i>Critical Care</i> , 2019, 23, 329.	5.8	4
29	Prediction model development of late-onset preeclampsia using machine learning-based methods. <i>PLoS ONE</i> , 2019, 14, e0221202.	2.5	96
30	Carbohydrate-Rich Diet Is Associated with Increased Risk of Incident Chronic Kidney Disease in Non-Diabetic Subjects. <i>Journal of Clinical Medicine</i> , 2019, 8, 793.	2.4	9
31	A Diet Rich in Vegetables and Fruit and Incident CKD: A Community-Based Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2019, 74, 491-500.	1.9	48
32	The Impact of Comorbidity Burden on The Association between Vascular Access Type and Clinical Outcomes among Elderly Patients Undergoing Hemodialysis. <i>Scientific Reports</i> , 2019, 9, 18156.	3.3	9
33	Differential effects of arterial stiffness and fluid overload on blood pressure according to renal function in patients at risk for cardiovascular disease. <i>Hypertension Research</i> , 2019, 42, 341-353.	2.7	3
34	Impact of body mass index on survival in patients undergoing peritoneal dialysis: Analysis of data from the Insan Memorial End-Stage Renal Disease Registry of Korea (1985-2014). <i>Kidney Research and Clinical Practice</i> , 2019, 38, 239-249.	2.2	13
35	High serum adiponectin is associated with anemia development in chronic kidney disease: The results from the KNOW-CKD study. <i>Cytokine</i> , 2018, 103, 1-9.	3.2	8
36	High and low sodium intakes are associated with incident chronic kidney disease in patients with normal renal function and hypertension. <i>Kidney International</i> , 2018, 93, 921-931.	5.2	47

#	ARTICLE	IF	CITATIONS
37	Extracellular Fluid Excess Is Significantly Associated With Coronary Artery Calcification in Patients With Chronic Kidney Disease. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	23
38	The impact of disease severity on paradoxical association between body mass index and mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. <i>BMC Nephrology</i> , 2018, 19, 32.	1.8	12
39	Phosphate is a potential biomarker of disease severity and predicts adverse outcomes in acute kidney injury patients undergoing continuous renal replacement therapy. <i>PLoS ONE</i> , 2018, 13, e0191290.	2.5	40
40	Effects of Coffee Intake on Incident Chronic Kidney Disease: A Community-Based Prospective Cohort Study. <i>American Journal of Medicine</i> , 2018, 131, 1482-1490.e3.	1.5	31
41	Differential Association of Vitamin D Deficiency With Albuminuria by Sex in the Korean General Population: A Cross-sectional Study of the Korea National Health and Nutrition Examination Survey 2011-2012. <i>Journal of Preventive Medicine and Public Health</i> , 2018, 51, 92-99.	1.9	2
42	Characteristics and Clinical Outcomes of End-Stage Renal Disease Patients on Peritoneal Dialysis for over 15 Years: A Single-Center Experience. <i>Peritoneal Dialysis International</i> , 2017, 37, 535-541.	2.3	5
43	Warfarin Use in Patients With Atrial Fibrillation Undergoing Hemodialysis. <i>Stroke</i> , 2017, 48, 2472-2479.	2.0	33
44	Clinical usefulness of the Oxford classification in determining immunosuppressive treatment in IgA nephropathy. <i>Annals of Medicine</i> , 2017, 49, 217-229.	3.8	11
45	Vitamin D deficiency is significantly associated with depression in patients with chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0171009.	2.5	37
46	Body mass index is inversely associated with mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 39-47.	2.2	24
47	Low serum intact parathyroid hormone level is an independent risk factor for overall mortality and major adverse cardiac and cerebrovascular events in incident dialysis patients. <i>Osteoporosis International</i> , 2016, 27, 2717-2726.	3.1	22
48	Early initiation of continuous renal replacement therapy improves survival of elderly patients with acute kidney injury: a multicenter prospective cohort study. <i>Critical Care</i> , 2016, 20, 260.	5.8	34
49	Low Dentin Matrix Protein 1 Is Associated With Incident Cardiovascular Events in Peritoneal Dialysis Patients. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 2149-2158.	2.8	4
50	A Case of Aortitis with Systemic Lupus Erythematosus. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 205.	1.1	1
51	A Case of Autoimmune Hepatitis Combined with Graves' Disease. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2015, 65, 48.	0.4	6