Fabio Zaina

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2996793/publications.pdf

Version: 2024-02-01

		109264	138417
196	4,072	35	58
papers	citations	h-index	g-index
203	202	203	2342
203	203	203	2342
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	2016 SOSORT guidelines: orthopaedic and rehabilitation treatment of idiopathic scoliosis during growth. Scoliosis and Spinal Disorders, 2018, 13, 3.	2.3	503
2	2011 SOSORT guidelines: Orthopaedic and Rehabilitation treatment of idiopathic scoliosis during growth. Scoliosis, 2012, 7, 3.	0.4	316
3	Surgical versus non-surgical treatment for lumbar spinal stenosis. The Cochrane Library, 2016, 2016, CD010264.	1.5	139
4	Exercises reduce the progression rate of adolescent idiopathic scoliosis: Results of a comprehensive systematic review of the literature. Disability and Rehabilitation, 2008, 30, 772-785.	0.9	120
5	Physical exercises in the treatment of adolescent idiopathic scoliosis: An updated systematic review. Physiotherapy Theory and Practice, 2011, 27, 80-114.	0.6	113
6	Recommendations for research studies on treatment of idiopathic scoliosis: Consensus 2014 between SOSORT and SRS non–operative management committee. Scoliosis, 2015, 10, 8.	0.4	105
7	Guidelines on "Standards of management of idiopathic scoliosis with corrective braces in everyday clinics and in clinical research": SOSORT Consensus 2008. Scoliosis, 2009, 4, 2.	0.4	97
8	Braces for idiopathic scoliosis in adolescents. The Cochrane Library, 2015, 2015, CD006850.	1.5	96
9	Specific exercises reduce brace prescription in adolescent idiopathic scoliosis: A prospective controlled cohort study with worst-case analysis. Journal of Rehabilitation Medicine, 2008, 40, 451-455.	0.8	91
10	Exercises for Adolescent Idiopathic Scoliosis. Spine, 2013, 38, E883-E893.	1.0	89
11	SOSORT 2012 consensus paper: reducing x-ray exposure in pediatric patients with scoliosis. Scoliosis, 2014, 9, 4.	0.4	87
12	Effect of obesity and low back pain on spinal mobility: a cross sectional study in women. Journal of NeuroEngineering and Rehabilitation, 2010, 7, 3.	2.4	84
13	Exercises for adolescent idiopathic scoliosis. The Cochrane Library, 2012, , CD007837.	1.5	84
14	Effectiveness of complete conservative treatment for adolescent idiopathic scoliosis (bracing and) Tj ETQq0 0 0 r studies - SOSORT Award 2009 Winner. Scoliosis, 2009, 4, 19.	rgBT /Overl 0.4	lock 10 Tf 50 73
15	Braces for Idiopathic Scoliosis in Adolescents. Spine, 2010, 35, 1285-1293.	1.0	68
16	Braces for idiopathic scoliosis in adolescents. , 2010, , CD006850.		67
17	Surgical Versus Nonsurgical Treatment for Lumbar Spinal Stenosis. Spine, 2016, 41, E857-E868.	1.0	61
18	Braces for Idiopathic Scoliosis in Adolescents. Spine, 2016, 41, 1813-1825.	1.0	61

#	Article	IF	CITATIONS
19	TRACE (Trunk Aesthetic Clinical Evaluation), a routine clinical tool to evaluate aesthetics in scoliosis patients: development from the Aesthetic Index (AI) and repeatability. Scoliosis, 2009, 4, 3.	0.4	56
20	SEAS (Scientific Exercises Approach to Scoliosis): a modern and effective evidence based approach to physiotherapic specific scoliosis exercises. Scoliosis, 2015, 10, 3.	0.4	56
21	Swimming and Spinal Deformities: A Cross-Sectional Study. Journal of Pediatrics, 2015, 166, 163-167.	0.9	53
22	Methodology of evaluation of morphology of the spine and the trunk in idiopathic scoliosis and other spinal deformities - 6th SOSORT consensus paper. Scoliosis, 2009, 4, 26.	0.4	52
23	In defense of adolescents: They really do use braces for the hours prescribed, if good help is provided. Results from a prospective everyday clinic cohort using thermobrace. Scoliosis, 2012, 7, 12.	0.4	49
24	The effectiveness of combined bracing and exercise in adolescent idiopathic scoliosis based on SRS and SOSORT criteria: a prospective study. BMC Musculoskeletal Disorders, 2014, 15, 263.	0.8	49
25	Specific exercises performed in the period of brace weaning can avoid loss of correction in Adolescent Idiopathic Scoliosis (AIS) patients: Winner of SOSORT's 2008 Award for Best Clinical Paper. Scoliosis, 2009, 4, 8.	0.4	48
26	Feasibility and Acceptability of Telemedicine to Substitute Outpatient Rehabilitation Services in the COVID-19 Emergency in Italy: An Observational Everyday Clinical-Life Study. Archives of Physical Medicine and Rehabilitation, 2020, 101, 2027-2032.	0.5	48
27	7th SOSORT consensus paper: conservative treatment of idiopathic & amp; Scheuermann's kyphosis. Scoliosis, 2010, 5, 9.	0.4	46
28	Improving the measurement of health-related quality of life in adolescent with idiopathic scoliosis: The SRS-7, a Rasch-developed short form of the SRS-22 questionnaire. Research in Developmental Disabilities, 2014, 35, 784-799.	1,2	46
29	Idiopathic scoliosis patients with curves more than 45 Cobb degrees refusing surgery can be effectively treated through bracing with curve improvements. Spine Journal, 2011, 11, 369-380.	0.6	44
30	Effects of obesity and chronic low back pain on gait. Journal of NeuroEngineering and Rehabilitation, 2011, 8, 55.	2.4	44
31	Osteopathic manipulative treatment in obese patients with chronic low back pain: A pilot study. Manual Therapy, 2012, 17, 451-455.	1.6	42
32	Brace treatment is effective in idiopathic scoliosis over 45°: an observational prospective cohort controlled study. Spine Journal, 2014, 14, 1951-1956.	0.6	41
33	Bracing for scoliosis in 2014: state of the art. European Journal of Physical and Rehabilitation Medicine, 2014, 50, 93-110.	1.1	38
34	Team care to cure adolescents with braces (avoiding low quality of life, pain and bad compliance): a case–control retrospective study. 2011 SOSORT Award winner. Scoliosis, 2012, 7, 17.	0.4	37
35	ISYQOL: a Rasch-consistent questionnaire for measuring health-related quality of life in adolescents with spinal deformities. Spine Journal, 2017, 17, 1364-1372.	0.6	37
36	Review of rehabilitation and orthopedic conservative approach to sagittal plane diseases during growth: hyperkyphosis, junctional kyphosis, and Scheuermann disease. European Journal of Physical and Rehabilitation Medicine, 2009, 45, 595-603.	1.1	37

#	Article	IF	CITATIONS
37	Reliability and validity of the cross-culturally adapted Italian version of the Core Outcome Measures Index. European Spine Journal, 2012, 21, 737-749.	1.0	35
38	Adult scoliosis can be reduced through specific SEAS exercises: a case report. Scoliosis, 2008, 3, 20.	0.4	33
39	Adolescent Idiopathic Scoliosis Bracing Success Is Influenced by Time in Brace. Spine, 2020, 45, 1193-1199.	1.0	31
40	The Sforzesco brace can replace cast in the correction of adolescent idiopathic scoliosis: A controlled prospective cohort study. Scoliosis, 2008, 3, 15.	0.4	30
41	Scoliosis-Specific exercises can reduce the progression of severe curves in adult idiopathic scoliosis: a long-term cohort study. Scoliosis, 2015, 10, 20.	0.4	30
42	End-growth results of bracing and exercises for adolescent idiopathic scoliosis. Prospective worst-case analysis. Studies in Health Technology and Informatics, 2008, 135, 395-408.	0.2	30
43	Quality of life in normal and idiopathic scoliosis adolescents before diagnosis: reference values and discriminative validity of the SRS-22. A cross-sectional study of 1,205 pupils. Spine Journal, 2015, 15, 662-667.	0.6	29
44	Specific exercises reduce the need for bracing in adolescents with idiopathic scoliosis: A practical clinical trial. Annals of Physical and Rehabilitation Medicine, 2019, 62, 69-76.	1.1	29
45	The Natural History of Idiopathic Scoliosis During Growth. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 346-356.	0.7	27
46	The Italian Spine Youth Quality of Life questionnaire measures health-related quality of life of adolescents with spinal deformities better than the reference standard, the Scoliosis Research Society 22 questionnaire. Clinical Rehabilitation, 2019, 33, 1404-1415.	1.0	27
47	The Chimera of Low Back Pain Etiology. American Journal of Physical Medicine and Rehabilitation, 2013, 92, 93-97.	0.7	26
48	State of the art of current 3-D scoliosis classifications: a systematic review from a clinical perspective. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 91.	2.4	24
49	Low rate of surgery in juvenile idiopathic scoliosis treated with a complete and tailored conservative approach: end-growth results from a retrospective cohort. Scoliosis, 2014, 9, 12.	0.4	21
50	Actual evidence in the medical approach to adolescents with idiopathic scoliosis. European Journal of Physical and Rehabilitation Medicine, 2014, 50, 87-92.	1.1	21
51	Clinical evaluation of scoliosis during growth: description and reliability. Studies in Health Technology and Informatics, 2008, 135, 125-38.	0.2	20
52	Rehabilitation of adolescent idiopathic scoliosis: results of exercises and bracing from a series of clinical studies. Europa Medicophysica-SIMFER 2007 Award Winner. European Journal of Physical and Rehabilitation Medicine, 2008, 44, 169-76.	1.1	19
53	Evaluation of botulinum toxin therapy of spastic equinus in paediatric patients with cerebral palsy. Acta Dermato-Venereologica, 2007, 39, 115-120.	0.6	18
54	Low back pain rehabilitation in 2020: new frontiers and old limits of our understanding. European Journal of Physical and Rehabilitation Medicine, 2020, 56, 212-219.	1.1	18

#	Article	IF	CITATIONS
55	How to measure kyphosis in everyday clinical practice: a reliability study on different methods. Studies in Health Technology and Informatics, 2012, 176, 264-7.	0.2	16
56	Trunk motion analysis: a systematic review from a clinical and methodological perspective. European Journal of Physical and Rehabilitation Medicine, 2016, 52, 583-92.	1.1	16
57	Terminology - glossary including acronyms and quotations in use for the conservative spinal deformities treatment: 8th SOSORT consensus paper. Scoliosis, 2010, 5, 23.	0.4	15
58	Association Between Sagittal Balance and Scoliosis in Patients with Parkinson Disease. American Journal of Physical Medicine and Rehabilitation, 2016, 95, 39-46.	0.7	15
59	The classification of scoliosis braces developed by SOSORT with SRS, ISPO, and POSNA and approved by ESPRM. European Spine Journal, 2022, 31, 980-989.	1.0	15
60	Adolescent idiopathic scoliosis and eating disorders: Is there a relation? Results of a cross-sectional study. Research in Developmental Disabilities, 2013, 34, 1119-1124.	1.2	14
61	The "Risser+―grade: a new grading system to classify skeletal maturity in idiopathic scoliosis. European Spine Journal, 2019, 28, 559-566.	1.0	14
62	Low back pain: State of art. European Journal of Pain Supplements, 2008, 2, 52-56.	0.0	13
63	SOSORT Award Winner 2015: a multicentre study comparing the SPoRT and ART braces effectiveness according to the SOSORT-SRS recommendations. Scoliosis, 2015, 10, 23.	0.4	13
64	Adolescents with idiopathic scoliosis and their parents have a positive attitude towards the Thermobrace monitor: results from a survey. Scoliosis and Spinal Disorders, 2017, 12, 12.	2.3	13
65	Can bracing help adults with chronic back pain and scoliosis? Short-term results from a pilot study. Prosthetics and Orthotics International, 2018, 42, 410-414.	0.5	13
66	In favour of the definition "adolescents with idiopathic scoliosis": juvenile and adolescent idiopathic scoliosis braced after ten years of age, do not show different end results. SOSORT award winner 2014. Scoliosis, 2014, 9, 7.	0.4	12
67	How to improve aesthetics in patients with Adolescent Idiopathic Scoliosis (AIS): a SPoRT brace treatment according to SOSORT management criteria. Scoliosis, 2009, 4, 18.	0.4	11
68	Tennis is not dangerous for the spine during growth: results of a cross-sectional study. European Spine Journal, 2016, 25, 2938-2944.	1.0	11
69	Consistent and regular daily wearing improve bracing results: a case-control study. Scoliosis and Spinal Disorders, 2018, 13, 16.	2.3	11
70	Spinal Coronal and Sagittal Balance in 584 Healthy Individuals During Growth: Normal Plumb Line Values and Their Correlation With Radiographic Measurements. Physical Therapy, 2019, 99, 1712-1718.	1.1	11
71	The Sforzesco brace and SPoRT concept: A brace to replace cast in worst curves. Disability and Rehabilitation: Assistive Technology, 2008, 3, 154-160.	1.3	9
72	Overweight is not predictive of bracing failure in adolescent idiopathic scoliosis: results from a retrospective cohort study. European Spine Journal, 2017, 26, 1670-1675.	1.0	9

#	Article	IF	CITATIONS
73	Clinical and postural behaviour of scoliosis during daily brace weaning hours. Studies in Health Technology and Informatics, 2008, 140, 303-6.	0.2	9
74	Why X-rays are not reliable to assess sagittal profile: a cross sectional study. Studies in Health Technology and Informatics, 2012, 176, 268-72.	0.2	9
75	Letter to the Editor concerning: "Active self-correction and task-oriented exercises reduce spinal deformity and improve quality of life in subjects with mild adolescent idiopathic scoliosis. Results of a randomised controlled trial―by Monticone M, Ambrosini E, Cazzaniga D, Rocca B, Ferrante S (2014). Eur Spine I: DOI:10.1007/s00586-014-3241-v. European Spine lournal. 2014. 23. 2218-2220.	1.0	8
76	Research quality in scoliosis conservative treatment: state of the art. Scoliosis, 2015, 10, 21.	0.4	8
77	The three dimensional analysis of the Sforzesco brace correction. Scoliosis and Spinal Disorders, 2016, 11, 34.	2.3	8
78	BRACE MAP, a proposal for a new classification of braces. Studies in Health Technology and Informatics, 2008, 140, 299-302.	0.2	8
79	Bracing does not change the sport habits of patients. Studies in Health Technology and Informatics, 2012, 176, 437-40.	0.2	8
80	The SPoRT concept of bracing for idiopathic scoliosis. Physiotherapy Theory and Practice, 2011, 27, 54-60.	0.6	7
81	Compliance monitor for scoliosis braces in clinical practice. Journal of Children's Orthopaedics, 2015, 9, 507-508.	0.4	7
82	Spontaneous and complete regeneration of a vertebra plana after surgical curettage of an eosinophilic granuloma. European Spine Journal, 2017, 26, 225-228.	1.0	7
83	Prevalence of idiopathic scoliosis in anorexia nervosa patients: results from a cross-sectional study. European Spine Journal, 2018, 27, 293-297.	1.0	7
84	Trunk asymmetry is associated with dominance preference: results from a cross-sectional study of 1029 children. Brazilian Journal of Physical Therapy, 2019, 23, 324-328.	1.1	7
85	Construct validity of the Trunk Aesthetic Clinical Evaluation (TRACE) in young people with idiopathic scoliosis. Annals of Physical and Rehabilitation Medicine, 2020, 63, 216-221.	1.1	7
86	SpineCor, exercise and SPoRT rigid brace: what is the best for Adolescent Idiopathic Scoliosis? Short term results from 2 retrospective studies. Studies in Health Technology and Informatics, 2012, 176, 361-4.	0.2	7
87	Bracing can reduce high degree curves and improve aesthetics immediately after the end of growth. Final results of a retrospective case series. Studies in Health Technology and Informatics, 2012, 176, 393-6.	0.2	7
88	Cochrane Review: Braces for idiopathic scoliosis in adolescents. Evidence-Based Child Health: A Cochrane Review Journal, 2010, 5, 1681-1720.	2.0	6
89	Adolescent with $10 \hat{A}^\circ$ to $20 \hat{A}^\circ$ Cobb scoliosis during growth: efficacy of conservative treatments. A prospective controlled cohort observational study. Scoliosis, 2012, 7, .	0.4	6
90	Trunk and craniofacial asymmetry are not associated in the general population: a cross-sectional study of 1029 adolescents. European Journal of Medical Research, 2017, 22, 36.	0.9	6

#	Article	IF	Citations
91	Are Back Schools beneficial for patients with chronic non-specific low back pain? - A Cochrane Review summary with commentary. Musculoskeletal Science and Practice, 2019, 44, 102060.	0.6	6
92	Correlation between in-brace radiographic correction and short time brace results. Studies in Health Technology and Informatics, 2012, 176, 342-5.	0.2	6
93	Is the SRS-22 able to detect Quality of Life (QoL) changes during conservative treatments?. Studies in Health Technology and Informatics, 2012, 176, 433-6.	0.2	6
94	Does quality of exercises affect results in adolescent idiopathic scoliosis treatment to avoid braces? SEAS.02 results at two years. Scoliosis, 2007, 2, S8.	0.4	5
95	Braces for idiopathic scoliosis in adolescents. A cochrane review. Scoliosis, 2010, 5, .	0.4	5
96	Complete validation of plumbline distances as a screening tool for sagittal plane deformities. Scoliosis, 2012, 7, .	0.4	5
97	Five-year review of an international clinical research-training program. Advances in Medical Education and Practice, 2015, 6, 249.	0.7	5
98	Thoracic hyperkyphosis non invasively measured by general practitioners is associated with chronic low back pain: A cross-sectional study of 1364 subjects. Journal of Bodywork and Movement Therapies, 2018, 22, 752-756.	0.5	5
99	3-DEMO classification of scoliosis: a useful understanding of the 3(rd) dimension of the deformity. Studies in Health Technology and Informatics, 2008, 135, 139-53.	0.2	5
100	Nonoperative management of adolescent idiopathic scoliosis (AIS) using braces. Prosthetics and Orthotics International, 2022, Publish Ahead of Print, .	0.5	5
101	Brace treatment is effective in idiopathic scoliosis over $45 \hat{A}^{\circ}$: a prospective controlled study. Scoliosis, 2013, 8, .	0.4	4
102	A cognitive behavioral approach allows improving brace wearing compliance: an observational controlled retrospective study with thermobrace. Scoliosis, $2014, 9,$	0.4	4
103	Bracing adults with chronic low back pain secondary to severe scoliosis: six months results of a prospective pilot study. European Spine Journal, 2021, 30, 2962-2966.	1.0	4
104	Efficacy of bracing in early infantile scoliosis: a 5-year prospective cohort shows that idiopathic respond better than secondary—2021 SOSORT award winner. European Spine Journal, 2021, 30, 3498-3508.	1.0	4
105	A Pragmatic Benchmarking Study of an Evidence-Based Personalised Approach in 1938 Adolescents with High-Risk Idiopathic Scoliosis. Journal of Clinical Medicine, 2021, 10, 5020.	1.0	4
106	Repetitive magnetic stimulation of the sacral roots for the treatment of stress incontinence: a brief report. Europa Medicophysica, 2007, 43, 339-44.	0.5	4
107	Repeatability of different methods to collect in everyday clinics the sagittal profile of patients with adolescent idiopathic scoliosis. Scoliosis, 2007, 2, S44.	0.4	3
108	Efficacy of bracing immediately after the end of growth: final results of a retrospective case series. Scoliosis, 2009, 4, .	0.4	3

#	Article	IF	Citations
109	Scoliosis manager for medical doctors: a new Internet free tool to enhance medical approach to scoliosis worldwide. Scoliosis, 2010, 5, .	0.4	3
110	End-growth results in juvenile idiopathic scoliosis treated with conservative approach. Scoliosis, 2010, 5, .	0.4	3
111	It is possible to make patients use braces the hours prescribed: first results from the thermobrace clinical everyday usage. Scoliosis, 2012, 7, .	0.4	3
112	It is possible to maintain a high compliance even in the long term: results from the Thermobrace study. Scoliosis, 2013, 8, .	0.4	3
113	Junctional kyphosis: how can we detect and monitor it during growth?. Scoliosis and Spinal Disorders, 2016, 11, 38.	2.3	3
114	The SPoRT (Symmetric, Patient-oriented, Rigid, Three-dimensional, active) concept for scoliosis bracing: principles and results. Studies in Health Technology and Informatics, 2008, 135, 356-69.	0.2	3
115	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from July to December 2011. European Journal of Physical and Rehabilitation Medicine, 2011, 47, 601-5.	1.1	3
116	Physical and rehabilitation medicine specialists in the medical approach to idiopathic scoliosis. European Journal of Physical and Rehabilitation Medicine, 2014, 50, 83-6.	1.1	3
117	Sforzesco brace (SPoRT Concept) versus Risser cast in adolescent idiopathic scoliosis treatment: similar efficacy, with reduced spinal side effects for the brace. Scoliosis, 2007, 2, .	0.4	2
118	Repeatability of the Aesthetic Index for adolescent scoliosis idiopathic evaluation. Scoliosis, 2007, 2, S46.	0.4	2
119	Efficacy of conservative treatment of adolescent idiopathic scoliosis: end-growth results respecting SRS and SOSORT criteria. Scoliosis, 2009, 4, .	0.4	2
120	Prospective study according to the SRS and SOSORT criteria on the effectiveness of a complete conservative treatment (bracing and exercises) for adolescent idiopathic scoliosis: efficacy and intent-to-treat analysis. Scoliosis, 2013, 8, .	0.4	2
121	Scoliosis and sagittal balance in Parkinson's disease: analysis of correlations. Scoliosis, 2013, 8, .	0.4	2
122	End growth results of exercise treatment to avoid bracing in adolescents with idiopathic scoliosis: a prospective cohort controlled study. Scoliosis, 2014, 9, .	0.4	2
123	Letter concerning "Adolescent idiopathic scoliosis: the possible harm of bracing and the likely benefit of exercise―by Falk etÂal Spine Journal, 2015, 15, 208-209.	0.6	2
124	We cannot give up bracing for poor adherence to treatment: Letter to the Editor concerning the paper $\hat{a} \in \mathbb{C}$ The effectiveness of the SpineCor brace for the conservative treatment of adolescent idiopathic scoliosis. Comparison with the Boston brace $\hat{a} \in \mathbb{C}$ Spine Journal, 2016, 16, 1032-1033.	0.6	2
125	Predicting scoliosis progression: a challenge for researchers and clinicians. EClinicalMedicine, 2020, 18, 100244.	3.2	2
126	A systematic review of physical and rehabilitation medicine topics as developed by the Cochrane Collaboration. Europa Medicophysica, 2007, 43, 381-90.	0.5	2

#	Article	IF	CITATIONS
127	Characteristics of patients with more than $20 \hat{A}^{\circ}$ of improvement or worsening during conservative treatment of adolescent idiopathic scoliosis. Studies in Health Technology and Informatics, 2012, 176, 354-7.	0.2	2
128	Ethics in rehabilitation: challenges and opportunities to promote research. European Journal of Physical and Rehabilitation Medicine, 2016, 52, 267-70.	1.1	2
129	Sagittal Balance in Children: Reference Values of the Sacral Slope for the Roussouly Classification and of the Pelvic Incidence for a New, Age-Specific Classification. Applied Sciences (Switzerland), 2022, 12, 4040.	1.3	2
130	Efficacy of specific SEAS exercises for hyperkyphosis: end-growth results of a controlled prospective study. Scoliosis, 2009, 4, .	0.4	1
131	Validity of distances from the plumbline in sagittal plane deformities: repeatability, correlation with kyphosis angles and normative values. Scoliosis, 2009, 4, .	0.4	1
132	Efficacy of bracing in worst cases (over $45\hat{A}^\circ$): end-growth results of a retrospective case series. Scoliosis, 2009, 4, .	0.4	1
133	Adolescent soccer is correlated with an increase of kyphosis but a reduction of low back pain: a controlled cross-sectional survey. Scoliosis, 2009, 4, .	0.4	1
134	SEAS exercises revert progression of adult scoliosis: a retrospective long-term study. Scoliosis, 2009, 4, O55.	0.4	1
135	End of treatment results for SEAS exercises: a controlled retrospective study. Scoliosis, 2009, 4, O28.	0.4	1
136	Effectiveness of Complete Conservative Treatment for Adolescent Idiopathic Scoliosis (Bracing and) Tj ETQq0 0 Studies. Spine Journal, 2010, 10, S99-S100.	0 rgBT /O	verlock 10 Tf ! 1
137	"Slopes": a new approach to scoliosis radiographic measurement and evaluation, related to the horizontal plane in a bodily view. Scoliosis, 2013, 8, .	0.4	1
138	End growth results analysis related to Risser score, Cobb degrees, and curve types at the beginning of the treatment. Scoliosis, 2013, 8, .	0.4	1
139	Micro: a useful and simpler tool to measure the magnitude of scoliosis curves on x-rays. Scoliosis, 2013, 8, .	0.4	1
140	Risser stages, menarche and their correlations with other growth parameters in a cohort of 3,553 Italian adolescent idiopathic scoliosis patients. Scoliosis, 2013, 8, .	0.4	1
141	SpineCor vs rigid brace for Adolescent Idiopathic Scoliosis: end of growth results from a retrospective controlled study. Scoliosis, 2013, 8, .	0.4	1
142	Low reliability of the Risser sign in consecutive radiographs: a case series. Scoliosis, 2013, 8, .	0.4	1
143	Reply to: Clinical Evaluation of the Ability of a Proprietary Scoliosis Traction Chair to De-Rotate the Spine: 6-Month Results of Cobb Angle and Rotational Measurements. Clinics and Practice, 2014, 4, 71-71.	0.6	1
144	Reply. Journal of Pediatrics, 2015, 166, 1548.	0.9	1

#	Article	IF	Citations
145	Prevalence and Predictors of Adolescent Idiopathic Scoliosis in Adolescent Ballet Dancers. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1181.	0.5	1
146	Letter to the Editor concerning: "Reliability and validity of non-radiographic methods of thoracic kyphosis measurement: A systematic review.―by Barrett E, McCreesh K, Lewis J. Man Ther. 2014 Feb; 19(1):10–7. Manual Therapy, 2015, 20, e5.	1.6	1
147	Letter to the Editor concerning the Article "Adolescent Idiopathic Scoliosis: A 71 Cases Study Ascertaining That Straightening Is Possible, and a New Etiological Hypothesis". Asian Spine Journal, 2015, 9, 306.	0.8	1
148	Cochrane reviews: evidence in rehabilitation. European Journal of Physical and Rehabilitation Medicine, 2008, 44, 65-6.	1.1	1
149	Cochrane reviews in rehabilitation: 2nd issue 2008 the EJPRM systematic continuous update. European Journal of Physical and Rehabilitation Medicine, 2008, 44, 283-6.	1.1	1
150	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the 3rd issue 2008. European Journal of Physical and Rehabilitation Medicine, 2008, 44, 441-8.	1.1	1
151	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the first issue 2009. European Journal of Physical and Rehabilitation Medicine, 2009, 45, 193-5.	1.1	1
152	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the second issue 2009. European Journal of Physical and Rehabilitation Medicine, 2009, 45, 427-30.	1.1	1
153	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from September 2010 to January 2011. European Journal of Physical and Rehabilitation Medicine, 2011, 47, 57-68.	1.1	1
154	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from February 2011 to April 2011. European Journal of Physical and Rehabilitation Medicine, 2011, 47, 327-40.	1.1	1
155	Lumbar Scheuermann conservative treatment allows a proper vertebral body growth and spinal configuration: a case series. Scoliosis, 2009, 4, .	0.4	O
156	Bracing different types of adolescent hyperkyphosis: end-growth results of a controlled retrospective study. Scoliosis, 2009, 4, .	0.4	0
157	Efficacy of specific SEAS exercises for adolescent idiopathic scoliosis: end-growth results of a controlled prospective study. Scoliosis, 2009, 4, .	0.4	0
158	Clinical and postural behaviour of scoliosis patients during daily brace weaning hours. Scoliosis, 2009, 4, .	0.4	0
159	Spinecor vs exercises for adolescent idiopathic scoliosis: short term results. Scoliosis, 2010, 5, .	0.4	0
160	Spinecor vs sport brace for adolescent idiopathic scoliosis: short term results. Scoliosis, 2010, 5, .	0.4	0
161	Cross-validation of TRACE and eTRACE (Formetric TRACE) for aesthetics evaluation in scoliosis patients. Scoliosis, $2010, 5, .$	0.4	0
162	Control of juvenile idiopathic scoliosis during pubertal growth spurt through conservative treatment: a retrospective observational study. Scoliosis, 2010, 5, .	0.4	0

#	Article	IF	Citations
163	Braces for Idiopathic Scoliosis in Adolescents - A Cochrane Review. Spine Journal, 2010, 10, S130-S131.	0.6	o
164	Lessons to be learned: best and worst results from a 7 years old clinical database of scoliosis patients. Scoliosis, $2012, 7, .$	0.4	0
165	Mobilization exercises in preparation to bracing must be only at start of brace wearing. Results from a prospective controlled study. Scoliosis, 2012, 7, .	0.4	0
166	Scoliosis in adolescents reduces the risk of eating disorders. Scoliosis, 2012, 7, .	0.4	0
167	Different material for the SPORT concept brace: short term comparison of Sforzesco and Sibilla brace. Scoliosis, 2013, 8, .	0.4	0
168	Everyday postures in idiopathic scoliosis: is there any correlation with curve morphology?. Scoliosis, 2013, 8, .	0.4	0
169	Therapy modifies end-vertebrae, and measuring always on the same vertebrae overestimates final results. A blind cohort controlled prospective study. Scoliosis, 2013, 8, .	0.4	0
170	Scoliosis with hyperkyphosis combines in 20% of cases with Scheuermann's disease, and is more frequent in males. Scoliosis, 2013, 8, .	0.4	0
171	Brace efficacy: meta-analysis of studies conducted according to the SRS criteria for brace studies. Scoliosis, 2013, 8, .	0.4	0
172	Overweight is not predictive of reduced effectiveness of orthosis treatment in Adolescent Idiopathic Scoliosis: results from a retrospective cohort. Scoliosis, 2013, 8, .	0.4	0
173	Effectiveness of the Sforzesco brace according to the SRS and SOSORT criteria for bracing studies. Scoliosis, 2013, 8, .	0.4	0
174	A retrospective controlled study comparing Spinecor vs exercises for Adolescent Idiopathic Scoliosis. Scoliosis, 2013, 8 , .	0.4	0
175	Not only being compliant, but also being constant in brace wearing improves short-term results: a prospective Thermobrace study. Scoliosis, 2013, 8, .	0.4	0
176	Sagittal balance in the conservative treatment of pathological kyphosis: a retrospective observational study. Scoliosis, 2013, 8, .	0.4	0
177	The formetric TRACER index: a valid measure of aesthetic deformity in adolescent idiopathic scoliosis. Scoliosis, 2013, 8, .	0.4	0
178	Two year post-menarche rule for bracing: myth or reality?. Scoliosis, 2013, 8, .	0.4	0
179	Previously treated versus untreated scoliosis: are results different?. Scoliosis, 2014, 9, .	0.4	0
180	In favour of the definition "adolescents with idiopathic scoliosis― juvenile and adolescent idiopathic scoliosis braced after ten years of age, do not show different end results. Scoliosis, 2014, 9, .	0.4	0

#	Article	IF	CITATIONS
181	Modification of the postural pattern of the trunk by means of a set of shoe lifts. Scoliosis, 2014, 9, .	0.4	0
182	Conservative treatment with brace and exercise for hyperkyphosis: a retrospective observational cohort study. Scoliosis, 2014, 9, .	0.4	0
183	Answer by Zaina et al. to comments regarding their paper †Can bracing help adults with chronic back pain and scoliosis? Short-term results from a pilot study'. Prosthetics and Orthotics International, 2019, 43, 466-467.	0.5	0
184	Scoliosis and Kyphosis. , 2020, , 882-889.		0
185	The active self-correction component of scoliosis-specific exercises has results in the long term, while the stabilization component is sufficient in the short term. Prosthetics and Orthotics International, 2020, 44, 263-264.	0.5	0
186	Symptomatic adult spinal deformity: implications for treatment and research. Annals of Translational Medicine, 2020, 8, 515-515.	0.7	0
187	Observational Studies. American Journal of Physical Medicine and Rehabilitation, 2021, Publish Ahead of Print, .	0.7	0
188	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the 4th Issue 2008. European Journal of Physical and Rehabilitation Medicine, 2009, 45, 93-101.	1.1	0
189	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the 3rd Issue 2009. European Journal of Physical and Rehabilitation Medicine, 2009, 45, 605-19.	1.1	0
190	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the 4th Issue 2009. European Journal of Physical and Rehabilitation Medicine, 2010, 46, 95-111.	1.1	0
191	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the 1st and 2nd Issues of 2010. European Journal of Physical and Rehabilitation Medicine, 2010, 46, 269-82.	1.1	0
192	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the 3rd 4th and 5th Issues of 2010. European Journal of Physical and Rehabilitation Medicine, 2010, 46, 439-52.	1.1	0
193	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from the 8th, 9th and 10th issues of 2010. European Journal of Physical and Rehabilitation Medicine, 2010, 46, 525-35.	1.1	0
194	EJPRM systematic continuous Update on Cochrane reviews in rehabilitation: news from April 2011 to July 2011. European Journal of Physical and Rehabilitation Medicine, 2011, 47, 507-11.	1.1	0
195	EJPRM systematic continuous update on Cochrane reviews in rehabilitation: news from December 2011 to February 2012. European Journal of Physical and Rehabilitation Medicine, 2012, 48, 57-70.	1.1	0
196	Impact of the Free-Pelvis Innovation in Very Rigid Braces for Adolescents with Idiopathic Scoliosis: Short-Term Results of a Matched Case-Control Study. Children, 2022, 9, 871.	0.6	0