## Marco Raffaelli

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/2998093/marco-raffaelli-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

198 papers

6,063 citations

46 h-index

g-index

219 ext. papers

6,946 ext. citations

3.5 avg, IF

5.35 L-index

| #   | Paper   | IF               | Citations |
|-----|---|------------------|-----------|
| 198 | Comparison between minimally invasive video-assisted thyroidectomy and conventional thyroidectomy: a prospective randomized study. <i>Surgery</i> , <b>2001</b> , 130, 1039-43  | 3.6              | 261       |
| 197 | Minimally invasive video-assisted thyroidectomy: multiinstitutional experience. <i>World Journal of Surgery</i> , <b>2002</b> , 26, 972-5   | 3.3              | 192       |
| 196 | Minimally invasive video-assisted thyroidectomy. <i>American Journal of Surgery</i> , <b>2001</b> , 181, 567-70   | 2.7              | 176       |
| 195 | Presentation of Hypoparathyroidism: Etiologies and Clinical Features. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 2300-12  | 5.6              | 175       |
| 194 | Voice and swallowing changes after thyroidectomy in patients without inferior laryngeal nerve injuries. <i>Surgery</i> , <b>2006</b> , 140, 1026-32; discussion 1032-4  | 3.6              | 156       |
| 193 | Early prediction of hypocalcemia after thyroidectomy using parathyroid hormone: an analysis of pooled individual patient data from nine observational studies. <i>Journal of the American College of Surgeons</i> , <b>2007</b> , 205, 748-54 | 4.4              | 141       |
| 192 | Early prediction of postthyroidectomy hypocalcemia by one single iPTH measurement. <i>Surgery</i> , <b>2004</b> , 136, 1236-41  | 3.6              | 141       |
| 191 | Complications of laparoscopic adrenalectomy: results of 169 consecutive procedures. <i>World Journal of Surgery</i> , <b>2000</b> , 24, 1342-6  | 3.3              | 137       |
| 190 | Minimally invasive, totally gasless video-assisted thyroid lobectomy. <i>American Journal of Surgery</i> , <b>1999</b> , 177, 342-3   | 2.7              | 133       |
| 189 | Is routine supplementation therapy (calcium and vitamin D) useful after total thyroidectomy?. <i>Surgery</i> , <b>2002</b> , 132, 1109-12; discussion 1112-3  | 3.6              | 124       |
| 188 | Total thyroidectomy for management of benign thyroid disease: review of 526 cases. <i>World Journal of Surgery</i> , <b>2002</b> , 26, 1468-71  | 3.3              | 119       |
| 187 | Contralateral papillary thyroid cancer is frequent at completion thyroidectomy with no difference in low- and high-risk patients. <i>Thyroid</i> , <b>2001</b> , 11, 877-81   | 6.2              | 118       |
| 186 | Complications Following the Mini/One Anastomosis Gastric Bypass (MGB/OAGB): a Multi-institutional Survey on 2678 Patients with a Mid-term (5[Years) Follow-up. <i>Obesity Surgery</i> , <b>2017</b> , 27, 2956-2967                           | 3.7              | 116       |
| 185 | Papillary thyroid microcarcinoma: extrathyroidal extension, lymph node metastases, and risk factors for recurrence in a high prevalence of goiter area. <i>World Journal of Surgery</i> , <b>2010</b> , 34, 1214-21                           | 3.3              | 110       |
| 184 | Parathyroid hormone levels 4 hours after surgery do not accurately predict post-thyroidectomy hypocalcemia. <i>Surgery</i> , <b>2006</b> , 140, 1016-23; discussion 1023-5  | 3.6              | 100       |
| 183 | Prospective evaluation of total thyroidectomy versus ipsilateral versus bilateral central neck dissection in patients with clinically node-negative papillary thyroid carcinoma. <i>Surgery</i> , <b>2012</b> , 152, 957-                     | -64 <sup>6</sup> | 94        |
| 182 | Long-term outcome of functional post-thyroidectomy voice and swallowing symptoms. <i>Surgery</i> , <b>2009</b> , 146, 1174-81   | 3.6              | 93        |

## (2000-2008)

| 181 | Video-assisted thyroidectomy significantly reduces the risk of early postthyroidectomy voice and swallowing symptoms. <i>World Journal of Surgery</i> , <b>2008</b> , 32, 693-700  | 3.3 | 93 |  |
|-----|--|-----|----|--|
| 180 | Open versus endoscopic adrenalectomy in the treatment of localized (stage I/II) adrenocortical carcinoma: results of a multiinstitutional Italian survey. <i>Surgery</i> , <b>2012</b> , 152, 1158-64  | 3.6 | 89 |  |
| 179 | European Society of Endocrine Surgeons (ESES) and European Network for the Study of Adrenal Tumours (ENSAT) recommendations for the surgical management of adrenocortical carcinoma.<br>British Journal of Surgery, <b>2017</b> , 104, 358-376 | 5.3 | 87 |  |
| 178 | Follicular thyroid neoplasms can be classified as low- and high-risk according to HBME-1 and Galectin-3 expression on liquid-based fine-needle cytology. <i>European Journal of Endocrinology</i> , <b>2011</b> , 165, 447-53                  | 6.5 | 85 |  |
| 177 | Immunocytochemical evaluation of thyroid neoplasms on thin-layer smears from fine-needle aspiration biopsies. <i>Cancer</i> , <b>2005</b> , 105, 87-95   | 6.4 | 82 |  |
| 176 | Minimally invasive video-assisted functional lateral neck dissection for metastatic papillary thyroid carcinoma. <i>American Journal of Surgery</i> , <b>2007</b> , 193, 114-8   | 2.7 | 81 |  |
| 175 | Safety of video-assisted thyroidectomy versus conventional surgery. <i>Head and Neck</i> , <b>2005</b> , 27, 58-64   | 4.2 | 78 |  |
| 174 | Simultaneous immunohistochemical expression of HBME-1 and galectin-3 differentiates papillary carcinomas from hyperfunctioning lesions of the thyroid. <i>Histopathology</i> , <b>2006</b> , 48, 795-800                                       | 7.3 | 74 |  |
| 173 | Management of cystic or predominantly cystic thyroid nodules: the role of ultrasound-guided fine-needle aspiration biopsy. <i>Thyroid</i> , <b>2004</b> , 14, 43-7   | 6.2 | 74 |  |
| 172 | Minimally invasive video-assisted parathyroidectomy: lesson learned from 137 cases. <i>Journal of the American College of Surgeons</i> , <b>2000</b> , 191, 613-8  | 4.4 | 73 |  |
| 171 | Adrenal cystic lesions: report of 12 surgically treated cases and review of the literature. <i>Journal of Endocrinological Investigation</i> , <b>1998</b> , 21, 109-14  | 5.2 | 72 |  |
| 170 | Adrenal surgery before and after the introduction of laparoscopic adrenalectomy. <i>British Journal of Surgery</i> , <b>2002</b> , 89, 779-82  | 5.3 | 69 |  |
| 169 | Should laparoscopic approach be proposed for large and/or potentially malignant adrenal tumors?. <i>Langenbeckm Archives of Surgery</i> , <b>1999</b> , 384, 366-9   | 3.4 | 69 |  |
| 168 | The use of "harmonic scalpel" versus "knot tying" for conventional "open" thyroidectomy: results of a prospective randomized study. <i>Langenbeckm Archives of Surgery</i> , <b>2008</b> , 393, 627-31   | 3.4 | 68 |  |
| 167 | Adrenocortical carcinoma: effect of hospital volume on patient outcome. <i>LangenbeckmArchives of Surgery</i> , <b>2012</b> , 397, 201-7   | 3.4 | 65 |  |
| 166 | Endoscopic adrenalectomy: Is there an optimal operative approach? Results of a single-center case-control study. <i>Surgery</i> , <b>2008</b> , 144, 1008-14; discussion 1014-5  | 3.6 | 65 |  |
| 165 | Video-assisted thyroidectomy. Journal of the American College of Surgeons, 2002, 194, 610-4  | 4.4 | 62 |  |
| 164 | The "false" nonrecurrent inferior laryngeal nerve. <i>Surgery</i> , <b>2000</b> , 128, 1082-7  | 3.6 | 62 |  |

| 163 | Impact of harmonic scalpel on operative time during video-assisted thyroidectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2002</b> , 16, 663-6  | 5.2           | 61 |  |
|-----|--|---------------|----|--|
| 162 | Report on 8 years of experience with video-assisted thyroidectomy for papillary thyroid carcinoma. <i>Surgery</i> , <b>2007</b> , 142, 944-51; discussion 944-51   | 3.6           | 60 |  |
| 161 | Intraoperative PTH monitoring during parathyroidectomy: the need for stricter criteria to detect multiglandular disease. <i>LangenbeckmArchives of Surgery</i> , <b>2008</b> , 393, 639-45   | 3.4           | 55 |  |
| 160 | Video-assisted parathyroidectomy via the lateral approach vs conventional surgery in the treatment of sporadic primary hyperparathyroidism: results of a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2001</b> , 15, 1116-9        | 5.2           | 54 |  |
| 159 | Combining early postoperative parathyroid hormone and serum calcium levels allows for an efficacious selective post-thyroidectomy supplementation treatment. <i>World Journal of Surgery</i> , <b>2012</b> , 36, 1307-13   | 3.3           | 50 |  |
| 158 | Substernal goiters: incidence, surgical approach, and complications in a tertiary care referral center.<br>Head and Neck, <b>2011</b> , 33, 1420-5   | 4.2           | 50 |  |
| 157 | Video-assisted thyroidectomy: report on the experience of a single center in more than four hundred cases. <i>World Journal of Surgery</i> , <b>2006</b> , 30, 794-800; discussion 801   | 3.3           | 49 |  |
| 156 | Incidence of Hypoglycemia After Gastric Bypass vs Sleeve Gastrectomy: A Randomized Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 2136-2146   | 5.6           | 48 |  |
| 155 | Role of laparoscopy in the management of adrenal malignancies. <i>Journal of Surgical Oncology</i> , <b>2006</b> , 94, 128-31  | 2.8           | 48 |  |
| 154 | Evaluation of the surgical completeness after total thyroidectomy for differentiated thyroid carcinoma. <i>European Journal of Surgical Oncology</i> , <b>2007</b> , 33, 648-54  | 3.6           | 46 |  |
| 153 | Central neck lymph node removal during minimally invasive video-assisted thyroidectomy for thyroid carcinoma: a feasible and safe procedure. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , <b>2002</b> , 12, 181-5                          | 2.1           | 46 |  |
| 152 | Predictive factors for postoperative morbidity after laparoscopic adrenalectomy for pheochromocytoma: a multicenter retrospective analysis in 225 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2016</b> , 30, 1051-9                         | 5.2           | 44 |  |
| 151 | Synchronous bilateral adrenalectomy for Cushing's syndrome: laparoscopic versus posterior retroperitoneoscopic versus robotic approach. <i>World Journal of Surgery</i> , <b>2014</b> , 38, 709-15   | 3.3           | 42 |  |
| 150 | Total thyroidectomy alone versus ipsilateral versus bilateral prophylactic central neck dissection in clinically node-negative differentiated thyroid carcinoma. A retrospective multicenter study. <i>European Journal of Surgical Oncology</i> , <b>2017</b> , 43, 126-132 | 3.6           | 42 |  |
| 149 | Diagnostic efficacy of conventional as compared to liquid-based cytology in thyroid lesions: evaluation of 10,360 fine needle aspiration cytology cases. <i>Acta Cytologica</i> , <b>2009</b> , 53, 659-66   | 3             | 41 |  |
| 148 | Prognostic factors in differentiated thyroid carcinoma: a multivariate analysis of 234 consecutive patients. <i>Journal of Surgical Oncology</i> , <b>1998</b> , 68, 237-41  | 2.8           | 40 |  |
| 147 | Clinical Outcomes After Unilateral Adrenalectomy for Primary Aldosteronism. <i>JAMA Surgery</i> , <b>2019</b> , 154, e185842   | 5.4           | 40 |  |
| 146 | Ipsilateral Central Neck Dissection Plus Frozen Section Examination Versus Prophylactic Bilateral Central Neck Dissection in cN0 Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> . <b>2015</b> , 22, 2302  | - <u>8</u> .1 | 39 |  |

# (2011-2006)

| 145 | Video-assisted thyroidectomy: report of a 7-year experience in Rome. <i>LangenbeckmArchives of Surgery</i> , <b>2006</b> , 391, 174-7   | 3.4              | 38 |  |
|-----|---|------------------|----|--|
| 144 | Video-assisted thyroidectomy under local anesthesia. <i>American Journal of Surgery</i> , <b>2004</b> , 187, 515-8  | 2.7              | 37 |  |
| 143 | Video-assisted versus conventional total thyroidectomy and central compartment neck dissection for papillary thyroid carcinoma. <i>World Journal of Surgery</i> , <b>2012</b> , 36, 1225-30   | 3.3              | 36 |  |
| 142 | Fine-needle aspiration biopsy of thyroid lesions processed by thin-layer cytology: one-year institutional experience with histologic correlation. <i>Thyroid</i> , <b>2006</b> , 16, 975-81   | 6.2              | 36 |  |
| 141 | Video-assisted thyroidectomy for papillary thyroid carcinoma. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2003</b> , 17, 1604-8  | 5.2              | 36 |  |
| 140 | "The final countdown": Is intraoperative, intermittent neuromonitoring really useful in preventing permanent nerve palsy? Evidence from a meta-analysis. <i>Surgery</i> , <b>2016</b> , 160, 1693-1706  | 3.6              | 35 |  |
| 139 | Predictive factors for recurrence after thyroid lobectomy for unilateral non-toxic goiter in an endemic area: results of a multivariate analysis. <i>Surgery</i> , <b>2004</b> , 136, 1247-51   | 3.6              | 35 |  |
| 138 | Prediction of hypocalcemia after using 1- to 6-hour postoperative parathyroid hormone and calcium levels: an analysis of pooled individual patient data from 3 observational studies. <i>Head and Neck</i> , <b>2010</b> , 32, 427-34                                     | 4.2              | 34 |  |
| 137 | Video-assisted minimally invasive parathyroidectomy: benefits and long-term results. <i>World Journal of Surgery</i> , <b>2009</b> , 33, 2266-81  | 3.3              | 34 |  |
| 136 | Short-term outcomes of sleeve gastrectomy conversion to R-Y gastric bypass: multi-center retrospective study. <i>Langenbeck</i> Archives of Surgery, <b>2018</b> , 403, 473-479   | 3.4              | 32 |  |
| 135 | Post-thyroidectomy hypocalcemia is related to parathyroid dysfunction even in patients with normal parathyroid hormone concentrations early after surgery. <i>Surgery</i> , <b>2016</b> , 159, 78-84  | 3.6              | 32 |  |
| 134 | Surgical treatment of thyroid diseases in elderly patients. American Journal of Surgery, <b>2010</b> , 200, 467-  | 72 <sub>.7</sub> | 32 |  |
| 133 | Parathyroidectomy monitored by intra-operative PTH: the relevance of the 20 min end-point. <i>Clinical Biochemistry</i> , <b>2007</b> , 40, 595-603   | 3.5              | 31 |  |
| 132 | Complications in thyroid surgery. Harmonic Scalpel, Harmonic Focus versus Conventional Hemostasis: A meta-analysis. <i>International Journal of Surgery</i> , <b>2016</b> , 28 Suppl 1, S22-32  | 7.5              | 30 |  |
| 131 | Can intraoperative frozen section influence the extension of central neck dissection in cN0 papillary thyroid carcinoma?. <i>LangenbeckmArchives of Surgery</i> , <b>2013</b> , 398, 383-8  | 3.4              | 30 |  |
| 130 | Hemodynamic instability during surgery for pheochromocytoma: comparing the transperitoneal and retroperitoneal approach in a multicenter analysis of 341 patients. <i>Surgery</i> , <b>2018</b> , 163, 176-182  | 3.6              | 30 |  |
| 129 | Conversion from laparoscopic adjustable gastric banding (LAGB) and laparoscopic sleeve gastrectomy (LSG) to one anastomosis gastric bypass (OAGB): preliminary data from a multicenter retrospective study. Surgery for Obesity and Related Diseases, 2019, 15, 1332-1339 | 3                | 28 |  |
| 128 | Minimally-invasive parathyroid surgery. <i>Acta Otorhinolaryngologica Italica</i> , <b>2011</b> , 31, 207-15  | 2.8              | 28 |  |
|     |   |                  |    |  |

| 127 | The cytologic category of oncocytic (Hurthle) cell neoplasm mostly includes low-risk lesions at histology: an institutional experience. <i>European Journal of Endocrinology</i> , <b>2013</b> , 169, 649-55                     | 6.5 | 27 |
|-----|--|-----|----|
| 126 | Is parathyroidectomy safe and effective in patients with normocalcemic primary hyperparathyroidism?. <i>LangenbeckmArchives of Surgery</i> , <b>2018</b> , 403, 317-323  | 3.4 | 25 |
| 125 | Prospective electromyographic evaluation of functional postthyroidectomy voice and swallowing symptoms. <i>World Journal of Surgery</i> , <b>2012</b> , 36, 1354-60  | 3.3 | 25 |
| 124 | Effect of gastric bypass versus diet on cardiovascular risk factors. <i>Annals of Surgery</i> , <b>2014</b> , 259, 694-9   | 7.8 | 24 |
| 123 | Laparoscopic adrenalectomy. <i>Gland Surgery</i> , <b>2019</b> , 8, S41-S52  | 2.2 | 22 |
| 122 | Volume, outcomes, and quality standards in thyroid surgery: an evidence-based analysis-European Society of Endocrine Surgeons (ESES) positional statement. <i>Langenbeckm Archives of Surgery</i> , <b>2020</b> , 405, 401-425   | 3.4 | 20 |
| 121 | Outcome of adrenalectomy for subclinical hypercortisolism and Cushing syndrome. <i>Surgery</i> , <b>2017</b> , 161, 264-271  | 3.6 | 18 |
| 120 | Relevance of immunocytochemistry on thin-layer cytology in thyroid lesions suspicious for medullary carcinoma: a case-control study. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2008</b> , 16, 548-53     | 1.9 | 18 |
| 119 | Gene expression profiling of adrenal cortical tumors by cDNA macroarray analysis. Results of a preliminary study. <i>Biomedicine and Pharmacotherapy</i> , <b>2006</b> , 60, 186-90  | 7.5 | 18 |
| 118 | Can Total Thyroidectomy Be Safely Performed by Residents?: A Comparative Retrospective Multicenter Study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3241  | 1.8 | 18 |
| 117 | Factors affecting acute pain perception and analgesics consumption in patients undergoing bariatric surgery. <i>Physiology and Behavior</i> , <b>2016</b> , 163, 1-6   | 3.5 | 18 |
| 116 | Bariatric surgery and the COVID-19 pandemic: SICOB recommendations on how to perform surgery during the outbreak and when to resume the activities in phase 2 of lockdown. <i>Updates in Surgery</i> , <b>2020</b> , 72, 259-268 | 2.9 | 16 |
| 115 | Clinical outcomes after surgery for primary aldosteronism: Evaluation of the PASO-investigators' consensus criteria within a worldwide cohort of patients. <i>Surgery</i> , <b>2019</b> , 166, 61-68                             | 3.6 | 15 |
| 114 | Effects of biliopancreatic diversion on diurnal leptin, insulin and free fatty acid levels. <i>British Journal of Surgery</i> , <b>2015</b> , 102, 682-90  | 5.3 | 15 |
| 113 | Intensive lifestyle modifications with or without liraglutide 3mg vs. sleeve gastrectomy: A three-arm non-randomised, controlled, pilot study. <i>Diabetes and Metabolism</i> , <b>2018</b> , 44, 235-242                        | 5.4 | 15 |
| 112 | Advantages of a video-assisted approach to parathyroidectomy. <i>Orl</i> , <b>2008</b> , 70, 313-8   | 2   | 15 |
| 111 | Influence of Biliopancreatic Diversion on Pregnancy Outcomes in Comparison to Other Bariatric Surgery Procedures. <i>Obesity Surgery</i> , <b>2018</b> , 28, 3284-3292   | 3.7 | 14 |
| 110 | Actual incidence and clinical behaviour of follicular thyroid carcinoma: an institutional experience. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 952095  | 2.2 | 14 |

## (2008-2008)

| 109 | A novel MEN1 frameshift germline mutation in two Italian monozygotic twins. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2008</b> , 46, 824-6   | 5.9               | 14 |
|-----|---|-------------------|----|
| 108 | Calcitonin measurement in fine-needle aspirate washouts vs. cytologic examination for diagnosis of primary or metastatic medullary thyroid carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , <b>2014</b> , 34, 399-40                            | )5 <sup>2.8</sup> | 14 |
| 107 | Role of the Gut on Glucose Homeostasis: Lesson Learned from Metabolic Surgery. <i>Current Atherosclerosis Reports</i> , <b>2017</b> , 19, 9   | 6                 | 13 |
| 106 | Retroperitoneoscopic adrenalectomy: tips and tricks. <i>Updates in Surgery</i> , <b>2017</b> , 69, 267-270  | 2.9               | 12 |
| 105 | ACTH-dependent Cushing syndrome: The potential benefits of simultaneous bilateral posterior retroperitoneoscopic adrenalectomy. <i>Surgery</i> , <b>2011</b> , 149, 299-300   | 3.6               | 12 |
| 104 | Minimally invasive approach to the cervical spine: a proposal. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , <b>2001</b> , 11, 89-92   | 2.1               | 12 |
| 103 | Video-assisted thyroidectomy: lessons learned after more than one decade. <i>Acta Otorhinolaryngologica Italica</i> , <b>2009</b> , 29, 317-20  | 2.8               | 12 |
| 102 | Diagnostic, therapeutic and health-care management protocol in thyroid surgery: a position statement of the Italian Association of Endocrine Surgery Units (U.E.C. CLUB). <i>Journal of Endocrinological Investigation</i> , <b>2016</b> , 39, 939-53 | 5.2               | 12 |
| 101 | Surgical approach to level VI in papillary thyroid carcinoma: an overview. <i>Updates in Surgery</i> , <b>2017</b> , 69, 205-209  | 2.9               | 11 |
| 100 | ADAM17, a New Player in the Pathogenesis of Chronic Kidney Disease-Mineral and Bone Disorder. <i>Journal of Renal Nutrition</i> , <b>2017</b> , 27, 453-457   | 3                 | 11 |
| 99  | What is the appropriate role of minimally invasive vs. open surgery for small adrenocortical cancers?. <i>Current Opinion in Oncology</i> , <b>2015</b> , 27, 44-9  | 4.2               | 11 |
| 98  | Risk Factors for Central Neck Lymph Node Metastases in Micro- Versus Macro-Clinically Node Negative Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , <b>2018</b> , 42, 623-629  | 3.3               | 11 |
| 97  | A rare case of solitary fibrous tumor of the adrenal gland detected by (18)F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , <b>2014</b> , 39, 475-7   | 1.7               | 11 |
| 96  | The harmonic study: cost-effectiveness evaluation of the use of the ultrasonic scalpel in total thyroidectomy. <i>International Journal of Technology Assessment in Health Care</i> , <b>2012</b> , 28, 259-64  | 1.8               | 11 |
| 95  | Is there a role for video-assisted parathyroidectomy in regions with high prevalence of goitre?. <i>Acta Otorhinolaryngologica Italica</i> , <b>2013</b> , 33, 388-92   | 2.8               | 11 |
| 94  | Barbed vs conventional sutures in bariatric surgery: a propensity score analysis from a high-volume center. <i>Updates in Surgery</i> , <b>2019</b> , 71, 113-120   | 2.9               | 11 |
| 93  | Training in endocrine surgery. Langenbeckm Archives of Surgery, 2019, 404, 929-944  | 3.4               | 10 |
| 92  | Circulating thyroglobulin mRNA does not predict early and midterm recurrences in patients undergoing thyroidectomy for cancer. <i>American Journal of Surgery</i> , <b>2008</b> , 196, 326-32   | 2.7               | 10 |

| 91 | Video-assisted endocrine neck surgery: state of the art. <i>Updates in Surgery</i> , <b>2017</b> , 69, 199-204  | 2.9                  | 9               |
|----|---|----------------------|-----------------|
| 90 | Effect of single anastomosis duodenal-ileal bypass with sleeve gastrectomy on glucose tolerance test: comparison with other bariatric[procedures. <i>Surgery for Obesity and Related Diseases</i> , <b>2019</b> , 15, 1 | 09 <del>1</del> -10! | 97 <sup>9</sup> |
| 89 | Morbidity of central neck dissection: primary surgery vs reoperation. Results of a case-control study. <i>Langenbeckm Archives of Surgery</i> , <b>2014</b> , 399, 747-53   | 3.4                  | 9               |
| 88 | Video-assisted thyroidectomy for papillary thyroid carcinoma. <i>Journal of Oncology</i> , <b>2010</b> , 2010,  | 4.5                  | 9               |
| 87 | Early effect of Roux-en-Y gastric bypass on insulin sensitivity and signaling. <i>Surgery for Obesity and Related Diseases</i> , <b>2016</b> , 12, 42-7   | 3                    | 8               |
| 86 | Effect of intraoperative nerve monitoring on postoperative vocal cord palsy rates after thyroidectomy: European multicentre registry-based study. <i>BJS Open</i> , <b>2020</b> , 4, 821-829                            | 3.9                  | 8               |
| 85 | Noninvasive adrenal imaging in hyperaldosteronism: is it accurate for correctly identifying patients who should be selected for surgery?. <i>LangenbeckmArchives of Surgery</i> , <b>2007</b> , 392, 623-8              | 3.4                  | 8               |
| 84 | Morbidity from minimally invasive video-assisted thyroidectomy: a general review. <i>Gland Surgery</i> , <b>2017</b> , 6, 488-491   | 2.2                  | 7               |
| 83 | Assessing the obese diabetic patient for bariatric surgery: which candidate do I choose?. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy,</i> <b>2015</b> , 8, 255-62                                 | 3.4                  | 7               |
| 82 | Metastatic breast involvement from medullary thyroid carcinoma: a clue to consider the need of early diagnosis and adequate surgical strategy. <i>Thyroid</i> , <b>2010</b> , 20, 831-2                                 | 6.2                  | 7               |
| 81 | Are brown tumours a forgotten disease in developed countries?. <i>Acta Otorhinolaryngologica Italica</i> , <b>2012</b> , 32, 410-5  | 2.8                  | 7               |
| 80 | Total thyroidectomy versus thyroid lobectomy in the treatment of papillary carcinoma. <i>Gland Surgery</i> , <b>2020</b> , 9, S18-S27   | 2.2                  | 7               |
| 79 | Robotic adrenalectomy: evaluation of cost-effectiveness. <i>Gland Surgery</i> , <b>2020</b> , 9, 831-839  | 2.2                  | 7               |
| 78 | The influence of preoperative psychological factors on weight loss after bariatric surgery: A preliminary report. <i>Journal of Health Psychology</i> , <b>2019</b> , 24, 518-525                                       | 3.1                  | 7               |
| 77 | SPONTANEOUS THYROID NODULE HEMORRHAGE IN THE EMERGENCY DEPARTMENT. <i>Endocrine Practice</i> , <b>2020</b> , 26, 192-196  | 3.2                  | 7               |
| 76 | Risk factors for central neck lymph node metastases in follicular variant vs. classic papillary thyroid carcinoma. <i>Endocrine</i> , <b>2018</b> , 62, 64-70   | 4                    | 7               |
| 75 | Conversion During Laparoscopic Adrenalectomy for Pheochromocytoma: A Cohort Study in 244 Patients. <i>Journal of Surgical Research</i> , <b>2019</b> , 243, 309-315   | 2.5                  | 6               |
| 74 | Intraoperative high-dose calcium stimulation test in patients with sporadic medullary thyroid carcinoma is highly accurate in predicting lateral neck metastases. <i>Surgery</i> , <b>2016</b> , 159, 70-6              | 3.6                  | 5               |

| 73 | Accreditation of endocrine surgery units. Langenbeckm Archives of Surgery, 2019, 404, 779-793  | 3.4  | 5 |
|----|--|------|---|
| 72 | Synchronous bilateral adrenalectomy in ACTH-dependent hypercortisolism: predictors, biomarkers and outcomes. <i>Endocrine</i> , <b>2019</b> , 66, 642-649  | 4    | 5 |
| 71 | Revisional Surgery After One Anastomosis/Minigastric Bypass: an Italian Multi-institutional Survey <i>Obesity Surgery</i> , <b>2022</b> , 32, 256  | 3.7  | 5 |
| 70 | Management of endocrine surgical disorders during COVID-19 pandemic: expert opinion for non-surgical options. <i>Updates in Surgery</i> , <b>2021</b> , 1  | 2.9  | 5 |
| 69 | Applied Embryology of the Thyroid and Parathyroid Glands <b>2021</b> , 15-25.e4  |      | 5 |
| 68 | Complications and mortality in a cohort of patients undergoing emergency and elective surgery with perioperative SARS-CoV-2 infection: an Italian multicenter study. Teachings of Phase 1 to be brought in Phase 2 pandemic. <i>Updates in Surgery</i> , <b>2021</b> , 73, 745-752 | 2.9  | 5 |
| 67 | Patient-Related Factors Predicting Workspace Conditions during Laparoscopic Bariatric Surgery. <i>Obesity Surgery</i> , <b>2018</b> , 28, 3172-3176  | 3.7  | 5 |
| 66 | Laparoscopic sleeve gastrectomy versus endoscopic sleeve gastroplasty: a systematic review and meta-analysis. <i>Endoscopy International Open</i> , <b>2021</b> , 9, E87-E95   | 3    | 5 |
| 65 | Efficacy of continuous neuromonitoring in thyroid surgery: preliminary report of a single-center experience. <i>Gland Surgery</i> , <b>2019</b> , 8, 336-342   | 2.2  | 4 |
| 64 | Testing for Afirma in Thyroid Nodules with High-Risk Indeterminate Cytology (TIR3B): First Italian Experience. <i>Endocrine Pathology</i> , <b>2020</b> , 31, 46-51  | 4.2  | 4 |
| 63 | Diagnostic, therapeutic and healthcare management protocols in parathyroid surgery: II Consensus Conference of the Italian Association of Endocrine Surgery Units (U.E.C. CLUB). <i>Journal of Endocrinological Investigation</i> , <b>2014</b> , 37, 149-65                       | 5.2  | 4 |
| 62 | Markedly increased 18F-FDG uptake in a nonfunctioning adrenal adenoma mimicking malignancy. <i>Clinical Nuclear Medicine</i> , <b>2013</b> , 38, e333-5  | 1.7  | 4 |
| 61 | CMF + radiotherapy in the primary treatment of operable breast cancer: preliminary results of a phase II pilot study. <i>Journal of Surgical Oncology</i> , <b>1998</b> , 68, 48-50  | 2.8  | 4 |
| 60 | Video-assisted thyroidectomy. Asian Journal of Surgery, <b>2002</b> , 25, 315-8  | 1.6  | 4 |
| 59 | Small intestinal metabolism is central to whole-body insulin resistance. <i>Gut</i> , <b>2021</b> , 70, 1098-1109  | 19.2 | 4 |
| 58 | Follicular thyroid lesions and risk of malignancy: a new diagnostic classification on fine-needle aspiration cytology. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>1998</b> , 17, 103-7   |      | 4 |
| 57 | Early Routine Upper Gastrointestinal Contrast Study Following Bariatric Surgery: an Indispensable Postoperative Care or a Medicolegal Heritage?. <i>Obesity Surgery</i> , <b>2019</b> , 29, 1995-1998  | 3.7  | 3 |
| 56 | Video-Assisted Thyroidectomy for Papillary Thyroid Carcinoma: Oncologic Outcome in Patients with Follow-Up⊞ 0 Years. <i>World Journal of Surgery</i> , <b>2018</b> , 42, 402-408   | 3.3  | 3 |

| 55 | A novel germline mutation at exon 10 of MEN1 gene: a clinical survey and positive genotype-phenotype analysis of a MEN1 Italian family, including monozygotic twins. <i>Hormones</i> , <b>2018</b> , 17, 427-435  | 3.1              | 3 |
|----|---|------------------|---|
| 54 | Is intraoperative calcitonin monitoring useful to modulate the extension of neck dissection in patients with medullary thyroid carcinoma?. <i>World Journal of Surgery</i> , <b>2014</b> , 38, 568-75   | 3.3              | 3 |
| 53 | Complications after medullary thyroid carcinoma surgery: multicentre study of the SQRTPA and EUROCRINE databases. <i>British Journal of Surgery</i> , <b>2021</b> , 108, 691-701  | 5.3              | 3 |
| 52 | Risk factors for local recurrence following lateral neck dissection for papillary thyroid carcinoma. <i>Endocrine</i> , <b>2019</b> , 63, 310-315   | 4                | 3 |
| 51 | Is it possible to intraoperatively modulate the extent of thyroidectomy in small papillary thyroid carcinoma?. <i>Surgery</i> , <b>2021</b> , 169, 77-81  | 3.6              | 3 |
| 50 | Suspect carbon dioxide embolism during retroperitoneoscopic adrenalectomy. <i>European Review for Medical and Pharmacological Sciences</i> , <b>2011</b> , 15, 1478-82  | 2.9              | 3 |
| 49 | The Unexpected Evolution of an Expected Complication: Hemophagocytic Lymphohistiocytosis. <i>Obesity Surgery</i> , <b>2017</b> , 27, 205-207  | 3.7              | 2 |
| 48 | Systematic review of intravenous methylene blue in parathyroid surgery (Br J Surg 2012; 99: 1345-1352). <i>British Journal of Surgery</i> , <b>2012</b> , 99, 1352  | 5.3              | 2 |
| 47 | Blood presence of circulating oncofetal fibronectin mRNA, by RT-PCR, does not represent a useful specific marker for the management and follow-up of thyroid cancer patients. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2012</b> , 50, 715-20  | 5.9              | 2 |
| 46 | Transabdominal laparoscopic approach for adrenalectomy: Experience in 169 consecutive cases. <i>Acta Chirurgica Austriaca</i> , <b>1999</b> , 31, 196-199   |                  | 2 |
| 45 | Robot-assisted versus conventional laparoscopic adrenalectomy: Results from the EUROCRINE Surgical Registry <i>Surgery</i> , <b>2022</b> ,  | 3.6              | 2 |
| 44 | Post-thyroidectomy hypocalcemia: Is a routine preferable over a selective supplementation?. <i>American Journal of Surgery</i> , <b>2021</b> ,  | 2.7              | 2 |
| 43 | How limited molecular testing can also offer diagnostic and prognostic evaluation of thyroid nodules processed with liquid-based cytology: Role of TERT promoter and BRAF V600E mutation analysis. <i>Cancer Cytopathology</i> , <b>2021</b> , 129, 819-829 | 3.9              | 2 |
| 42 | Role of CT imaging in discriminating internal hernia from aspecific abdominal pain following Roux-en-Y gastric bypass: a single high-volume centre experience. <i>Updates in Surgery</i> , <b>2020</b> , 72, 1115-11  | <del>2</del> 49  | 2 |
| 41 | Adrenalectomy for incidental and symptomatic phaeochromocytoma: retrospective multicentre study based on the Eurocrine database. <i>British Journal of Surgery</i> , <b>2021</b> , 108, 1199-1206   | 5.3              | 2 |
| 40 | Response to Letter to the Editor: "Incidence of Hypoglycemia After Gastric Bypass vs Sleeve<br>Gastrectomy: A Randomized Trial". <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 732-733                                       | 5.6              | 1 |
| 39 | Postnatal Health in Children Born to Women After Bariatric Surgery. <i>Obesity Surgery</i> , <b>2020</b> , 30, 3898-390   | 0 <del>4</del> 7 | 1 |
| 38 | Topical Hemostatic Agents <b>2016</b> , 249-259   |                  | 1 |

| 37 | Posterior Retroperitoneoscopic Adrenalectomy <b>2013</b> , 135-143  |                 | 1 |
|----|---|-----------------|---|
| 36 | Lo studio HARMONIC: valutazione costo-efficacia dellūso del bisturi a ultrasuoni negli interventi di tiroidectomia totale. <i>Pharmacoeconomics Italian Research Articles</i> , <b>2010</b> , 12, 143-155   |                 | 1 |
| 35 | Protocol for a randomised clinical study comparing the effect of Roux-en-Y gastric bypass and sleeve gastrectomy on reactive hypoglycaemia in morbidly obese subjects. <i>BMJ Open</i> , <b>2012</b> , 2,   | 3               | 1 |
| 34 | Neuroendocrine and psychological assessment in a guinness 10 days scuba dive. <i>International Journal of Sports Medicine</i> , <b>2007</b> , 28, 848-52  | 3.6             | 1 |
| 33 | Preoperative psychological characteristics affecting mid-term outcome after bariatric surgery: a follow-up study. <i>Eating and Weight Disorders</i> , <b>2021</b> , 26, 585-590  | 3.6             | 1 |
| 32 | Insulin Resistance Is Central to Long-Term Reversal of Histologic Nonalcoholic Steatohepatitis After Metabolic Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 750-761  | 5.6             | 1 |
| 31 | Modulating the extension of thyroidectomy in patients with papillary thyroid carcinoma pre-operatively eligible for lobectomy: reliability of ipsilateral central neck dissection. <i>Endocrine</i> , <b>2021</b> , 72, 437-444                         | 4               | 1 |
| 30 | Hemithyroidectomy versus total thyroidectomy in the intermediate-risk differentiated thyroid cancer: the Italian Societies of Endocrine Surgeons and Surgical Oncology Multicentric Study. <i>Updates in Surgery</i> , <b>2021</b> , 73, 1909-1921      | 2.9             | 1 |
| 29 | Single anastomosis duodenal-ileal bypass with sleeve gastrectomy (SADI-S): experience from a high-bariatric volume center <i>LangenbeckmArchives of Surgery</i> , <b>2022</b> , 1   | 3.4             | 1 |
| 28 | First Case of Laparoscopic-Endoscopic Management of a Rare Complication After Roux-en-Y Gastric Bypass: Bleeding Dieulafoy's Lesion in the Excluded Duodenal Tract. <i>Obesity Surgery</i> , <b>2021</b> , 31, 3866-38                                  | 68 <sup>7</sup> | Ο |
| 27 | A simplified primary aldosteronism surgical outcome score is a useful prediction model when target organ damage is unknown - Retrospective cohort study. <i>Annals of Medicine and Surgery</i> , <b>2021</b> , 65, 1023.                                | 3 <del>3</del>  | Ο |
| 26 | Characterization of gut microbiota in patients with metabolic syndrome candidates for bariatric/metabolic surgery: Preliminary findings of a multi-center prospective study. <i>Diabetes Research and Clinical Practice</i> , <b>2021</b> , 180, 109079 | 7.4             | Ο |
| 25 | Transoral endoscopic thyroidectomy by a vestibular approach: cadaver simulation experience and ethicolegal issues. <i>British Journal of Surgery</i> , <b>2021</b> , 108, e396-e397   | 5.3             | Ο |
| 24 | Hemostatic Devices <b>2016</b> , 237-248  |                 |   |
| 23 | Minimally Invasive Video-Assisted Parathyroidectomy (MIVAP) <b>2016</b> , 157-165   |                 |   |
| 22 | Advances in the Minimally Invasive Surgical Approaches to Thyroid, Parathyroid, and Adrenal Disorders <b>2020</b> , 259-285   |                 |   |
| 21 | Comments on Selected Recent Dysphagia Literature. <i>Dysphagia</i> , <b>2013</b> , 28, 457-463  | 3.7             |   |
| 20 | Body Image in Bariatric surgery candidates. <i>European Psychiatry</i> , <b>2017</b> , 41, S548-S548  | 6               |   |

Left Flank Trans-Abdominal Laparoscopic Adrenalectomy **2013**, 127-134

| 18 | Other Techniques of Video-Assisted and Open Adrenalectomies <b>2013</b> , 161-182  |  |
|----|--|--|
| 17 | Reply to G. Dionigi letter: energy based devices and recurrent laryngeal nerve injury: the need for safer instruments. <i>Langenbeckm Archives of Surgery</i> , <b>2009</b> , 394, 583-584   |  |
| 16 | Training and Board Certification in Endocrine Surgery <b>2021</b> , 1079-1090  |  |
| 15 | Neck Dissection: Indications, Extension, Operative Technique <b>2021</b> , 247-298   |  |
| 14 | Volume-Outcome Relationship in Endocrine Surgery. <i>Updates in Surgery Series</i> , <b>2021</b> , 93-112 0.1  |  |
| 13 | Doppler ultrasonography before thyroidectomy is not useful to prevent cerebrovascular accident.  Acta Otorhinolaryngologica Italica, <b>2015</b> , 35, 23-8  |  |
| 12 | Minimally Invasive Video-Assisted Parathyroidectomy: How to Correctly Approach the Adenoma <b>2020</b> , 55-67   |  |
| 11 | Minimally Invasive Video-Assisted Thyroidectomy (MIVAT) <b>2016</b> , 123-136  |  |
| 10 | Surgical Technique in Reoperations. <i>Updates in Surgery Series</i> , <b>2016</b> , 143-152 0.1   |  |
| 9  | RLN Nerve and Inferior Thyroid Crossing <b>2016</b> , 79-82  |  |
| 8  | Minimally Invasive Video-Assisted Parathyroidectomy <b>2014</b> , 143-149  |  |
| 7  | Relevance of rosette patterns in variants of papillary thyroid carcinoma. Cytopathology, <b>2020</b> , 31, 533-54 $\Omega_3$   |  |
| 6  | Reply to: Letter to the editor: "Is it possible to intraoperatively modulate the extent of thyroidectomy in small papillary thyroid carcinoma?". <i>Surgery</i> , <b>2021</b> , 169, 1557-1558                                     |  |
| 5  | Analysis and outcomes of wrong site thyroid surgery. <i>BMC Surgery</i> , <b>2021</b> , 21, 281 2.3  |  |
| 4  | Reply to: Comments on post-thyroidectomy hypocalcemia is related to parathyroid dysfunction even in patients with normal parathyroid hormone concentrations early after surgery. <i>Surgery</i> , 3.6 <b>2016</b> , 160, 1710-1711 |  |
| 3  | Minimally Invasive Video-Assisted Parathyroidectomy <b>2021</b> , 537-545.e4   |  |
| 2  | Total Thyroidectomy with Comprehensive Central and Lateral Neck Dissection for Differentiated Thyroid Carcinoma <b>2022</b> , 199-217  |  |

#### LIST OF PUBLICATIONS

Video-Assisted Thyroidectomy **2022**, 143-162