## Andrew Stickley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2998560/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Posttraumatic Stress and Perceived Interpersonal Provocation in Adolescents. Journal of Interpersonal Violence, 2023, 38, 3191-3214.	2.0	2
2	Allergies, infections, and psychiatric disorders among Black Americans: findings from the National Survey of American Life. Ethnicity and Health, 2022, 27, 74-82.	2.5	0
3	Overtime Work and the Incidence of Long-term Sickness Absence Due to Mental Disorders: A Prospective Cohort Study. Journal of Epidemiology, 2022, 32, 283-289.	2.4	8
4	Childhood adversities, late-life stressors and the onset of depressive symptoms in community-dwelling older adults. Aging and Mental Health, 2022, 26, 828-833.	2.8	6
5	Does increased migration affect the rural–urban divide in suicide? A registerâ€based repeated cohort study in Sweden from 1991 to 2015. Population, Space and Place, 2022, 28, e2503.	2.3	4
6	Loneliness in Japan during the COVID-19 pandemic: Prevalence, correlates and association with mental health. Psychiatry Research, 2022, 307, 114318.	3.3	23
7	Multimorbidity among Latinx-Americans and Asian American/Pacific Islanders. Journal of Ageing and Longevity, 2022, 2, 26-33.	0.6	1
8	Effectiveness of a community organizing intervention on mortality and its equity among older residents in Japan: A JAGES quasi-experimental study. Health and Place, 2022, 74, 102764.	3.3	3
9	Differential expression of MicroRNAs in Alzheimer's disease: a systematic review and meta-analysis. Molecular Psychiatry, 2022, 27, 2405-2413.	7.9	21
10	Binge drinking in Japan during the COVID-19 pandemic: Prevalence, correlates and association with preventive behaviors. Drug and Alcohol Dependence, 2022, 234, 109415.	3.2	4
11	Attention-Deficit/Hyperactivity Disorder Symptoms and Community Violence Exposure in Russian Adolescents. Journal of Interpersonal Violence, 2021, 36, NP9738-NP9756.	2.0	3
12	Childhood physical neglect and psychotic experiences: Findings from the National Comorbidity Survey Replication. Microbial Biotechnology, 2021, 15, 256-262.	1.7	15
13	Loneliness and COVID-19 preventive behaviours among Japanese adults. Journal of Public Health, 2021, 43, 53-60.	1.8	43
14	Relationship between sexual orientation and psychotic experiences in the general population in England. Psychological Medicine, 2021, 51, 138-146.	4.5	13
15	Emotional and behavioral problems in Japanese preschool children with motor coordination difficulties: the role of autistic traits. European Child and Adolescent Psychiatry, 2021, , 1.	4.7	2
16	Neighborhood farm density, types of agriculture, and depressive symptoms among older farmers: a cross-sectional study. BMC Public Health, 2021, 21, 440.	2.9	4
17	Economic cycles and inequalities in alcoholâ€related mortality in the Baltic countries and Finland in 2000–2015: a registerâ€based study. Addiction, 2021, 116, 3357-3368.	3.3	4
18	Attention-deficit/hyperactivity disorder symptoms and sleep problems in preschool children: the role of autistic traits. Sleep Medicine, 2021, 83, 214-221.	1.6	1

#	Article	IF	CITATIONS
19	Perceived discrimination following the September 11, 2001 terrorist attacks and psychiatric disorders among Latinx populations in the United States Journal of Latinx Psychology, 2021, 9, 258-268.	1.5	0
20	Changes in self-efficacy in Japanese school-age children with and without high autistic traits after the Universal Unified Prevention Program: a single-group pilot study. Child and Adolescent Psychiatry and Mental Health, 2021, 15, 42.	2.5	8
21	Green space and suicide mortality in Japan: An ecological study. Social Science and Medicine, 2021, 282, 114137.	3.8	22
22	Disability and psychological distress in nine countries of the former Soviet Union. Journal of Affective Disorders, 2021, 292, 782-787.	4.1	4
23	Disability and loneliness in nine countries of the former Soviet Union. Disability and Health Journal, 2021, 14, 101123.	2.8	5
24	Macroeconomic changes and educational inequalities in traffic fatalities in the Baltic countries and Finland in 2000–2015: a register-based study. Scientific Reports, 2021, 11, 2397.	3.3	3
25	Prevalence and early risk factors for bulimia nervosa symptoms in inner-city youth: gender and ethnicity perspectives. Journal of Eating Disorders, 2021, 9, 136.	2.7	6
26	Bulimia Symptoms in Russian Youth: Prevalence and Association With Internalizing Problems. Frontiers in Psychiatry, 2021, 12, 797388.	2.6	3
27	Injury and depression among 212 039 individuals in 40 low- and middle-income countries. Epidemiology and Psychiatric Sciences, 2020, 29, e32.	3.9	2
28	Physical multimorbidity and suicidal behavior in the general population in the United States. Journal of Affective Disorders, 2020, 260, 604-609.	4.1	27
29	Association between intelligence quotient and disability: The role of socioeconomic status. Annals of Physical and Rehabilitation Medicine, 2020, 63, 296-301.	2.3	6
30	Association of bullying victimization with overweight and obesity among adolescents from 41 low― and middleâ€income countries. Pediatric Obesity, 2020, 15, e12571.	2.8	29
31	Physical injury and psychotic experiences in 48 low- and middle-income countries. Psychological Medicine, 2020, 50, 2751-2758.	4.5	5
32	Serious physical injury and depressive symptoms among adolescents aged 12–15 years from 21 low- and middle-income countries. Journal of Affective Disorders, 2020, 264, 172-180.	4.1	7
33	Effect of multi-session prefrontal transcranial direct current stimulation on cognition in schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2020, 216, 367-373.	2.0	33
34	Neighborhood change and psychotic experiences in a general population sample. Schizophrenia Research, 2020, 216, 316-321.	2.0	18
35	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. Lancet Psychiatry,the, 2020, 7, 955-970.	7.4	103
36	The September 11, 2001, terrorist attacks, media exposure, and psychotic experiences among Asian and Latino Americans. Psychiatry and Clinical Neurosciences, 2020, 74, 572-573.	1.8	2

#	Article	IF	CITATIONS
37	COVID-19 preventive behaviours among people with anxiety and depressive symptoms: findings from Japan. Public Health, 2020, 189, 91-93.	2.9	44
38	Macroeconomic fluctuations and educational inequalities in suicide mortality among working-age men in the Baltic countries and Finland in 2000–2015: A register-based study. Journal of Psychiatric Research, 2020, 131, 138-143.	3.1	4
39	One-year outcomes of low-intensity behavioral interventions among Japanese preschoolers with autism spectrum disorders: Community-based study. Research in Autism Spectrum Disorders, 2020, 76, 101556.	1.5	3
40	Adverse childhood experiences and fruit and vegetable intake among older adults in Japan. Eating Behaviors, 2020, 38, 101404.	2.0	8
41	Childhood neglect and suicidal behavior: Findings from the National Comorbidity Survey Replication. Child Abuse and Neglect, 2020, 103, 104400.	2.6	19
42	Mental health status of the general population in Japan during the <scp>COVID</scp> â€19 pandemic. Psychiatry and Clinical Neurosciences, 2020, 74, 505-506.	1.8	100
43	Loneliness and psychotic experiences in a general population sample. Schizophrenia Research, 2020, 218, 146-150.	2.0	35
44	Sleep problems and depression among 237 023 community-dwelling adults in 46 low- and middle-income countries. Scientific Reports, 2019, 9, 12011.	3.3	61
45	Economic fluctuations and long-term trends in depression: a repeated cross-sectional study in Estonia 2004–2016. Journal of Epidemiology and Community Health, 2019, 73, 1026-1032.	3.7	4
46	Psychotic experiences and accidents, injuries, and poisonings among adults in the United States. Psychiatry Research, 2019, 282, 112610.	3.3	5
47	Sex and racial/ethnic differences in the association between childhood attentionâ€deficit/hyperactivity disorder symptom subtypes and body mass index in the transition from adolescence to adulthood in the United States. Pediatric Obesity, 2019, 14, e12498.	2.8	7
48	Perceived discrimination and psychotic experiences in the English general population. European Psychiatry, 2019, 62, 50-57.	0.2	4
49	ADHD and depressive symptoms in adolescents: the role of community violence exposure. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 683-691.	3.1	7
50	Factors associated with the use and longer duration of seclusion and restraint in psychiatric inpatient settings: a retrospective chart review. International Journal of Psychiatry in Clinical Practice, 2019, 23, 231-235.	2.4	9
51	Attention deficit/hyperactivity disorder and future expectations in Russian adolescents. ADHD Attention Deficit and Hyperactivity Disorders, 2019, 11, 279-287.	1.7	1
52	Perceived discrimination and psychological distress in nine countries of the former Soviet Union. International Journal of Social Psychiatry, 2019, 65, 158-168.	3.1	5
53	Food Insecurity Is Associated with Mild Cognitive Impairment among Middle-Aged and Older Adults in South Africa: Findings from a Nationally Representative Survey. Nutrients, 2019, 11, 749.	4.1	38
54	Relationship of the Acoustic Startle Response and Its Modulation to Adaptive and Maladaptive Behaviors in Typically Developing Children and Those With Autism Spectrum Disorders: A Pilot Study. Frontiers in Human Neuroscience, 2019, 13, 5.	2.0	7

#	Article	IF	CITATIONS
55	A Meta-Analysis of the Effect of Multisession Transcranial Direct Current Stimulation on Cognition in Dementia and Mild Cognitive Impairment. Clinical EEG and Neuroscience, 2019, 50, 273-282.	1.7	37
56	Discrimination and suicidality among racial and ethnic minorities in the United States. Journal of Affective Disorders, 2019, 245, 517-523.	4.1	43
57	Stability of Autistic Traits from 5 to 8ÂYears of Age Among Children in the General Population. Journal of Autism and Developmental Disorders, 2019, 49, 324-334.	2.7	18
58	Psychotic experiences and physical health conditions in the United States. Comprehensive Psychiatry, 2019, 90, 1-6.	3.1	22
59	Attention-deficit/hyperactivity disorder symptoms and perceived mental health discrimination in adults in the general population. European Psychiatry, 2019, 56, 91-96.	0.2	5
60	Self-reported asthma diagnosis and mental health: Findings from the Collaborative Psychiatric Epidemiology Surveys. Psychiatry Research, 2019, 271, 721-725.	3.3	19
61	Adverse childhood experiences, exposure to a natural disaster and posttraumatic stress disorder among survivors of the 2011 Great East Japan earthquake and tsunami. Epidemiology and Psychiatric Sciences, 2019, 28, 45-53.	3.9	27
62	Chronic Physical Conditions, Multimorbidity, and Mild Cognitive Impairment in Low―and Middleâ€Income Countries. Journal of the American Geriatrics Society, 2018, 66, 721-727.	2.6	87
63	The danger of being inattentive–ÂADHD symptoms and risky sexual behaviour in Russian adolescents. European Psychiatry, 2018, 47, 42-48.	0.2	22
64	Childhood hunger and depressive symptoms in adulthood: Findings from a population-based study. Journal of Affective Disorders, 2018, 226, 332-338.	4.1	11
65	Negatively Skewed Locomotor Activity Is Related to Autistic Traits and Behavioral Problems in Typically Developing Children and Those With Autism Spectrum Disorders. Frontiers in Human Neuroscience, 2018, 12, 518.	2.0	4
66	Acoustic Hyper-Reactivity and Negatively Skewed Locomotor Activity in Children With Autism Spectrum Disorders: An Exploratory Study. Frontiers in Psychiatry, 2018, 9, 355.	2.6	11
67	Seasonal Allergies and Psychiatric Disorders in the United States. International Journal of Environmental Research and Public Health, 2018, 15, 1965.	2.6	19
68	Attentionâ€deficit/hyperactivity disorder symptoms and suicidal behavior in adult psychiatric outpatients. Psychiatry and Clinical Neurosciences, 2018, 72, 713-722.	1.8	16
69	Attention-deficit/hyperactivity disorder symptoms and happiness among adults in the general population. Psychiatry Research, 2018, 265, 317-323.	3.3	5
70	Childhood Hunger and Thoughts of Death or Suicide in Older Adults. American Journal of Geriatric Psychiatry, 2018, 26, 1070-1078.	1.2	8
71	Physical multimorbidity and loneliness: A population-based study. PLoS ONE, 2018, 13, e0191651.	2.5	80
72	Attention-deficit/hyperactivity disorder symptoms and loneliness among adults in the general population. Research in Developmental Disabilities, 2017, 62, 115-123.	2.2	17

#	Article	IF	CITATIONS
73	Assessment of Autistic Traits in Children Aged 2 to 4½ Years With the Preschool Version of the Social Responsiveness Scale (SRSâ€P): Findings from Japan. Autism Research, 2017, 10, 852-865.	3.8	17
74	Airborne pollen and suicide mortality in Tokyo, 2001–2011. Environmental Research, 2017, 155, 134-140.	7.5	23
75	Attention-deficit/hyperactivity disorder and physical multimorbidity: A population-based study. European Psychiatry, 2017, 45, 227-234.	0.2	29
76	Association Between Autistic Traits in Preschool Children and Later Emotional/Behavioral Outcomes. Journal of Autism and Developmental Disorders, 2017, 47, 3333-3346.	2.7	33
77	Urinary incontinence, mental health and loneliness among community-dwelling older adults in Ireland. BMC Urology, 2017, 17, 29.	1.4	37
78	Suicidal Behavior in Juvenile Delinquents: The Role of ADHD and Other Comorbid Psychiatric Disorders. Child Psychiatry and Human Development, 2017, 48, 691-698.	1.9	18
79	Stability of the acoustic startle response and its modulation in children with typical development and those with autism spectrum disorders: A oneâ€year followâ€up. Autism Research, 2017, 10, 673-679.	3.8	15
80	Neighborhood Characteristics and Cardiovascular Risk among Older People in Japan: Findings from the JAGES Project. PLoS ONE, 2016, 11, e0164525.	2.5	15
81	Pollinosis and allâ€cause mortality among middleâ€aged and elderly Japanese: a populationâ€based cohort study. Clinical and Experimental Allergy, 2016, 46, 1083-1089.	2.9	6
82	Ambient air pollution and suicide in Tokyo, 2001–2011. Journal of Affective Disorders, 2016, 201, 194-202.	4.1	87
83	Month of birth is associated with mortality among older people in Japan: Findings from the JAGES cohort. Chronobiology International, 2016, 33, 441-447.	2.0	10
84	Birthdays are associated with an increased risk of suicide in Japan: Evidence from 27,007 deaths in Tokyo in 2001–2010. Journal of Affective Disorders, 2016, 200, 259-265.	4.1	8
85	Stress Sensitivity and Psychotic Experiences in 39 Low- and Middle-Income Countries. Schizophrenia Bulletin, 2016, 42, 1353-1362.	4.3	58
86	Association between social participation and hypertension among older people in Japan: the JAGES Study. Hypertension Research, 2016, 39, 818-824.	2.7	37
87	ADHD symptoms and pain among adults in England. Psychiatry Research, 2016, 246, 326-331.	3.3	31
88	The association between economic development, lifestyle differentiation, and <scp>C</scp> â€reactive protein concentration within rural communities in <scp>H</scp> ainan <scp>I</scp> sland, <scp>C</scp> hina. American Journal of Human Biology, 2016, 28, 186-196.	1.6	3
89	Attention-deficit/hyperactivity disorder symptoms and suicide ideation and attempts: Findings from the Adult Psychiatric Morbidity Survey 2007. Journal of Affective Disorders, 2016, 189, 321-328.	4.1	57
90	Loneliness, common mental disorders and suicidal behavior: Findings from a general population survey. Journal of Affective Disorders, 2016, 197, 81-87.	4.1	217

#	Article	IF	CITATIONS
91	Crime and subjective well-being in the countries of the former Soviet Union. BMC Public Health, 2015, 15, 1010.	2.9	8
92	The Association between Sleep Problems and Psychotic Symptoms in the General Population: A Global Perspective. Sleep, 2015, 38, 1875-1885.	1.1	145
93	Childhood adversities and adultâ€onset chronic pain: Results from the World Mental Health Survey, Japan. European Journal of Pain, 2015, 19, 1418-1427.	2.8	36
94	The Effects of Season of Birth on the Inflammatory Response to Psychological Stress in Hainan Island, China. PLoS ONE, 2015, 10, e0139602.	2.5	3
95	Binge Drinking and Eating Problems in Russian Adolescents. Alcoholism: Clinical and Experimental Research, 2015, 39, 540-547.	2.4	15
96	The association between obesity and back pain in nine countries: a cross-sectional study. BMC Public Health, 2015, 15, 123.	2.9	57
97	The association between psychosis and severe pain in community-dwelling adults: Findings from 44 low- and middle-income countries. Journal of Psychiatric Research, 2015, 69, 19-26.	3.1	24
98	Smoking status, nicotine dependence and happiness in nine countries of the former Soviet Union. Tobacco Control, 2015, 24, 190-197.	3.2	27
99	Urban–rural differences in psychological distress in nine countries of the former Soviet Union. Journal of Affective Disorders, 2015, 178, 142-148.	4.1	24
100	Male solitary drinking and hazardous alcohol use in nine countries of the former Soviet Union. Drug and Alcohol Dependence, 2015, 150, 105-111.	3.2	7
101	Loneliness and health in Eastern Europe: findings from Moscow, Russia. Public Health, 2015, 129, 403-410.	2.9	38
102	Depressive symptoms, anxiety and academic motivation inÂyouth: Do schools and families make a difference?. Journal of Adolescence, 2015, 45, 174-182.	2.4	37
103	Brief Report: Best Discriminators for Identifying Children with Autism Spectrum Disorder at an 18-Month Health Check-Up in Japan. Journal of Autism and Developmental Disorders, 2015, 45, 4147-4153.	2.7	16
104	Subclinical psychosis and suicidal behavior in England: Findings from the 2007 Adult Psychiatric Morbidity Survey. Schizophrenia Research, 2015, 168, 62-67.	2.0	42
105	Reduced affordability of cigarettes and socio-economic inequalities in smoking continuation in Stakhanov, Ukraine, 2009. European Journal of Public Health, 2015, 25, 216-218.	0.3	2
106	Psychotic-Like Experiences and Nonsuidical Self-Injury in England: Results from a National Survey. PLoS ONE, 2015, 10, e0145533.	2.5	22
107	Alcohol Consumption and Psychological Distress in Adolescents: A Multi-Country Study. Journal of Adolescent Health, 2014, 54, 228-234.	2.5	108
108	Using multi-level data to estimate the effect of an â€~alcogenic' environment on hazardous alcohol consumption in the former Soviet Union. Health and Place, 2014, 27, 205-211.	3.3	15

#	Article	IF	CITATIONS
109	Particulate matter modifies the association between airborne pollen and daily medical consultations for pollinosis in Tokyo. Science of the Total Environment, 2014, 499, 125-132.	8.0	34
110	Loneliness and health risk behaviours among Russian and U.S. adolescents: a cross-sectional study. BMC Public Health, 2014, 14, 366.	2.9	121
111	Prevalence and factors associated with the use of alternative (folk) medicine practitioners in 8 countries of the former Soviet Union. BMC Complementary and Alternative Medicine, 2013, 13, 83.	3.7	24
112	Binge drinking among adolescents in Russia: Prevalence, risk and protective factors. Addictive Behaviors, 2013, 38, 1988-1995.	3.0	20
113	Criminal victimisation and health: Examining the relation in nine countries ofÂtheÂformer Soviet Union. Social Science and Medicine, 2013, 91, 76-83.	3.8	12
114	Knowledge of the health impacts of smoking and public attitudes towards tobacco control in the former Soviet Union. Tobacco Control, 2013, 22, e12-e12.	3.2	27
115	Loneliness: Its Correlates and Association with Health Behaviours and Outcomes in Nine Countries of the Former Soviet Union. PLoS ONE, 2013, 8, e67978.	2.5	97
116	The effects of beverage type on homicide rates in Russia, 1970–2005. Drug and Alcohol Review, 2012, 31, 257-262.	2.1	19
117	Alcohol and Suicide in Russia, 1870-1894 and 1956-2005: Evidence for the Continuation of a Harmful Drinking Culture Across Time?*. Journal of Studies on Alcohol and Drugs, 2011, 72, 341-347.	1.0	25
118	Association between autistic traits and binge drinking: Findings from Japan. Social Psychiatry and Psychiatric Epidemiology, 0, , .	3.1	0