
Tomasz Hauschild

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2999675/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Characterization of Methicillin-Resistant Staphylococcus aureus Isolates from Food and Food Products of Poultry Origin in Germany. Applied and Environmental Microbiology, 2011, 77, 7151-7157. | 3.1 | 193 |
| 2 | The ecological importance of the Staphylococcus sciuri species group as a reservoir for resistance and virulence genes. Veterinary Microbiology, 2014, 171, 342-356. | 1.9 | 109 |
| 3 | Multidrug resistant Acinetobacter baumannii–the role of AdeABC (RND family) efflux pump in resistance to antibiotics Folia Histochemica Et Cytobiologica, 2008, 46, 257-67. | 1.5 | 92 |
| 4 | Isolation and Molecular Characterization of Staphylococcus sciuri in the Hospital Environment. Journal of Clinical Microbiology, 2005, 43, 2782-2785. | 3.9 | 66 |
| 5 | Identification and Characterization of Clinical Isolates of Members of the Staphylococcus sciuri Group. Journal of Clinical Microbiology, 2005, 43, 956-958. | 3.9 | 59 |
| 6 | Metallo-beta-lactamases of Pseudomonas aeruginosaa novel mechanism resistance to beta-lactam antibiotics Folia Histochemica Et Cytobiologica, 2008, 46, 137-42. | 1.5 | 50 |
| 7 | Biofilm formation capacity and presence of virulence factors among commensal Enterococcus spp. from wild birds. Scientific Reports, 2019, 9, 11204. | 3.3 | 46 |
| 8 | Plasmidâ€nediated resistance to protein biosynthesis inhibitors in staphylococci. Annals of the New York Academy of Sciences, 2011, 1241, 82-103. | 3.8 | 45 |
| 9 | Species distribution and properties of staphylococci from canine dermatitis. Research in Veterinary Science, 2007, 82, 1-6. | 1.9 | 42 |
| 10 | Detection of the novel vga(E) gene in methicillin-resistant Staphylococcus aureus CC398 isolates from cattle and poultry. Journal of Antimicrobial Chemotherapy, 2012, 67, 503-504. | 3.0 | 41 |
| 11 | Characterization of mecC gene-carrying coagulase-negative Staphylococcus spp. isolated from various animals. Veterinary Microbiology, 2019, 230, 138-144. | 1.9 | 38 |
| 12 | Detection of a new mecC allotype, mecC2, in methicillin-resistant Staphylococcus saprophyticus. Journal of Antimicrobial Chemotherapy, 2014, 69, 2003-2005. | 3.0 | 33 |
| 13 | Synthesis and antimicrobial properties of steroid-based imidazolium salts. Journal of Steroid Biochemistry and Molecular Biology, 2019, 189, 65-72. | 2.5 | 32 |
| 14 | Aminoglycosides resistance in clinical isolates of Staphylococcus aureus from a University Hospital in Bialystok, Poland Folia Histochemica Et Cytobiologica, 2008, 46, 225-8. | 1.5 | 31 |
| 15 | MALDI-TOF Mass Spectrometry as a Useful Tool for Identification of Enterococcus spp. from Wild Birds and Differentiation of Closely Related Species. Journal of Microbiology and Biotechnology, 2017, 27, 1128-1137. | 2.1 | 31 |
| 16 | Susceptibility of canine and feline bacterial pathogens to pradofloxacin and comparison with other fluoroquinolones approved for companion animals. Veterinary Microbiology, 2013, 162, 119-126. | 1.9 | 28 |
| 17 | Aminoglycoside Resistance in Members of the <i>Staphylococcus sciuri</i> Group. Microbial Drug Resistance, 2007, 13, 77-84. | 2.0 | 26 |
| 18 | ldentification of <i>Staphylococcus</i> spp. by PCR-Restriction Fragment Length Polymorphism Analysis of <i>dnaJ</i> Gene. Journal of Clinical Microbiology, 2008, 46, 3875-3879. | 3.9 | 26 |

TOMASZ HAUSCHILD

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Staphylococcal tetracycline–MLSB resistance plasmid pSTE2 is the product of an RSA-mediated in vivo recombination. Journal of Antimicrobial Chemotherapy, 2005, 56, 399-402. | 3.0 | 24 |
| 20 | Evaluation of Phenotypic and Molecular Methods for Detection of Oxacillin Resistance in Members of the Staphylococcus sciuri Group. Journal of Clinical Microbiology, 2006, 44, 934-937. | 3.9 | 24 |
| 21 | WILD BIRDS AS A POTENTIAL SOURCE OF KNOWN AND NOVEL MULTILOCUS SEQUENCE TYPES OF ANTIBIOTIC-RESISTANT ENTEROCOCCUS FAECALIS. Journal of Wildlife Diseases, 2018, 54, 219. | 0.8 | 24 |
| 22 | Species distribution of staphylococci from small wild mammals. Systematic and Applied Microbiology, 2010, 33, 457-460. | 2.8 | 22 |
| 23 | Staphylococcus stepanovicii sp. nov., a novel novobiocin-resistant oxidase-positive staphylococcal species isolated from wild small mammals. Systematic and Applied Microbiology, 2010, 33, 183-187. | 2.8 | 20 |
| 24 | Phenotypic and Genotypic Identification of Staphylococci Isolated from Wild Small Mammals. Systematic and Applied Microbiology, 2001, 24, 411-416. | 2.8 | 19 |
| 25 | Characterization of a novel type of MLSB resistance plasmid from Staphylococcus saprophyticus carrying a constitutively expressed erm(C) gene. Veterinary Microbiology, 2006, 115, 258-263. | 1.9 | 17 |
| 26 | Target gene mutations among methicillin-resistant Staphylococcus aureus and methicillin-susceptible S. aureus with elevated MICs of enrofloxacin obtained from diseased food-producing animals or food of animal origin. Journal of Antimicrobial Chemotherapy, 2012, 67, 1791-1793. | 3.0 | 17 |
| 27 | Clonal Structure and Antibiotic Resistance of <i>Enterococcus</i> spp. from Wild Birds in Poland. Microbial Drug Resistance, 2019, 25, 1227-1237. | 2.0 | 17 |
| 28 | Macrolide resistance in Staphylococcus spp. from free-living small mammals. Veterinary Microbiology, 2010, 144, 530-531. | 1.9 | 15 |
| 29 | Tetracycline resistance and distribution of tet genes in members of the Staphylococcus sciuri group isolated from humans, animals and different environmental sources. International Journal of Antimicrobial Agents, 2007, 29, 356-358. | 2.5 | 12 |
| 30 | Survey of Genes Encoding Staphylococcal Enterotoxins, Toxic Shock Syndrome Toxin 1, and Exfoliative Toxins in Members of the Staphylococcus sciuri Group. Journal of Clinical Microbiology, 2005, 43, 4875-4876. | 3.9 | 11 |
| 31 | Nasal and pharyngeal carriage of methicillin-resistant Staphylococcus sciuri among hospitalised patients and healthcare workers in a Serbian university hospital. PLoS ONE, 2017, 12, e0185181. | 2.5 | 11 |
| 32 | Biodiversity of Ligilactobacillus salivarius Strains from Poultry and Domestic Pigeons. Animals, 2021, 11, 972. | 2.3 | 11 |
| 33 | Plasmid Mediated mcr-1.1 Colistin-Resistance in Clinical Extraintestinal Escherichia coli Strains Isolated in Poland. Frontiers in Microbiology, 2021, 12, 547020. | 3.5 | 10 |
| 34 | Occurrence of chloramphenicol resistance and corresponding resistance genes in members of the Staphylococcus sciuri group. International Journal of Antimicrobial Agents, 2009, 33, 383-384. | 2.5 | 9 |
| 35 | Phenotypic and genotypic characterization of Enterococcus spp. from yolk sac infections in broiler chicks with a focus on virulence factors. Poultry Science, 2021, 100, 100985. | 3.4 | 9 |
| 36 | Antimicrobial resistance and genetic diversity of Enterococcus faecalis from yolk sac infections in broiler chicks. Poultry Science, 2021, 100, 101491. | 3.4 | 9 |

TOMASZ HAUSCHILD

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Dehydroepiandrosterone derived imidazolium salts and their antimicrobial efficacy. Bioorganic Chemistry, 2021, 108, 104550. | 4.1 | 8 |
| 38 | Supplementary biochemical tests useful for the differentiation of oxidase positive staphylococci. Systematic and Applied Microbiology, 2007, 30, 316-318. | 2.8 | 7 |
| 39 | Characterisation of Staphylococcus aureus and Staphylococcus aureus – like strains isolated from table eggs. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2014, 58, 57-63. | 0.4 | 7 |
| 40 | Expression of AraC/XylS stress response regulators in two distinct carbapenem-resistant Enterobacter cloacae ST89 biotypes. Journal of Antimicrobial Chemotherapy, 2020, 75, 1146-1150. | 3.0 | 7 |
| 41 | Distribution of AdeABC efflux system genes in genotypically diverse strains of clinical Acinetobacter baumannii. Diagnostic Microbiology and Infectious Disease, 2013, 77, 106-109. | 1.8 | 6 |
| 42 | The aac(6')Ib gene in Proteus mirabilis strains resistant to aminoglycosides Folia Histochemica Et Cytobiologica, 2009, 46, 531-3. | 1.5 | 6 |
| 43 | Steroid-Functionalized Imidazolium Salts with an Extended Spectrum of Antifungal and Antibacterial Activity. International Journal of Molecular Sciences, 2021, 22, 12180. | 4.1 | 6 |
| 44 | Expression of Mex <scp>AB</scp> â€OprM efflux pump system and susceptibility to antibiotics of different <i><scp>P</scp>seudomonas aeruginosa</i> clones isolated from patients hospitalized in two intensive care units at University Hospital in Bialystok (northeastern Poland) between January 2002 and December 2009. Apmis, 2014, 122, 931-940. | 2.0 | 5 |
| 45 | Identification and Antimicrobial Susceptibility Testing of Staphylococcus vitulinus by the BD Phoenix Automated Microbiology System. Current Microbiology, 2008, 57, 158-160. | 2.2 | 4 |
| 46 | Emergence of Pseudomonas aeruginosa with class 1 integron carrying blaVIM-2 and blaVIM-4 in the University Clinical Hospital of Bialystok (northeastern Poland). Postepy Higieny I Medycyny Doswiadczalnej, 2017, 71, 0-0. | 0.1 | 4 |
| 47 | Identification of strains with phenotypes similar to those of Staphylococcus aureus isolated from table chicken eggs using MALDI-TOF MS and genotyping methods. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2015, 59, 235-239. | 0.4 | 3 |
| 48 | Surface properties of Enterococcus faecalis cells isolated from chicken hearts determine their low ability to form biofilms. Biofouling, 2018, 34, 149-161. | 2.2 | 3 |
| 49 | Evaluation of the BD Phoenix Automated Microbiology System for detecting meticillin-resistant Staphylococcus aureus. International Journal of Antimicrobial Agents, 2008, 32, 94-95. | 2.5 | 2 |
| 50 | Profiles of phenotype resistance to antibiotic other than ÃŽË›-lactams in Klebsiella pneumoniae ESBLs-producers, carrying blaSHV genes Folia Histochemica Et Cytobiologica, 2011, 48, 663-6. | 1.5 | 2 |
| 51 | Identification of plasmid OXA and other β-lactamase genes among carbapenem-resistant isolates of Pseudomonas aeruginosa from the Clinical University Hospital in northeastern Poland. New Microbiologica, 2015, 38, 271-5. | 0.1 | 1 |
| 52 | Infection caused by Klebsiella pneumoniae ST11 in a patient after craniectomy. Folia Microbiologica, 2020, 65, 205-209. | 2.3 | 0 |