

# Per G Farup

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/299987/publications.pdf>

Version: 2024-02-01

91  
papers

2,540  
citations

185998

28  
h-index

214527

47  
g-index

92  
all docs

92  
docs citations

92  
times ranked

2764  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perceived food intolerance in subjects with irritable bowel syndrome – etiology, prevalence and consequences. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 667-672.	1.3	315
2	Comorbidity of irritable bowel syndrome in general practice: a striking feature with clinical implications. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 20, 1195-1203.	1.9	134
3	Prevalence, comorbidity and impact of irritable bowel syndrome in Norway. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 650-656.	0.6	115
4	Lactose malabsorption in a population with irritable bowel syndrome: prevalence and symptoms. A case-control study. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 645-649.	0.6	104
5	Mesalazine Suppositories versus Hydrocortisone Foam in Patients with Distal Ulcerative Colitis: A Comparison of the Efficacy and Practicality of Two Topical Treatment Regimens. <i>Scandinavian Journal of Gastroenterology</i> , 1995, 30, 164-170.	0.6	88
6	A candidate probiotic with unfavourable effects in subjects with irritable bowel syndrome: a randomised controlled trial. <i>BMC Gastroenterology</i> , 2010, 10, 16.	0.8	80
7	Faecal short-chain fatty acids - a diagnostic biomarker for irritable bowel syndrome?. <i>BMC Gastroenterology</i> , 2016, 16, 51.	0.8	80
8	Mesalazine 4 g Daily Given as Prolonged-Release Granules Twice Daily and Four Times Daily Is at Least as Effective as Prolonged-Release Tablets Four Times Daily in Patients with Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2001, 7, 237-242.	0.9	62
9	The Relationships among Tryptophan, Kynurenine, Indoleamine 2,3-Dioxygenase, Depression, and Neuropsychological Performance. <i>Frontiers in Psychology</i> , 2017, 8, 1561.	1.1	58
10	Patients with Functional Dyspepsia Responding to Omeprazole Have a Characteristic Gastro-oesophageal Reflux Pattern. <i>Scandinavian Journal of Gastroenterology</i> , 1999, 34, 575-579.	0.6	56
11	Differences in medication knowledge and risk of errors between graduating nursing students and working registered nurses: comparative study. <i>BMC Health Services Research</i> , 2014, 14, 580.	0.9	55
12	Diagnosing irritable bowel syndrome: poor agreement between general practitioners and the Rome II criteria. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 448-453.	0.6	53
13	Constipation and diarrhoea - common adverse drug reactions? A cross sectional study in the general population. <i>BMC Clinical Pharmacology</i> , 2011, 11, 2.	2.5	52
14	Medication knowledge, certainty, and risk of errors in health care: a cross-sectional study. <i>BMC Health Services Research</i> , 2011, 11, 175.	0.9	52
15	A comparison of diagnostic tests for lactose malabsorption - which one is the best?. <i>BMC Gastroenterology</i> , 2009, 9, 82.	0.8	49
16	The Symptomatic Effect of Cisapride in Patients with Irritable Bowel Syndrome and Constipation. <i>Scandinavian Journal of Gastroenterology</i> , 1998, 33, 128-131.	0.6	47
17	Vitamin B6 deficiency and diseases in elderly people – a study in nursing homes. <i>BMC Geriatrics</i> , 2013, 13, 13.	1.1	46
18	The association between patient safety culture and burnout and sense of coherence: A cross-sectional study in restructured and not restructured intensive care units. <i>Intensive and Critical Care Nursing</i> , 2016, 36, 26-34.	1.4	46

#	ARTICLE	IF	CITATIONS
19	Drugs and Constipation in Elderly in Nursing Homes: What Is the Relation?. <i>Gastroenterology Research and Practice</i> , 2012, 2012, 1-7.	0.7	45
20	How does comorbidity affect cost of health care in patients with irritable bowel syndrome? A cohort study in general practice. <i>BMC Gastroenterology</i> , 2010, 10, 31.	0.8	41
21	Probiotics, Symptoms, and Gut Microbiota: What Are the Relations? A Randomized Controlled Trial in Subjects with Irritable Bowel Syndrome. <i>Gastroenterology Research and Practice</i> , 2012, 2012, 1-6.	0.7	40
22	Changes in Faecal Short-Chain Fatty Acids after Weight-Loss Interventions in Subjects with Morbid Obesity. <i>Nutrients</i> , 2020, 12, 802.	1.7	40
23	IgG and IgG4 antibodies in subjects with irritable bowel syndrome: a case control study in the general population. <i>BMC Gastroenterology</i> , 2012, 12, 166.	0.8	39
24	Burnout in health-care professionals during reorganizations and downsizing. A cohort study in nurses. <i>BMC Nursing</i> , 2010, 9, 8.	0.9	37
25	Low intake of vitamin B6 is associated with irritable bowel syndrome symptoms. <i>Nutrition Research</i> , 2011, 31, 356-361.	1.3	35
26	Diet in subjects with irritable bowel syndrome: A cross-sectional study in the general population. <i>BMC Gastroenterology</i> , 2012, 12, 61.	0.8	34
27	Are measurements of patient safety culture and adverse events valid and reliable? Results from a cross sectional study. <i>BMC Health Services Research</i> , 2015, 15, 186.	0.9	32
28	Ranitidine for Non-Ulcer Dyspepsia: A Clinical Study of the Symptomatic Effect of Ranitidine and a Classification and Characterization of the Responders to Treatment. <i>Scandinavian Journal of Gastroenterology</i> , 1991, 26, 1209-1216.	0.6	30
29	Patients with depression display cytokine levels in serum and cerebrospinal fluid similar to patients with diffuse neurological symptoms without a defined diagnosis. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 817.	1.0	28
30	Prevalence and predictors of irritable bowel syndrome in patients with morbid obesity: a cross-sectional study. <i>BMC Obesity</i> , 2017, 4, 22.	3.1	28
31	Predictors of health-related quality of life in patients with irritable bowel syndrome. A cross-sectional study in Norway. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 113.	1.0	27
32	A Conservative Weight Loss Intervention Relieves Bowel Symptoms in Morbidly Obese Subjects with Irritable Bowel Syndrome: A Prospective Cohort Study. <i>Journal of Obesity</i> , 2018, 2018, 1-9.	1.1	26
33	Low-Dose Antacids or Cimetidine for Duodenal Ulcer?. <i>Gastroenterology</i> , 1988, 95, 1465-1469.	0.6	25
34	Improvement of drug dose calculations by classroom teaching or e-learning: a randomised controlled trial in nurses. <i>BMJ Open</i> , 2014, 4, e006025.	0.8	24
35	Comparison of Three Triple Regimens with Omeprazole or Ranitidine Bismuth Citrate for <i>Helicobacter pylori</i> Eradication. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 1374-1379.	0.6	23
36	Changes in serum zonulin in individuals with morbid obesity after weight-loss interventions: a prospective cohort study. <i>BMC Endocrine Disorders</i> , 2020, 20, 108.	0.9	23

#	ARTICLE	IF	CITATIONS
37	Long-Term Treatment with 300 Mg Ranitidine Once Daily after Dilatation of Peptic Oesophageal Strictures. <i>Scandinavian Journal of Gastroenterology</i> , 1992, 27, 594-598.	0.6	22
38	Are Frequent Short Gastro-Oesophageal Reflux Episodes the Cause of Symptoms in Patients with Non-Ulcer Dyspepsia Responding to Treatment with Ranitidine?. <i>Scandinavian Journal of Gastroenterology</i> , 1995, 30, 829-832.	0.6	22
39	The Rate of Healing of Duodenal Ulcers during Omeprazole Treatment. <i>Scandinavian Journal of Gastroenterology</i> , 1985, 20, 691-695.	0.6	21
40	The Multi-Crossover Model for Classifying Patients as Responders to a Given Treatment. <i>Scandinavian Journal of Gastroenterology</i> , 1991, 26, 763-770.	0.6	18
41	Effectiveness of laxatives in elderly - a cross sectional study in nursing homes. <i>BMC Geriatrics</i> , 2011, 11, 76.	1.1	18
42	Abdominal complaints in general practice Diagnoses and characteristics of patients. <i>Scandinavian Journal of Primary Health Care</i> , 2004, 22, 157-162.	0.6	16
43	Are Nonnutritive Sweeteners Obesogenic? Associations between Diet, Faecal Microbiota, and Short-Chain Fatty Acids in Morbidly Obese Subjects. <i>Journal of Obesity</i> , 2019, 2019, 1-8.	1.1	16
44	Sphincter of Oddi Dysfunction: Dynamic Cholescintigraphy and Endoscopic Retrograde Cholangiopancreatography with Papillotomy in Diagnosis, Treatment, and Follow-up Study. <i>Scandinavian Journal of Gastroenterology</i> , 1989, 24, 956-960.	0.6	15
45	Does Short-term Treatment With Proton Pump Inhibitors Cause Rebound Aggravation of Symptoms?. <i>Journal of Clinical Gastroenterology</i> , 2001, 33, 206-209.	1.1	15
46	Changes in gastrointestinal symptoms and food tolerance 6 months following weight loss surgery: associations with dietary changes, weight loss and the surgical procedure. <i>BMC Obesity</i> , 2018, 5, 29.	3.1	15
47	The value of a general therapeutic approach in subjects with irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 21, 21-27.	1.9	14
48	Vitamin B6 in plasma $\delta^{13}C$ sample stability and the reference limits. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 476-479.	0.6	14
49	Changes in patient safety culture after restructuring of intensive care units: Two cross-sectional studies. <i>Intensive and Critical Care Nursing</i> , 2016, 32, 58-65.	1.4	14
50	Effects of a fall prevention program in elderly: a pragmatic observational study in two orthopedic departments. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 145-154.	1.3	13
51	Zaltidine: An Effective but Hepatotoxic H2-Receptor Antagonist. <i>Scandinavian Journal of Gastroenterology</i> , 1988, 23, 655-658.	0.6	12
52	Duodenal Ulcer Treated with Omeprazole: Healing and Relapse Rates. <i>Scandinavian Journal of Gastroenterology</i> , 1989, 24, 1107-1112.	0.6	11
53	Patient education in gastro-oesophageal reflux disease: a randomized controlled trial. <i>European Journal of Gastroenterology and Hepatology</i> , 2007, 19, 1104-1110.	0.8	11
54	Intake of non-nutritive sweeteners is associated with an unhealthy lifestyle: a cross-sectional study in subjects with morbid obesity. <i>BMC Obesity</i> , 2017, 4, 41.	3.1	11

#	ARTICLE	IF	CITATIONS
55	Evaluation of a faecal dysbiosis test for irritable bowel syndrome in subjects with and without obesity. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 109-113.	0.6	11
56	Irritable bowel syndrome-like symptoms and health related quality of life two years after Roux-en-Y gastric bypass - a prospective cohort study. <i>BMC Gastroenterology</i> , 2019, 19, 204.	0.8	11
57	APOE ε4 a genetic marker of comorbidity in subjects with morbid obesity. <i>BMC Medical Genetics</i> , 2020, 21, 146.	2.1	11
58	Disease knowledge after an educational program in patients with GERD ε4 a randomized controlled trial. <i>BMC Health Services Research</i> , 2008, 8, 236.	0.9	10
59	How useful are the Rome II criteria for identification of upper gastrointestinal disorders in general practice?. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 1284-1289.	0.6	9
60	What causes treatment failure - the patient, primary care, secondary care or inadequate interaction in the health services?. <i>BMC Health Services Research</i> , 2011, 11, 111.	0.9	9
61	Cognitive Functions and Depression in Patients with Irritable Bowel Syndrome. <i>Gastroenterology Research and Practice</i> , 2015, 2015, 1-9.	0.7	9
62	Anti-Saccharomyces cerevisiae antibodies (ASCA) are associated with body fat mass and systemic inflammation, but not with dietary yeast consumption: a cross-sectional study. <i>BMC Obesity</i> , 2017, 4, 28.	3.1	9
63	Changes in C-reactive protein, neopterin and lactoferrin differ after conservative and surgical weight loss in individuals with morbid obesity. <i>Scientific Reports</i> , 2019, 9, 17695.	1.6	9
64	Effect of Cisapride on Symptoms and Biliary D in Patients with Postcholecystectomy Syndrome. <i>Scandinavian Journal of Gastroenterology</i> , 1991, 26, 945-950.	0.6	8
65	Digestive symptoms and their psychosocial impact: Validation of a questionnaire. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 1019-1027.	0.6	8
66	Functional Bowel Disorders Are Associated with a Central Immune Activation. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-9.	0.7	8
67	Separating εgoodε from εbadε faecal dysbiosis ε4 evidence from two cross-sectional studies. <i>BMC Obesity</i> , 2018, 5, 30.	3.1	8
68	The Effect of Helicobacter pylori Retreatment With Ranitidine Bismuth Citrate, Clarithromycin, and Metronidazole Depends on the First-Line Therapy. <i>Journal of Clinical Gastroenterology</i> , 2002, 35, 379-382.	1.1	7
69	Idiopathic Hypoparathyroidism and Hyperthyroidism. <i>Acta Medica Scandinavica</i> , 1977, 202, 261-264.	0.0	7
70	Managing the Uninvestigated Dyspeptic Patient. <i>Scandinavian Journal of Gastroenterology</i> , 1999, 34, 1169-1170.	0.6	6
71	The effect of ApoE ε4 on blood pressure in patients with and without depression. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 1365.	1.0	6
72	APOE Polymorphism and Endocrine Functions in Subjects with Morbid Obesity Undergoing Bariatric Surgery. <i>Genes</i> , 2022, 13, 222.	1.0	6

#	ARTICLE	IF	CITATIONS
73	Are the Results of a Combined Behavioural and Surgical Treatment of Morbid Obesity Satisfactory and Predictable?. <i>Nutrients</i> , 2020, 12, 1997.	1.7	5
74	Collaboration by Use of the Internet Yields Data of High Quality and Detects Non-uniform Management of Patients with <i>Helicobacter pylori</i> Infection. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 1466-1470.	0.6	4
75	Is perceived intolerance to milk and wheat associated with the corresponding IgG and IgA food antibodies? A cross sectional study in subjects with morbid obesity and gastrointestinal symptoms. <i>BMC Gastroenterology</i> , 2018, 18, 22.	0.8	4
76	Are Faecal Microbiota Analyses on Species-Level Suitable Clinical Biomarkers? A Pilot Study in Subjects with Morbid Obesity. <i>Microorganisms</i> , 2021, 9, 664.	1.6	4
77	Circulating Lipoproteins in Subjects with Morbid Obesity Undergoing Bariatric Surgery with Gastric Bypass or Sleeve Gastrectomy. <i>Nutrients</i> , 2022, 14, 2381.	1.7	4
78	Alternative vs. conventional treatment given on-demand for gastroesophageal reflux disease: a randomised controlled trial. <i>BMC Complementary and Alternative Medicine</i> , 2009, 9, 3.	3.7	3
79	The Culture of Incident Reporting and Feedback: A Cross-Sectional Study in a Hospital Setting. <i>Open Journal of Nursing</i> , 2015, 05, 1042-1052.	0.2	3
80	The Peripheral Kynurenine Pathway and Psychosomatic Comorbidity in Subjects with Morbid Obesity Undergoing Bariatric Surgery. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2648.	1.3	3
81	Rate of Healing of Benign Gastric Ulcer During Treatment with Omeprazole. <i>Scandinavian Journal of Gastroenterology</i> , 1986, 21, 180-180.	0.6	2
82	Functional Dyspepsia and Gastric Acid: Any Relation?. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 1349-1350.	0.6	2
83	Questions about mesalazine and the irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 34, 1036-1037.	1.9	2
84	Irritable Bowel Syndrome. <i>Gastroenterology Research and Practice</i> , 2012, 2012, 1-2.	0.7	2
85	Faecal Microbial Markers and Psychobiological Disorders in Subjects with Morbid Obesity. A Cross-Sectional Study. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2018, 8, 89.	1.0	2
86	Tegaserodâ€”merely a laxative?. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 404-405.	0.6	1
87	Does short term treatment with high dose lansoprazole cause rebound aggravation of symptoms?. <i>Gastroenterology</i> , 2000, 118, A16.	0.6	0
88	Health anxiety predicts persisting complaints in IBS patients. <i>Gastroenterology</i> , 2003, 124, A529-A530.	0.6	0
89	Milk related disorders. A comparison between patients with IBS and healthy volunteers. <i>Gastroenterology</i> , 2003, 124, A260.	0.6	0
90	In response to Montes and Monge. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 1033-1033.	0.6	0

#	ARTICLE	IF	CITATIONS
91	Abdominal complaints in general practice: Diagnoses and characteristics of patients. Scandinavian Journal of Primary Health Care, 2005, 23, 126-127.	0.6	0