

# Masanobu Higashi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3000962/masanobu-higashi-publications-by-year.pdf>  
**Version:** 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 papers	5,435 citations	30 h-index	71 g-index
71 ext. papers	6,065 ext. citations	9.7 avg, IF	5.95 L-index

#	Paper	IF	Citations
68	Fabrication of a stable CdS photoanode for photoelectrochemical CO <sub>2</sub> reduction under visible-light irradiation. <i>New Journal of Chemistry</i> , <b>2022</b> , 46, 5932-5938	3.6	
67	Durable photoelectrochemical CO <sub>2</sub> reduction with water oxidation using a visible-light driven molecular photocathode. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 1517-1529	13	15
66	Photoelectrochemical reduction of CO <sub>2</sub> to formate over a hybrid system of CuInS <sub>2</sub> photocathode and formate dehydrogenase under visible-light irradiation. <i>New Journal of Chemistry</i> , <b>2021</b> , 45, 14803-14807	2.6	1
65	Supramolecular photocatalysts fixed on the inside of the polypyrrole layer in dye sensitized molecular photocathodes: application to photocatalytic CO reduction coupled with water oxidation. <i>Chemical Science</i> , <b>2021</b> , 12, 13216-13232	9.4	7
64	RhO cocatalyst for efficient water oxidation over TaON photoanodes in wide pH range under visible-light irradiation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2021</b> , 419, 113463	4.7	4
63	Conduction Band Control of Oxyhalides with a Triple-Fluorite Layer for Visible Light Photocatalysis. <i>Journal of the American Chemical Society</i> , <b>2021</b> , 143, 2491-2499	16.4	20
62	PbBi <sub>3</sub> O <sub>4</sub> X <sub>3</sub> (X = Cl, Br) with Single/Double Halogen Layers as a Photocatalyst for Visible-Light-Driven Water Splitting: Impact of a Halogen Layer on the Band Structure and Stability. <i>Chemistry of Materials</i> , <b>2021</b> , 33, 9580-9587	9.6	3
61	Triple-layered Sillbi Aurivillius Perovskite Oxychloride Bi <sub>5</sub> PbTi <sub>3</sub> O <sub>14</sub> Cl as a Visible-light-responsive Photocatalyst for Water Splitting. <i>Chemistry Letters</i> , <b>2020</b> , 49, 978-981	1.7	6
60	Photoelectrochemical CO <sub>2</sub> Reduction to Formate with the Sacrificial Reagent Free System of Semiconductor Photocatalysts and Formate Dehydrogenase. <i>ChemCatChem</i> , <b>2019</b> , 11, 6227-6235	5.2	14
59	Photoconductivity Lifetime Product Correlates Well with the Photocatalytic Activity of Oxyhalides Bi <sub>4</sub> TaO <sub>8</sub> Cl and PbBiO <sub>2</sub> Cl: An Approach to Boost Their O <sub>2</sub> Evolution Rates. <i>ACS Energy Letters</i> , <b>2019</b> , 4, 1572-1578	20.1	21
58	Earth-Abundant Molecular Z-Scheme Photoelectrochemical Cell for Overall Water-Splitting. <i>Journal of the American Chemical Society</i> , <b>2019</b> , 141, 9593-9602	16.4	59
57	Effective strategy for enhancing Z-scheme water splitting with the IO <sub>3</sub> <sup>-</sup> /I <sup>-</sup> redox mediator by using a visible light responsive TaON photocatalyst co-loaded with independently optimized two different cocatalysts. <i>Sustainable Energy and Fuels</i> , <b>2019</b> , 3, 1501-1508	5.8	12
56	Band Engineering of Double-Layered Sillbi Aurivillius Perovskite Oxychlorides for Visible-Light-Driven Water Splitting. <i>Chemistry of Materials</i> , <b>2019</b> , 31, 3419-3429	9.6	32
55	Flux Synthesis of Layered Oxyhalide BiNbOCl Photocatalyst for Efficient Z-Scheme Water Splitting Under Visible Light. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 5642-5650	9.5	58
54	Fe/Ru Oxide as a Versatile and Effective Cocatalyst for Boosting Z-Scheme Water-Splitting: Suppressing Undesirable Backward Electron Transfer. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 45606-45611	9.5	7
53	Mimicking Natural Photosynthesis: Solar to Renewable H Fuel Synthesis by Z-Scheme Water Splitting Systems. <i>Chemical Reviews</i> , <b>2018</b> , 118, 5201-5241	68.1	497
52	Molybdenum-substituted polyoxometalate as stable shuttle redox mediator for visible light driven Z-scheme water splitting system. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2018</b> , 356, 347-354	4.7	13

51	The first example of an oxide semiconductor photocatalyst consisting of a heptavalent cation: visible-light-induced water oxidation on M <sub>3</sub> ReO <sub>8</sub> . <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 1991-1994	13	2
50	Strong hybridization between Bi-6s and O-2p orbitals in Sillarsurivillius perovskite Bi <sub>4</sub> MO <sub>8</sub> X (M = Nb, Ta; X = Cl, Br), visible light photocatalysts enabling stable water oxidation. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 3100-3107	13	70
49	Improved water oxidation under visible light on oxyhalide Bi <sub>4</sub> MO <sub>8</sub> X (M = Nb, Ta; X = Cl, Br) photocatalysts prepared using excess halogen precursors. <i>Sustainable Energy and Fuels</i> , <b>2018</b> , 2, 1474-1480	5.8	23
48	Improved visible-light activity of nitrogen-doped layered niobate photocatalysts by NH <sub>3</sub> -nitridation with KCl flux. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 232, 49-54	21.8	17
47	Lead Bismuth Oxyhalides PbBiO <sub>2</sub> X (X = Cl, Br) as Visible-Light-Responsive Photocatalysts for Water Oxidation: Role of Lone-Pair Electrons in Valence Band Engineering. <i>Chemistry of Materials</i> , <b>2018</b> , 30, 5862-5869	9.6	62
46	Improved Activity of Hydrothermally-prepared WO <sub>3</sub> Photocatalysts by Sodium Salt Additives. <i>Chemistry Letters</i> , <b>2018</b> , 47, 985-988	1.7	4
45	Enhanced H <sub>2</sub> Evolution on ZnIn <sub>2</sub> S <sub>4</sub> Photocatalyst under Visible Light by Surface Modification with Metal Cyanoferrates. <i>Chemistry Letters</i> , <b>2018</b> , 47, 941-944	1.7	9
44	Two-step synthesis of Sillarsurivillius type oxychlorides to enhance their photocatalytic activity for visible-light-induced water splitting. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 10909-10917	13	33
43	Sillarsurivillius-related Oxychloride Bi <sub>6</sub> NbWO <sub>14</sub> Cl as a Stable O <sub>2</sub> -evolving Photocatalyst in Z-scheme Water Splitting under Visible Light. <i>Chemistry Letters</i> , <b>2017</b> , 46, 583-586	1.7	21
42	Enhanced oxygen evolution on visible light responsive TaON photocatalysts co-loaded with highly active Ru species for IO <sub>3</sub> <sup>-</sup> reduction and Co species for water oxidation. <i>Sustainable Energy and Fuels</i> , <b>2017</b> , 1, 748-754	5.8	13
41	Tungstic acids H <sub>2</sub> WO <sub>4</sub> and H <sub>4</sub> WO <sub>5</sub> as stable photocatalysts for water oxidation under visible light. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 10280-10288	13	23
40	Surface-modified metal sulfides as stable H <sub>2</sub> -evolving photocatalysts in Z-scheme water splitting with a [Fe(CN) <sub>6</sub> ] <sup>3-/4-</sup> redox mediator under visible-light irradiation. <i>Sustainable Energy and Fuels</i> , <b>2017</b> , 1, 1065-1073	5.8	29
39	Highly Dispersed RuO <sub>2</sub> Hydrates Prepared via Simple Adsorption as Efficient Cocatalysts for Visible-Light-Driven Z-Scheme Water Splitting with an IO <sub>3</sub> <sup>-</sup> /I <sup>-</sup> Redox Mediator. <i>ACS Catalysis</i> , <b>2017</b> , 7, 4336-4343	13.1	33
38	Valence Band Engineering by a Layer Insertion to Sillarsurivillius Perovskite Oxyhalides. <i>Chemistry Letters</i> , <b>2017</b> , 46, 1083-1085	1.7	4
37	Fabrication of CuInS <sub>2</sub> photocathodes on carbon microfiber felt by arc plasma deposition for efficient water splitting under visible light. <i>Sustainable Energy and Fuels</i> , <b>2017</b> , 1, 699-709	5.8	6
36	Hybrid photocathode consisting of a CuGaO p-type semiconductor and a Ru(ii)-Re(i) supramolecular photocatalyst: non-biased visible-light-driven CO reduction with water oxidation. <i>Chemical Science</i> , <b>2017</b> , 8, 4242-4249	9.4	111
35	Valence Band Engineering of Layered Bismuth Oxyhalides toward Stable Visible-Light Water Splitting: Madelung Site Potential Analysis. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 18725-18731	16.4	95
34	Improved Photocatalytic Water Oxidation with Fe <sup>3+</sup> /Fe <sup>2+</sup> Redox on Rectangular-shaped WO <sub>3</sub> Particles with Specifically Exposed Crystal Faces via Hydrothermal Synthesis. <i>Chemistry Letters</i> , <b>2017</b> , 46, 221-224	1.7	15

33	Design of nitrogen-doped layered tantalates for non-sacrificial and selective hydrogen evolution from water under visible light. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 14444-14452	13	21
32	Manganese-Substituted Polyoxometalate as an Effective Shuttle Redox Mediator in Z-Scheme Water Splitting under Visible Light. <i>ChemSusChem</i> , <b>2016</b> , 9, 2201-8	8.3	43
31	Solar Water Oxidation by Multicomponent TaON Photoanodes Functionalized with Nickel Oxide. <i>ChemPlusChem</i> , <b>2016</b> , 81, 1107-1115	2.8	3
30	Low-Temperature Synthesis of Bismuth Chalcogenides: Candidate Photovoltaic Materials with Easily, Continuously Controllable Band gap. <i>Scientific Reports</i> , <b>2016</b> , 6, 32664	4.9	30
29	Fabrication of a porous ZnRh <sub>2</sub> O <sub>4</sub> photocathode for photoelectrochemical water splitting under visible light irradiation and a significant effect of surface modification by ZnO necking treatment. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 6116-6123	13	12
28	Layered Perovskite Oxychloride Bi <sub>4</sub> NbO <sub>8</sub> Cl: A Stable Visible Light Responsive Photocatalyst for Water Splitting. <i>Journal of the American Chemical Society</i> , <b>2016</b> , 138, 2082-5	16.4	265
27	Partial Oxidation of Alcohols on Visible-Light-Responsive WO <sub>3</sub> Photocatalysts Loaded with Palladium Oxide Cocatalyst. <i>ACS Catalysis</i> , <b>2016</b> , 6, 1134-1144	13.1	107
26	Photo-assisted electrodeposition of manganese oxide on TaON anodes: effect on water photooxidation capacity under visible light irradiation. <i>Catalysis Science and Technology</i> , <b>2016</b> , 6, 3745-3757	5.5	15
25	Porous TaON Photoanodes Loaded with Cobalt-Based Cocatalysts for Efficient and Stable Water Oxidation Under Visible Light. <i>Topics in Catalysis</i> , <b>2016</b> , 59, 740-749	2.3	12
24	Highly Dispersed Cobalt Oxide on TaON as Efficient Photoanodes for Long-Term Solar Water Splitting. <i>ACS Catalysis</i> , <b>2016</b> , 6, 3404-3417	13.1	57
23	Photoelectrochemical Reduction of CO Coupled to Water Oxidation Using a Photocathode with a Ru(II)-Re(I) Complex Photocatalyst and a CoO/TaON Photoanode. <i>Journal of the American Chemical Society</i> , <b>2016</b> , 138, 14152-14158	16.4	216
22	Two-step photocatalytic water splitting into H <sub>2</sub> and O <sub>2</sub> using layered metal oxide KCa <sub>2</sub> Nb <sub>3</sub> O <sub>10</sub> and its derivatives as O <sub>2</sub> -evolving photocatalysts with IO <sub>3</sub> <sup>-</sup> /Br <sup>-</sup> Fe <sup>3+</sup> /Fe <sup>2+</sup> redox mediator. <i>Catalysis Science and Technology</i> , <b>2015</b> , 5, 2640-2648	5.5	41
21	Photosplitting of Water from Wide-Gap Cu(In,Ga)S <sub>2</sub> Thin Films Modified with a CdS Layer and Pt Nanoparticles for a High-Onset-Potential Photocathode. <i>Journal of Physical Chemistry C</i> , <b>2015</b> , 119, 8576-8583	3.8	68
20	Fabrication of cation-doped BaTaO <sub>2</sub> N photoanodes for efficient photoelectrochemical water splitting under visible light irradiation. <i>APL Materials</i> , <b>2015</b> , 3, 104418	5.7	30
19	Solvothermal Synthesis of Ca <sub>2</sub> Nb <sub>2</sub> O <sub>7</sub> Fine Particles and Their High Activity for Photocatalytic Water Splitting into H <sub>2</sub> and O <sub>2</sub> under UV Light Irradiation. <i>Chemistry Letters</i> , <b>2015</b> , 44, 1001-1003	1.7	11
18	Z-scheme Water Splitting into H <sub>2</sub> and O <sub>2</sub> Using Tungstic Acid as an Oxygen-evolving Photocatalyst under Visible Light Irradiation. <i>Chemistry Letters</i> , <b>2015</b> , 44, 1134-1136	1.7	10
17	Optimization of Titania Post-Necking Treatment of TaON Photoanodes to Enhance Water-Oxidation Activity under Visible-Light Irradiation. <i>ChemElectroChem</i> , <b>2015</b> , 2, 1270-1278	4.3	14
16	MnTaO <sub>2</sub> N: Polar LiNbO <sub>3</sub> -type Oxynitride with a Helical Spin Order. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 526-531	5.1	9

15	Photoelectrochemical CO <sub>2</sub> reduction using a Ru(II)-Re(I) multinuclear metal complex on a p-type semiconducting NiO electrode. <i>Chemical Communications</i> , <b>2015</b> , 51, 10722-5	5.8	122
14	Fabrication of an efficient BaTaO <sub>2</sub> N photoanode harvesting a wide range of visible light for water splitting. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 10238-41	16.4	173
13	Highly stable water splitting on oxynitride TaON photoanode system under visible light irradiation. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 6968-71	16.4	347
12	Fabrication of efficient TaON and Ta <sub>3</sub> N <sub>5</sub> photoanodes for water splitting under visible light irradiation. <i>Energy and Environmental Science</i> , <b>2011</b> , 4, 4138	35.4	291
11	SrNbO <sub>2</sub> N as a water-splitting photoanode with a wide visible-light absorption band. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 12334-7	16.4	204
10	Overall water splitting under visible light through a two-step photoexcitation between TaON and WO <sub>3</sub> in the presence of an iodate-iodide shuttle redox mediator. <i>ChemSusChem</i> , <b>2011</b> , 4, 228-37	8.3	22
9	Inside Cover: Overall Water Splitting under Visible Light through a Two-Step Photoexcitation between TaON and WO <sub>3</sub> in the Presence of an Iodate/Iodide Shuttle Redox Mediator (ChemSusChem 2/2011). <i>ChemSusChem</i> , <b>2011</b> , 4, 154-154	8.3	86
8	Facile fabrication of an efficient oxynitride TaON photoanode for overall water splitting into H <sub>2</sub> and O <sub>2</sub> under visible light irradiation. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 11828-9	16.4	410
7	Modified Ta <sub>3</sub> N <sub>5</sub> powder as a photocatalyst for O <sub>2</sub> evolution in a two-step water splitting system with an iodate/iodide shuttle redox mediator under visible light. <i>Langmuir</i> , <b>2010</b> , 26, 9161-5	4	167
6	Efficient nonsacrificial water splitting through two-step photoexcitation by visible light using a modified oxynitride as a hydrogen evolution photocatalyst. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 5858-68	16.4	597
5	Photocatalytic Overall Water Splitting under Visible Light Using ATaO <sub>2</sub> N (A = Ca, Sr, Ba) and WO <sub>3</sub> in a IO <sub>3</sub> <sup>-</sup> /I <sup>-</sup> Shuttle Redox Mediated System. <i>Chemistry of Materials</i> , <b>2009</b> , 21, 1543-1549	9.6	259
4	Surface Modification of TaON with Monoclinic ZrO <sub>2</sub> to Produce a Composite Photocatalyst with Enhanced Hydrogen Evolution Activity under Visible Light. <i>Bulletin of the Chemical Society of Japan</i> , <b>2008</b> , 81, 927-937	5.1	130
3	Z-scheme Overall Water Splitting on Modified-TaON Photocatalysts under Visible Light (□) <i>Chemistry Letters</i> , <b>2008</b> , 37, 138-139	1.7	149
2	Two step water splitting into H <sub>2</sub> and O <sub>2</sub> under visible light by ATaO <sub>2</sub> N (A=Ca, Sr, Ba) and WO <sub>3</sub> with . <i>Chemical Physics Letters</i> , <b>2008</b> , 452, 120-123	2.5	174
1	Controlling the Carrier Density in Niobium Oxynitride BaNbO <sub>2</sub> N via Cation Doping for Efficient Photoelectrochemical Water Splitting under Visible Light. <i>Sustainable Energy and Fuels</i> ,	5.8	1