

Ida Skarping

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3001267/publications.pdf>

Version: 2024-02-01

9
papers

85
citations

1478505

6
h-index

1588992

8
g-index

10
all docs

10
docs citations

10
times ranked

74
citing authors

#	ARTICLE	IF	CITATIONS
1	Mammographic density is a potential predictive marker of pathological response after neoadjuvant chemotherapy in breast cancer. <i>BMC Cancer</i> , 2019, 19, 1272.	2.6	16
2	Predicting pathological axillary lymph node status with ultrasound following neoadjuvant therapy for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 131-144.	2.5	13
3	Mammographic density changes during neoadjuvant breast cancer treatment: NeoDense, a prospective study in Sweden. <i>Breast</i> , 2020, 53, 33-41.	2.2	12
4	Mammographic density as an image-based biomarker of therapy response in neoadjuvant-treated breast cancer patients. <i>Cancer Causes and Control</i> , 2021, 32, 251-260.	1.8	12
5	Neoadjuvant breast cancer treatment response; tumor size evaluation through different conventional imaging modalities in the NeoDense study. <i>Acta Oncologica</i> , 2020, 59, 1528-1537.	1.8	11
6	Effects of statin use on volumetric mammographic density: results from the KARMA study. <i>BMC Cancer</i> , 2015, 15, 435.	2.6	7
7	The NILS Study Protocol: A Retrospective Validation Study of an Artificial Neural Network Based Preoperative Decision-Making Tool for Noninvasive Lymph Node Staging in Women with Primary Breast Cancer (ISRCTN14341750). <i>Diagnostics</i> , 2022, 12, 582.	2.6	7
8	The implementation of a noninvasive lymph node staging (NILS) preoperative prediction model is cost effective in primary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2022, 194, 577-586.	2.5	7
9	The association between body mass index and pathological complete response in neoadjuvant-treated breast cancer patients. <i>Acta Oncologica</i> , 2022, 61, 731-737.	1.8	0