
Hern-Ku Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3001757/publications.pdf Version: 2024-02-01



HEDN-KILLEE

#	Article	IF	CITATIONS
1	TNF-α induces the late-phase airway hyperresponsiveness and airway inflammation through cytosolic phospholipase A2 activation. Journal of Allergy and Clinical Immunology, 2005, 116, 537-543.	2.9	100
2	Glutamine Protects Mice from Lethal Endotoxic Shock via a Rapid Induction of MAPK Phosphatase-1. Journal of Immunology, 2009, 182, 7957-7962.	0.8	33
3	l-Glutamine Attenuates DSS-Induced Colitis via Induction of MAPK Phosphatase-1. Nutrients, 2018, 10, 288.	4.1	29
4	GLUTAMINE INHIBITS LIPOPOLYSACCHARIDE-INDUCED CYTOPLASMIC PHOSPHOLIPASE A2 ACTIVATION AND PROTECTS AGAINST ENDOTOXIN SHOCK IN MOUSE. Shock, 2006, 25, 290-294.	2.1	22
5	Glutamine Suppresses DNFB-Induced Contact Dermatitis by Deactivating p38 Mitogen–Activated Protein Kinase via Induction of MAPK Phosphatase-1. Journal of Investigative Dermatology, 2013, 133, 723-731.	0.7	20
6	Glutamine Suppresses Airway Neutrophilia by Blocking Cytosolic Phospholipase A2 via an Induction of MAPK Phosphatase-1. Journal of Immunology, 2012, 189, 5139-5146.	0.8	15
7	Clutamine up-regulates MAPK phosphatase-1 induction via activation of Ca 2+ → ERK cascade pathway. Biochemistry and Biophysics Reports, 2016, 7, 10-19.	1.3	10
8	Glutamine deficiency shifts the asthmatic state toward neutrophilic airway inflammation. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1180-1191.	5.7	10
9	Glutamine Prevents Late-Phase Anaphylaxis via MAPK Phosphatase 1-Dependent Cytosolic Phospholipase A ₂ Deactivation. International Archives of Allergy and Immunology, 2016, 171, 61-70.	2.1	4
10	GPCR Kinase (GRK)-2 Is a Key Negative Regulator of Itch: l-Glutamine Attenuates Itch via a Rapid Induction of GRK2 in an ERK-Dependent Way. Journal of Investigative Dermatology, 2018, 138, 1834-1842.	0.7	4