

David W Coltman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3002415/publications.pdf>

Version: 2024-02-01

202
papers

12,970
citations

20759

60
h-index

29081

104
g-index

209
all docs

209
docs citations

209
times ranked

11310
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-Wide Analysis of the World's Sheep Breeds Reveals High Levels of Historic Mixture and Strong Recent Selection. <i>PLoS Biology</i> , 2012, 10, e1001258.	2.6	719
2	Undesirable evolutionary consequences of trophy hunting. <i>Nature</i> , 2003, 426, 655-658.	13.7	666
3	PARASITE-MEDIATED SELECTION AGAINST INBRED SOAY SHEEP IN A FREE-LIVING ISLAND POPULATION. <i>Evolution; International Journal of Organic Evolution</i> , 1999, 53, 1259-1267.	1.1	466
4	Of glaciers and refugia: a decade of study sheds new light on the phylogeography of northwestern North America. <i>Molecular Ecology</i> , 2010, 19, 4589-4621.	2.0	435
5	A microsatellite polymorphism in the gamma interferon gene is associated with resistance to gastrointestinal nematodes in a naturally-parasitized population of Soay sheep. <i>Parasitology</i> , 2001, 122, 571-582.	0.7	431
6	A quantitative review of heterozygosity-fitness correlations in animal populations. <i>Molecular Ecology</i> , 2009, 18, 2746-2765.	2.0	374
7	Parasite-Mediated Selection against Inbred Soay Sheep in a Free-Living, Island Population. <i>Evolution; International Journal of Organic Evolution</i> , 1999, 53, 1259.	1.1	291
8	Overt and covert competition in a promiscuous mammal: the importance of weaponry and testes size to male reproductive success. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003, 270, 633-640.	1.2	278
9	Mountain pine beetle host-range expansion threatens the boreal forest. <i>Molecular Ecology</i> , 2011, 20, 2157-2171.	2.0	278
10	Age-dependent sexual selection in bighorn rams. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002, 269, 165-172.	1.2	276
11	SEX-SPECIFIC GENETIC VARIANCE AND THE EVOLUTION OF SEXUAL DIMORPHISM: A SYSTEMATIC REVIEW OF CROSS-SEX GENETIC CORRELATIONS. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 97-107.	1.1	274
12	Birth weight and neonatal survival of harbour seal pups are positively correlated with genetic variation measured by microsatellites. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1998, 265, 803-809.	1.2	266
13	Performance of Marker-Based Relatedness Estimators in Natural Populations of Outbred Vertebrates. <i>Genetics</i> , 2006, 173, 2091-2101.	1.2	250
14	Environmental Coupling of Selection and Heritability Limits Evolution. <i>PLoS Biology</i> , 2006, 4, e216.	2.6	217
15	Male reproductive success in a promiscuous mammal: behavioural estimates compared with genetic paternity. <i>Molecular Ecology</i> , 1999, 8, 1199-1209.	2.0	209
16	Male personality, life-history strategies and reproductive success in a promiscuous mammal. <i>Journal of Evolutionary Biology</i> , 2009, 22, 1599-1607.	0.8	191
17	Maternal genetic effects set the potential for evolution in a free-living vertebrate population. <i>Journal of Evolutionary Biology</i> , 2004, 18, 405-414.	0.8	169
18	Seasonal, spatial, and maternal effects on gut microbiome in wild red squirrels. <i>Microbiome</i> , 2017, 5, 163.	4.9	148

#	ARTICLE	IF	CITATIONS
19	Densityâ€Dependent Variation in Lifetime Breeding Success and Natural and Sexual Selection in Soay Rams. <i>American Naturalist</i> , 1999, 154, 730-746.	1.0	139
20	Fine-scale genetic structure in a free-living ungulate population. <i>Molecular Ecology</i> , 2003, 12, 733-742.	2.0	139
21	SELECTION AND GENETIC (CO)VARIANCE IN BIGHORN SHEEP. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1372-1382.	1.1	135
22	Bovine microsatellite loci are highly conserved in red deer (<i>Cervus elaphus</i>), sika deer (<i>Cervus nippon</i>) Tj ETQq0 0 0,rgBT /Overlock 10 Tt	0.8	130
23	Relative allocation to horn and body growth in bighorn rams varies with resource availability. <i>Behavioral Ecology</i> , 2004, 15, 305-312.	1.0	128
24	Intense selective hunting leads to artificial evolution in horn size. <i>Evolutionary Applications</i> , 2016, 9, 521-530.	1.5	127
25	Ontogenetic Patterns in Heritable Variation for Body Size: Using Random Regression Models in a Wild Ungulate Population. <i>American Naturalist</i> , 2005, 166, E177-E192.	1.0	114
26	Age-dependent genetic effects on a secondary sexual trait in male Alpine ibex, <i>Capra ibex</i> . <i>Molecular Ecology</i> , 2007, 16, 1969-1980.	2.0	114
27	Detecting population structure using STRUCTURE software: effect of background linkage disequilibrium. <i>Heredity</i> , 2007, 99, 374-380.	1.2	100
28	Genetic subdivision and candidate genes under selection in North American grey wolves. <i>Molecular Ecology</i> , 2016, 25, 380-402.	2.0	100
29	Rapidly declining fine-scale spatial genetic structure in female red deer. <i>Molecular Ecology</i> , 2005, 14, 3395-3405.	2.0	96
30	Quantitative genetics of growth and cryptic evolution of body size in an island population. <i>Evolutionary Ecology</i> , 2007, 21, 337-356.	0.5	91
31	Male mating success in an aquatically mating pinniped, the harbour seal (<i>Phoca vitulina</i>), assessed by microsatellite DNA markers. <i>Molecular Ecology</i> , 1998, 7, 627-638.	2.0	90
32	PCR primers for harbour seal (<i>Phoca vitulina concolour</i>) microsatellites amplify polymorphic loci in other pinniped species. <i>Molecular Ecology</i> , 1996, 5, 161-163.	2.0	85
33	Evidence for cryptic glacial refugia from North American mountain sheep mitochondrial DNA. <i>Journal of Evolutionary Biology</i> , 2006, 19, 419-430.	0.8	84
34	SELECTION ON HERITABLE SEASONAL PHENOTYPIC PLASTICITY OF BODY MASS. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 1969-1979.	1.1	84
35	Estimating genome-wide heterozygosity: effects of demographic history and marker type. <i>Heredity</i> , 2014, 112, 240-247.	1.2	84
36	Low heritabilities, but genetic and maternal correlations between red squirrel behaviours. <i>Journal of Evolutionary Biology</i> , 2012, 25, 614-624.	0.8	83

#	ARTICLE	IF	CITATIONS
37	A genome-wide set of SNPs detects population substructure and long range linkage disequilibrium in wild sheep. <i>Molecular Ecology Resources</i> , 2011, 11, 314-322.	2.2	80
38	Genomic consequences of genetic rescue in an insular population of bighorn sheep (<i>Ovis montanus</i>). <i>Evolution</i> , 2010, 64, 1070-1080.	2.0	80
39	Father-offspring phenotypic correlations suggest intralocus sexual conflict for a fitness-linked trait in a wild sexually dimorphic mammal. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 4067-4075.	1.2	78
40	Estimating the prevalence of inbreeding from incomplete pedigrees. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002, 269, 1533-1539.	1.2	77
41	GENETIC CONSTRAINTS AND SEXUAL DIMORPHISM IN IMMUNE DEFENSE. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1844-1850.	1.1	76
42	Quantitative genetics and sex-specific selection on sexually dimorphic traits in bighorn sheep. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 623-628.	1.2	76
43	Genetic structure of invasive earthworms <i>Dendrobaena octaedra</i> in the boreal forest of Alberta: insights into introduction mechanisms. <i>Molecular Ecology</i> , 2008, 17, 1189-1197.	2.0	73
44	Will human influences on evolutionary dynamics in the wild pervade the Anthropocene?. <i>BMC Biology</i> , 2018, 16, 7.	1.7	73
45	Globally dispersed Y chromosomal haplotypes in wild and domestic sheep. <i>Animal Genetics</i> , 2006, 37, 444-453.	0.6	72
46	HOT SPOTS OF GENETIC DIVERSITY DESCENDED FROM MULTIPLE PLEISTOCENE REFUGIA IN AN ALPINE UNGULATE. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 125-138.	1.1	72
47	Habitat selection predicts genetic relatedness in an alpine ungulate. <i>Ecology</i> , 2012, 93, 1317-1329.	1.5	71
48	Assessment of identity disequilibrium and its relation to empirical heterozygosity fitness correlations: a meta-analysis. <i>Molecular Ecology</i> , 2014, 23, 1899-1909.	2.0	71
49	Balancing foraging and reproduction in the male harbour seal, an aquatically mating pinniped. <i>Animal Behaviour</i> , 1997, 54, 663-678.	0.8	70
50	How the Mountain Pine Beetle (<i>Dendroctonus ponderosae</i>) Breached the Canadian Rocky Mountains. <i>Molecular Biology and Evolution</i> , 2014, 31, 1803-1815.	3.5	70
51	Genetic variance in fitness indicates rapid contemporary adaptive evolution in wild animals. <i>Science</i> , 2022, 376, 1012-1016.	6.0	69
52	MATERNAL EFFECTS INFLUENCE THE SEXUAL BEHAVIOR OF SONS AND DAUGHTERS IN THE ZEBRA FINCH. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2574-2583.	1.1	68
53	SELECTION ON MOTHERS AND OFFSPRING: WHOSE PHENOTYPE IS IT AND DOES IT MATTER?. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 451-463.	1.1	68
54	Molecular analysis of a promiscuous, fluctuating mating system. <i>Biological Journal of the Linnean Society</i> , 1999, 68, 289-301.	0.7	67

#	ARTICLE	IF	CITATIONS
55	Male mate choice influences female promiscuity in Soay sheep. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005, 272, 365-373.	1.2	67
56	Unexpected heterozygosity in an island mouflon population founded by a single pair of individuals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 527-533.	1.2	67
57	The use of marker-based relationship information to estimate the heritability of body weight in a natural population: a cautionary tale. <i>Journal of Evolutionary Biology</i> , 2002, 15, 92-99.	0.8	66
58	Sex-based differences in the adaptive value of social behavior contrasted against morphology and environment. <i>Ecology</i> , 2015, 96, 631-641.	1.5	66
59	Sexually selected behaviour: red squirrel males search for reproductive success. <i>Journal of Animal Ecology</i> , 2009, 78, 296-304.	1.3	65
60	Molecular ecological approaches to studying the evolutionary impact of selective harvesting in wildlife. <i>Molecular Ecology</i> , 2008, 17, 221-235.	2.0	64
61	Broad and fine-scale genetic analysis of white-tailed deer populations: estimating the relative risk of chronic wasting disease spread. <i>Evolutionary Applications</i> , 2011, 4, 116-131.	1.5	63
62	Population genetic structure of North American thimhorn sheep (<i>Ovis dalli</i>). <i>Molecular Ecology</i> , 2004, 13, 2545-2556.	2.0	62
63	CanSINEs: a family of tRNA-derived retroposons specific to the superfamily Canoidea. <i>Nucleic Acids Research</i> , 1994, 22, 2726-2730.	6.5	57
64	Spatial Genetic Structure of a Symbiotic Beetle-Fungal System: Toward Multi-Taxa Integrated Landscape Genetics. <i>PLoS ONE</i> , 2011, 6, e25359.	1.1	57
65	Testing marker-based estimates of heritability in the wild. <i>Molecular Ecology</i> , 2005, 14, 2593-2599.	2.0	56
66	Female multiple mating and paternity in free-ranging North American red squirrels. <i>Animal Behaviour</i> , 2008, 75, 1927-1937.	0.8	56
67	Consistent divergence times and allele sharing measured from cross-species application of SNP chips developed for three domestic species. <i>Molecular Ecology Resources</i> , 2012, 12, 1145-1150.	2.2	56
68	Population structure of ice-breeding seals. <i>Molecular Ecology</i> , 2008, 17, 3078-3094.	2.0	55
69	Mating order and reproductive success in male Columbian ground squirrels (<i>Urocitellus</i>)	1.0	53
70	A quantitative genetic analysis of hibernation emergence date in a wild population of Columbian ground squirrels. <i>Journal of Evolutionary Biology</i> , 2011, 24, 1949-1959.	0.8	53
71	Modelling landscape effects on density-contact rate relationships of deer in eastern Alberta: Implications for chronic wasting disease. <i>Ecological Modelling</i> , 2011, 222, 2722-2732.	1.2	53
72	Characterizing the physical and genetic structure of the lodgepole pine—jack pine hybrid zone: mosaic structure and differential introgression. <i>Evolutionary Applications</i> , 2012, 5, 879-891.	1.5	53

#	ARTICLE	IF	CITATIONS
73	Spatial genetic structure of the mountain pine beetle (<i>Dendroctonus ponderosae</i>) outbreak in western Canada: historical patterns and contemporary dispersal. <i>Molecular Ecology</i> , 2012, 21, 2931-2948.	2.0	53
74	Circumpolar Genetic Structure and Recent Gene Flow of Polar Bears: A Reanalysis. <i>PLoS ONE</i> , 2016, 11, e0148967.	1.1	52
75	Panmictic population structure in the hooded seal (<i>Cystophora cristata</i>). <i>Molecular Ecology</i> , 2007, 16, 1639-1648.	2.0	50
76	Polymorphisms at the <i>PRNP</i> Gene Influence Susceptibility to Chronic Wasting Disease in Two Species of Deer (<i>Odocoileus</i> Spp.) in Western Canada. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2009, 72, 1025-1029.	1.1	49
77	Comparative phylogeography, genetic differentiation and contrasting reproductive modes in three fungal symbionts of a multipartite bark beetle symbiosis. <i>Molecular Ecology</i> , 2011, 20, 584-600.	2.0	48
78	Evidence of adoption, monozygotic twinning, and low inbreeding rates in a large genetic pedigree of polar bears. <i>Polar Biology</i> , 2016, 39, 1455-1465.	0.5	48
79	Low MHC DRB class II diversity in the mountain goat: past bottlenecks and possible role of pathogens and parasites. <i>Conservation Genetics</i> , 2007, 8, 885-891.	0.8	47
80	Genetic relatedness of mates does not predict patterns of parentage in North American red squirrels. <i>Animal Behaviour</i> , 2007, 74, 611-619.	0.8	46
81	Genome variability in European and American bison detected using the BovineSNP50 BeadChip. <i>Conservation Genetics</i> , 2010, 11, 627-634.	0.8	46
82	Design of a 9K illumina BeadChip for polar bears (<i>Ursus maritimus</i>) from RAD and transcriptome sequencing. <i>Molecular Ecology Resources</i> , 2015, 15, 587-600.	2.2	45
83	A multivariate analysis of phenotype and paternity in male harbor seals, <i>Phoca vitulina</i> , at Sable Island, Nova Scotia. <i>Behavioral Ecology</i> , 1999, 10, 169-177.	1.0	43
84	No inbreeding avoidance in an isolated population of bighorn sheep. <i>Animal Behaviour</i> , 2010, 80, 865-871.	0.8	43
85	Very low levels of direct additive genetic variance in fitness and fitness components in a red squirrel population. <i>Ecology and Evolution</i> , 2014, 4, 1729-1738.	0.8	43
86	Population structure and genetic diversity of greater sage-grouse (<i>Centrocercus urophasianus</i>) in fragmented landscapes at the northern edge of their range. <i>Conservation Genetics</i> , 2011, 12, 527-542.	0.8	42
87	Something Darwin didn't know about barnacles: spermcast mating in a common stalked species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122919.	1.2	42
88	Sex-ratio variation in Soay sheep. <i>Behavioral Ecology and Sociobiology</i> , 2002, 53, 25-30.	0.6	41
89	Adopting kin enhances inclusive fitness in asocial red squirrels. <i>Nature Communications</i> , 2010, 1, 22.	5.8	40
90	Multilocus heterozygosity, parental relatedness and individual fitness components in a wild mountain goat, <i>Oreamnos americanus</i> population. <i>Molecular Ecology</i> , 2009, 18, 2297-2306.	2.0	39

#	ARTICLE	IF	CITATIONS
91	Isolation of 18 polymorphic microsatellite loci from the North American red squirrel, <i>Tamiasciurus hudsonicus</i> (Sciuridae, Rodentia), and their cross-utility in other species. <i>Molecular Ecology Notes</i> , 2005, 5, 650-653.	1.7	38
92	Genetic linkage map of a wild genome: genomic structure, recombination and sexual dimorphism in bighorn sheep. <i>BMC Genomics</i> , 2010, 11, 524.	1.2	38
93	Environmental and evolutionary effects on horn growth of male bighorn sheep. <i>Oikos</i> , 2017, 126, 1031-1041.	1.2	38
94	Detecting the signature of selection on immune genes in highly structured populations of wild sheep (<i>Ovis dalli</i>). <i>Molecular Ecology</i> , 2006, 15, 623-637.	2.0	37
95	Sex-differential effects of inbreeding on overwinter survival, birth date and mass of bighorn lambs. <i>Journal of Evolutionary Biology</i> , 2011, 24, 121-131.	0.8	36
96	The Energetics of Male Reproduction in an Aquatically Mating Pinniped, the Harbour Seal. <i>Physiological Zoology</i> , 1998, 71, 387-399.	1.5	35
97	Chronic wasting disease: Possible transmission mechanisms in deer. <i>Ecological Modelling</i> , 2013, 250, 244-257.	1.2	35
98	Selection and genetic (co)variance in bighorn sheep. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1372-82.	1.1	34
99	Multiscale population genetic analysis of mule deer (<i>Odocoileus hemionus hemionus</i>) in western Canada sheds new light on the spread of chronic wasting disease. <i>Canadian Journal of Zoology</i> , 2011, 89, 134-147.	0.4	33
100	QTL mapping for sexually dimorphic fitness-related traits in wild bighorn sheep. <i>Heredity</i> , 2012, 108, 256-263.	1.2	33
101	Genetic decline, restoration and rescue of an isolated ungulate population. <i>Evolutionary Applications</i> , 2019, 12, 1318-1328.	1.5	33
102	Familiar Neighbors, but Not Relatives, Enhance Fitness in a Territorial Mammal. <i>Current Biology</i> , 2021, 31, 438-445.e3.	1.8	33
103	Familiarity with neighbours affects intrusion risk in territorial red squirrels. <i>Animal Behaviour</i> , 2017, 133, 11-20.	0.8	32
104	Temporal dynamics of genetic variability in a mountain goat (<i>Oreamnos americanus</i>) population. <i>Molecular Ecology</i> , 2011, 20, 1601-1611.	2.0	31
105	Cross-species outlier detection reveals different evolutionary pressures between sister species. <i>New Phytologist</i> , 2014, 204, 215-229.	3.5	31
106	Molecular phylogeny of North American Branchiobdellida (Annelida: Clitellata). <i>Molecular Phylogenetics and Evolution</i> , 2013, 66, 30-42.	1.2	30
107	Formation of manganese oxide plaque on rice roots in solution culture under varying pH and manganese (Mn ²⁺) concentration conditions. <i>Journal of Plant Nutrition</i> , 1993, 16, 589-599.	0.9	29
108	A standard set of polymorphic microsatellites for threatened mountain ungulates (Caprini.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf, 50 62 Td</i>	1.7	29

#	ARTICLE	IF	CITATIONS
109	Past bottlenecks and current population fragmentation of endangered huemul deer (<i>Hippocamelus</i>) Tj ETQq1 1 0.784314 rgBT /Over	0.8	29
110	Genome-wide set of <i>SNPs</i> reveals evidence for two glacial refugia and admixture from postglacial recolonization in an alpine ungulate. <i>Molecular Ecology</i> , 2016, 25, 3696-3705.	2.0	29
111	Genetic Testing for TMEM154 Mutations Associated with Lentivirus Susceptibility in Sheep. <i>PLoS ONE</i> , 2013, 8, e55490.	1.1	28
112	Red squirrels use territorial vocalizations for kin discrimination. <i>Animal Behaviour</i> , 2015, 107, 79-85.	0.8	27
113	Evolutionary rebound from selective harvesting. <i>Trends in Ecology and Evolution</i> , 2008, 23, 117-118.	4.2	26
114	Short Reads, Circular Genome: Skimming SOLiD Sequence to Construct the Bighorn Sheep Mitochondrial Genome. <i>Journal of Heredity</i> , 2012, 103, 140-146.	1.0	26
115	Targeting the detection of chronic wasting disease using the hunter harvest during early phases of an outbreak in Saskatchewan, Canada. <i>Preventive Veterinary Medicine</i> , 2012, 104, 149-159.	0.7	26
116	A quantitative trait locus analysis of personality in wild bighorn sheep. <i>Ecology and Evolution</i> , 2013, 3, 474-481.	0.8	26
117	A species-diagnostic SNP panel for discriminating lodgepole pine, jack pine, and their interspecific hybrids. <i>Tree Genetics and Genomes</i> , 2013, 9, 1119-1127.	0.6	26
118	The nature of nurture in a wild mammal's fitness. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20142422.	1.2	26
119	Phenological shifts in North American red squirrels: disentangling the roles of phenotypic plasticity and microevolution. <i>Journal of Evolutionary Biology</i> , 2018, 31, 810-821.	0.8	26
120	The new kid on the block: immigrant males win big whereas females pay fitness cost after dispersal. <i>Ecology Letters</i> , 2020, 23, 430-438.	3.0	26
121	Birds of a Feather do not Always Lek Together: Genetic Diversity and Kinship Structure of Greater Sage-Grouse (<i>Centrocercus urophasianus</i>) in Alberta. <i>Auk</i> , 2010, 127, 343-353.	0.7	25
122	Phylogeographic insights into an irruptive pest outbreak. <i>Ecology and Evolution</i> , 2012, 2, 908-919.	0.8	25
123	The genetic signature of rapid range expansions: How dispersal, growth and invasion speed impact heterozygosity and allele surfing. <i>Theoretical Population Biology</i> , 2014, 98, 1-10.	0.5	25
124	Paternal reproductive success drives sex allocation in a wild mammal. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 358-368.	1.1	25
125	Heritability of body size in the polar bears of Western Hudson Bay. <i>Molecular Ecology Resources</i> , 2018, 18, 854-866.	2.2	25
126	Genome-wide cross-amplification of domestic sheep microsatellites in bighorn sheep and mountain goats. <i>Molecular Ecology Resources</i> , 2009, 9, 1121-1126.	2.2	24

#	ARTICLE	IF	CITATIONS
127	Postweaning parental care increases fitness but is not heritable in North American red squirrels. <i>Journal of Evolutionary Biology</i> , 2015, 28, 1203-1212.	0.8	24
128	Towards robust evolutionary inference with integral projection models. <i>Journal of Evolutionary Biology</i> , 2017, 30, 270-288.	0.8	24
129	Indirect effects on fitness between individuals that have never met via an extended phenotype. <i>Ecology Letters</i> , 2019, 22, 697-706.	3.0	24
130	Male reproductive tactics to increase paternity in the polygynandrous Columbian ground squirrel (<i>Urocitellus columbianus</i>). <i>Behavioral Ecology and Sociobiology</i> , 2011, 65, 695-706.	0.6	23
131	The secret sex lives of sage-grouse: multiple paternity and intraspecific nest parasitism revealed through genetic analysis. <i>Behavioral Ecology</i> , 2013, 24, 29-38.	1.0	23
132	Demographic drivers of age-dependent sexual selection. <i>Journal of Evolutionary Biology</i> , 2016, 29, 1437-1446.	0.8	23
133	Fine-scale genetic correlates to condition and migration in a wild cervid. <i>Evolutionary Applications</i> , 2014, 7, 937-948.	1.5	22
134	The heritability of multiple male mating in a promiscuous mammal. <i>Biology Letters</i> , 2011, 7, 368-371.	1.0	21
135	(Lack of) Genetic Diversity in Immune Genes Predates Glacial Isolation in the North American Mountain Goat (<i>Oreamnos americanus</i>). <i>Journal of Heredity</i> , 2012, 103, 371-379.	1.0	21
136	Development of a Novel Mule Deer Genomic Assembly and Species-Diagnostic SNP Panel for Assessing Introgression in Mule Deer, White-Tailed Deer, and Their Interspecific Hybrids. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 911-919.	0.8	21
137	Social effects of territorial neighbours on the timing of spring breeding in North American red squirrels. <i>Journal of Evolutionary Biology</i> , 2019, 32, 559-571.	0.8	20
138	Harnessing cross-species alignment to discover SNPs and generate a draft genome sequence of a bighorn sheep (<i>Ovis canadensis</i>). <i>BMC Genomics</i> , 2015, 16, 397.	1.2	19
139	MICROSATELLITE MEASURES OF INBREEDING: A META-ANALYSIS. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 971.	1.1	18
140	<i>MC1R</i> variants correlate with thinhorn sheep colour cline but not individual colour. <i>Canadian Journal of Zoology</i> , 2008, 86, 147-150.	0.4	18
141	Predicting the spread-risk potential of chronic wasting disease to sympatric ungulate species. <i>Prion</i> , 2020, 14, 56-66.	0.9	18
142	Genomic analysis of morphometric traits in bighorn sheep using the Ovine Infinium [®] HD SNP BeadChip. <i>PeerJ</i> , 2018, 6, e4364.	0.9	18
143	Depauperate genetic variability detected in the American and European bison using genomic techniques. <i>Biology Direct</i> , 2009, 4, 48.	1.9	17
144	Fluctuating effects of genetic and plastic changes in body mass on population dynamics in a large herbivore. <i>Ecology</i> , 2017, 98, 2456-2467.	1.5	17

#	ARTICLE	IF	CITATIONS
145	Differentiation by dispersal. <i>Nature</i> , 2005, 433, 23-24.	13.7	15
146	No experimental effects of parasite load on male mating behaviour and reproductive success. <i>Animal Behaviour</i> , 2011, 82, 673-682.	0.8	15
147	Does reduced heterozygosity influence dispersal? A test using spatially structured populations in an alpine ungulate. <i>Biology Letters</i> , 2011, 7, 433-435.	1.0	15
148	Effects of introgression on the genetic population structure of two ecologically and economically important conifer species: lodgepole pine (<i>Pinus contorta</i> var. <i>latifolia</i>) and jack pine (<i>Pinus banksiana</i>). <i>Genome</i> , 2013, 56, 577-585.	0.9	15
149	Juxtaposition between host population structures: implications for disease transmission in a sympatric cervid community. <i>Evolutionary Applications</i> , 2013, 6, 1001-1011.	1.5	15
150	Population structure and dispersal of wolves in the Canadian Rocky Mountains. <i>Journal of Mammalogy</i> , 2016, 97, 839-851.	0.6	15
151	Polygamy and an absence of fine-scale structure in <i>Dendroctonus ponderosae</i> (Hopk.) (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overl	1.2	15
152	Characterization of 29 polymorphic artiodactyl microsatellite markers for the mountain goat (<i>Oreamnos americanus</i>). <i>Molecular Ecology Notes</i> , 2005, 5, 809-811.	1.7	14
153	Genetic diversity and structure in Canadian northern leopard frog (<i>Rana pipiens</i>) populations: implications for reintroduction programs. <i>Canadian Journal of Zoology</i> , 2008, 86, 863-874.	0.4	14
154	Daily energy expenditure during lactation is strongly selected in a free-living mammal. <i>Functional Ecology</i> , 2015, 29, 195-208.	1.7	14
155	Multiscale analysis reveals restricted gene flow and a linear gradient in heterozygosity for an island population of feral horses. <i>Canadian Journal of Zoology</i> , 2009, 87, 310-316.	0.4	13
156	The ontogeny of cross-sex genetic correlations: an analysis of patterns. <i>Journal of Evolutionary Biology</i> , 2009, 22, 2558-2562.	0.8	13
157	Phylogenetic relationships among the European and American bison and seven cattle breeds reconstructed using the BovineSNP50 Illumina Genotyping BeadChip. <i>Acta Theriologica</i> , 2010, 55, 97-108.	1.1	13
158	Not surprisingly, no inheritance of a trait results in no evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E4810.	3.3	13
159	Evaluation of 16 loci to examine the cross-species utility of single nucleotide polymorphism arrays. <i>Animal Genetics</i> , 2010, 41, 199-202.	0.6	12
160	Sexually selected infanticide by male red squirrels in advance of a mast year. <i>Ecology</i> , 2018, 99, 1242-1244.	1.5	12
161	Seeing the whole picture: What molecular ecology is gaining from whole genomes. <i>Molecular Ecology</i> , 2021, 30, 5917-5922.	2.0	12
162	Spatial and genetic structure of the lodgepole – jack pine hybrid zone. <i>Canadian Journal of Forest Research</i> , 2019, 49, 844-853.	0.8	11

#	ARTICLE	IF	CITATIONS
163	Sex- and context-specific associations between personality and a measure of fitness but no link with life history traits. <i>Animal Behaviour</i> , 2020, 167, 23-39.	0.8	11
164	Local effects of inbreeding on embryo number and consequences for genetic diversity in Kerguelen mouflon. <i>Biology Letters</i> , 2008, 4, 504-507.	1.0	10
165	Temporal dynamics of linkage disequilibrium in two populations of bighorn sheep. <i>Ecology and Evolution</i> , 2015, 5, 3401-3412.	0.8	10
166	Microsatellites at a common site in the second ORF of L1 elements in mammalian genomes. <i>Mammalian Genome</i> , 1996, 7, 386-387.	1.0	9
167	Determinants and long-term costs of early reproduction in males of a long-lived polygynous mammal. <i>Ecology and Evolution</i> , 2021, 11, 6829-6845.	0.8	9
168	Extent and direction of introgressive hybridization of mule and white-tailed deer in western Canada. <i>Evolutionary Applications</i> , 2021, 14, 1914-1925.	1.5	9
169	The effects of cyclic dynamics and mating system on the effective size of an island mouflon population. <i>Molecular Ecology</i> , 2007, 16, 4482-4492.	2.0	8
170	Deciphering translocations from relicts in Baranof Island mountain goats: is an endemic genetic lineage at risk?. <i>Conservation Genetics</i> , 2011, 12, 1261-1268.	0.8	8
171	Sexually antagonistic association between paternal phenotype and offspring viability reinforces total selection on a sexually selected trait. <i>Biology Letters</i> , 2014, 10, 20140043.	1.0	8
172	GENETIC CONSTRAINTS AND SEXUAL DIMORPHISM IN IMMUNE DEFENSE. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1844.	1.1	7
173	Genetic Structure of Muskrat (<i>Ondatra zibethicus</i>) and Its Concordance with Taxonomy in North America. <i>Journal of Heredity</i> , 2011, 102, 688-696.	1.0	7
174	Genomic Resources Notes accepted 1 June 2013-31 July 2013. <i>Molecular Ecology Resources</i> , 2014, 14, 218-218.	2.2	7
175	Using playback of territorial calls to investigate mechanisms of kin discrimination in red squirrels. <i>Behavioral Ecology</i> , 2017, 28, 382-390.	1.0	7
176	Alternative reproductive tactics and lifetime reproductive success in a polygynandrous mammal. <i>Behavioral Ecology</i> , 2019, 30, 474-482.	1.0	7
177	Isolation and characterization of polymorphic microsatellite loci in muskrat, <i>Ondatra zibethicus</i> . <i>Molecular Ecology Resources</i> , 2009, 9, 654-657.	2.2	6
178	Association mapping of genetic risk factors for chronic wasting disease in wild deer. <i>Evolutionary Applications</i> , 2013, 6, 340-352.	1.5	6
179	Comparing measures of breeding inequality and opportunity for selection with sexual selection on a quantitative character in bighorn rams. <i>Journal of Evolutionary Biology</i> , 2015, 28, 223-230.	0.8	6
180	Heritability of Horn Size in Thinhorn Sheep. <i>Frontiers in Genetics</i> , 2019, 10, 959.	1.1	6

#	ARTICLE	IF	CITATIONS
181	Management implications of highly resolved hierarchical population genetic structure in thinhorn sheep. <i>Conservation Genetics</i> , 2019, 20, 185-201.	0.8	6
182	Spatial genetic structure of Rocky Mountain bighorn sheep (<i>Ovis canadensis canadensis</i>) at the northern limit of their native range. <i>Canadian Journal of Zoology</i> , 2020, 98, 317-330.	0.4	6
183	POSITIVE GENETIC CORRELATION BETWEEN PARASITE RESISTANCE AND BODY SIZE IN A FREE-LIVING UNGULATE POPULATION. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 2116.	1.1	5
184	TECHNICAL ARTICLE: A test of the efficacy of whole-genome amplification on DNA obtained from low-yield samples. <i>Molecular Ecology Notes</i> , 2007, 7, 393-399.	1.7	5
185	Premating behavioral tactics of Columbian ground squirrels. <i>Journal of Mammalogy</i> , 2011, 92, 861-870.	0.6	5
186	Sexing the Sciuridae: a simple and accurate set of molecular methods to determine sex in tree squirrels, ground squirrels and marmots. <i>Molecular Ecology Resources</i> , 2012, 12, 806-809.	2.2	5
187	Genomic Resources Notes accepted 1 August 2013-30 September 2013. <i>Molecular Ecology Resources</i> , 2014, 14, 219-219.	2.2	5
188	Population Genetics of Arctic Grayling Distributed Across Large, Unobstructed River Systems. <i>Transactions of the American Fisheries Society</i> , 2014, 143, 802-816.	0.6	5
189	Linking genotype to phenotype to identify genetic variation relating to host susceptibility in the mountain pine beetle system. <i>Evolutionary Applications</i> , 2020, 13, 48-61.	1.5	5
190	Measuring fitness and inferring natural selection from long-term field studies: different measures lead to nuanced conclusions. <i>Behavioral Ecology and Sociobiology</i> , 2022, 76, .	0.6	5
191	Molecular cryptozoology meets the Sasquatch. <i>Trends in Ecology and Evolution</i> , 2006, 21, 60-61.	4.2	4
192	Isolation and characterization of nine polymorphic microsatellite loci in the northern crayfish (<i>Orconectes virilis</i>). <i>Conservation Genetics Resources</i> , 2010, 2, 235-237.	0.4	4
193	Ancient hybridization patterns between bighorn and thinhorn sheep. <i>Molecular Ecology</i> , 2021, 30, 6273-6288.	2.0	4
194	Genomic Resources Notes accepted 1 April 2013â€“31 May 2013. <i>Molecular Ecology Resources</i> , 2013, 13, 965-965.	2.2	3
195	Is biasing offspring sex ratio adaptive? A test of Fisher's principle across multiple generations of a wild mammal in a fluctuating environment. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20181251.	1.2	3
196	Ewe are what ewe wear: bigger horns, better ewes and the potential consequence of trophy hunting on female fitness in bighorn sheep. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, 20212534.	1.2	2
197	SELECTION AND GENETIC (CO)VARIANCE IN BIGHORN SHEEP. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1372.	1.1	1
198	Development of eight microsatellite loci from the endangered huemul (<i>Hippocamelus bisulcus</i>) and cross-species amplification in six other ungulate species. <i>Conservation Genetics Resources</i> , 2012, 4, 571-573.	0.4	1

#	ARTICLE	IF	CITATIONS
199	Recipient of the 2010 Molecular Ecology Prize: Josephine Pemberton. <i>Molecular Ecology</i> , 2011, 20, 22-24.	2.0	0
200	Lodgepole pine, jack pine, and their hybrids: molecular markers reveal mountain pine beetle host-range expansion into jack pine of the boreal forest. <i>BMC Proceedings</i> , 2011, 5, O3.	1.8	0
201	Hydrogeographic Vicariance Determines the Genetic Structure of Northwestern Walleye Populations. <i>Transactions of the American Fisheries Society</i> , 2012, 141, 697-706.	0.6	0
202	An independent experiment does not support stress-mediated kin discrimination through red squirrel vocalizations. <i>Animal Behaviour</i> , 2021, 176, 185-192.	0.8	0