

Nam Q Nguyen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3003492/nam-q-nguyen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

5,790

citations

27

h-index

76

g-index

83

ext. papers

7,288

ext. citations

6.3

avg, IF

4.61

L-index

#	Paper	IF	Citations
83	Endoscopic ultrasound-guided gastroenterostomy using an oroenteric catheter-assisted technique: a retrospective analysis. <i>Endoscopy</i> , 2021 , 53, 1246-1249	3.4	1
82	Pseudoachalasia: a diagnostic challenge. When to consider and how to manage?. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 747-752	2.4	1
81	Combined chemotherapy and endoscopic ultrasound-guided intratumoral 32P implantation for locally advanced pancreatic adenocarcinoma: a pilot study. <i>Endoscopy</i> , 2021 ,	3.4	3
80	Eosinophilic Esophagitis and IgG4: Is There a Relationship?. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 4099-4108	4	4
79	A Gut-Intrinsic Melanocortin Signaling Complex Augments L-Cell Secretion in Humans. <i>Gastroenterology</i> , 2021 , 161, 536-547.e2	13.3	4
78	AGITG MASTERPLAN: a randomised phase II study of modified FOLFIRINOX alone or in combination with stereotactic body radiotherapy for patients with high-risk and locally advanced pancreatic cancer. <i>BMC Cancer</i> , 2021 , 21, 936	4.8	1
77	Characteristics and progression of childhood-onset and adult-onset eosinophilic esophagitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 ,	4	2
76	Comparison of Cap-Assisted vs Conventional Endoscopic Technique for Management of Food Bolus Impaction in the Esophagus: Results of a Multicenter Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2021 , 116, 2235-2240	0.7	0
75	Endoscopic Ultrasound-guided Fine-needle Biopsy With or Without Rapid On-site Evaluation for Diagnosis of Solid Pancreatic Lesions: A Randomized Controlled Non-Inferiority Trial. <i>Gastroenterology</i> , 2021 , 161, 899-909.e5	13.3	36
74	Using single-operator cholangioscopy for endoscopic evaluation of indeterminate biliary strictures: results from a large multinational registry. <i>Endoscopy</i> , 2020 , 52, 574-582	3.4	15
73	Endoscopic ultrasound-guided tissue acquisition with or without macroscopic on-site evaluation: randomized controlled trial. <i>Endoscopy</i> , 2020 , 52, 856-863	3.4	13
72	An international, multi-institution survey on performing EUS-FNA and fine needle biopsy. <i>Endoscopic Ultrasound</i> , 2020 , 9, 319-328	3.6	8
71	Australasian Gastrointestinal Trials Group (AGITG) and Trans-Tasman Radiation Oncology Group (TROG) Guidelines for Pancreatic Stereotactic Body Radiation Therapy (SBRT). <i>Practical Radiation Oncology</i> , 2020 , 10, e136-e146	2.8	21
70	Precision Oncology in Surgery: Patient Selection for Operable Pancreatic Cancer. <i>Annals of Surgery</i> , 2020 , 272, 366-376	7.8	24
69	Distinguishing gastroesophageal reflux disease and eosinophilic esophagitis in adults: The role of esophageal mucosal immunoglobulin G4. <i>JGH Open</i> , 2020 , 4, 851-855	1.8	2
68	Correction: Cholangioscopy-guided lithotripsy for difficult bile duct stone clearance in a single session of ERCP: results from a large multinational registry demonstrate high success rates. <i>Endoscopy</i> , 2019 , 51, C4	3.4	1
67	The prevalence and impact of low faecal elastase-1 in community-based patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2019 , 156, 107822	7.4	1

66	Performance of a new preloaded fiducial needle to guide radiation therapy of upper gastrointestinal cancers. <i>Endoscopy</i> , 2019 , 51, 463-467	3.4	9
65	Sugar Responses of Human Enterochromaffin Cells Depend on Gut Region, Sex, and Body Mass. <i>Nutrients</i> , 2019 , 11,	6.7	11
64	Cholangioscopy-guided lithotripsy for difficult bile duct stone clearance in a single session of ERCP: results from a large multinational registry demonstrate high success rates. <i>Endoscopy</i> , 2019 , 51, 922-929	3.4	20
63	PanCO: An open-label, single-arm pilot study of phosphorus-32 (P-32; Oncosil) microparticles in patients with unresectable locally advanced pancreatic adenocarcinoma (LAPC) in combination with FOLFIRINOX or gemcitabine + nab-paclitaxel (GNP) chemotherapies.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4125-4125	2.2	3
62	An international, multi-institution survey of the use of EUS in the diagnosis of pancreatic cystic lesions. <i>Endoscopic Ultrasound</i> , 2019 , 8, 418-427	3.6	5
61	Application of stereotactic body radiotherapy in advanced pancreatic cancers in Australia. <i>Journal of Medical Radiation Sciences</i> , 2019 , 66, 54-61	1.5	2
60	Augmented capacity for peripheral serotonin release in human obesity. <i>International Journal of Obesity</i> , 2018 , 42, 1880-1889	5.5	37
59	Impact of gastric emptying and small intestinal transit on blood glucose, intestinal hormones, glucose absorption in the morbidly obese. <i>International Journal of Obesity</i> , 2018 , 42, 1556-1564	5.5	11
58	Effectiveness of a cap-assisted device in the endoscopic removal of food bolus obstruction from the esophagus. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1198-1203	5.2	9
57	A multi-institution consensus on how to perform EUS-guided biliary drainage for malignant biliary obstruction. <i>Endoscopic Ultrasound</i> , 2018 , 7, 356-365	3.6	35
56	Gastro-oesophageal reflux disease and eosinophilic oesophagitis: What is the relationship?. <i>World Journal of Gastrointestinal Pathophysiology</i> , 2018 , 9, 63-72	3.2	1
55	Value of routine duodenal mucosal biopsies in the evaluation of anemia in a large Australian referral centre. <i>JGH Open</i> , 2018 , 2, 191-195	1.8	
54	Whole-genome landscape of pancreatic neuroendocrine tumours. <i>Nature</i> , 2017 , 543, 65-71	50.4	482
53	Ultrathin disposable gastroscopes for screening and surveillance of gastroesophageal varices in patients with liver cirrhosis: a prospective comparative study. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 1212-1217	5.2	8
52	Hypermutation In Pancreatic Cancer. <i>Gastroenterology</i> , 2017 , 152, 68-74.e2	13.3	130
51	Use of aspartate aminotransferase to platelet ratio to reduce the need for FibroScan in the evaluation of liver fibrosis. <i>World Journal of Hepatology</i> , 2017 , 9, 791-796	3.4	6
50	Future role of endoscopic ultrasound in personalized management of pancreatic cancer. <i>Endoscopic Ultrasound</i> , 2017 , 6, 300-307	3.6	3
49	Practice guidelines for endoscopic ultrasound-guided celiac plexus neurolysis. <i>Endoscopic Ultrasound</i> , 2017 , 6, 369-375	3.6	26

48	Effects of Fat and Protein Preloads on Pouch Emptying, Intestinal Transit, Glycaemia, Gut Hormones, Glucose Absorption, Blood Pressure and Gastrointestinal Symptoms After Roux-en-Y Gastric Bypass. <i>Obesity Surgery</i> , 2016 , 26, 77-84	3.7	12
47	Genomic analyses identify molecular subtypes of pancreatic cancer. <i>Nature</i> , 2016 , 531, 47-52	50.4	1785
46	Gastrointestinal: Utility of per-oral cholangioscopy in the diagnosis of portal hypertension associated biliopathy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1798	4	1
45	The effect of camicinal (GSK962040), a motilin agonist, on gastric emptying and glucose absorption in feed-intolerant critically ill patients: a randomized, blinded, placebo-controlled, clinical trial. <i>Critical Care</i> , 2016 , 20, 232	10.8	31
44	Psychomotor and cognitive effects of 15-minute inhalation of methoxyflurane in healthy volunteers: implication for post-colonoscopy care. <i>Endoscopy International Open</i> , 2016 , 4, E1171-E1177	3	7
43	Whole genomes redefine the mutational landscape of pancreatic cancer. <i>Nature</i> , 2015 , 518, 495-501	50.4	1579
42	Effects of Posture and Meal Volume on Gastric Emptying, Intestinal Transit, Oral Glucose Tolerance, Blood Pressure and Gastrointestinal Symptoms After Roux-en-Y Gastric Bypass. <i>Obesity Surgery</i> , 2015 , 25, 1392-400	3.7	25
41	Effect of Critical Illness on Triglyceride Absorption. <i>Journal of Parenteral and Enteral Nutrition</i> , 2015 , 39, 966-72	4.2	27
40	Accelerated intestinal glucose absorption in morbidly obese humans: relationship to glucose transporters, incretin hormones, and glycemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 968-76	5.6	68
39	Long-term outcomes of direct percutaneous endoscopic jejunostomy: a 10-year cohort. <i>Endoscopy International Open</i> , 2015 , 3, E610-4	3	14
38	Nutritional care in hospitalized patients with chronic liver disease. <i>World Journal of Gastroenterology</i> , 2015 , 21, 12835-42	5.6	25
37	Portable inhaled methoxyflurane is feasible and safe for colonoscopy in subjects with morbid obesity and/or obstructive sleep apnea. <i>Endoscopy International Open</i> , 2015 , 3, E487-93	3	8
36	Rapid gastric and intestinal transit is a major determinant of changes in blood glucose, intestinal hormones, glucose absorption and postprandial symptoms after gastric bypass. <i>Obesity</i> , 2014 , 22, 2003-9	8	72
35	Characterization of duodenal expression and localization of fatty acid-sensing receptors in humans: relationships with body mass index. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, G958-67	5.1	34
34	Upregulation of intestinal glucose transporters after Roux-en-Y gastric bypass to prevent carbohydrate malabsorption. <i>Obesity</i> , 2014 , 22, 2164-71	8	42
33	Pharmacological therapy of feed intolerance in the critically ill. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2014 , 5, 148-55	3	7
32	Biomarker assessment from EUS-guided biopsy to predict outcomes and treatment in pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 182-182	2.2	1
31	Gastric emptying measurement of liquid nutrients using the (13)C-octanoate breath test in critically ill patients: a comparison with scintigraphy. <i>Intensive Care Medicine</i> , 2013 , 39, 1238-46	14.5	24

30	Clinical utility of EUS before cholangioscopy in the evaluation of difficult biliary strictures. <i>Gastrointestinal Endoscopy</i> , 2013 , 78, 868-874	5.2	27
29	Patient-controlled analgesia with inhaled methoxyflurane versus conventional endoscopist-provided sedation for colonoscopy: a randomized multicenter trial. <i>Gastrointestinal Endoscopy</i> , 2013 , 78, 892-901	5.2	26
28	Outcomes of Roux-en-Y gastric bypass and laparoscopic adjustable gastric banding. <i>World Journal of Gastroenterology</i> , 2013 , 19, 6035-43	5.6	20
27	Delayed enteral feeding impairs intestinal carbohydrate absorption in critically ill patients. <i>Critical Care Medicine</i> , 2012 , 40, 50-4	1.4	47
26	Endoscopic ultrasound-guided fine needle core biopsy versus aspiration for gastrointestinal mass lesions: A randomized trial.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 161-161	2.2	1
25	Use of endoscopic ultrasound to reduce the need for SpyGlass cholangioscopy and improve its diagnostic yield.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 169-169	2.2	
24	Plasma erythromycin concentrations predict feeding outcomes in critically ill patients with feed intolerance. <i>Critical Care Medicine</i> , 2011 , 39, 868-71	1.4	31
23	Relationship between altered small intestinal motility and absorption after abdominal aortic aneurysm repair. <i>Intensive Care Medicine</i> , 2011 , 37, 610-8	14.5	11
22	Current issues on safety of prokinetics in critically ill patients with feed intolerance. <i>Therapeutic Advances in Drug Safety</i> , 2011 , 2, 197-204	3.5	7
21	Impact of bolus volume on small intestinal intra-luminal impedance in healthy subjects. <i>World Journal of Gastroenterology</i> , 2010 , 16, 2151-7	5.6	3
20	Application of per oral cholangiopancreatography in pancreatobiliary diseases. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 962-9	4	4
19	Cholangioscopy and pancreatoscopy (with videos). <i>Gastrointestinal Endoscopy</i> , 2009 , 70, 1200-10	5.2	41
18	The impact of delaying enteral feeding on gastric emptying, plasma cholecystokinin, and peptide YY concentrations in critically ill patients. <i>Critical Care Medicine</i> , 2008 , 36, 1469-74	1.4	81
17	Risk of Clostridium difficile diarrhoea in critically ill patients treated with erythromycin-based prokinetic therapy for feed intolerance. <i>Intensive Care Medicine</i> , 2008 , 34, 169-73	14.5	28
16	The effects of sedation on gastric emptying and intra-gastric meal distribution in critical illness. <i>Intensive Care Medicine</i> , 2008 , 34, 454-60	14.5	103
15	Diminished functional association between proximal and distal gastric motility in critically ill patients. <i>Intensive Care Medicine</i> , 2008 , 34, 1246-55	14.5	23
14	The impact of admission diagnosis on gastric emptying in critically ill patients. <i>Critical Care</i> , 2007 , 11, R16	10.8	100
13	The relationship between gastric emptying, plasma cholecystokinin, and peptide YY in critically ill patients. <i>Critical Care</i> , 2007 , 11, R132	10.8	34

12	The relationship between blood glucose control and intolerance to enteral feeding during critical illness. <i>Intensive Care Medicine</i> , 2007 , 33, 2085-92	14.5	32
11	Erythromycin is more effective than metoclopramide in the treatment of feed intolerance in critical illness. <i>Critical Care Medicine</i> , 2007 , 35, 483-9	1.4	159
10	Feed intolerance in critical illness is associated with increased basal and nutrient-stimulated plasma cholecystokinin concentrations. <i>Critical Care Medicine</i> , 2007 , 35, 82-8	1.4	85
9	Prokinetic therapy for feed intolerance in critical illness: one drug or two?. <i>Critical Care Medicine</i> , 2007 , 35, 2561-7	1.4	106
8	Proximal gastric motility in critically ill patients with type 2 diabetes mellitus. <i>World Journal of Gastroenterology</i> , 2007 , 13, 270-5	5.6	9
7	Relationship between pressure wave amplitude and esophageal bolus clearance assessed by combined manometry and multichannel intraluminal impedance measurement. <i>American Journal of Gastroenterology</i> , 2006 , 101, 2476-84	0.7	30
6	Fasting and nutrient-stimulated plasma peptide-YY levels are elevated in critical illness and associated with feed intolerance: an observational, controlled study. <i>Critical Care</i> , 2006 , 10, R175	10.8	23
5	Long-standing type II diabetes mellitus is not a risk factor for slow gastric emptying in critically ill patients. <i>Intensive Care Medicine</i> , 2006 , 32, 1365-70	14.5	13
4	Push enteroscopy alters management in a majority of patients with obscure gastrointestinal bleeding. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 716-21	4	18
3	Recent developments in esophageal motor disorders. <i>Current Opinion in Gastroenterology</i> , 2005 , 21, 478-84	3	19
2	Gastroesophageal reflux disease. <i>Current Opinion in Gastroenterology</i> , 2003 , 19, 373-8	3	5
1	Embolotherapy for small bowel angiodysplasia. <i>Gastrointestinal Endoscopy</i> , 2003 , 58, 797-800	5.2	7