

# Xiao-Yong Lai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3004861/publications.pdf>

Version: 2024-02-01

61  
papers

5,896  
citations

172457

29  
h-index

118850

62  
g-index

62  
all docs

62  
docs citations

62  
times ranked

8187  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Product distribution from oil sludge and waste tires under high pressure pyrolysis. <i>Fuel</i> , 2022, 311, 122511.   | 6.4  | 17        |
| 2  | Enhanced charge separation efficiency of sulfur-doped TiO <sub>2</sub> nanorod arrays for an improved photoelectrochemical glucose sensing performance. <i>Journal of Materials Science</i> , 2022, 57, 1362-1372.                       | 3.7  | 6         |
| 3  | Highly porous nitrogen-doped carbon superstructures derived from the intramolecular cyclization-induced crystallization-driven self-assembly of poly(amic acid). <i>Nanoscale Advances</i> , 2022, 4, 1422-1430.                         | 4.6  | 5         |
| 4  | First-principles calculations of OD/2D GQDs@MoS <sub>2</sub> mixed van der Waals heterojunctions for photocatalysis: a transition from type I to type II. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 8529-8536.              | 2.8  | 17        |
| 5  | A Photoelectrochemical Platform Based on Polyaniline-Modified Titanium Dioxide Facet Heterostructure. <i>ACS Applied Bio Materials</i> , 2022, 5, 1297-1304.   | 4.6  | 1         |
| 6  | Pomegranate-like mesoporous double carbon-coated Fe <sub>2</sub> P nanoparticles as advanced anode materials for sodium-ion batteries. <i>Journal of Materials Science</i> , 2022, 57, 9389-9402.  | 3.7  | 3         |
| 7  | Ordered large-pore mesoporous ZnCr <sub>2</sub> O <sub>4</sub> with ultrathin crystalline frameworks for highly sensitive and selective detection of ppb-level p-xylene. <i>Sensors and Actuators B: Chemical</i> , 2022, 365, 131964.   | 7.8  | 5         |
| 8  | Insight into tar thermal cracking and catalytic cracking by char: Characteristics and kinetics. <i>Fuel</i> , 2022, 326, 124929.   | 6.4  | 8         |
| 9  | Hollow Co <sub>3</sub> O <sub>4</sub> dodecahedrons with controlled crystal orientation and oxygen vacancies for the high performance oxygen evolution reaction. <i>Materials Chemistry Frontiers</i> , 2021, 5, 259-267.                | 5.9  | 22        |
| 10 | Improving the photocatalytic H <sub>2</sub> evolution activity of Keggin polyoxometalates anchoring copper-azole complexes. <i>Green Chemistry</i> , 2021, 23, 3104-3114.  | 9.0  | 77        |
| 11 | An irregular-octagonal-prism-shaped host-guest supramolecular network based on silicotungstate and manganese-complex for light-driven hydrogen evolution. <i>New Journal of Chemistry</i> , 2021, 45, 3954-3959.                         | 2.8  | 3         |
| 12 | Ordered mesoporous ZnGa <sub>2</sub> O <sub>4</sub> for photocatalytic hydrogen evolution. <i>Materials Chemistry Frontiers</i> , 2021, 5, 5790-5797.  | 5.9  | 6         |
| 13 | Co <sub>3</sub> O <sub>4</sub> /N-doped RGO nanocomposites derived from MOFs and their highly enhanced gas sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2020, 303, 127219.  | 7.8  | 53        |
| 14 | Salt-Resistant Carbon Nanotubes/Polyvinyl Alcohol Hybrid Gels with Tunable Water Transport for High-Efficiency and Long-Term Solar Steam Generation. <i>Energy Technology</i> , 2020, 8, 1900721.  | 3.8  | 46        |
| 15 | Hierarchical structure N, O-co-doped porous carbon/carbon nanotube composite derived from coal for supercapacitors and CO <sub>2</sub> capture. <i>Nanoscale Advances</i> , 2020, 2, 878-887.  | 4.6  | 40        |
| 16 | Theoretical insights on type I/II photoreactions of potential Zn(II) polypyridyl photosensitizers for two-photon photodynamic therapy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 242, 118771. | 3.9  | 3         |
| 17 | Review of Carbon Fixation Evaluation and Emission Reduction Effectiveness for Biochar in China. <i>Energy &amp; Fuels</i> , 2020, 34, 10583-10606.   | 5.1  | 39        |
| 18 | Sandwich Photothermal Membrane with Confined Hierarchical Carbon Cells Enabling High-Efficiency Solar Steam Generation. <i>Small</i> , 2020, 16, e2000573.   | 10.0 | 67        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Mechanism of catalytic tar reforming over biochar: Description of volatile-H <sub>2</sub> O-char interaction. <i>Fuel</i> , 2020, 275, 117954.   | 6.4  | 45        |
| 20 | Catalytic Mechanism of K and Ca on the Volatile-Biochar Interaction for Rapid Pyrolysis of Biomass: Experimental and Simulation Studies. <i>Energy &amp; Fuels</i> , 2020, 34, 9741-9753.  | 5.1  | 34        |
| 21 | TiO <sub>2</sub> nanotubes modified with polydopamine and graphene quantum dots as a photochemical biosensor for the ultrasensitive detection of glucose. <i>Journal of Materials Science</i> , 2020, 55, 6105-6117.   | 3.7  | 19        |
| 22 | A CoMoO <sub>4</sub> ·Co <sub>2</sub> Mo <sub>3</sub> O <sub>8</sub> heterostructure with valence-rich molybdenum for a high-performance hydrogen evolution reaction in alkaline solution. <i>Journal of Materials Chemistry A</i> , 2019, 7, 16761-16769.                     | 10.3 | 50        |
| 23 | Theoretical insight into the photophysical properties of long-lifetime Ir(III) and Rh(III) complexes for two-photon photodynamic therapy. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 8394-8401.  | 2.8  | 4         |
| 24 | Magnetism, stability and electronic properties of a novel one-dimensional infinite monatomic copper wire: a density functional study. <i>New Journal of Chemistry</i> , 2019, 43, 5065-5069.   | 2.8  | 1         |
| 25 | Simultaneous Electrochemical Detection of Nitrite and Hydrogen Peroxide Based on 3D Au-rGO/FTO Obtained Through a One-Step Synthesis. <i>Sensors</i> , 2019, 19, 1304.   | 3.8  | 12        |
| 26 | Controlled synthesis and enhanced toluene-sensing properties of mesoporous Ni <sub>x</sub> Co <sub>1-x</sub> Fe <sub>2</sub> O <sub>4</sub> nanostructured microspheres with tunable composite. <i>Sensors and Actuators B: Chemical</i> , 2019, 280, 227-234.                 | 7.8  | 29        |
| 27 | Synthesis and Enhanced Formaldehyde-Sensing Properties of In <sub>2</sub> O <sub>3</sub> Hollow Spheres with Thin Shells. <i>Journal of Electronic Materials</i> , 2018, 47, 2165-2170.  | 2.2  | 5         |
| 28 | Volatile Organic Compound Gas-Sensing Properties of Bimodal Porous $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> with Ultrahigh Sensitivity and Fast Response. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 13702-13711.   | 8.0  | 87        |
| 29 | Ordered mesoporous NiFe <sub>2</sub> O <sub>4</sub> with ultrathin framework for low-ppb toluene sensing. <i>Science Bulletin</i> , 2018, 63, 187-193.   | 9.0  | 26        |
| 30 | Field-induced slow relaxation of magnetization in a distorted octahedral mononuclear high-spin Co(II) complex. <i>CrystEngComm</i> , 2018, 20, 962-968.  | 2.6  | 9         |
| 31 | Chestnut-like CoFe <sub>2</sub> O <sub>4</sub> @SiO <sub>2</sub> @In <sub>2</sub> O <sub>3</sub> nanocomposite microspheres with enhanced acetone sensing property. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 3364-3373.   | 7.8  | 40        |
| 32 | Microwave-assisted fast synthesis of hierarchical NiCo <sub>2</sub> O <sub>4</sub> nanoflower-like supported Ni(OH) <sub>2</sub> nanoparticles with an enhanced electrocatalytic activity towards methanol oxidation. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 172-182. | 6.0  | 36        |
| 33 | A theoretical study of a series of water-soluble triphenylamine photosensitizers for two-photon photodynamic therapy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 203, 229-235.   | 3.9  | 3         |
| 34 | Theoretical study on photophysical properties of three high water solubility polypyridyl complexes for two-photon photodynamic therapy. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 18074-18081.  | 2.8  | 12        |
| 35 | Light manipulation in a dually ordered porous TiO <sub>2</sub> -rGO composite for efficient solar energy utilization. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 578-580.   | 6.0  | 3         |
| 36 | Ordered Large-Pore Mesoporous Cr <sub>2</sub> O <sub>3</sub> with Ultrathin Framework for Formaldehyde Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 18170-18177.  | 8.0  | 47        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Synthesis and electrochemical performance of NaV <sub>6</sub> O <sub>15</sub> microflowers for lithium and sodium ion batteries. RSC Advances, 2017, 7, 29481-29488.  | 3.6  | 38        |
| 38 | Size-Controlled Silver Nanoparticles Confined in Ordered Mesoporous Silica and Their Enhanced Catalytic Activities. Nano, 2017, 12, 1750104.  | 1.0  | 1         |
| 39 | New Mg <sup>2+</sup> , Mn <sup>2+</sup> coordination complexes with quinoline-monoacylhydrazidate ligand via in situ acylation reaction. Inorganica Chimica Acta, 2017, 467, 67-74.                                 | 2.4  | 1         |
| 40 | 3D NiO hollow sphere/reduced graphene oxide composite for high-performance glucose biosensor. Scientific Reports, 2017, 7, 5220.  | 3.3  | 132       |
| 41 | Highly sensitive acetone gas sensor based on ultrafine $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> nanoparticles. Sensors and Actuators B: Chemical, 2017, 238, 923-927.   | 7.8  | 126       |
| 42 | Hierarchical NiCo <sub>2</sub> O <sub>4</sub> Hollow Sphere as a Peroxidase Mimetic for Colorimetric Detection of H <sub>2</sub> O <sub>2</sub> and Glucose. Sensors, 2017, 17, 217.                                | 3.8  | 29        |
| 43 | Ultrathin $\beta$ -Al <sub>2</sub> O <sub>3</sub> nanofibers with large specific surface area and their enhanced thermal stability by Si-doping. RSC Advances, 2015, 5, 54053-54058.                                | 3.6  | 28        |
| 44 | Ordered mesoporous NiO with thin pore walls and its enhanced sensing performance for formaldehyde. Nanoscale, 2015, 7, 4005-4012.   | 5.6  | 110       |
| 45 | Controlling synthesis and gas-sensing properties of ordered mesoporous In <sub>2</sub> O <sub>3</sub> -reduced graphene oxide (rGO) nanocomposite. Science Bulletin, 2015, 60, 1348-1354.                           | 9.0  | 30        |
| 46 | Multi-shelled hollow micro-/nanostructures. Chemical Society Reviews, 2015, 44, 6749-6773.  | 38.1 | 603       |
| 47 | Synthesis and photocatalytic activity of hierarchical flower-like SrTiO <sub>3</sub> nanostructure. Science China Materials, 2015, 58, 192-197.   | 6.3  | 28        |
| 48 | Recent advances in micro-/nano-structured hollow spheres for energy applications: From simple to complex systems. Energy and Environmental Science, 2012, 5, 5604-5618.   | 30.8 | 1,069     |
| 49 | A Novel and Highly Efficient Photocatalyst Based on P25-Graphdiyne Nanocomposite. Small, 2012, 8, 265-271.  | 10.0 | 289       |
| 50 | Hierarchical Hydroxyapatite Microspheres Composed of Nanorods and Their Competitive Sorption Behavior for Heavy Metal Ions. European Journal of Inorganic Chemistry, 2012, 2012, 2665-2668.                         | 2.0  | 14        |
| 51 | Ordered array of Ag-In <sub>2</sub> O <sub>3</sub> composite nanorods with enhanced gas-sensing properties. Scripta Materialia, 2012, 67, 293-296.  | 5.2  | 33        |
| 52 | Accurate Control of Multishelled ZnO Hollow Microspheres for Dye-Sensitized Solar Cells with High Efficiency. Advanced Materials, 2012, 24, 1046-1049.  | 21.0 | 482       |
| 53 | Hierarchically Ordered Macro-Mesoporous TiO <sub>2</sub> -Graphene Composite Films: Improved Mass Transfer, Reduced Charge Recombination, and Their Enhanced Photocatalytic Activities. ACS Nano, 2011, 5, 590-596. | 14.6 | 715       |
| 54 | Formation of efficient dye-sensitized solar cells by introducing an interfacial layer of hierarchically ordered macro-mesoporous TiO <sub>2</sub> film. Science China Chemistry, 2011, 54, 930-935.                 | 8.2  | 19        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Hierarchically Mesoporous Hematite Microspheres and Their Enhanced Formaldehyde Sensing Properties. <i>Small</i> , 2011, 7, 578-582.   | 10.0 | 92        |
| 56 | General Synthesis and Gas Sensing Properties of Multiple-Shell Metal Oxide Hollow Microspheres. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 2738-2741.          | 13.8 | 517       |
| 57 | One-Pot Synthesis of Porous Hematite Hollow Microspheres and Their Application in Water Treatment. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 7707-7710.       | 0.9  | 28        |
| 58 | Ordered Arrays of Bead-Chain-like $\text{In}_2\text{O}_3$ Nanorods and Their Enhanced Sensing Performance for Formaldehyde. <i>Chemistry of Materials</i> , 2010, 22, 3033-3042. | 6.7  | 140       |
| 59 | Morphology manipulation of $\gamma\text{-Fe}_2\text{O}_3$ in the mixed solvent system. <i>Solid State Sciences</i> , 2009, 11, 2056-2059.  | 3.2  | 25        |
| 60 | General Synthesis of Homogeneous Hollow Core-Shell Ferrite Microspheres. <i>Journal of Physical Chemistry C</i> , 2009, 113, 2792-2797.  | 3.1  | 220       |
| 61 | Direct hydrothermal synthesis of single-crystalline hematite nanorods assisted by 1,2-propanediamine. <i>Nanotechnology</i> , 2009, 20, 245603.                                  | 2.6  | 100       |