

Vitaliana De Sanctis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3005082/publications.pdf>

Version: 2024-02-01

94
papers

1,987
citations

257101

24
h-index

288905

40
g-index

95
all docs

95
docs citations

95
times ranked

3242
citing authors

#	ARTICLE	IF	CITATIONS
1	Phase II Study of Short-Course Radiotherapy Plus Concomitant and Adjuvant Temozolomide in Elderly Patients With Glioblastoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 93-99.	0.4	129
2	Early haemorrhagic morbidity and mortality during remission induction with or without all-trans retinoic acid in acute promyelocytic leukaemia. <i>British Journal of Haematology</i> , 2000, 108, 689-695.	1.2	116
3	Mucositis in head and neck cancer patients treated with radiotherapy and systemic therapies: Literature review and consensus statements.. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 100, 147-166.	2.0	112
4	Swallowing dysfunction in head and neck cancer patients treated by radiotherapy: Review and recommendations of the supportive task group of the Italian Association of Radiation Oncology. <i>Cancer Treatment Reviews</i> , 2012, 38, 1033-1049.	3.4	106
5	Dysphagia in head and neck cancer patients treated with radiotherapy and systemic therapies: Literature review and consensus. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 96, 372-384.	2.0	95
6	Health-Related Quality of Life in Elderly Patients With Newly Diagnosed Glioblastoma Treated With Short-Course Radiation Therapy Plus Concomitant and Adjuvant Temozolomide. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 285-291.	0.4	62
7	Lung Metastases Treated With Stereotactic Ablative Radiation Therapy in Oligometastatic Colorectal Cancer Patients: Outcomes and Prognostic Factors After Long-Term Follow-Up. <i>Clinical Colorectal Cancer</i> , 2017, 16, 58-64.	1.0	59
8	<i>Lactobacillus brevis</i> CD2 for Prevention of Oral Mucositis in Patients With Head and Neck Tumors: A Multicentric Randomized Study. <i>Anticancer Research</i> , 2019, 39, 1935-1942.	0.5	55
9	Hypofractionated stereotactic radiotherapy and continuous low-dose temozolomide in patients with recurrent or progressive malignant gliomas. <i>Journal of Neuro-Oncology</i> , 2013, 111, 187-194.	1.4	53
10	Clinical Outcomes of Single Dose Stereotactic Radiotherapy for Lung Metastases. <i>Clinical Lung Cancer</i> , 2013, 14, 699-703.	1.1	51
11	Stereotactic radiosurgery in elderly patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2013, 111, 319-325.	1.4	48
12	Acute skin toxicity management in head and neck cancer patients treated with radiotherapy and chemotherapy or EGFR inhibitors: Literature review and consensus. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 96, 167-182.	2.0	46
13	Image Guided Hypofractionated 3-Dimensional Radiation Therapy in Patients With Inoperable Advanced Stage Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, e157-e163.	0.4	43
14	Cytokines, Fatigue, and Cutaneous Erythema in Early Stage Breast Cancer Patients Receiving Adjuvant Radiation Therapy. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	42
15	MACOP-B and Involved-Field Radiotherapy Is an Effective and Safe Therapy for Primary Mediastinal Large B Cell Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 1154-1160.	0.4	40
16	Pathogenetic and clinical implications of Bcl-6 and Bcl-2 gene configuration in nodal diffuse large B-cell lymphomas. , 1997, 183, 281-286.		39
17	Secondary malignant neoplasms, progression-free survival and overall survival in patients treated for Hodgkin lymphoma: a systematic review and meta-analysis of randomized clinical trials. <i>Haematologica</i> , 2017, 102, 1748-1757.	1.7	38
18	Long-term evaluation of 164 patients with essential thrombocythaemia treated with pipobroman: occurrence of leukaemic evolution. <i>British Journal of Haematology</i> , 2003, 123, 517-521.	1.2	35

#	ARTICLE	IF	CITATIONS
19	Prevalence, characteristics, and treatment of fatigue in oncological cancer patients in Italy: a cross-sectional study of the Italian Network for Supportive Care in Cancer (NICSO). <i>Supportive Care in Cancer</i> , 2019, 27, 1041-1047.	1.0	35
20	Sepsis in head and neck cancer patients treated with chemotherapy and radiation: Literature review and consensus. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 95, 191-213.	2.0	33
21	The point of pain in head and neck cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 138, 51-59.	2.0	30
22	Integral Dose and Radiation-Induced Secondary Malignancies: Comparison between Stereotactic Body Radiation Therapy and Three-Dimensional Conformal Radiotherapy. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 4223-4240.	1.2	28
23	Can brachytherapy be properly considered in the clinical practice? Trilogy project: The vision of the AIRO (Italian Association of Radiotherapy and Clinical Oncology) Interventional Radiotherapy study group. <i>Journal of Contemporary Brachytherapy</i> , 2020, 12, 84-90.	0.4	28
24	Radiation therapy after breast reconstruction: outcomes, complications, and patient satisfaction. <i>Radiologia Medica</i> , 2013, 118, 1240-1250.	4.7	27
25	Current state of interventional radiotherapy (brachytherapy) education in Italy: results of the INTERACTS survey. <i>Journal of Contemporary Brachytherapy</i> , 2019, 11, 48-53.	0.4	26
26	Temozolomide-Related Hematologic Toxicity. <i>Onkologie</i> , 2013, 36, 444-449.	1.1	25
27	Renin-Angiotensin System Inhibitors Might Help to Reduce the Development of Symptomatic Radiation Pneumonitis After Stereotactic Body Radiotherapy for Lung Cancer. <i>Clinical Lung Cancer</i> , 2016, 17, 189-197.	1.1	25
28	Fractionated stereotactic radiosurgery for patients with skull base metastases from systemic cancer involving the anterior visual pathway. <i>Radiation Oncology</i> , 2014, 9, 110.	1.2	24
29	Pain in malignant hematology. <i>Expert Review of Hematology</i> , 2011, 4, 81-93.	1.0	21
30	Potential Role of Single Nucleotide Polymorphisms of XRCC1, XRCC3, and RAD51 in Predicting Acute Toxicity in Rectal Cancer Patients Treated With Preoperative Radiochemotherapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2017, 40, 535-542.	0.6	21
31	Fondazione Italiana Linfomi (FIL) expert consensus on the use of intensity-modulated and image-guided radiotherapy for Hodgkin's lymphoma involving the mediastinum. <i>Radiation Oncology</i> , 2020, 15, 62.	1.2	20
32	Stereotactic Ablative Body Radiotherapy (SABR) in Pulmonary Oligometastatic/Oligorecurrent Non-small Cell Lung Cancer Patients: A New Therapeutic Approach. <i>Anticancer Research</i> , 2015, 35, 6239-45.	0.5	19
33	Intensity modulated radiotherapy in early stage Hodgkin lymphoma patients: Is it better than three dimensional conformal radiotherapy?. <i>Radiation Oncology</i> , 2012, 7, 129.	1.2	18
34	Intermediate-risk prostate cancer patients treated with androgen deprivation therapy and a hypofractionated radiation regimen with or without image guided radiotherapy. <i>Radiation Oncology</i> , 2013, 8, 137.	1.2	18
35	The role of palliative interventional radiotherapy (brachytherapy) in esophageal cancer: An AIRO (Italian Association of Radiotherapy and Clinical Oncology) systematic review focused on dysphagia-free survival. <i>Brachytherapy</i> , 2020, 19, 104-110.	0.2	18
36	Pain in blood cancers. <i>Indian Journal of Palliative Care</i> , 2011, 17, 175.	1.0	18

#	ARTICLE	IF	CITATIONS
37	Radiotherapy and sequential temozolomide compared with radiotherapy with concomitant and sequential temozolomide in the treatment of newly diagnosed glioblastoma multiforme. <i>Anti-Cancer Drugs</i> , 2006, 17, 969-975.	0.7	16
38	Contouring of the Pharyngeal Superior Constrictor Muscle (PSCM). A cooperative study of the Italian Association of Radiation Oncology (AIRO) Head and Neck Group. <i>Radiotherapy and Oncology</i> , 2014, 112, 337-342.	0.3	16
39	Radiotherapy in metastatic castration resistant prostate cancer patients with oligo-progression during abiraterone-enzalutamide treatment: a mono-institutional experience. <i>Radiation Oncology</i> , 2019, 14, 205.	1.2	16
40	Practical indications for management of patients candidate to Interventional and Intraoperative Radiotherapy (Brachytherapy, IORT) during COVID-19 pandemic "A document endorsed by AIRO (Italian Association of Radiation Oncology)" <i>Radiotherapy and Oncology</i> , 2020, 149, 73-77.	0.3	16
41	Current Guidelines for the Management of Aggressive Non-Hodgkin's Lymphoma. <i>Drugs</i> , 1997, 53, 957-972.	4.9	15
42	Long term results of single high dose Stereotactic Body Radiotherapy in the treatment of primary lung tumors. <i>Scientific Reports</i> , 2019, 9, 15498.	1.6	14
43	Mono- and Bi-weekly Hypofractionated Radiation Therapy for the Treatment of Epithelial Skin Cancer in Very Elderly Patients. <i>Anticancer Research</i> , 2017, 37, 825-830.	0.5	14
44	Whole brain reirradiation and concurrent temozolomide in patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2014, 118, 329-334.	1.4	13
45	Interobserver variability in clinical target volume delineation for primary mediastinal B-cell lymphoma. <i>Practical Radiation Oncology</i> , 2015, 5, 383-389.	1.1	13
46	Role of salvage stereotactic body radiation therapy in post-surgical loco-regional recurrence in a selected population of non-small cell lung cancer patients. <i>Anticancer Research</i> , 2015, 35, 1783-9.	0.5	13
47	Re-irradiation in lung disease by SBRT: a retrospective, single institutional study. <i>Radiation Oncology</i> , 2018, 13, 87.	1.2	12
48	Impact of Different Treatment Approaches on Pregnancy Outcomes in 99 Women Treated for Hodgkin Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 755-761.	0.4	11
49	Orbital Radiotherapy Plus Concomitant Steroids in Moderate-to-Severe Graves' Ophthalmopathy: Good Results After Long-Term Follow-Up. <i>International Journal of Endocrinology and Metabolism</i> , 2019, In Press, e84427.	0.3	11
50	The role of vaginal brachytherapy in stage I endometrial serous cancer: a systematic review. <i>Journal of Contemporary Brachytherapy</i> , 2020, 12, 61-66.	0.4	10
51	Post-mastectomy immediate breast reconstruction and adjuvant radiotherapy: long term results of a mono institutional experience. <i>Radiologia Medica</i> , 2020, 125, 887-893.	4.7	10
52	Image guided intensity modulated hypofractionated radiotherapy in high-risk prostate cancer patients treated four or five times per week: analysis of toxicity and preliminary results. <i>Radiation Oncology</i> , 2014, 9, 214.	1.2	9
53	The Impact of Healthy Lifestyles on Late Sequelae in Classical Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma Survivors. A Systematic Review by the Fondazione Italiana Linfomi. <i>Cancers</i> , 2021, 13, 3135.	1.7	9
54	Hypofractionated Image-guided Radiation Therapy (3Gy/fraction) in Patients Affected by Inoperable Advanced-stage Non-small Cell Lung Cancer After Long-term Follow-up. <i>Anticancer Research</i> , 2015, 35, 5693-700.	0.5	8

#	ARTICLE	IF	CITATIONS
55	Manipulation of radiation-induced bystander effect in prostate adenocarcinoma by dose and tumor differentiation grade: In vitro study. <i>International Journal of Radiation Biology</i> , 2015, 91, 166-171.	1.0	7
56	HAPPY â€“ Humanity Assurance Protocol in interventional radiotherapy (brachytherapy) â€“ an AIRO Interventional Radiotherapy Study Group project. <i>Journal of Contemporary Brachytherapy</i> , 2019, 11, 510-515.	0.4	7
57	Neoadjuvant chemoradiation with concomitant boost radiotherapy associated to capecitabine in rectal cancer patients. <i>International Journal of Colorectal Disease</i> , 2014, 29, 835-842.	1.0	6
58	Multifraction Radiotherapy for Palliation of Painful Bone Metastases: 20 Gy versus 30 Gy. <i>Tumori</i> , 2015, 101, 318-322.	0.6	6
59	Maternal Thrombophilia and Adverse Pregnancy Outcome: A Case-Control Study. <i>Acta Haematologica</i> , 2015, 133, 242-248.	0.7	6
60	Second cancer incidence in primary mediastinal B-cell lymphoma treated with methotrexate with leucovorin rescue, doxorubicin, cyclophosphamide, vincristine, prednisone, and bleomycin regimen with or without rituximab and mediastinal radiotherapy: Results from a monoinstitutional cohort analysis of long-term survivors. <i>Hematological Oncology</i> , 2017, 35, 554-560.	0.8	6
61	Locally advanced inoperable primary or recurrent non-small cell lung cancer treated with 4-week hypofractionated radiation therapy (3Â Gy/fraction). <i>Radiologia Medica</i> , 2019, 124, 1324-1332.	4.7	6
62	Androgen Receptor Targeted Therapy + Radiotherapy in Metastatic Castration Resistant Prostate Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 695136.	1.3	6
63	Anti-Helicobacter pylori therapy in primary MALT lymphoma of rectum. <i>Tumori</i> , 2012, 98, e105-10.	0.6	6
64	Single nucleotide polymorphism of GSTP1 and pathological complete response in locally advanced rectal cancer patients treated with neoadjuvant concomitant radiochemotherapy. <i>Radiation Oncology Journal</i> , 2018, 36, 218-226.	0.7	6
65	Late Endocrine and Metabolic Sequelae and Long-Term Monitoring of Classical Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma Survivors: A Systematic Review by the Fondazione Italiana Linfomi. <i>Cancers</i> , 2022, 14, 1439.	1.7	6
66	Critical decision-making in radiotherapy for early stage breast cancer in a neo-adjuvant treatment era. <i>Expert Review of Anticancer Therapy</i> , 2017, 17, 481-485.	1.1	5
67	INTERACTS (INTERventional Radiotherapy ACTIVE Teaching School) consensus conference on sarcoma interventional radiotherapy (brachytherapy) endorsed by AIRO (Italian Association of Radiotherapy) Tj ETQq1 1 0.784314 rgBT /Overlo	0.4	5
68	One-week vaginal brachytherapy schedule as exclusive adjuvant post-operative treatment in intermediate- and high-intermediate-risk endometrial cancer patients. <i>Journal of Contemporary Brachytherapy</i> , 2020, 12, 124-130.	0.4	5
69	Role of radiation therapy in mycosis fungoides refractory to systemic therapy. <i>European Journal of Dermatology</i> , 2011, 21, 213-217.	0.3	5
70	Successful Treatment of a Patient With Breast Implant-associated Anaplastic Large Cell Lymphoma With Local Residual Disease. <i>Annals of Plastic Surgery</i> , 2021, Publish Ahead of Print, .	0.5	5
71	Primary cutaneous lymphoma: local control and survival in patients treated with radiotherapy. <i>Anticancer Research</i> , 2007, 27, 601-5.	0.5	5
72	Late Cardiological Sequelae and Long-Term Monitoring in Classical Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma Survivors: A Systematic Review by the Fondazione Italiana Linfomi. <i>Cancers</i> , 2022, 14, 61.	1.7	5

#	ARTICLE	IF	CITATIONS
73	Anti-Helicobacter Pylori Therapy in Primary MALT Lymphoma of Rectum. <i>Tumori</i> , 2012, 98, e105-e110.	0.6	4
74	Image-Guided Hypofractionated Radiotherapy in Low-Risk Prostate Cancer Patients. <i>BioMed Research International</i> , 2014, 2014, 1-6.	0.9	4
75	Radiation-induced malignant meningioma following proton beam therapy for a choroidal melanoma. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 1036-1037.	0.8	4
76	Stereotactic Body Radiation Therapy Boost in Patients With Cervical Cancer Ineligible for Brachytherapy. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 53-60.	0.3	4
77	Postoperative treatment of intermediate-risk early stage cervical cancer: results of a survey from the Gynecology Study Group in the AIRO Gyn and MITO Groups. <i>Critical Reviews in Oncology/Hematology</i> , 2022, 174, 103704.	2.0	4
78	Radiation Oncology in Italy: The Past, the Present, the Future. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 91, 692-696.	0.4	3
79	Different outcomes among favourable and unfavourable intermediate-risk prostate cancer patients treated with hypofractionated radiotherapy and androgen deprivation therapy. <i>Radiation Oncology</i> , 2016, 11, 78.	1.2	3
80	Are we confident treating pT1a G1 lymphovascular space invasion-negative patients (with myometrial) Tj ETQq0 0 0 rgBT /Overlock 10 T Cancer, 2021, 31, 946-946.	1.2	3
81	Moderate Hypofractionation in Patients with Low-risk Prostate Cancer: Long-term Outcomes. <i>Anticancer Research</i> , 2018, 38, 1671-1676.	0.5	3
82	The role of radiation therapy technologist in interventional radiotherapy (brachytherapy) in Italy: Italian Association of Radiotherapy and Clinical Oncology (AIRO) and Italian Association of Radiation Therapy and Medical Physics Technologists (AITRO) joint project. <i>Journal of Contemporary Brachytherapy</i> , 2021, 13, 599-604.	0.4	3
83	A case report of metastatic atypical thymic carcinoid with ectopic ACTH production: locoregional control after adaptive radiation treatment. <i>Tumori</i> , 2012, 98, 172e-5e.	0.6	3
84	Hypofractionated intensity-modulated simultaneous integrated boost and image-guided radiotherapy in the treatment of high-risk prostate cancer patients: a preliminary report on acute toxicity. <i>Tumori</i> , 2013, 99, 474-9.	0.6	3
85	Inoperable early-stage primary and early recurrent non-small cell lung cancer: outcomes of a mono-institutional experience using a moderate hypofractionated schedule. <i>Radiologia Medica</i> , 2019, 124, 58-64.	4.7	2
86	Adjuvant vaginal interventional radiotherapy in early-stage non-endometrioid carcinoma of corpus uteri: a systematic review. <i>Journal of Contemporary Brachytherapy</i> , 2021, 13, 231-243.	0.4	2
87	Advanced Radiotherapy Techniques for Mediastinal Lymphomas: Results from an Italian Survey. <i>Hemato</i> , 2021, 2, 496-504.	0.2	2
88	Hypofractionated Radiation Therapy (HFRT) of Breast/Chest Wall and Regional Nodes in Locally Advanced Breast Cancer: Toxicity Profile and Survival Outcomes in Retrospective Monoinstitutional Study. <i>Clinical Breast Cancer</i> , 2022, 22, e332-e340.	1.1	2
89	Second Cancers in Classical Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma: A Systematic Review by the Fondazione Italiana Linfomi. <i>Cancers</i> , 2022, 14, 519.	1.7	2
90	Feasibility and Results of a Multimodality Approach in Elderly Patients with Localized Intermediate to High-Grade Non-Hodgkin's Lymphomas. <i>Tumori</i> , 2004, 90, 289-293.	0.6	1

#	ARTICLE	IF	CITATIONS
91	Residual Site Radiotherapy After Immunochemotherapy in Primary Mediastinal B-Cell Lymphoma: A Monoinstitutional Retrospective Study. <i>In Vivo</i> , 2020, 34, 1407-1413.	0.6	1
92	Stereotactic and Hypofractionated Radiotherapy Associated With Immune Checkpoint Inhibitor Drugs: Analysis of Local Control, Toxicity, and Outcome in a Single Research Centre Case Study. <i>Anticancer Research</i> , 2021, 41, 5107-5116.	0.5	1
93	Stereotactic body radiation therapy (SBRT) for patients with oligometastatic/oligoprogressive adrenal metastases: Outcomes and toxicities profile in a monoinstitutional study.. <i>Cancer Treatment and Research Communications</i> , 2021, 29, 100481.	0.7	1
94	Stereotactic Body Radiation Therapy for Liver Lesions. A Single-institution Experience. <i>Anticancer Research</i> , 2015, 35, 4171-5.	0.5	0