Vitaliana De Sanctis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3005082/publications.pdf

Version: 2024-02-01

94 papers

1,987 citations

257101 24 h-index 288905 40 g-index

95 all docs 95 docs citations

95 times ranked 3242 citing authors

| # | Article | IF | CITATIONS |
|----|---|-------------------------------|---------------------|
| 1 | Hypofractionated Radiation Therapy (HFRT) of Breast/Chest Wall and Regional Nodes in Locally Advanced Breast Cancer: Toxicity Profile and Survival Outcomes in Retrospective Monoistitutional Study. Clinical Breast Cancer, 2022, 22, e332-e340. | 1.1 | 2 |
| 2 | Second Cancers in Classical Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma: A Systematic Review by the Fondazione Italiana Linfomi. Cancers, 2022, 14, 519. | 1.7 | 2 |
| 3 | Late Endocrine and Metabolic Sequelae and Long-Term Monitoring of Classical Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma Survivors: A Systematic Review by the Fondazione Italiana Linfomi. Cancers, 2022, 14, 1439. | 1.7 | 6 |
| 4 | Late Cardiological Sequelae and Long-Term Monitoring in Classical Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma Survivors: A Systematic Review by the Fondazione Italiana Linfomi. Cancers, 2022, 14, 61. | 1.7 | 5 |
| 5 | Postoperative treatment of intermediate-risk early stage cervical cancer: results of a survey from the Gynecology Study GroupÂin the AIRO Gyn and MITO Groups. Critical Reviews in Oncology/Hematology, 2022, 174, 103704. | 2.0 | 4 |
| 6 | Adjuvant vaginal interventional radiotherapy in early-stage non-endometrioid carcinoma of corpus uteri: aÂsystematic review. Journal of Contemporary Brachytherapy, 2021, 13, 231-243. | 0.4 | 2 |
| 7 | Are we confident treating pT1a G1 lymphovascular space invasion-negative patients (with myometrial) Tj ETQq1 1 Cancer, 2021, 31, 946-946. | 1 0.78431 [,] 1.2 | .4 rgBT /Overl 3 |
| 8 | The Impact of Healthy Lifestyles on Late Sequelae in Classical Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma Survivors. A Systematic Review by the Fondazione Italiana Linfomi. Cancers, 2021, 13, 3135. | 1.7 | 9 |
| 9 | Advanced Radiotherapy Techniques for Mediastinal Lymphomas: Results from an Italian Survey. Hemato, 2021, 2, 496-504. | 0.2 | 2 |
| 10 | Stereotactic and Hypofractionated Radiotherapy Associated With Immune Checkpoint Inhibitor Drugs: Analysis of Local Control, Toxicity, and Outcome in a Single Research Centre Case Study. Anticancer Research, 2021, 41, 5107-5116. | 0.5 | 1 |
| 11 | Androgen Receptor Targeted Therapy + Radiotherapy in Metastatic Castration Resistant Prostate Cancer. Frontiers in Oncology, 2021, 11, 695136. | 1.3 | 6 |
| 12 | Stereotactic body radiation therapy (SBRT) for patients with oligometastatic/oligoprogressive adrenal metastases: Outcomes and toxicities profile in a monoinstitutional study Cancer Treatment and Research Communications, 2021, 29, 100481. | 0.7 | 1 |
| 13 | Successful Treatment of a Patient With Breast Implant–Associated Anaplastic Large Cell Lymphoma With Local Residual Disease. Annals of Plastic Surgery, 2021, Publish Ahead of Print, . | 0.5 | 5 |
| 14 | Stereotactic Body Radiation Therapy Boost in Patients With Cervical Cancer Ineligible for Brachytherapy. Cancer Diagnosis & Prognosis, 2021, 1, 53-60. | 0.3 | 4 |
| 15 | The role of radiation therapy technologist in interventional radiotherapy (brachytherapy) in Italy: Italian Association of Radiotherapy and Clinical Oncology (AIRO) and Italian Association of Radiation Therapy and Medical Physics Technologists (AITRO) joint project. Journal of Contemporary Brachytherapy, 2021, 13, 599-604. | 0.4 | 3 |
| 16 | The role of palliative interventional radiotherapy (brachytherapy) in esophageal cancer: An AIRO (Italian Association of Radiotherapy and Clinical Oncology) systematic review focused on dysphagia-free survival. Brachytherapy, 2020, 19, 104-110. | 0.2 | 18 |
| 17 | INTERACTS (INTErventional Radiotherapy ACtive Teaching School) consensus conference on sarcoma interventional radiotherapy (brachytherapy) endorsed by AIRO (Italian Association of Radiotherapy) Tj ETQq1 1 0. | 7 84 814 rg | gB /Overloc |
| 18 | Residual Site Radiotherapy After Immunochemotherapy in Primary Mediastinal B-Cell Lymphoma: A Monoinstitutional Retrospective Study. In Vivo, 2020, 34, 1407-1413. | 0.6 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-------------------------|---------------|
| 19 | Practical indications for management of patients candidate to Interventional and Intraoperative Radiotherapy (Brachytherapy, IORT) during COVID-19 pandemic – A document endorsed by AIRO (Italian) Tj | ETQq1 _{.3} 1 (|).784314 rgBT |
| | Radiotherapy and Oncology, 2020, 149, 73-77. | | |
| 20 | One-week vaginal brachytherapy schedule as exclusive adjuvant post-operative treatment in intermediate- and high-intermediate-risk endometrial cancer patients. Journal of Contemporary Brachytherapy, 2020, 12, 124-130. | 0.4 | 5 |
| 21 | The role of vaginal brachytherapy in stage I endometrial serous cancer: a systematic review. Journal of Contemporary Brachytherapy, 2020, 12, 61-66. | 0.4 | 10 |
| 22 | Can brachytherapy be properly considered in the clinical practice? Trilogy project: The vision of the AIRO (Italian Association of Radiotherapy and Clinical Oncology) Interventional Radiotherapy study group. Journal of Contemporary Brachytherapy, 2020, 12, 84-90. | 0.4 | 28 |
| 23 | Fondazione Italiana Linfomi (FIL) expert consensus on the use of intensity-modulated and image-guided radiotherapy for Hodgkinâ \in ^{Ms} lymphoma involving the mediastinum. Radiation Oncology, 2020, 15, 62. | 1.2 | 20 |
| 24 | Post-mastectomy immediate breast reconstruction and adjuvant radiotherapy: long term results of a mono institutional experience. Radiologia Medica, 2020, 125, 887-893. | 4.7 | 10 |
| 25 | Prevalence, characteristics, and treatment of fatigue in oncological cancer patients in Italy: a cross-sectional study of the Italian Network for Supportive Care in Cancer (NICSO). Supportive Care in Cancer, 2019, 27, 1041-1047. | 1.0 | 35 |
| 26 | Locally advanced inoperable primary or recurrent non-small cell lung cancer treated with 4-week hypofractionated radiation therapy (3ÂGy/fraction). Radiologia Medica, 2019, 124, 1324-1332. | 4.7 | 6 |
| 27 | Long term results of single high dose Stereotactic Body Radiotherapy in the treatment of primary lung tumors. Scientific Reports, 2019, 9, 15498. | 1.6 | 14 |
| 28 | Orbital Radiotherapy Plus Concomitant Steroids in Moderate-to-Severe Graves' Ophthalmopathy: Good Results After Long-Term Follow-Up. International Journal of Endocrinology and Metabolism, 2019, In Press, e84427. | 0.3 | 11 |
| 29 | Current state of interventional radiotherapy (brachytherapy) education in Italy: results of the INTERACTS survey. Journal of Contemporary Brachytherapy, 2019, 11, 48-53. | 0.4 | 26 |
| 30 | <i>Lactobacillus brevis</i> CD2 for Prevention of Oral Mucositis in Patients With Head and Neck Tumors: A Multicentric Randomized Study. Anticancer Research, 2019, 39, 1935-1942. | 0.5 | 55 |
| 31 | The point of pain in head and neck cancer. Critical Reviews in Oncology/Hematology, 2019, 138, 51-59. | 2.0 | 30 |
| 32 | HAPPY $\hat{a}\in$ Humanity Assurance Protocol in interventional radiotheraPY (brachytherapy) $\hat{a}\in$ an AIRO Interventional Radiotherapy Study Group project. Journal of Contemporary Brachytherapy, 2019, 11, 510-515. | 0.4 | 7 |
| 33 | Radiotherapy in metastatic castration resistant prostate cancer patients with oligo-progression during abiraterone-enzalutamide treatment: a mono-institutional experience. Radiation Oncology, 2019, 14, 205. | 1.2 | 16 |
| 34 | Inoperable early-stage primary and early recurrent non-small cell lung cancer: outcomes of a mono-institutional experience using a moderate hypofractionated schedule. Radiologia Medica, 2019, 124, 58-64. | 4.7 | 2 |
| 35 | Re-irradiation in lung disease by SBRT: a retrospective, single institutional study. Radiation Oncology, 2018, 13, 87. | 1.2 | 12 |
| 36 | Single nucleotide polymorphism of GSTP1 and pathological complete response in locally advanced rectal cancer patients treated with neoadjuvant concomitant radiochemotherapy. Radiation Oncology Journal, 2018, 36, 218-226. | 0.7 | 6 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Moderate Hypofractionation in Patients with Low-risk Prostate Cancer: Long-term Outcomes. Anticancer Research, 2018, 38, 1671-1676. | 0.5 | 3 |
| 38 | Potential Role of Single Nucleotide Polymorphisms of XRCC1, XRCC3, and RAD51 in Predicting Acute Toxicity in Rectal Cancer Patients Treated With Preoperative Radiochemotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2017, 40, 535-542. | 0.6 | 21 |
| 39 | Second cancer incidence in primary mediastinal Bâ€cell lymphoma treated with methotrexate with leucovorin rescue, doxorubicin, cyclophosphamide, vincristine, prednisone, and bleomycin regimen with or without rituximab and mediastinal radiotherapy: Results from a monoinstitutional cohort analysis of longâ€term survivors. Hematological Oncology, 2017, 35, 554-560. | 0.8 | 6 |
| 40 | Critical decision-making in radiotherapy for early stage breast cancer in a neo-adjuvant treatment era. Expert Review of Anticancer Therapy, 2017, 17, 481-485. | 1.1 | 5 |
| 41 | Secondary malignant neoplasms, progression-free survival and overall survival in patients treated for Hodgkin lymphoma: a systematic review and meta-analysis of randomized clinical trials. Haematologica, 2017, 102, 1748-1757. | 1.7 | 38 |
| 42 | Lung Metastases Treated With Stereotactic Ablative Radiation Therapy in Oligometastatic Colorectal Cancer Patients: Outcomes and Prognostic Factors After Long-Term Follow-Up. Clinical Colorectal Cancer, 2017, 16, 58-64. | 1.0 | 59 |
| 43 | Mono- and Bi-weekly Hypofractionated Radiation Therapy for the Treatment of Epithelial Skin Cancer in Very Elderly Patients. Anticancer Research, 2017, 37, 825-830. | 0.5 | 14 |
| 44 | Different outcomes among favourable and unfavourable intermediate-risk prostate cancer patients treated with hypofractionated radiotherapy and androgen deprivation therapy. Radiation Oncology, 2016, 11, 78. | 1.2 | 3 |
| 45 | Mucositis in head and neck cancer patients treated with radiotherapy and systemic therapies: Literature review and consensus statements Critical Reviews in Oncology/Hematology, 2016, 100, 147-166. | 2.0 | 112 |
| 46 | Renin-Angiotensin System Inhibitors Might Help to Reduce the Development of Symptomatic Radiation Pneumonitis After Stereotactic Body Radiotherapy for Lung Cancer. Clinical Lung Cancer, 2016, 17, 189-197. | 1.1 | 25 |
| 47 | Multifraction Radiotherapy for Palliation of Painful Bone Metastases: 20 Gy versus 30 Gy. Tumori, 2015, 101, 318-322. | 0.6 | 6 |
| 48 | Sepsis in head and neck cancer patients treated with chemotherapy and radiation: Literature review and consensus. Critical Reviews in Oncology/Hematology, 2015, 95, 191-213. | 2.0 | 33 |
| 49 | Radiation-induced malignant meningioma following proton beam therapy for a choroidal melanoma. Journal of Clinical Neuroscience, 2015, 22, 1036-1037. | 0.8 | 4 |
| 50 | Manipulation of radiation-induced bystander effect in prostate adenocarcinoma by dose and tumor differentiation grade: In vitro study. International Journal of Radiation Biology, 2015, 91, 166-171. | 1.0 | 7 |
| 51 | Acute skin toxicity management in head and neck cancer patients treated with radiotherapy and chemotherapy or EGFR inhibitors: Literature review and consensus. Critical Reviews in Oncology/Hematology, 2015, 96, 167-182. | 2.0 | 46 |
| 52 | Dysphagia in head and neck cancer patients treated with radiotherapy and systemic therapies: Literature review and consensus. Critical Reviews in Oncology/Hematology, 2015, 96, 372-384. | 2.0 | 95 |
| 53 | Maternal Thrombophilia and Adverse Pregnancy Outcome: A Case-Control Study. Acta Haematologica, 2015, 133, 242-248. | 0.7 | 6 |
| 54 | Radiation Oncology in Italy: The Past, the Present, the Future. International Journal of Radiation Oncology Biology Physics, 2015, 91, 692-696. | 0.4 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Interobserver variability in clinical target volume delineation for primary mediastinal B-cell lymphoma. Practical Radiation Oncology, 2015, 5, 383-389. | 1.1 | 13 |
| 56 | Role of salvage stereotactic body radiation therapy in post-surgical loco-regional recurrence in a selected population of non-small cell lung cancer patients. Anticancer Research, 2015, 35, 1783-9. | 0.5 | 13 |
| 57 | Stereotactic Body Radiation Therapy for Liver Lesions. A Single-institution Experience. Anticancer Research, 2015, 35, 4171-5. | 0.5 | О |
| 58 | Hypofractionated Image-guided Radiation Therapy (3Gy/fraction) in Patients Affected by Inoperable Advanced-stage Non-small Cell Lung Cancer After Long-term Follow-up. Anticancer Research, 2015, 35, 5693-700. | 0.5 | 8 |
| 59 | Stereotactic Ablative Body Radiotherapy (SABR) in Pulmonary Oligometastatic/Oligorecurrent Non-small Cell Lung Cancer Patients: A New Therapeutic Approach. Anticancer Research, 2015, 35, 6239-45. | 0.5 | 19 |
| 60 | Image-Guided Hypofractionated Radiotherapy in Low-Risk Prostate Cancer Patients. BioMed Research International, 2014, 2014, 1-6. | 0.9 | 4 |
| 61 | Cytokines, Fatigue, and Cutaneous Erythema in Early Stage Breast Cancer Patients Receiving Adjuvant Radiation Therapy. BioMed Research International, 2014, 2014, 1-7. | 0.9 | 42 |
| 62 | Image guided intensity modulated hypofractionated radiotherapy in high-risk prostate cancer patients treated four or five times per week: analysis of toxicity and preliminary results. Radiation Oncology, 2014, 9, 214. | 1.2 | 9 |
| 63 | Contouring of the Pharyngeal Superior Constrictor Muscle (PSCM). A cooperative study of the Italian Association of Radiation Oncology (AIRO) Head and Neck Group. Radiotherapy and Oncology, 2014, 112, 337-342. | 0.3 | 16 |
| 64 | Neoadjuvant chemoradiation with concomitant boost radiotherapy associated to capecitabine in rectal cancer patients. International Journal of Colorectal Disease, 2014, 29, 835-842. | 1.0 | 6 |
| 65 | Whole brain reirradiation and concurrent temozolomide in patients with brain metastases. Journal of Neuro-Oncology, 2014, 118, 329-334. | 1.4 | 13 |
| 66 | Fractionated stereotactic radiosurgery for patients with skull base metastases from systemic cancer involving the anterior visual pathway. Radiation Oncology, 2014, 9, 110. | 1.2 | 24 |
| 67 | Intermediate-risk prostate cancer patients treated with androgen deprivation therapy and a hypofractionated radiation regimen with or without image guided radiotherapy. Radiation Oncology, 2013, 8, 137. | 1.2 | 18 |
| 68 | Stereotactic radiosurgery in elderly patients with brain metastases. Journal of Neuro-Oncology, 2013, 111, 319-325. | 1.4 | 48 |
| 69 | Radiation therapy after breast reconstruction: outcomes, complications, and patient satisfaction. Radiologia Medica, 2013, 118, 1240-1250. | 4.7 | 27 |
| 70 | Image Guided Hypofractionated 3-Dimensional Radiation Therapy in Patients With Inoperable Advanced Stage Non-Small Cell Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2013, 85, e157-e163. | 0.4 | 43 |
| 71 | Hypofractionated stereotactic radiotherapy and continuous low-dose temozolomide in patients with recurrent or progressive malignant gliomas. Journal of Neuro-Oncology, 2013, 111, 187-194. | 1.4 | 53 |
| 72 | Health-Related Quality of Life in Elderly Patients With Newly Diagnosed Glioblastoma Treated With Short-Course Radiation Therapy Plus Concomitant and Adjuvant Temozolomide. International Journal of Radiation Oncology Biology Physics, 2013, 86, 285-291. | 0.4 | 62 |

| # | Article | IF | Citations |
|------------|---|-----|-----------|
| 73 | Clinical Outcomes of Single Dose Stereotactic Radiotherapy for Lung Metastases. Clinical Lung Cancer, 2013, 14, 699-703. | 1.1 | 51 |
| 74 | Temozolomide-Related Hematologic Toxicity. Onkologie, 2013, 36, 444-449. | 1.1 | 25 |
| 7 5 | Hypofractionated intensity-modulated simultaneous integrated boost and image-guided radiotherapy in the treatment of high-risk prostate cancer patients: a preliminary report on acute toxicity. Tumori, 2013, 99, 474-9. | 0.6 | 3 |
| 76 | Phase II Study of Short-Course Radiotherapy Plus Concomitant and Adjuvant Temozolomide in Elderly Patients With Glioblastoma. International Journal of Radiation Oncology Biology Physics, 2012, 83, 93-99. | 0.4 | 129 |
| 77 | Impact of Different Treatment Approaches on Pregnancy Outcomes in 99 Women Treated for Hodgkin Lymphoma. International Journal of Radiation Oncology Biology Physics, 2012, 84, 755-761. | 0.4 | 11 |
| 78 | Swallowing dysfunction in head and neck cancer patients treated by radiotherapy: Review and recommendations of the supportive task group of the Italian Association of Radiation Oncology. Cancer Treatment Reviews, 2012, 38, 1033-1049. | 3.4 | 106 |
| 79 | Intensity modulated radiotherapy in early stage Hodgkin lymphoma patients: Is it better than three dimensional conformal radiotherapy?. Radiation Oncology, 2012, 7, 129. | 1.2 | 18 |
| 80 | Integral Dose and Radiation-Induced Secondary Malignancies: Comparison between Stereotactic Body Radiation Therapy and Three-Dimensional Conformal Radiotherapy. International Journal of Environmental Research and Public Health, 2012, 9, 4223-4240. | 1.2 | 28 |
| 81 | Anti-Helicobacter Pylori Therapy in Primary MALT Lymphoma of Rectum. Tumori, 2012, 98, e105-e110. | 0.6 | 4 |
| 82 | Anti-Helicobacter pylori therapy in primary MALT lymphoma of rectum. Tumori, 2012, 98, e105-10. | 0.6 | 6 |
| 83 | A case report of metastatic atypical thymic carcinoid with ectopic ACTH production: locoregional control after adaptive radiation treatment. Tumori, 2012, 98, 172e-5e. | 0.6 | 3 |
| 84 | Pain in malignant hematology. Expert Review of Hematology, 2011, 4, 81-93. | 1.0 | 21 |
| 85 | Role of radiation therapy in mycosis fungoides refractory to systemic therapy. European Journal of Dermatology, 2011, 21, 213-217. | 0.3 | 5 |
| 86 | Pain in blood cancers. Indian Journal of Palliative Care, 2011, 17, 175. | 1.0 | 18 |
| 87 | MACOP-B and Involved-Field Radiotherapy Is an Effective and Safe Therapy for Primary Mediastinal Large B Cell Lymphoma. International Journal of Radiation Oncology Biology Physics, 2008, 72, 1154-1160. | 0.4 | 40 |
| 88 | Primary cutaneous lymphoma: local control and survival in patients treated with radiotherapy. Anticancer Research, 2007, 27, 601-5. | 0.5 | 5 |
| 89 | Radiotherapy and sequential temozolomide compared with radiotherapy with concomitant and sequential temozolomide in the treatment of newly diagnosed glioblastoma multiforme. Anti-Cancer Drugs, 2006, 17, 969-975. | 0.7 | 16 |
| 90 | Feasibility and Results of a Multimodality Approach in Elderly Patients with Localized Intermediate to High-Grade Non-Hodgkin's Lymphomas. Tumori, 2004, 90, 289-293. | 0.6 | 1 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 91 | Long-term evaluation of 164 patients with essential thrombocythaemia treated with pipobroman: occurrence of leukaemic evolution. British Journal of Haematology, 2003, 123, 517-521. | 1.2 | 35 |
| 92 | Early haemorrhagic morbidity and mortality during remission induction with or without all-trans retinoic acid in acute promyelocytic leukaemia. British Journal of Haematology, 2000, 108, 689-695. | 1.2 | 116 |
| 93 | Current Guidelines for the Management of Aggressive Non-Hodgkin's Lymphoma. Drugs, 1997, 53, 957-972. | 4.9 | 15 |
| 94 | Pathogenetic and clinical implications of Bcl-6 and Bcl-2 gene configuration in nodal diffuse large B-cell lymphomas., 1997, 183, 281-286. | | 39 |