
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3005390/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dapagliflozin in Patients with Heart Failure and Reduced Ejection Fraction. New England Journal of Medicine, 2019, 381, 1995-2008.	27.0	4,108
2	Effect of liraglutide, a glucagonâ€like peptideâ€1 analogue, on left ventricular function in stable chronic heart failure patients with and without diabetes (<scp>LIVE</scp>)—a multicentre, doubleâ€blind, randomised, placeboâ€controlled trial. European Journal of Heart Failure, 2017, 19, 69-77.	7.1	343
3	Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. JAMA - Journal of the American Medical Association, 2020, 324, 168.	7.4	331
4	A trial to evaluate the effect of the sodium–glucose coâ€transporter 2 inhibitor dapagliflozin on morbidity and mortality in patients with heart failure and reduced left ventricular ejection fraction (DAPAâ€HF). European Journal of Heart Failure, 2019, 21, 665-675.	7.1	264
5	Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. Circulation, 2020, 142, 2080-2082.	1.6	168
6	Effects of dapagliflozin in DAPA-HF according to background heart failure therapy. European Heart Journal, 2020, 41, 2379-2392.	2.2	151
7	Former Abusers of Anabolic Androgenic Steroids Exhibit Decreased Testosterone Levels and Hypogonadal Symptoms Years after Cessation: A Case-Control Study. PLoS ONE, 2016, 11, e0161208.	2.5	108
8	The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. European Heart Journal, 2021, 42, 1621-1631.	2.2	102
9	New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. European Heart Journal, 2020, 41, 3072-3079.	2.2	93
10	The Effect of Increasing Dialysate Magnesium on Serum Calcification Propensity in Subjects with End Stage Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1373-1380.	4.5	90
11	Incidence of New-Onset and Worsening Heart Failure Before and After the COVID-19 Epidemic Lockdown in Denmark. Circulation: Heart Failure, 2020, 13, e007274.	3.9	90
12	Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19)—A Danish Nationwide, Register-based Study. Clinical Infectious Diseases, 2021, 73, e4025-e4030.	5.8	90
13	Effects of empagliflozin on estimated extracellular volume, estimated plasma volume, and measured glomerular filtration rate in patients with heart failure (Empire HF Renal): a prespecified substudy of a double-blind, randomised, placebo-controlled trial. Lancet Diabetes and Endocrinology,the, 2021, 9, 106-116.	11.4	80
14	Echocardiographic abnormalities and predictors of mortality in hospitalized COVIDâ€19 patients: the ECHOVIDâ€19 study. ESC Heart Failure, 2020, 7, 4189-4197.	3.1	77
15	Oral Magnesium Supplementation in Chronic Kidney Disease Stages 3 and 4: Efficacy, Safety, and Effect on Serum Calcification Propensity—AÂProspective Randomized Double-Blinded Placebo-Controlled Clinical Trial. Kidney International Reports, 2017, 2, 380-389.	0.8	72
16	CHA ₂ DS ₂ -VASc score and risk of thromboembolism and bleeding in patients with atrial fibrillation and recent cancer. European Journal of Preventive Cardiology, 2018, 25, 651-658.	1.8	72
17	Incidence of atrial fibrillation in different major cancer subtypes: a Nationwide population-based 12 year follow up study. BMC Cancer, 2019, 19, 1105.	2.6	68
18	Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial. American Heart Journal, 2020, 228, 47-56.	2.7	61

#	Article	IF	CITATIONS
19	Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. Journal of the American College of Cardiology, 2020, 76, 767-777.	2.8	61
20	Effect of Empagliflozin on Hemodynamics in Patients WithÂHeartÂFailure and Reduced Ejection Fraction. Journal of the American College of Cardiology, 2020, 76, 2740-2751.	2.8	57
21	Readmission and death in patients admitted with newâ€onset versus worsening of chronic heart failure: insights from a nationwide cohort. European Journal of Heart Failure, 2020, 22, 1777-1785.	7.1	53
22	All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. European Heart Journal, 2021, 42, 1516-1523.	2.2	50
23	Increased blood pressure and aortic stiffness among abusers of anabolic androgenic steroids. Journal of Hypertension, 2018, 36, 277-285.	0.5	49
24	Incidence and risk factors for capecitabine-induced symptomatic cardiotoxicity: a retrospective study of 452 consecutive patients with metastatic breast cancer. BMJ Open, 2016, 6, e012798.	1.9	47
25	Severe mental illness is associated with increased mortality and severe course of COVIDâ€19. Acta Psychiatrica Scandinavica, 2021, 144, 82-91.	4.5	46
26	Does type 2 diabetes confer higher relative rates of cardiovascular events in women compared with men?. European Heart Journal, 2020, 41, 1346-1353.	2.2	45
27	Long-Term Cardiovascular Outcomes in Systemic Lupus Erythematosus. Journal of the American College of Cardiology, 2021, 77, 1717-1727.	2.8	44
28	Long-Term Risk of Heart Failure in BreastÂCancer Patients After AdjuvantÂChemotherapy With or WithoutÂTrastuzumab. JACC: Heart Failure, 2019, 7, 217-224.	4.1	43
29	Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 172-180.	4.0	43
30	Accelerated and personalized therapy for heart failure with reduced ejection fraction. European Heart Journal, 2022, 43, 2573-2587.	2.2	41
31	Cardiac systolic dysfunction in past illicit users of anabolic androgenic steroids. American Heart Journal, 2018, 203, 49-56.	2.7	40
32	Recovery of cardiac function following <scp>COVID</scp> â€19–Â <scp>ECHOVID</scp> â€19: a prospective longitudinal cohort study. European Journal of Heart Failure, 2021, 23, 1903-1912.	7.1	40
33	Incidence of new onset cancer in patients with a myocardial infarction – a nationwide cohort study. BMC Cardiovascular Disorders, 2018, 18, 198.	1.7	39
34	Urinary peptides in heart failure: a link to molecular pathophysiology. European Journal of Heart Failure, 2021, 23, 1875-1887.	7.1	37
35	Effect of long-term beta-blocker treatment following myocardial infarction among stable, optimally treated patients without heart failure in the reperfusion era: a Danish, nationwide cohort study. European Heart Journal, 2021, 42, 907-914.	2.2	37
36	Influenza Vaccination Is Associated With Reduced Cardiovascular Mortality in Adults With Diabetes: A Nationwide Cohort Study. Diabetes Care, 2020, 43, 2226-2233.	8.6	36

#	Article	IF	CITATIONS
37	Empagliflozin in heart failure patients with reduced ejection fraction: a randomized clinical trial (Empire HF). Trials, 2019, 20, 374.	1.6	35
38	Insulin sensitivity in relation to fat distribution and plasma adipocytokines among abusers of anabolic androgenic steroids. Clinical Endocrinology, 2017, 87, 249-256.	2.4	33
39	Sleep Apnea, the Risk of Developing Heart Failure, and Potential Benefits of Continuous Positive Airway Pressure (CPAP) Therapy. Journal of the American Heart Association, 2018, 7, .	3.7	30
40	The effect of increasing dialysate magnesium on calciprotein particles, inflammation and bone markers: <i>post hoc</i> analysis from a randomized controlled clinical trial. Nephrology Dialysis Transplantation, 2021, 36, 713-721.	0.7	30
41	The Effect of High Dose Cholecalciferol on Arterial Stiffness and Peripheral and Central Blood Pressure in Healthy Humans: A Randomized Controlled Trial. PLoS ONE, 2016, 11, e0160905.	2.5	30
42	The effect of magnesium supplementation on vascular calcification in chronic kidney disease—a randomised clinical trial (MAGiCAL-CKD): essential study design and rationale. BMJ Open, 2017, 7, e016795.	1.9	29
43	Efficacy and safety of sodium–glucose coâ€transporter 2 inhibition according to left ventricular ejection fraction in DAPAâ€HF. European Journal of Heart Failure, 2020, 22, 1247-1258.	7.1	29
44	Association Between Prescribed Ibuprofen and Severe COVIDâ€19 Infection: A Nationwide Registerâ€Based Cohort Study. Clinical and Translational Science, 2020, 13, 1103-1107.	3.1	27
45	Incidence and risk markers of 5-fluorouracil and capecitabine cardiotoxicity in patients with colorectal cancer. Acta Oncológica, 2020, 59, 475-483.	1.8	26
46	Prevalence of cardiovascular disease and evaluation of standard of care in type 2 diabetes: a nationwide study in primary care. Cardiovascular Endocrinology, 2017, 6, 145-151.	0.8	25
47	A simple clinical assessment is superior to systematic triage in prediction of mortality in the emergency department. Emergency Medicine Journal, 2019, 36, emermed-2016-206382.	1.0	25
48	One‥ear Mortality After Intensification of Outpatient Diuretic Therapy. Journal of the American Heart Association, 2020, 9, e016010.	3.7	25
49	Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark. Circulation, 2020, 142, 1227-1229.	1.6	24
50	Rationale and Design of the First Double-Blind, Placebo-Controlled Trial with Allogeneic Adipose Tissue-Derived Stromal Cell Therapy in Patients with Ischemic Heart Failure: A Phase II Danish Multicentre Study. Stem Cells International, 2017, 2017, 1-8.	2.5	22
51	Routine blood tests are associated with short term mortality and can improve emergency department triage: a cohort study of >12,000 patients. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 115.	2.6	22
52	The formation and design of the TRIAGE study - baseline data on 6005 consecutive patients admitted to hospital from the emergency department. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 106.	2.6	21
53	Fibroblast growth factor 21 in patients with cardiac cachexia: a possible role of chronic inflammation. ESC Heart Failure, 2019, 6, 983-991.	3.1	21
54	Incidence of atrial fibrillation in conjunction with breast cancer. Heart Rhythm, 2019, 16, 343-348.	0.7	21

#	Article	IF	CITATIONS
55	Chronic obstructive pulmonary disease in patients with endâ€stage kidney disease on hemodialysis. Hemodialysis International, 2016, 20, 68-77.	0.9	20
56	Prevalence of airflow obstruction in patients with stable systolic heart failure. BMC Pulmonary Medicine, 2017, 17, 6.	2.0	20
57	Improve Management of acute heart failure with ProcAlCiTonin in EUrope: results of the randomized clinical trial IMPACT EU Biomarkers in Cardiology (BIC) 18. European Journal of Heart Failure, 2020, 22, 267-275.	7.1	20
58	Two Decades of Cardiac Amyloidosis. JACC: CardioOncology, 2021, 3, 522-533.	4.0	20
59	National all-cause mortality during the COVID-19 pandemic: a Danish registry-based study. European Journal of Epidemiology, 2020, 35, 1007-1019.	5.7	19
60	The prognostic significance of lung function in stable heart failure outpatients. Clinical Cardiology, 2017, 40, 1145-1151.	1.8	18
61	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. Cardiovascular Diabetology, 2020, 19, 107.	6.8	18
62	Myocardial Ischemia Induced by 5-Fluorouracil: A Prospective Electrocardiographic and Cardiac Biomarker Study. Oncologist, 2021, 26, e403-e413.	3.7	18
63	Consequences of coronavirus disease-2019 (COVID-19) lockdown on infection-related hospitalizations among the pediatric population in Denmark. European Journal of Pediatrics, 2021, 180, 1955-1963.	2.7	18
64	Alcohol Intake in Patients With Cardiomyopathy and Heart Failure: Consensus and Controversy. Circulation: Heart Failure, 2022, 15, 101161CIRCHEARTFAILURE121009459.	3.9	18
65	<p>Identification of Patients with New-Onset Heart Failure and Reduced Ejection Fraction in Danish Administrative Registers</p> . Clinical Epidemiology, 2020, Volume 12, 589-594.	3.0	17
66	lmpact of socioeconomic position on initiation of SGLT-2 inhibitors or GLP-1 receptor agonists in patients with type 2 diabetes – a Danish nationwide observational study. Lancet Regional Health - Europe, The, 2022, 14, 100308.	5.6	17
67	Prevalence of heart failure and the diagnostic value of MRâ€proANP in outpatients with type 2 diabetes. Diabetes, Obesity and Metabolism, 2019, 21, 736-740.	4.4	16
68	Socioeconomic position and one-year mortality risk among patients with heart failure: A nationwide register-based cohort study. European Journal of Preventive Cardiology, 2020, 27, 79-88.	1.8	16
69	Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. Resuscitation, 2021, 162, 135-142.	3.0	16
70	Effect of high-dose mineralocorticoid receptor antagonist eplerenone on urinary albumin excretion in patients with type 2 diabetes and high cardiovascular risk: Data from the MIRAD trial. Diabetes and Metabolism, 2020, 47, 101190.	2.9	15
71	Prediabetes Defined by First Measured HbA1c Predicts Higher Cardiovascular Risk Compared With HbA1c in the Diabetes Range: A Cohort Study of Nationwide Registries. Diabetes Care, 2021, 44, 2767-2774.	8.6	15
72	Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: a nationwide study in <scp>Denmark</scp> from 2003–2017. European Journal of Heart Failure, 2022, 24, 539-547.	7.1	15

#	Article	IF	CITATIONS
73	YKL-40 in patients with end-stage renal disease receiving haemodialysis. Biomarkers, 2018, 23, 357-363.	1.9	14
74	Mineralocorticoid Receptor Antagonist Improves Cardiac Structure inÂType 2ÂDiabetes. JACC: Heart Failure, 2021, 9, 550-558.	4.1	14
75	Prevalence and incidence of various Cancer subtypes in patients with heart failure vs matched controls. International Journal of Cardiology, 2020, 316, 209-213.	1.7	14
76	Procoagulant State in Current and Former Anabolic Androgenic Steroid Abusers. Thrombosis and Haemostasis, 2018, 47, 647-653.	3.4	13
77	Effect of the mineralocorticoid receptor antagonist eplerenone on liver fat and metabolism in patients with type 2 diabetes: A randomized, doubleâ€blind, placeboâ€controlled trial (MIRAD trial). Diabetes, Obesity and Metabolism, 2019, 21, 2305-2314.	4.4	13
78	Catheter ablation for atrial fibrillation is associated with lower incidence of heart failure and death. Europace, 2020, 22, 74-83.	1.7	13
79	Incidence of acute coronary syndrome during national lock-down: Insights from nationwide data during the Coronavirus disease 2019 (COVID-19) pandemic. American Heart Journal, 2021, 232, 146-153.	2.7	13
80	Endogenous Testosterone Levels Are Associated with Risk of Type 2 Diabetes in Women without Established Comorbidity. Journal of the Endocrine Society, 2020, 4, bvaa050.	0.2	12
81	Extrapolating Long-term Event-Free and Overall Survival With Dapagliflozin in Patients With Heart Failure and Reduced Ejection Fraction. JAMA Cardiology, 2021, 6, 1298-1305.	6.1	12
82	Prognostic utility of diastolic dysfunction and speckle tracking echocardiography in heart failure with reduced ejection fraction. ESC Heart Failure, 2020, 7, 148-158.	3.1	11
83	Risk Factors for Morbidity and Mortality Following Hospitalization for Pericarditis. Journal of the American College of Cardiology, 2020, 76, 2623-2631.	2.8	11
84	Reduced Diuretic Dose in Patients Treated With Eplerenone. Circulation: Heart Failure, 2020, 13, e006597.	3.9	11
85	Sex-Specific Prevalence, Incidence, andÂMortality Associated With AtrialÂFibrillation in HeartÂFailure. JACC: Clinical Electrophysiology, 2021, 7, 1366-1375.	3.2	10
86	Socioeconomic position and first-time major cardiovascular event in patients with type 2 diabetes: a Danish nationwide cohort study. European Journal of Preventive Cardiology, 2022, 28, 1819-1828.	1.8	10
87	Cardiac arrhythmias in patients hospitalized with COVID-19: The ACOVID study. Heart Rhythm O2, 2021, 2, 304-308.	1.7	10
88	Gastrointestinal bleeding risk following concomitant treatment with oral glucocorticoids in patients on non-vitamin K oral anticoagulants. Heart, 2022, 108, 626-632.	2.9	10
89	Socioeconomic Disparities in Referral for Invasive Hemodynamic Evaluation for Advanced Heart Failure: A Nationwide Cohort Study. Circulation: Heart Failure, 2021, 14, e008662.	3.9	10
90	Galectin-3 and fibulin-1 in systolic heart failure - relation to glucose metabolism and left ventricular contractile reserve. BMC Cardiovascular Disorders, 2017, 17, 22.	1.7	9

#	Article	IF	CITATIONS
91	The association between cardiovascular disease admission rates and the coronavirus disease 2019 lockdown and reopening of a nation: a Danish nationwide cohort study. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 14-22.	4.0	9
92	Heart failure associated with imported malaria: a nationwide Danish cohort study. ESC Heart Failure, 2021, 8, 3521-3529.	3.1	9
93	Compliance in Primary Prevention With Statins and Associations With Cardiovascular Risk and Death in a Lowâ€Risk Population With Type 2 Diabetes Mellitus. Journal of the American Heart Association, 2021, 10, e020395.	3.7	9
94	Left-sided heart disease and risk of death in patients with end-stage kidney disease receiving haemodialysis: an observational study. BMC Nephrology, 2020, 21, 413.	1.8	8
95	Bleeding Risk Following Systemic Fluconazole or Topical Azoles in Patients with Atrial Fibrillation on Apixaban, Rivaroxaban, or Dabigatran. American Journal of Medicine, 2022, 135, 595-602.e5.	1.5	8
96	MR-proANP and incident cardiovascular disease in patients with type 2 diabetes with and without heart failure with preserved ejection fraction. Cardiovascular Diabetology, 2020, 19, 180.	6.8	7
97	Oral fluoroquinolones and risk of aortic or mitral regurgitation: a nationwide nested case-control study. European Heart Journal, 2021, 42, 2899-2908.	2.2	7
98	Importance of diagnostic setting in determining mortality in patients with new-onset heart failure: temporal trends in Denmark from 1997 to 2017. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 750-760.	4.0	7
99	Lung Ultrasound Findings Associated With COVID-19 ARDS, ICU Admission, and All-Cause Mortality. Respiratory Care, 2022, 67, 66-75.	1.6	7
100	Lung ultrasound findings following COVID-19 hospitalization: A prospective longitudinal cohort study. Respiratory Medicine, 2022, 197, 106826.	2.9	7
101	Adverse Events Associated With Coprescription of Phosphodiesterase Type 5 Inhibitors and Oral Organic Nitrates in Male Patients With Ischemic Heart Disease. Annals of Internal Medicine, 2022, 175, 774-782.	3.9	7
102	Influence of renal impairment on myocardial function in outpatients with systolic heart failure: An echocardiographic and cardiac biomarker study. International Journal of Cardiology, 2014, 177, 942-948.	1.7	6
103	Coronary risk stratification of patients undergoing surgery for valvular heart disease. International Journal of Cardiology, 2017, 227, 37-42.	1.7	6
104	Atrial fibrillation and anticoagulation in patients with breast cancer. Scandinavian Cardiovascular Journal, 2019, 53, 247-254.	1.2	6
105	Changes in left ventricular filling parameters before and after dialysis in patients with end stage renal disease. International Journal of Cardiovascular Imaging, 2019, 35, 1673-1681.	1.5	6
106	Favorable five-year outcomes for heart failure diagnosed in younger patients without severe comorbidity. International Journal of Cardiology, 2020, 305, 106-112.	1.7	6
107	Prevalence and incidence of various cancer subtypes in patients with heart failure vs matched controls. International Journal of Cardiology, 2021, 326, 144.	1.7	6
108	The Mineralocorticoid Receptor Antagonist Eplerenone Suppresses Interstitial Fibrosis in Subcutaneous Adipose Tissue in Patients With Type 2 Diabetes. Diabetes, 2021, 70, 196-203.	0.6	6

#	Article	IF	CITATIONS
109	Long-term prognosis following hospitalization for acute myocarditis – a matched nationwide cohort study. Scandinavian Cardiovascular Journal, 2021, 55, 264-269.	1.2	6
110	Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. Thrombosis Research, 2021, 199, 97-100.	1.7	6
111	Effect of empagliflozin on myocardial structure and function in patients with type 2 diabetes at high cardiovascular risk: the SIMPLE randomized clinical trial. International Journal of Cardiovascular Imaging, 2021, , 1.	1.5	6
112	Measures of left atrial function predict incident heart failure in a lowâ€risk general population: t he Copenhagen City Heart Study. European Journal of Heart Failure, 2021, , .	7.1	6
113	Driving following defibrillator implantation: a nationwide register-linked survey study. European Heart Journal, 2021, 42, 3529-3537.	2.2	5
114	The mediating role of effective treatments in the relationship between income level and survival in patients with heart failure: a sex- and cohabitation-stratified study. European Journal of Preventive Cardiology, 2021, 28, 78-86.	1.8	5
115	Randomized Controlled Trial of the Hemodynamic Effects of Empagliflozin in Patients With Type 2 Diabetes at High Cardiovascular Risk: The SIMPLE Trial. Diabetes, 2022, 71, 812-820.	0.6	5
116	Renal dysfunction, restrictive left ventricular filling pattern and mortality risk in patients admitted with heart failure: a 7-year follow-up study. BMC Nephrology, 2013, 14, 267.	1.8	4
117	Influence of renal impairment on aldosterone status, calcium metabolism, and vasopressin activity in outpatients with systolic heart failure. ESC Heart Failure, 2017, 4, 554-562.	3.1	4
118	Driving following defibrillator implantation: development and pilot results from a nationwide questionnaire. BMC Cardiovascular Disorders, 2018, 18, 212.	1.7	4
119	Coronary risk stratification of patients with newly diagnosed heart failure. Open Heart, 2019, 6, e001074.	2.3	4
120	Immune check point inhibitors are associated with a spectrum of cardiac events in patients with cancer. European Heart Journal, 2021, 42, 1636-1636.	2.2	4
121	Household Exposure to Severe Acute Respiratory Syndrome Coronavirus 2 and Association With Coronavirus Disease 2019 Severity: A Danish Nationwide Cohort Study. Clinical Infectious Diseases, 2021, , .	5.8	4
122	Risk of coronavirus disease 2019 (Covid-19) contraction and severe infection in home- or healthcare professionals. Journal of Infection, 2021, 83, e12-e14.	3.3	4
123	Hemodynamic Determinants of Activity Measured by Accelerometer in Patients With Stable HeartÂFailure. JACC: Heart Failure, 2021, 9, 824-835.	4.1	4
124	An echocardiographic substrate for dyspnea identifies high risk patients with type 2 diabetes. International Journal of Cardiology, 2019, 289, 119-124.	1.7	3
125	Sudden death in heart failure: do we understand what we observe?. European Heart Journal, 2020, 41, 1985-1987.	2.2	3
126	Catheter ablation and mortality, stroke and heart failure readmission with atrial fibrillation. Open Heart, 2020, 7, e001369.	2.3	3

#	Article	IF	CITATIONS
127	The prognostic value of myocardial deformational patterns on all-cause mortality is modified by ischemic cardiomyopathy in patients with heart failure. International Journal of Cardiovascular Imaging, 2021, 37, 3137-3144.	1.5	3
128	Long-term Risk of Heart Failure and Other Adverse Cardiovascular Outcomes in Granulomatosis With Polyangiitis: A Nationwide Cohort Study. Journal of Rheumatology, 2022, 49, 291-298.	2.0	3
129	Prognostic implications of serial high-sensitivity cardiac troponin testing among patients with COVID-19: A Danish nationwide registry-based cohort study. American Heart Journal Plus, 2022, 14, 100131.	0.6	3
130	Polygenic predisposition to breast cancer and the risk of coronary artery disease. International Journal of Cardiology, 2019, 291, 145-151.	1.7	2
131	Relation between invasive hemodynamics and measured glomerular filtration rate by ⁵¹ Cr-EDTA clearance in advanced heart failure. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 194-201.	1.2	2
132	Incident atrial fibrillation and risk of psychoactive drug redemptions and psychiatric hospital contacts: a Danish Nationwide Register-based Follow-up Study. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 76-82.	4.0	2
133	Prognostic and comparative performance of cardiovascular risk markers in patients with type 2 diabetes. Journal of Diabetes, 2021, 13, 754-763.	1.8	2
134	Lifetime Risk of Heart Failure and Trends in Incidence Rates Among Individuals With Type 2 Diabetes Between 1995 and 2018. Journal of the American Heart Association, 2021, 10, e021230.	3.7	2
135	Immune Checkpoint Inhibitor Treatment and Ophthalmologist Consultations in Patients with Malignant Melanoma or Lung Cancer—A Nationwide Cohort Study. Cancers, 2022, 14, 49.	3.7	2
136	Longâ€ŧerm risk of heart failure and mortality following mitral valve surgery in patients with and without right ventricular pacemaker. Journal of Cardiac Surgery, 2020, 35, 2598-2604.	0.7	1
137	Is metformin associated with acute kidney injury? A case-control study of patients with type 2 diabetes admitted with acute infection. Journal of Nephrology, 2021, 34, 709-717.	2.0	1
138	Lung ultrasound findings in hospitalized COVID-19 patients in relation to venous thromboembolic events: the ECHOVID-19 study. Journal of Ultrasound, 2021, , 1.	1.3	1
139	Mid-regional pro-atrial natriuretic peptide levels before and after hemodialysis predict long-term prognosis. Clinical Biochemistry, 2021, 94, 20-26.	1.9	1
140	Gender- and Age-Specific Rates of Heart Failure and other Adverse Cardiovascular Outcomes in Systemic Sclerosis. Rheumatology, 2022, , .	1.9	1
141	Association between early detected heart failure stages and future cardiovascular and non-cardiovascular events in the elderly (Copenhagen Heart Failure Risk Study). BMC Geriatrics, 2022, 22, 230.	2.7	1
142	The Effect of Empagliflozin on Contractile Reserve in Heart Failure: Prespecified Sub-Study of a Randomized, Double-Blind, and Placebo-Controlled Trial. American Heart Journal, 2022, 250, 57-57.	2.7	1
143	Fluid volume regulation in patients with heart failure – Authors' reply. Lancet Diabetes and Endocrinology,the, 2021, 9, 258.	11.4	0
144	FC084: Mineralocorticoid Receptor Antagonist Treatment in Patients with Renal Insufficiency and Associated Risk of Hyperkalemia and Death. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0

#	Article	IF	CITATIONS
145	Diagnostic and prognostic value of the electrocardiogram in stable outpatients with type 2 diabetes. Scandinavian Cardiovascular Journal, 2022, 56, 256-263.	1.2	0