

Stephen E Graves

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3006190/stephen-e-graves-publications-by-year.pdf>

Version: 2024-04-16

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

1,830
citations

22
h-index

39
g-index

118
ext. papers

2,520
ext. citations

3.4
avg, IF

5.33
L-index

#	Paper	IF	Citations
107	The effect of patient and prosthesis factors on revision rates after total knee replacement using a multi-registry meta-analytic approach.. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022 , 93, 284-293	4.3	0
106	Cemented Polished Tapered Stems Have Lower Revision Rates Than Commonly Used Cementless Implant up to 17 Years of Follow-Up: An Analysis of 201,889 Total Hip Replacements From the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Arthroplasty</i> , 2022 , 37, 110-118	4.4	1
105	A Nurse-Led Multimedia Intervention to Increase Patient Participation in Recovery After Knee Arthroplasty: Hybrid Type II Implementation Study.. <i>JMIR Human Factors</i> , 2022 , 9, e36959	2.5	
104	Monitoring the lifetime risk of revision knee arthroplasty over a decade : a population-level analysis of Australian national registry data.. <i>Bone and Joint Journal</i> , 2022 , 104-B, 613-619	5.6	4
103	The accuracy of reporting of periprosthetic joint infection to the Australian Orthopaedic Association National Joint Replacement Registry.. <i>Bone & Joint Open</i> , 2022 , 3, 367-373	2.8	3
102	Increased early mortality after total knee arthroplasty using conventional instrumentation compared with technology-assisted surgery: an analysis of linked national registry data. <i>BMJ Open</i> , 2022 , 12, e055859	3	0
101	Lifetime Risk of Primary Shoulder Arthroplasty From 2008 to 2017: A Population-Level Analysis Using National Registry Data. <i>Arthritis Care and Research</i> , 2021 , 73, 1511-1517	4.7	3
100	What Is the Effect of Using a Competing-risks Estimator when Predicting Survivorship After Joint Arthroplasty: A Comparison of Approaches to Survivorship Estimation in a Large Registry. <i>Clinical Orthopaedics and Related Research</i> , 2021 , 479, 392-403	2.2	3
99	Reproducibility of an Intraoperative Pressure Sensor in Total Knee Replacement. <i>Sensors</i> , 2021 , 21,	3.8	1
98	What Can We Learn From Surgeons Who Perform THA and TKA and Have the Lowest Revision Rates? A Study from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Clinical Orthopaedics and Related Research</i> , 2021 ,	2.2	1
97	The Effect of Surgical Approach and Femoral Prosthesis Type on Revision Rates Following Total Hip Arthroplasty: An Analysis of the Most Commonly Utilized Cementless Stems. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021 ,	5.6	1
96	THA for a Fractured Femoral Neck: Comparing the Revision and Dislocation Rates of Standard-head, Large-head, Dual-mobility, and Constrained Liners. <i>Clinical Orthopaedics and Related Research</i> , 2021 , 479, 72-81	2.2	11
95	Patient-reported outcomes after hip and knee arthroplasty : results from a large national registry. <i>Bone & Joint Open</i> , 2021 , 2, 422-432	2.8	5
94	Does a Prescription-based Comorbidity Index Correlate with the American Society of Anesthesiologists Physical Status Score and Mortality After Joint Arthroplasty? A Registry Study. <i>Clinical Orthopaedics and Related Research</i> , 2021 , 479, 2181-2190	2.2	
93	Reply to the Letter to the Editor: Is the Survivorship of Birmingham Hip Resurfacing Better Than Selected Conventional Hip Arthroplasties in Men Younger Than 65 Years of Age? A Study from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Clinical Orthopaedics and Related Research</i> , 2021 , 479, 2190-2192	2.2	
92	Six-year trends in postoperative prescribing and use of multimodal analgesics following total hip and knee arthroplasty: A single-site observational study of pain management. <i>European Journal of Pain</i> , 2021 , 25, 107-121	3.7	0
91	Six-Degree-of-Freedom Tibiofemoral and Patellofemoral Joint Motion During Activities of Daily Living. <i>Annals of Biomedical Engineering</i> , 2021 , 49, 1183-1198	4.7	4

90	Are responders to patient health surveys representative of those invited to participate? An analysis of the Patient-Reported Outcome Measures Pilot from the Australian Orthopaedic Association National Joint Replacement Registry. <i>PLoS ONE</i> , 2021 , 16, e0254196	3.7	1
89	CRISTAL (a cluster-randomised, crossover, non-inferiority trial of aspirin compared to low molecular weight heparin for venous thromboembolism prophylaxis in hip or knee arthroplasty, a registry nested study): statistical analysis plan. <i>Trials</i> , 2021 , 22, 564	2.8	1
88	Incidence, Risk Factors, and Outcome of Ceramic-On-Ceramic Bearing Breakage in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021 , 36, 2992-2997	4.4	1
87	Hip Hemiarthroplasty for Fractured Neck of Femur Revised to Total Hip Arthroplasty: Outcomes Are Influenced by Patient Age Not Articulation Options. <i>Journal of Arthroplasty</i> , 2021 , 36, 2927-2935	4.4	1
86	Greater risk of all-cause revisions and complications for obese patients in 3106 381 total knee arthroplasties: a meta-analysis and systematic review. <i>ANZ Journal of Surgery</i> , 2021 , 91, 2308-2321	1	0
85	Stainless Steel Femoral Heads Reduce Rate of Revision When Compared to Ion-Implanted Chromium-Cobalt Heads With a Single Cemented Femoral Design: An Analysis of 40,468 Total Hip Replacements From the Australian Orthopaedic Association National Joint Replacement Registry.	4.4	
84	A Comparison of Revision Rates for Dislocation and Aseptic Causes Between Dual Mobility and Large Femoral Head Bearings in Primary Total Hip Arthroplasty With Subanalysis by Acetabular Component Size: An Analysis of 106,163 Primary Total Hip Arthroplasties. <i>Journal of Arthroplasty</i> , 2021 , 36, 3233-3240	4.4	2
83	Predicting fracture outcomes from clinical registry data using artificial intelligence supplemented models for evidence-informed treatment (PRAISE) study protocol. <i>PLoS ONE</i> , 2021 , 16, e0257361	3.7	0
82	Lifetime Risk of Revision Hip Replacement Surgery in Australia Remains Low: A Population-Level Analysis Using National Registry Data. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021 , 103, 389-396	5.6	2
81	Early Rate of Revision of Total Hip Arthroplasty Related to Surgical Approach: An Analysis of 122,345 Primary Total Hip Arthroplasties. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 1874-1882	5.6	20
80	One-Surgeon vs Two-Surgeon Single-Anesthetic Bilateral Total Knee Arthroplasty: Revision and Mortality Rates From the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Arthroplasty</i> , 2020 , 35, 1852-1856	4.4	1
79	Does Knee Prosthesis Survivorship Improve When Implant Designs Change? Findings from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Clinical Orthopaedics and Related Research</i> , 2020 , 478, 1156-1172	2.2	5
78	Similar Risk of Revision After Kinetically Aligned, Patient-Specific Instrumented Total Knee Arthroplasty, and All Other Total Knee Arthroplasty: Combined Results From the Australian and New Zealand Joint Replacement Registries. <i>Journal of Arthroplasty</i> , 2020 , 35, 2872-2877	4.4	15
77	The three-year survivorship of robotically assisted versus non-robotically assisted unicompartmental knee arthroplasty. <i>Bone and Joint Journal</i> , 2020 , 102-B, 319-328	5.6	25
76	Robotic-assisted total knee arthroplasty is comparable to conventional total knee arthroplasty: a meta-analysis and systematic review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020 , 140, 1533-1549	3.6	20
75	Mortality and Implant Survival With Simultaneous and Staged Bilateral Total Hip Arthroplasty: Experience From the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Arthroplasty</i> , 2020 , 35, 2518-2524	4.4	4
74	Long-term outcomes of major trauma with unstable open pelvic fractures: A population-based cohort study. <i>Trauma</i> , 2020 , 146040862093320	0.3	0
73	Standard, Large-Head, Dual-Mobility, or Constrained-Liner Revision Total Hip Arthroplasty for a Diagnosis of Dislocation: An Analysis of 1,275 Revision Total Hip Replacements. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 2060-2067	5.6	12

72	Symptom management for patients awaiting joint replacement surgery. <i>Australian Journal of General Practice</i> , 2020 , 49, 444-446	1.5	5
71	Early revision in anatomic total shoulder arthroplasty in osteoarthritis: a cross-registry comparison. <i>Shoulder and Elbow</i> , 2020 , 12, 81-87	1.8	2
70	Declining early mortality after hip and knee arthroplasty. <i>ANZ Journal of Surgery</i> , 2020 , 90, 119-122	1	9
69	The Effect of Size for a Hydroxyapatite-Coated Cementless Implant on Component Revision in Total Hip Arthroplasty: An Analysis of 41,265 Stems. <i>Journal of Arthroplasty</i> , 2020 , 35, 1074-1078	4.4	15
68	Is the Survivorship of Birmingham Hip Resurfacing Better Than Selected Conventional Hip Arthroplasties in Men Younger Than 65 Years of Age? A Study from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Clinical Orthopaedics and Related Research</i> , 2020 , 478, 2625-2636	2.2	9
67	Quantifying the likelihood and costs of hip replacement surgery after sports injury: A population-level analysis. <i>Physical Therapy in Sport</i> , 2020 , 41, 9-15	3	1
66	Postmarket surveillance of arthroplasty device components using machine learning methods. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1440-1447	2.6	3
65	Three-dimensional motion of the knee-joint complex during normal walking revealed by mobile biplane x-ray imaging. <i>Journal of Orthopaedic Research</i> , 2019 , 37, 615-630	3.8	30
64	Orthopaedic registries: the Australian experience. <i>EFORT Open Reviews</i> , 2019 , 4, 409-415	5.5	15
63	Impact of hip arthroplasty registers on orthopaedic practice and perspectives for the future. <i>EFORT Open Reviews</i> , 2019 , 4, 368-376	5.5	12
62	The Efficacy and Safety of Inpatient Rehabilitation Compared With Home Discharge After Hip or Knee Arthroplasty: A Meta-Analysis and Systematic Review. <i>Journal of Arthroplasty</i> , 2019 , 34, 1823-1830	4.4	12
61	Patient activation intervention to facilitate participation in recovery after total knee replacement (MIME): a cluster randomised cross-over trial. <i>BMJ Quality and Safety</i> , 2019 , 28, 782-792	5.4	15
60	The Outcome of Cemented Acetabular Components in Total Hip Arthroplasty for Osteoarthritis Defines a Proficiency Threshold: Results of 22,956 Cases From the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Arthroplasty</i> , 2019 , 34, 1711-1717	4.4	7
59	The projected burden of primary total knee and hip replacement for osteoarthritis in Australia to the year 2030. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 90	2.8	102
58	An international comparison of THA patients, implants, techniques, and survivorship in Sweden, Australia, and the United States. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019 , 90, 148-152	4.3	16
57	An optimum prosthesis combination of low-risk total knee arthroplasty options in all five primary categories of design results in a 60% reduction in revision risk: a registry analysis of 482,373 prostheses. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 1418-1426	5.5	5
56	A randomized trial of desflurane or sevoflurane on postoperative quality of recovery after knee arthroscopy. <i>PLoS ONE</i> , 2019 , 14, e0220733	3.7	3
55	Response to Letter to the Editor on "Mortality and Implant Survival With Simultaneous and Staged Bilateral Total Knee Arthroplasty Experience From the Australian Orthopaedic Association National Joint Replacement Registry". <i>Journal of Arthroplasty</i> , 2019 , 34, 2193	4.4	

54	Major Aseptic Revision Following Total Knee Replacement: A Study of 478,081 Total Knee Replacements from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 302-310	5.6	26
53	The Effect of Surgeon Preference for Selective Patellar Resurfacing on Revision Risk in Total Knee Replacement: An Instrumental Variable Analysis of 136,116 Procedures from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 1261-1270	5.6	10
52	How Does Mortality Risk Change Over Time After Hip and Knee Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 1414-1421	2.2	7
51	Are Hooded, Crosslinked Polyethylene Liners Associated with a Reduced Risk of Revision After THA?. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 1315-1321	2.2	5
50	Likelihood of knee replacement surgery up to 15 years after sports injury: A population-level data linkage study. <i>Journal of Science and Medicine in Sport</i> , 2019 , 22, 629-634	4.4	11
49	Hip and Knee Section, Diagnosis, Pathogen Isolation, Culture: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019 , 34, S361-S367	4.4	11
48	The Effect of Alternative Bearing Surfaces on the Risk of Revision Due to Infection in Minimally Stabilized Total Knee Replacement: An Analysis of 326,603 Prostheses from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018 , 100, 115-123	5.6	10
47	Polished Cemented Femoral Stems Have a Lower Rate of Revision Than Matt Finished Cemented Stems in Total Hip Arthroplasty: An Analysis of 96,315 Cemented Femoral Stems. <i>Journal of Arthroplasty</i> , 2018 , 33, 1472-1476	4.4	11
46	The effect of surgeon preference for hybrid or cemented fixation on the long-term survivorship of total knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018 , 89, 329-335	4.3	8
45	What Is the Long-term Survival for Primary THA With Small-head Metal-on-metal Bearings?. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 1231-1237	2.2	10
44	Unicompartmental Knee Arthroplasty Revision to TKA: Are Tibial Stems and Augments Associated With Improved Survivorship?. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 854-862	2.2	6
43	The Effect of Prosthetic Design and Polyethylene Type on the Risk of Revision for Infection in Total Knee Replacement: An Analysis of 336,997 Prostheses from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018 , 100, 2033-2040	5.6	7
42	Incidence, Costs and Predictors of Non-Union, Delayed Union and Mal-Union Following Long Bone Fracture. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	63
41	What Is the Risk of Revision Surgery in Hydroxyapatite-coated Femoral Hip Stems? Findings From a Large National Registry. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 2353-2366	2.2	1
40	Mortality and Implant Survival With Simultaneous and Staged Bilateral Total Knee Arthroplasty Experience From the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Arthroplasty</i> , 2018 , 33, 3167-3173	4.4	20
39	Progression to total hip arthroplasty following hip arthroscopy. <i>ANZ Journal of Surgery</i> , 2018 , 88, 702	1	6
38	Twelve-month work-related outcomes following hip fracture in patients under 65 years of age. <i>Injury</i> , 2017 , 48, 701-707	2.5	12
37	Lifetime Risk of Primary Total Hip Replacement Surgery for Osteoarthritis From 2003 to 2013: A Multinational Analysis Using National Registry Data. <i>Arthritis Care and Research</i> , 2017 , 69, 1659-1667	4.7	31

36	Surgeon® Preference in Total Knee Replacement: A Quantitative Examination of Attributes, Reasons for Alteration, and Barriers to Change. <i>Journal of Arthroplasty</i> , 2017 , 32, 2980-2989	4.4	17
35	Do non-steroidal anti-inflammatory drugs impair fracture healing? A survey of Australian orthopaedic surgeons. <i>Journal of Pharmacy Practice and Research</i> , 2017 , 47, 393-395	0.7	
34	Association between Dairy Product Consumption and Incidence of Total Hip Arthroplasty for Osteoarthritis. <i>Journal of Rheumatology</i> , 2017 , 44, 1066-1070	4.1	3
33	Late Dislocations After Total Hip Arthroplasty: Is the Bearing a Factor?. <i>Journal of Arthroplasty</i> , 2017 , 32, 2852-2856	4.4	22
32	Increase in Total Joint Arthroplasty Projected from 2014 to 2046 in Australia: A Conservative Local Model With International Implications. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 2130-2137 ^{2.2}		89
31	Are we throwing the baby out with the bath water?. <i>Journal of Shoulder and Elbow Surgery</i> , 2017 , 26, e137-e139	4.3	11
30	The reliability of measuring acetabular component position on radiographs using everyday diagnostic imaging software. <i>Journal of Orthopaedic Surgery</i> , 2017 , 25, 2309499017718953	1.4	2
29	The Effect on Long-Term Survivorship of Surgeon Preference for Posterior-Stabilized or Minimally Stabilized Total Knee Replacement: An Analysis of 63,416 Prostheses from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017 , 99, 1129-1139	5.6	39
28	In vivo six-degree-of-freedom knee-joint kinematics in overground and treadmill walking following total knee arthroplasty. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 1634-1643	3.8	28
27	Constrained Acetabular Components Used in Revision Total Hip Arthroplasty: A Registry Analysis. <i>Journal of Arthroplasty</i> , 2017 , 32, 3102-3107	4.4	9
26	Opioid use after total hip arthroplasty surgery is associated with revision surgery. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 122	2.8	36
25	Stem Migration and Fretting Corrosion of the Antirotation Pin in the K2/Apex Hip System. <i>Journal of Arthroplasty</i> , 2016 , 31, 727-34	4.4	1
24	Mechanical properties of normal and osteoarthritic human articular cartilage. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016 , 61, 96-109	4.1	65
23	Patient participation in postoperative care activities in patients undergoing total knee replacement surgery: Multimedia Intervention for Managing patient Experience (MIME). Study protocol for a cluster randomised crossover trial. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 294	2.8	6
22	What Is the Rerevision Rate After Revising a Hip Resurfacing Arthroplasty? Analysis From the AOANJRR. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 3458-64	2.2	16
21	Higher Rate of Revision in PFC Sigma Primary Total Knee Arthroplasty With Mismatch of Femoro-Tibial Component Sizes. <i>Journal of Arthroplasty</i> , 2015 , 30, 813-7	4.4	15
20	Fluoroscopically assisted computer navigation enables accurate percutaneous screw placement for pelvic and acetabular fracture fixation. <i>Injury</i> , 2015 , 46, 1064-8	2.5	40
19	Association between perception of fault for the crash and function, return to work and health status 1 year after road traffic injury: a registry-based cohort study. <i>BMJ Open</i> , 2015 , 5, e009907	3	20

18	Functional and return to work outcomes following major trauma involving severe pelvic ring fracture. <i>ANZ Journal of Surgery</i> , 2015 , 85, 749-54	1	23
17	Health outcomes of delayed union and nonunion of femoral and tibial shaft fractures. <i>Injury</i> , 2014 , 45, 1653-8	2.5	81
16	Lifetime risk of total hip replacement surgery and temporal trends in utilization: a population-based analysis. <i>Arthritis Care and Research</i> , 2014 , 66, 1213-9	4.7	6
15	The benefits of adopting e-performance management techniques and strategies to facilitate superior healthcare delivery: the proffering of a conceptual framework for the context of Hip and Knee Arthroplasty. <i>Health and Technology</i> , 2013 , 3, 237-247	2.1	6
14	Large diameter metal on metal articulations. Comparison of total hip arthroplasty and hip resurfacing arthroplasty. <i>Journal of Arthroplasty</i> , 2013 , 28, 650-3	4.4	21
13	Trunk muscle action compensates for reduced quadriceps force during walking after total knee arthroplasty. <i>Gait and Posture</i> , 2013 , 38, 79-85	2.6	35
12	Discharge destination following lower limb fracture: development of a prediction model to assist with decision making. <i>Injury</i> , 2012 , 43, 829-34	2.5	15
11	Trends in elective knee arthroscopies in a population-based cohort, 2000-2009. <i>Medical Journal of Australia</i> , 2012 , 197, 399-403	4	34
10	The role of registry data in the evaluation of mobile-bearing total knee arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93 Suppl 3, 48-50	5.6	13
9	Multimedia patient education to assist the informed consent process for knee arthroscopy. <i>ANZ Journal of Surgery</i> , 2011 , 81, 176-80	1	75
8	Predictors of mortality following severe pelvic ring fracture: results of a population-based study. <i>Injury</i> , 2011 , 42, 985-91	2.5	72
7	International survey of primary and revision total knee replacement. <i>International Orthopaedics</i> , 2011 , 35, 1783-9	3.8	233
6	Management guideline in haemodynamically unstable patients with pelvic fractures: Outcomes and challenges. <i>EMA - Emergency Medicine Australasia</i> , 2010 , 22, 556-64	1.5	7
5	Early outcomes of patella resurfacing in total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010 , 81, 108-13	4.3	38
4	Eleven-year follow-up of cross-leg replantation for traumatic bilateral amputation. <i>Journal of Reconstructive Microsurgery</i> , 2009 , 25, 111-5	2.5	5
3	The management of periprosthetic fractures Oxford trimodular femoral stem. A survivorship study. <i>Journal of Arthroplasty</i> , 2009 , 24, 909-13	4.4	1
2	Pulse-lavage brushing followed by hydrogen peroxide-gauze packing for bone-bed preparation in cemented total hip arthroplasty: a bovine model. <i>Journal of Orthopaedic Surgery</i> , 2009 , 17, 296-300	1.4	13
1	The use of navigation for total knee arthroplasty. <i>Current Opinion in Orthopaedics</i> , 2007 , 18, 54-60		2

