

# Joseph P Noel

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3006595/joseph-p-noel-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158  
papers

18,449  
citations

71  
h-index

135  
g-index

170  
ext. papers

20,550  
ext. citations

12.7  
avg, IF

6.48  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 158 | The 2.2 Å crystal structure of transducin-α complexed with GTPγS. <i>Nature</i> , <b>1993</b> , 366, 654-663  | 50.4 | 830       |
| 157 | Rapid synthesis of auxin via a new tryptophan-dependent pathway is required for shade avoidance in plants. <i>Cell</i> , <b>2008</b> , 133, 164-76  | 56.2 | 757       |
| 156 | The chalcone synthase superfamily of type III polyketide synthases. <i>Natural Product Reports</i> , <b>2003</b> , 20, 79-110   | 15.1 | 702       |
| 155 | Structural determinants for activation of the α-subunit of a heterotrimeric G protein. <i>Nature</i> , <b>1994</b> , 369, 621-8   | 50.4 | 647       |
| 154 | Biosynthesis of plant volatiles: nature's diversity and ingenuity. <i>Science</i> , <b>2006</b> , 311, 808-11   | 33.3 | 609       |
| 153 | Structural and functional analysis of the mitotic rotamase Pin1 suggests substrate recognition is phosphorylation dependent. <i>Cell</i> , <b>1997</b> , 89, 875-86   | 56.2 | 596       |
| 152 | Structural basis for phosphoserine-proline recognition by group IV WW domains. <i>Nature Structural Biology</i> , <b>2000</b> , 7, 639-43   |      | 582       |
| 151 | Structural basis for cyclic terpene biosynthesis by tobacco 5-epi-aristolochene synthase. <i>Science</i> , <b>1997</b> , 277, 1815-20   | 33.3 | 581       |
| 150 | GTPase mechanism of G proteins from the 1.7-Å crystal structure of transducin α-GDP-AIF-4. <i>Nature</i> , <b>1994</b> , 372, 276-9   | 50.4 | 560       |
| 149 | Structure of chalcone synthase and the molecular basis of plant polyketide biosynthesis. <i>Nature Structural Biology</i> , <b>1999</b> , 6, 775-84   |      | 470       |
| 148 | A chemical, genetic, and structural analysis of the nuclear bile acid receptor FXR. <i>Molecular Cell</i> , <b>2003</b> , 11, 1079-92   | 17.6 | 320       |
| 147 | Structural basis for inhibition of receptor protein-tyrosine phosphatase-α by dimerization. <i>Nature</i> , <b>1996</b> , 382, 555-9  | 50.4 | 297       |
| 146 | Structural basis of steroid hormone perception by the receptor kinase BRI1. <i>Nature</i> , <b>2011</b> , 474, 467-71   | 50.4 | 279       |
| 145 | Dissection of malonyl-coenzyme A decarboxylation from polyketide formation in the reaction mechanism of a plant polyketide synthase. <i>Biochemistry</i> , <b>2000</b> , 39, 890-902  | 3.2  | 277       |
| 144 | Eugenol and isoeugenol, characteristic aromatic constituents of spices, are biosynthesized via reduction of a coniferyl alcohol ester. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 10128-33 | 11.5 | 267       |
| 143 | Structures of two natural product methyltransferases reveal the basis for substrate specificity in plant O-methyltransferases. <i>Nature Structural Biology</i> , <b>2001</b> , 8, 271-9  |      | 253       |
| 142 | Structural basis for the promiscuous biosynthetic prenylation of aromatic natural products. <i>Nature</i> , <b>2005</b> , 435, 983-7  | 50.4 | 242       |

|     |  |      |     |
|-----|--|------|-----|
| 141 | The rise of chemodiversity in plants. <i>Science</i> , <b>2012</b> , 336, 1667-70  | 33.3 | 232 |
| 140 | An <i>Arabidopsis thaliana</i> gene for methylsalicylate biosynthesis, identified by a biochemical genomics approach, has a role in defense. <i>Plant Journal</i> , <b>2003</b> , 36, 577-88   | 6.9  | 229 |
| 139 | Structure and mechanism of the evolutionarily unique plant enzyme chalcone isomerase. <i>Nature Structural Biology</i> , <b>2000</b> , 7, 786-91   |      | 229 |
| 138 | Dimerization-induced inhibition of receptor protein tyrosine phosphatase function through an inhibitory wedge. <i>Science</i> , <b>1998</b> , 279, 88-91   | 33.3 | 221 |
| 137 | Cryptochrome 1 interacts with PIF4 to regulate high temperature-mediated hypocotyl elongation in response to blue light. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 224-9 | 11.5 | 216 |
| 136 | Conformational flexibility underlies ubiquitin ligation mediated by the WWP1 HECT domain E3 ligase. <i>Molecular Cell</i> , <b>2003</b> , 11, 249-59   | 17.6 | 213 |
| 135 | The phosphopantetheinyl transferases: catalysis of a post-translational modification crucial for life. <i>Natural Product Reports</i> , <b>2014</b> , 31, 61-108   | 15.1 | 210 |
| 134 | Structural control of polyketide formation in plant-specific polyketide synthases. <i>Chemistry and Biology</i> , <b>2000</b> , 7, 919-30  |      | 207 |
| 133 | An aldol switch discovered in stilbene synthases mediates cyclization specificity of type III polyketide synthases. <i>Chemistry and Biology</i> , <b>2004</b> , 11, 1179-94   |      | 202 |
| 132 | Structure of the human anti-apoptotic protein survivin reveals a dimeric arrangement. <i>Nature Structural Biology</i> , <b>2000</b> , 7, 602-8  |      | 201 |
| 131 | Characterization of phenylpropene O-methyltransferases from sweet basil: facile change of substrate specificity and convergent evolution within a plant O-methyltransferase family. <i>Plant Cell</i> , <b>2002</b> , 14, 505-19           | 11.6 | 194 |
| 130 | Structural basis for the modulation of lignin monomer methylation by caffeic acid/5-hydroxyferulic acid 3/5-O-methyltransferase. <i>Plant Cell</i> , <b>2002</b> , 14, 1265-77   | 11.6 | 183 |
| 129 | Critical role of WW domain phosphorylation in regulating phosphoserine binding activity and Pin1 function. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 2381-4  | 5.4  | 183 |
| 128 | Methylation of gibberellins by <i>Arabidopsis</i> GAMT1 and GAMT2. <i>Plant Cell</i> , <b>2007</b> , 19, 32-45   | 11.6 | 182 |
| 127 | Structure-function-folding relationship in a WW domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 10648-53   | 11.5 | 176 |
| 126 | Identifying and manipulating structural determinates linking catalytic specificities in terpene synthases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 9826-31             | 11.5 | 174 |
| 125 | Architectures, mechanisms and molecular evolution of natural product methyltransferases. <i>Natural Product Reports</i> , <b>2012</b> , 29, 1238-50  | 15.1 | 173 |
| 124 | Discovery and characterization of a marine bacterial SAM-dependent chlorinase. <i>Nature Chemical Biology</i> , <b>2008</b> , 4, 69-74   | 11.7 | 172 |

|     |   |      |     |
|-----|---|------|-----|
| 123 | Structural basis for substrate recognition in the salicylic acid carboxyl methyltransferase family. <i>Plant Cell</i> , <b>2003</b> , 15, 1704-16   | 11.6 | 170 |
| 122 | Dimerization inhibits the activity of receptor-like protein-tyrosine phosphatase-alpha. <i>Nature</i> , <b>1999</b> , 401, 606-10   | 50.4 | 162 |
| 121 | Quantitative exploration of the catalytic landscape separating divergent plant sesquiterpene synthases. <i>Nature Chemical Biology</i> , <b>2008</b> , 4, 617-23  | 11.7 | 158 |
| 120 | Evolution of the chalcone-isomerase fold from fatty-acid binding to stereospecific catalysis. <i>Nature</i> , <b>2012</b> , 485, 530-3  | 50.4 | 141 |
| 119 | Genetically encoding unnatural amino acids for cellular and neuronal studies. <i>Nature Neuroscience</i> , <b>2007</b> , 10, 1063-72  | 25.5 | 138 |
| 118 | Crystal structure of a bacterial type III polyketide synthase and enzymatic control of reactive polyketide intermediates. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 45162-74  | 5.4  | 138 |
| 117 | Type III polyketide synthase beta-ketoacyl-ACP starter unit and ethylmalonyl-CoA extender unit selectivity discovered by <i>Streptomyces coelicolor</i> genome mining. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 14754-5 | 16.4 | 133 |
| 116 | Functional analyses of caffeic acid O-Methyltransferase and Cinnamoyl-CoA-reductase genes from perennial ryegrass ( <i>Lolium perenne</i> ). <i>Plant Cell</i> , <b>2010</b> , 22, 3357-73  | 11.6 | 125 |
| 115 | Expanding the biosynthetic repertoire of plant type III polyketide synthases by altering starter molecule specificity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 5319-24           | 11.5 | 124 |
| 114 | Smoke-derived karrikin perception by the $\beta$ -hydrolase KAI2 from <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 8284-9                                       | 11.5 | 120 |
| 113 | Metabolic engineering of sesquiterpene metabolism in yeast. <i>Biotechnology and Bioengineering</i> , <b>2007</b> , 97, 170-81  | 4.9  | 117 |
| 112 | Reaction mechanism of chalcone isomerase. pH dependence, diffusion control, and product binding differences. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 1361-9   | 5.4  | 112 |
| 111 | Structural basis for high-affinity peptide inhibition of human Pin1. <i>ACS Chemical Biology</i> , <b>2007</b> , 2, 320-8   | 4.9  | 109 |
| 110 | Strigolactone perception and deactivation by a hydrolase receptor DWARF14. <i>Nature Communications</i> , <b>2019</b> , 10, 191   | 17.4 | 109 |
| 109 | Mechanism of chalcone synthase. pKa of the catalytic cysteine and the role of the conserved histidine in a plant polyketide synthase. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 39640-6   | 5.4  | 108 |
| 108 | An enzyme-coupled colorimetric assay for S-adenosylmethionine-dependent methyltransferases. <i>Analytical Biochemistry</i> , <b>2004</b> , 326, 100-5   | 3.1  | 107 |
| 107 | Flavin-mediated dual oxidation controls an enzymatic Favorskii-type rearrangement. <i>Nature</i> , <b>2013</b> , 503, 552-556   | 50.4 | 106 |
| 106 | Co-evolution of Hormone Metabolism and Signaling Networks Expands Plant Adaptive Plasticity. <i>Cell</i> , <b>2016</b> , 166, 881-893   | 56.2 | 102 |

|     |  |      |    |
|-----|--|------|----|
| 105 | Biosynthesis of <i>Dictyostelium discoideum</i> differentiation-inducing factor by a hybrid type I fatty acid-type III polyketide synthase. <i>Nature Chemical Biology</i> , <b>2006</b> , 2, 494-502  | 11.7 | 99 |
| 104 | Floral benzenoid carboxyl methyltransferases: from in vitro to in planta function. <i>Phytochemistry</i> , <b>2005</b> , 66, 1211-30   | 4    | 99 |
| 103 | Demonstration of Germacrene A as an Intermediate in 5-Epi-aristolochene Synthase Catalysis. <i>Journal of the American Chemical Society</i> , <b>2000</b> , 122, 1861-1866   | 16.4 | 99 |
| 102 | Structural determinants and modulation of substrate specificity in phenylalanine-tyrosine ammonia-lyases. <i>Chemistry and Biology</i> , <b>2006</b> , 13, 1327-38   |      | 98 |
| 101 | Determinants for dephosphorylation of the RNA polymerase II C-terminal domain by Scp1. <i>Molecular Cell</i> , <b>2006</b> , 24, 759-770   | 17.6 | 92 |
| 100 | Crystal structures of alfalfa caffeoyl coenzyme A 3-O-methyltransferase. <i>Plant Physiology</i> , <b>2005</b> , 137, 1009-17  | 6.6  | 92 |
| 99  | Plant-like biosynthetic pathways in bacteria: from benzoic acid to chalcone. <i>Journal of Natural Products</i> , <b>2002</b> , 65, 1956-62  | 4.9  | 90 |
| 98  | Structure of 4-diphosphocytidyl-2-C- methylerythritol synthetase involved in mevalonate-independent isoprenoid biosynthesis. <i>Nature Structural Biology</i> , <b>2001</b> , 8, 641-8   |      | 88 |
| 97  | Chemoenzymatic syntheses of prenylated aromatic small molecules using <i>Streptomyces</i> prenyltransferases with relaxed substrate specificities. <i>Bioorganic and Medicinal Chemistry</i> , <b>2008</b> , 16, 8117-26                     | 3.4  | 85 |
| 96  | Functional characterization of prenaspirodiene oxygenase, a cytochrome P450 catalyzing regio- and stereo-specific hydroxylations of diverse sesquiterpene substrates. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 31744-54   | 5.4  | 83 |
| 95  | Structure-guided programming of polyketide chain-length determination in chalcone synthase. <i>Biochemistry</i> , <b>2001</b> , 40, 14829-38   | 3.2  | 82 |
| 94  | Stereochemical basis for engineered pyrrolysyl-tRNA synthetase and the efficient in vivo incorporation of structurally divergent non-native amino acids. <i>ACS Chemical Biology</i> , <b>2011</b> , 6, 733-43                               | 4.9  | 79 |
| 93  | New auxin analogs with growth-promoting effects in intact plants reveal a chemical strategy to improve hormone delivery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 15190-5 | 11.5 | 79 |
| 92  | Evolution of chalcone isomerase from a noncatalytic ancestor. <i>Nature Chemical Biology</i> , <b>2018</b> , 14, 548-555   | 11.7 | 78 |
| 91  | Coordination of auxin and ethylene biosynthesis by the aminotransferase VAS1. <i>Nature Chemical Biology</i> , <b>2013</b> , 9, 244-6  | 11.7 | 78 |
| 90  | Local auxin metabolism regulates environment-induced hypocotyl elongation. <i>Nature Plants</i> , <b>2016</b> , 2, 16025   | 11.5 | 74 |
| 89  | Structure-function relationships in plant phenylpropanoid biosynthesis. <i>Current Opinion in Plant Biology</i> , <b>2005</b> , 8, 249-53  | 9.9  | 73 |
| 88  | Structural elucidation of chalcone reductase and implications for deoxychalcone biosynthesis. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 30496-503  | 5.4  | 71 |

|    |  |      |    |
|----|--|------|----|
| 87 | Unveiling the functional diversity of the alpha/beta hydrolase superfamily in the plant kingdom. <i>Current Opinion in Structural Biology</i> , <b>2016</b> , 41, 233-246  | 8.1  | 70 |
| 86 | Structure of the Mg-chelatase cofactor GUN4 reveals a novel hand-shaped fold for porphyrin binding. <i>PLoS Biology</i> , <b>2005</b> , 3, e151  | 9.7  | 69 |
| 85 | The multiple phenylpropene synthases in both <i>Clarkia breweri</i> and <i>Petunia hybrida</i> represent two distinct protein lineages. <i>Plant Journal</i> , <b>2008</b> , 54, 362-74  | 6.9  | 68 |
| 84 | Structural and kinetic basis for substrate selectivity in <i>Populus tremuloides</i> sinapyl alcohol dehydrogenase. <i>Plant Cell</i> , <b>2005</b> , 17, 1598-611   | 11.6 | 66 |
| 83 | Structural, biochemical, and phylogenetic analyses suggest that indole-3-acetic acid methyltransferase is an evolutionarily ancient member of the SABATH family. <i>Plant Physiology</i> , <b>2008</b> , 146, 455-67                                     | 6.6  | 65 |
| 82 | Enzymatic functions of wild tomato methylketone synthases 1 and 2. <i>Plant Physiology</i> , <b>2010</b> , 154, 67-77  | 6.6  | 64 |
| 81 | Structure-function analyses of a caffeic acid O-methyltransferase from perennial ryegrass reveal the molecular basis for substrate preference. <i>Plant Cell</i> , <b>2010</b> , 22, 4114-27   | 11.6 | 64 |
| 80 | Contribution of isopentenyl phosphate to plant terpenoid metabolism. <i>Nature Plants</i> , <b>2018</b> , 4, 721-729   | 11.5 | 62 |
| 79 | Structural basis for dual functionality of isoflavonoid O-methyltransferases in the evolution of plant defense responses. <i>Plant Cell</i> , <b>2006</b> , 18, 3656-69  | 11.6 | 62 |
| 78 | Structure and mechanism of 2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase. An enzyme in the mevalonate-independent isoprenoid biosynthetic pathway. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 8667-72                           | 5.4  | 62 |
| 77 | Discovery of a metabolic alternative to the classical mevalonate pathway. <i>ELife</i> , <b>2013</b> , 2, e00672   | 8.9  | 62 |
| 76 | Biosynthesis of coral settlement cue tetrabromopyrrole in marine bacteria by a uniquely adapted brominase-thioesterase enzyme pair. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 3797-802 | 11.5 | 60 |
| 75 | An <i>Arabidopsis thaliana</i> methyltransferase capable of methylating farnesoic acid. <i>Archives of Biochemistry and Biophysics</i> , <b>2006</b> , 448, 123-32   | 4.1  | 59 |
| 74 | Biochemical and structural characterization of benzenoid carboxyl methyltransferases involved in floral scent production in <i>Stephanotis floribunda</i> and <i>Nicotiana suaveolens</i> . <i>Plant Physiology</i> , <b>2004</b> , 135, 1946-55         | 6.6  | 58 |
| 73 | Chapter two Structural, functional, and evolutionary basis for methylation of plant small molecules. <i>Recent Advances in Phytochemistry</i> , <b>2003</b> , 37, 37-58  |      | 56 |
| 72 | A novel expression vector for high-level synthesis and secretion of foreign proteins in <i>Escherichia coli</i> : overproduction of bovine pancreatic phospholipase A2. <i>Gene</i> , <b>1990</b> , 93, 229-34   | 3.8  | 56 |
| 71 | Genetically encoding unnatural amino acids in neural stem cells and optically reporting voltage-sensitive domain changes in differentiated neurons. <i>Stem Cells</i> , <b>2011</b> , 29, 1231-40  | 5.8  | 55 |
| 70 | Structural and kinetic analysis of prolyl-isomerization/phosphorylation cross-talk in the CTD code. <i>ACS Chemical Biology</i> , <b>2012</b> , 7, 1462-70   | 4.9  | 54 |

|    |   |      |    |
|----|---|------|----|
| 69 | Structural elucidation of cisoid and transoid cyclization pathways of a sesquiterpene synthase using 2-fluorofarnesyl diphosphates. <i>ACS Chemical Biology</i> , <b>2010</b> , 5, 377-92   | 4.9  | 54 |
| 68 | A single-vial analytical and quantitative gas chromatography-mass spectrometry assay for terpene synthases. <i>Analytical Biochemistry</i> , <b>2004</b> , 335, 210-7   | 3.1  | 53 |
| 67 | A soluble, magnesium-independent prenyltransferase catalyzes reverse and regular C-prenylations and O-prenylations of aromatic substrates. <i>FEBS Letters</i> , <b>2007</b> , 581, 2889-93   | 3.8  | 51 |
| 66 | Expression and characterization of the type III polyketide synthase 1,3,6,8-tetrahydroxynaphthalene synthase from <i>Streptomyces coelicolor</i> A3(2). <i>Journal of Industrial Microbiology and Biotechnology</i> , <b>2003</b> , 30, 510-5 | 4.2  | 51 |
| 65 | Evolving biosynthetic tangos negotiate mechanistic landscapes. <i>Nature Chemical Biology</i> , <b>2008</b> , 4, 217-221.7  | 11.7 | 50 |
| 64 | Orthologs of the archaeal isopentenyl phosphate kinase regulate terpenoid production in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 10050-5                           | 11.5 | 49 |
| 63 | Structural studies of cinnamoyl-CoA reductase and cinnamyl-alcohol dehydrogenase, key enzymes of monolignol biosynthesis. <i>Plant Cell</i> , <b>2014</b> , 26, 3709-27   | 11.6 | 48 |
| 62 | Biosynthesis of t-anethole in anise: characterization of t-anol/isoeugenol synthase and an O-methyltransferase specific for a C7-C8 propenyl side chain. <i>Plant Physiology</i> , <b>2009</b> , 149, 384-94                                  | 6.6  | 48 |
| 61 | Role of hydrogen bonds in the reaction mechanism of chalcone isomerase. <i>Biochemistry</i> , <b>2002</b> , 41, 5168-76   | 3.6  | 48 |
| 60 | Chemodiversity in Selaginella: a reference system for parallel and convergent metabolic evolution in terrestrial plants. <i>Frontiers in Plant Science</i> , <b>2013</b> , 4, 119   | 6.2  | 47 |
| 59 | Genetic basis for the biosynthesis of the pharmaceutically important class of epoxyketone proteasome inhibitors. <i>ACS Chemical Biology</i> , <b>2014</b> , 9, 301-9   | 4.9  | 46 |
| 58 | Multiple biochemical and morphological factors underlie the production of methylketones in tomato trichomes. <i>Plant Physiology</i> , <b>2009</b> , 151, 1952-64   | 6.6  | 46 |
| 57 | Expanding the library and substrate diversity of the pyrrolysyl-tRNA synthetase to incorporate unnatural amino acids containing conjugated rings. <i>ChemBioChem</i> , <b>2013</b> , 14, 2100-5   | 3.8  | 41 |
| 56 | Interception of the enzymatic conversion of farnesyl diphosphate to 5-epi-aristolochene by using a fluoro substrate analogue: 1-fluorogermacrene A from (2E,6Z)-6-fluorofarnesyl diphosphate. <i>ChemBioChem</i> , <b>2007</b> , 8, 1826-33   | 3.8  | 40 |
| 55 | Structure, biochemistry, and inhibition of essential 4Sphosphopantetheinyl transferases from two species of Mycobacteria. <i>ACS Chemical Biology</i> , <b>2014</b> , 9, 1939-44  | 4.9  | 39 |
| 54 | Structural basis for specific ligation of the peroxisome proliferator-activated receptor $\alpha$ . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, E2563-E2570                   | 11.5 | 38 |
| 53 | Kinetic and molecular analysis of 5-epiaristolochene 1,3-dihydroxylase, a cytochrome P450 enzyme catalyzing successive hydroxylations of sesquiterpenes. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 3686-94                  | 5.4  | 37 |
| 52 | Functional analysis of members of the isoflavone and isoflavanone O-methyltransferase enzyme families from the model legume <i>Medicago truncatula</i> . <i>Plant Molecular Biology</i> , <b>2006</b> , 62, 715-33                            | 4.6  | 37 |

|    |  |      |    |
|----|--|------|----|
| 51 | A Red Algal Bourbonane Sesquiterpene Synthase Defined by Microgram-Scale NMR-Coupled Crystalline Sponge X-ray Diffraction Analysis. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 16838-16844   | 16.4 | 36 |
| 50 | Structure and reaction mechanism of basil eugenol synthase. <i>PLoS ONE</i> , <b>2007</b> , 2, e993  | 3.7  | 35 |
| 49 | Dynamic Conformational States Dictate Selectivity toward the Native Substrate in a Substrate-Permissive Acyltransferase. <i>Biochemistry</i> , <b>2016</b> , 55, 6314-6326   | 3.2  | 34 |
| 48 | Bisabolyl-derived sesquiterpenes from tobacco 5-epi-aristolochene synthase-catalyzed cyclization of (2Z,6E)-farnesyl diphosphate. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 4281-9  | 16.4 | 34 |
| 47 | Structural and functional analysis of the phosphoryl transfer reaction mediated by the human small C-terminal domain phosphatase, Scp1. <i>Protein Science</i> , <b>2010</b> , 19, 974-86  | 6.3  | 33 |
| 46 | Structural basis for the design of potent and species-specific inhibitors of 3-hydroxy-3-methylglutaryl CoA synthases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 11491-6   | 11.5 | 33 |
| 45 | Biosynthetic potential of sesquiterpene synthases: alternative products of tobacco 5-epi-aristolochene synthase. <i>Archives of Biochemistry and Biophysics</i> , <b>2006</b> , 448, 73-82   | 4.1  | 32 |
| 44 | Stereochemistry and deuterium isotope effects associated with the cyclization-rearrangements catalyzed by tobacco epiaristolochene and hyoscyamus premnaspirodiene synthases, and the chimeric CH <sub>4</sub> hybrid cyclase. <i>Archives of Biochemistry and Biophysics</i> , <b>2006</b> , 448, 31-44 | 4.1  | 31 |
| 43 | The lack of floral synthesis and emission of isoeugenol in <i>Petunia axillaris</i> subsp. <i>parodii</i> is due to a mutation in the isoeugenol synthase gene. <i>Plant Journal</i> , <b>2009</b> , 58, 961-9   | 6.9  | 29 |
| 42 | Formation of a Novel Macrocyclic Alkaloid From the Unnatural Farnesyl Diphosphate Analogue Anilingeranyl Diphosphate by 5-Epi-Aristolochene Synthase. <i>ACS Chemical Biology</i> , <b>2015</b> , 10, 1729-36  | 4.9  | 26 |
| 41 | Confluence of structural and chemical biology: plant polyketide synthases as biocatalysts for a bio-based future. <i>Current Opinion in Plant Biology</i> , <b>2013</b> , 16, 365-72   | 9.9  | 26 |
| 40 | Spectral and structural comparison between bright and dim green fluorescent proteins in <i>Amphioxus</i> . <i>Scientific Reports</i> , <b>2014</b> , 4, 5469   | 4.9  | 24 |
| 39 | Phospholipase A2 engineering. 4. Can the active-site aspartate-99 function alone?. <i>Journal of the American Chemical Society</i> , <b>1990</b> , 112, 7074-7076  | 16.4 | 23 |
| 38 | Mutation of archaeal isopentenyl phosphate kinase highlights mechanism and guides phosphorylation of additional isoprenoid monophosphates. <i>ACS Chemical Biology</i> , <b>2010</b> , 5, 589-601  | 4.9  | 22 |
| 37 | Metabolite induction of <i>Caenorhabditis elegans</i> dauer larvae arises via transport in the pharynx. <i>ACS Chemical Biology</i> , <b>2008</b> , 3, 294-304   | 4.9  | 22 |
| 36 | S-Adenosyl-L-methionine hydrolase (adenosine-forming), a conserved bacterial and archaeal protein related to SAM-dependent halogenases. <i>ChemBioChem</i> , <b>2008</b> , 9, 2215-9   | 3.8  | 22 |
| 35 | Physical constraints on sesquiterpene diversity arising from cyclization of the eudesm-5-yl carbocation. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 12632-41   | 16.4 | 21 |
| 34 | Methylation of sulfhydryl groups: a new function for a family of small molecule plant O-methyltransferases. <i>Plant Journal</i> , <b>2006</b> , 46, 193-205   | 6.9  | 21 |



|    |   |      |    |
|----|---|------|----|
| 33 | Phospholipase A2 engineering. 3. Replacement of lysine-56 by neutral residues improves catalytic efficiency significantly, alters substrate specificity, and clarifies the mechanism of interfacial recognition. <i>Journal of the American Chemical Society</i> , <b>1990</b> , 112, 3704-3706 | 16.4 | 21 |
| 32 | Genetically Encoding Photoswitchable Click Amino Acids in Escherichia coli and Mammalian Cells. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 4013-4017   | 3.6  | 20 |
| 31 | Gating mechanism of elongating $\beta$ -ketoacyl-ACP synthases. <i>Nature Communications</i> , <b>2020</b> , 11, 1727   | 17.4 | 18 |
| 30 | Emergent decarboxylase activity and attenuation of $\beta$ -hydrolase activity during the evolution of methylketone biosynthesis in tomato. <i>Plant Cell</i> , <b>2012</b> , 24, 1596-607  | 11.6 | 18 |
| 29 | Phospholipase A2 engineering: design, synthesis, and expression of a gene for bovine (pro)phospholipase A2. <i>Journal of Cellular Biochemistry</i> , <b>1989</b> , 40, 309-20  | 4.7  | 17 |
| 28 | Mechanism-Based Post-Translational Modification and Inactivation in Terpene Synthases. <i>ACS Chemical Biology</i> , <b>2015</b> , 10, 2501-11  | 4.9  | 16 |
| 27 | Interfacial plasticity facilitates high reaction rate of FAS malonyl-CoA:ACP transacylase, FabD. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 24224-24233  | 11.5 | 16 |
| 26 | Structure-function analyses of plant type III polyketide synthases. <i>Methods in Enzymology</i> , <b>2012</b> , 515, 317-35  | 1.7  | 15 |
| 25 | Gene library synthesis by structure-based combinatorial protein engineering. <i>Methods in Enzymology</i> , <b>2004</b> , 388, 75-91  | 1.7  | 15 |
| 24 | Laetirobin from the parasitic growth of Laetiporus sulphureus on Robinia pseudoacacia. <i>Journal of Natural Products</i> , <b>2009</b> , 72, 1980-7  | 4.9  | 14 |
| 23 | Harvesting the biosynthetic machineries that cultivate a variety of indispensable plant natural products. <i>Current Opinion in Chemical Biology</i> , <b>2016</b> , 31, 66-73  | 9.7  | 13 |
| 22 | Structural basis for the modulation of CDK-dependent/independent activity of cyclin D1. <i>Cell Cycle</i> , <b>2006</b> , 5, 2760-8   | 4.7  | 11 |
| 21 | Modulation of auxin formation by the cytosolic phenylalanine biosynthetic pathway. <i>Nature Chemical Biology</i> , <b>2020</b> , 16, 850-856   | 11.7 | 10 |
| 20 | Biosynthetic potential of sesquiterpene synthases: product profiles of Egyptian Henbane premnaspirodiene synthase and related mutants. <i>Journal of Antibiotics</i> , <b>2016</b> , 69, 524-33   | 3.7  | 10 |
| 19 | Algal neurotoxin biosynthesis repurposes the terpene cyclase structural fold into an -prenyltransferase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 12799-12805  | 11.5 | 9  |
| 18 | A coupled in vitro/in vivo approach for engineering a heterologous type III PKS to enhance polyketide biosynthesis in Saccharomyces cerevisiae. <i>Biotechnology and Bioengineering</i> , <b>2018</b> , 115, 1394-1402  | 4.9  | 9  |
| 17 | Molecular architectures of benzoic acid-specific type III polyketide synthases. <i>Acta Crystallographica Section D: Structural Biology</i> , <b>2017</b> , 73, 1007-1019   | 5.5  | 9  |
| 16 | Divergent perspectives on GM food. <i>Nature Biotechnology</i> , <b>2002</b> , 20, 1195-6; author reply 1197  | 44.5 | 9  |

|    |  |      |   |
|----|--|------|---|
| 15 | Substrate Specificity and Engineering of Mevalonate 5-Phosphate Decarboxylase. <i>ACS Chemical Biology</i> , <b>2019</b> , 14, 1767-1779   | 4.9  | 8 |
| 14 | Bifunctional Substrate Activation via an Arginine Residue Drives Catalysis in Chalcone Isomerases. <i>ACS Catalysis</i> , <b>2019</b> , 9, 8388-8396   | 13.1 | 7 |
| 13 | Use of CrK $\beta$ radiation to enhance the signal from anomalous scatterers including sulfur. <i>Journal of Applied Crystallography</i> , <b>2000</b> , 33, 876-881   | 3.8  | 7 |
| 12 | Activity Mapping the Acyl Carrier Protein: Elongating Ketosynthase Interaction in Fatty Acid Biosynthesis. <i>Biochemistry</i> , <b>2020</b> , 59, 3626-3638   | 3.2  | 6 |
| 11 | Phospholipids Chiral at Phosphorus. 13. Stereochemical Comparison of Phospholipase A2, Lecithin-Cholesterol Acyl Transferase, and Platelet-Activating Factor. <i>Phosphorous and Sulfur and the Related Elements</i> , <b>1987</b> , 30, 601-604 |      | 5 |
| 10 | Innovating carbon-capture biotechnologies through ecosystem-inspired solutions. <i>One Earth</i> , <b>2021</b> , 4, 49-59  | 8.1  | 5 |
| 9  | Structure and Mechanistic Analyses of the Gating Mechanism of Elongating Ketosynthases. <i>ACS Catalysis</i> , <b>2021</b> , 11, 6787-6799   | 13.1 | 3 |
| 8  | Structure and Dynamic Basis of Molecular Recognition Between Acyltransferase and Carrier Protein in <i>E. coli</i> Fatty Acid Synthesis  |      | 2 |
| 7  | Dissecting modular synthases through inhibition: A complementary chemical and genetic approach. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2020</b> , 30, 126820   | 2.9  | 2 |
| 6  | Mechanisms of Type III Polyketide Synthase Functional Diversity: From Steric Modulation to the Reaction Partitioning Model. <i>ACS Symposium Series</i> , <b>2007</b> , 185-197  | 0.4  | 1 |
| 5  | Plant-based CO drawdown and storage as SiC.. <i>RSC Advances</i> , <b>2021</b> , 11, 15512-15518   | 3.7  | 1 |
| 4  | An open letter to the metabolomics community: looking forward to a future of integrative plant biology. <i>Metabolomics</i> , <b>2013</b> , 9, 268-270   | 4.7  |   |
| 3  | Determinants for dephosphorylation of the RNA polymerase II C-terminal domain by Scp1. <i>FASEB Journal</i> , <b>2007</b> , 21, A1032  | 0.9  |   |
| 2  | Dynamics and Bifunctional Substrate Activation by an Arginine Drive Catalysis in Plant Chalcone Isomerases. <i>FASEB Journal</i> , <b>2018</b> , 32, 1b73  | 0.9  |   |
| 1  | Protein Epistasis Revealed from Thermostability Profiles of <i>Nicotiana tabacum</i> 5-epi-Aristolochene Synthase. <i>FASEB Journal</i> , <b>2013</b> , 27, 561.5  | 0.9  |   |