

Massimiliano Barletta

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3006971/massimiliano-barletta-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172 papers	2,106 citations	24 h-index	33 g-index
183 ext. papers	2,446 ext. citations	4.1 avg, IF	5.42 L-index

#	Paper	IF	Citations
172	Comparative life cycle analysis of disposable and reusable tableware: The role of bioplastics. <i>Cleaner Engineering and Technology</i> , 2022 , 6, 100419	2.7	1
171	Injection-stretch blow molding of poly (lactic acid)/polybutylene succinate blends for the manufacturing of bottles. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51557	2.9	
170	Laser transmission welding of aluminum film coated with heat sealable co-polyester resin with polypropylene films for applications in food and drug packaging. <i>International Journal of Advanced Manufacturing Technology</i> , 2022 , 120, 2291	3.2	1
169	Laser polishing: a review of a constantly growing technology in the surface finishing of components made by additive manufacturing. <i>International Journal of Advanced Manufacturing Technology</i> , 2022 , 120, 1433	3.2	3
168	Compatibilization strategies and analysis of morphological features of poly(butylene adipate-co-terephthalate) (PBAT)/poly(lactic acid) PLA blends: A state-of-art review. <i>European Polymer Journal</i> , 2022 , 173, 111304	5.2	4
167	Life cycle assessment (LCA) of bio-based packaging solutions for extended shelf-life (ESL) milk. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	1
166	Comparative investigation of scratch resistance and tribological performance of NiB ₁₂ /TiO ₂ composite coatings prepared by conventional and novel processing methods. <i>Ceramics International</i> , 2021 , 47, 14438-14454	5.1	2
165	Effect of filler content on scratch behavior and tribological performance of polyester/graphene oxide nanocomposite coating 2021 , 18, 1269-1280		0
164	Corotating twin-screw extrusion of poly(lactic acid) PLA/poly(butylene succinate) PBS/micro-lamellar talc blends for extrusion blow molding of biobased bottles for alcoholic beverages. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51294	2.9	2
163	Print base decorative paper with high-dimensional stability by chemical fiber modification: An experimental and analytical approach. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49805	2.9	1
162	Laser sealing of PLA-based compostable coffee capsules. <i>Optics and Laser Technology</i> , 2021 , 133, 106557	4.2	1
161	Optimizing crystallinity of engineered poly(lactic acid)/poly(butylene succinate) blends: The role of single and multiple nucleating agents. <i>Journal of Applied Polymer Science</i> , 2021 , 138, app50236	2.9	0
160	Laser sealing of compostable packaging solutions: Experimental approach and adhesion mechanisms. <i>Optics and Lasers in Engineering</i> , 2021 , 137, 106369	4.6	0
159	A Comparative Investigation of the Tribological and the Mechanical Behavior of Polyester Powder Coatings Filled with Graphite Depending on the Filling Percentage and the Size of the Graphite Particles. <i>Lecture Notes in Mechanical Engineering</i> , 2021 , 252-258	0.4	
158	4D printing of shape memory polylactic acid (PLA) components: Investigating the role of the operational parameters in fused deposition modelling (FDM). <i>Journal of Manufacturing Processes</i> , 2021 , 61, 473-480	5	21
157	Additive manufacturing of polyhydroxyalkanoates (PHAs) biopolymers: Materials, printing techniques, and applications. <i>Materials Science and Engineering C</i> , 2021 , 127, 112216	8.3	15
156	Design, manufacturing and preliminary assessment of the suitability of bioplastic bottles for wine packaging. <i>Polymer Testing</i> , 2021 , 100, 107227	4.5	3

155	Laser joining of aluminum film coated with vinyl resin and plastic/bioplastic films for applications in food packaging. <i>Optics and Laser Technology</i> , 2021 , 142, 107237	4.2	0
154	Manufacturing of cellulose-based paper: dynamic water absorption before and after fiber modifications with hydrophobic agents. <i>Applied Physics A: Materials Science and Processing</i> , 2020 , 126, 1	2.6	5
153	Prediction model for determining the optimum operational parameters in laser forming of fiber-reinforced composites. <i>Advances in Manufacturing</i> , 2020 , 8, 242-251	2.7	8
152	Ultra-flexible PLA-based blends for the manufacturing of biodegradable tamper-evident screw caps by injection molding. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 49428	2.9	4
151	Thermoforming of compostable PLA/PBS blends reinforced with highly hygroscopic calcium carbonate. <i>Journal of Manufacturing Processes</i> , 2020 , 56, 1185-1192	5	10
150	Investigation on the functionality of laser-welded NiTi to NiTiCu shape memory wires. <i>Journal of Intelligent Material Systems and Structures</i> , 2020 , 31, 1171-1175	2.3	2
149	Recycling of PLA-based bioplastics: The role of chain-extenders in twin-screw extrusion compounding and cast extrusion of sheets. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 49292	2.9	10
148	Production and processing of biodegradable and compostable biomaterials. <i>Studies in Surface Science and Catalysis</i> , 2020 , 179, 231-242	1.8	2
147	Advance on processing of compostable and thermally stable biodegradable polyester blends. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48722	2.9	2
146	Investigation on shape recovery of 3D printed honeycomb sandwich structure. <i>Polymers for Advanced Technologies</i> , 2020 , 31, 3361-3365	3.2	20
145	Cast extrusion of low gas permeability bioplastic sheets in PLA/PBS and PLA/PHB binary blends. <i>Polymer-Plastics Technology and Materials</i> , 2020 , 59, 231-240	1.5	6
144	Tailor-Made Bioplastics for Environmentally Friendly Food Packaging: A Methodological Approach to a Challenging Problem 2020 , 605-616		1
143	The effects of TiO ₂ sol concentration on single- and multiple-scratch damage in electroplated NiB-TiO ₂ sol composite coating. <i>Ceramics International</i> , 2020 , 46, 3767-3776	5.1	6
142	Extrusion blow molding of environmentally friendly bottles in biodegradable polyesters blends. <i>Polymer Testing</i> , 2019 , 77, 105885	4.5	10
141	Dissimilar Laser Welding of NiTi Wires. <i>Lasers in Manufacturing and Materials Processing</i> , 2019 , 6, 99-112	2.1	11
140	Effect of welding parameters on functionality of dissimilar laser-welded NiTi superelastic (SE) to shape memory effect (SME) wires. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 103, 1593-1601	3.2	16
139	Thermo-Mechanical Properties of Injection Molded Components Manufactured by Engineered Biodegradable Blends. <i>Journal of Polymers and the Environment</i> , 2019 , 27, 2105-2118	4.5	6
138	Welding strength of dissimilar laser-welded NiTi and NiTiCu shape memory wires. <i>Manufacturing Letters</i> , 2019 , 22, 25-27	4.5	3

137	An artificial neural network model for laser transmission welding of biodegradable polyethylene terephthalate/polyethylene vinyl acetate (PET/PEVA) blends. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 102, 1497-1507	3.2	17
136	Advances in design and manufacturing of environmentally friendly and biocide-free antifouling/foul-release coatings: replacement of fluorinate species 2019 , 16, 661-680		8
135	Engineered poly(lactic acid)-talc biocomposites for melt processing: Effects of co-blending with poly(butylene succinate) and poly(butylene terephthalate) on thermal and mechanical behavior. <i>Polymer Engineering and Science</i> , 2019 , 59, 264-273	2.3	4
134	Effect of micro-lamellar talc on dimensional accuracy and stability in injection molding of PLA/PBSA blends. <i>Polymer-Plastics Technology and Materials</i> , 2019 , 58, 776-788	1.5	5
133	Heat treatment of AA 6082 T6 aluminum alloy coated with thin Al ₂ O ₃ layer by fluidized bed. <i>International Journal of Advanced Manufacturing Technology</i> , 2018 , 96, 2605-2618	3.2	3
132	Improvements in mechanical strength and thermal stability of injection and compression molded components based on Poly Lactic Acids. <i>Advances in Polymer Technology</i> , 2018 , 37, 2158-2170	1.9	7
131	Design, development and first validation of Biocide-free Anti-fouling coatings. <i>Progress in Organic Coatings</i> , 2018 , 123, 35-46	4.8	9
130	Laser forming of glass laminate aluminium reinforced epoxy (GLARE): On the role of mechanical, physical and chemical interactions in the multi-layers material. <i>Optics and Lasers in Engineering</i> , 2018 , 110, 364-376	4.6	14
129	Design, manufacturing and testing of anti-fouling/foul-release (AF/FR) amphiphilic coatings. <i>Progress in Organic Coatings</i> , 2018 , 123, 267-281	4.8	12
128	Thermal behavior of injection- and compression-molded custom-built polylactic acids. <i>Advances in Polymer Technology</i> , 2018 , 37, 1444-1455	1.9	1
127	Thermal behavior of extruded and injection-molded poly(lactic acid)/talc engineered biocomposites: Effects of material design, thermal history, and shear stresses during melt processing. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45179	2.9	7
126	Design and manufacture of degradable polymers: Biocomposites of micro-lamellar talc and poly(lactic acid). <i>Materials Chemistry and Physics</i> , 2017 , 196, 62-74	4.4	11
125	Wear resistance of injection moulded PLA-talc engineered bio-composites: Effect of material design, thermal history and shear stresses during melt processing. <i>Wear</i> , 2017 , 390-391, 184-197	3.5	10
124	High Power Diode Laser (HPDL) surface hardening of low carbon steel: Fatigue life improvement analysis. <i>Journal of Manufacturing Processes</i> , 2017 , 28, 266-271	5	36
123	Laser transmission welding of poly(ethylene terephthalate) and biodegradable poly(ethylene terephthalate) Based blends. <i>Optics and Lasers in Engineering</i> , 2017 , 90, 110-118	4.6	18
122	Engineering of Poly Lactic Acids (PLAs) for melt processing: Material structure and thermal properties. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	4
121	High-Density Polyethylene/SrAl ₂ O ₄ :Eu ²⁺ , Dy ³⁺ Photoluminescent Pigments: Material Design, Melt Processing, and Characterization. <i>Polymer-Plastics Technology and Engineering</i> , 2017 , 56, 400-410		5
120	Laser-assisted bending of Titanium Grade-2 sheets: Experimental analysis and numerical simulation. <i>Optics and Lasers in Engineering</i> , 2017 , 92, 110-119	4.6	24

119	Graphene reinforced UV-curable epoxy resins: Design, manufacture and material performance. <i>Progress in Organic Coatings</i> , 2016 , 90, 414-424	4.8	27
118	Graphene-modified poly(lactic acid) for packaging: Material formulation, processing and performance. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	12
117	Smart coatings on thermoplastic polycarbonates: LEGO-Design (LD) for facile manufacturability. <i>Progress in Organic Coatings</i> , 2016 , 101, 161-177	4.8	8
116	Improvements in springback control by external force laser-assisted sheet bending of titanium and aluminum alloys. <i>Optics and Laser Technology</i> , 2016 , 86, 46-53	4.2	14
115	Engineering and Processing of Poly(HydroxyButyrate) (PHB) Modified by Nano-sized Graphene Nanoplatelets (GNP) and Amino-Functionalized Silica (A-fnSiO ₂). <i>Journal of Polymers and the Environment</i> , 2016 , 24, 1-11	4.5	12
114	Abrasive Fluidized Bed (AFB) finishing of AlSi10Mg substrates manufactured by Direct Metal Laser Sintering (DMLS). <i>Additive Manufacturing</i> , 2016 , 10, 15-23	6.1	40
113	Hard transparent coatings on thermoplastic polycarbonate. <i>Progress in Organic Coatings</i> , 2016 , 90, 178-186	4.8	19
112	Manufacturing and characterization of polyether ether ketone/methyl phenyl polysiloxane composite coatings. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	3
111	LaserOrigami (LO) of three-dimensional (3D) components: Experimental analysis and numerical modelling. <i>Journal of Manufacturing Processes</i> , 2016 , 23, 242-248	5	15
110	Experimental investigation and modeling of fluidized bed assisted drag finishing according to the theory of localization of plastic deformation and energy absorption. <i>International Journal of Advanced Manufacturing Technology</i> , 2015 , 77, 2165-2180	3.2	5
109	Laser-Assisted Bending of Sharp Angles With Small Fillet Radius on Stainless Steel Sheets: Analysis of Experimental Set-Up and Processing Parameters. <i>Lasers in Manufacturing and Materials Processing</i> , 2015 , 2, 57-73	2.1	13
108	Scratch- and wear-resistant photoluminescent silicone epoxy coatings on floor tiles 2015 , 1		
107	High performance composite coatings on plastics: UV-curable cycloaliphatic epoxy resins reinforced by graphene or graphene derivatives. <i>Surface and Coatings Technology</i> , 2015 , 272, 322-336	4.4	24
106	Scratch, wear and corrosion resistant organic inorganic hybrid materials for metals protection and barrier. <i>Materials & Design</i> , 2015 , 69, 130-140		15
105	Design and manufacturing of protective barriers on Fe 430 B substrates by phenyl methyl polysiloxane coatings: micromechanical response, chemical inertness, and corrosion resistance 2015 , 12, 333-346		6
104	Fuzzy model for fluidized bed assisted drag finishing 2015 ,		1
103	Progress in Tridimensional (3d) Laser Forming of Stainless Steel Sheets. <i>Lasers in Manufacturing and Materials Processing</i> , 2015 , 2, 148-163	2.1	10
102	External force-assisted LaserOrigami (LO) bending: Shaping of 3D cubes and edge design of stainless steel chairs. <i>Journal of Manufacturing Processes</i> , 2015 , 18, 159-166	5	11

101	Scratch resistance and tribological performance of thermosetting composite powder coatings system: A comparative evaluation. <i>Surface and Coatings Technology</i> , 2015 , 263, 27-35	4.4	10
100	Experimental evaluation of plowing and scratch hardness of aqueous two-component polyurethane (2K-PUR) coatings on glass and polycarbonate. <i>Progress in Organic Coatings</i> , 2014 , 77, 636-645	4.8	16
99	Modelling the Electrostatic Fluidised Bed (EFB) coating process using Support Vector Machines (SVMs). <i>Powder Technology</i> , 2014 , 258, 85-93	5.2	11
98	Retrofitting of solar glasses by protective anti-soiling and -graffiti coatings. <i>Renewable Energy</i> , 2014 , 66, 443-453	8.1	6
97	Design, processing and characterization of flexible hybrid coatings: A comparative evaluation. <i>Materials & Design</i> , 2014 , 54, 924-933		8
96	Environmentally friendly wooden-based coatings for thermal insulation: Design, manufacturing and performances. <i>Progress in Organic Coatings</i> , 2014 , 77, 701-711	4.8	7
95	Drag finishing of sensitive workpieces with fluidized abrasives. <i>Journal of Manufacturing Processes</i> , 2014 , 16, 494-502	5	12
94	Self-cleaning and self-sanitizing coatings on plastic fabrics: design, manufacture and performance. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 120, 71-80	6	20
93	A comparative investigation of the tribological behavior and scratch response of polyester powder coatings filled with different solid lubricants. <i>Progress in Organic Coatings</i> , 2014 , 77, 1408-1417	4.8	18
92	Design and manufacture of photoluminescent coatings on stainless steel substrates. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 455, 147-155	5.1	10
91	A comparative evaluation of fluidized bed assisted drag finishing and centrifugal disk dry finishing 2014 , 17, 63-72		7
90	Functionalized polysiloxane coatings on hot-rolled and high-strength Fe 430 B steel: Analysis of mechanical response and resistance to chemicals. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	2
89	Wood-Reinforced Polyphthalamide Resins: MultiFunctional Composite Coating for Metal Substrates. <i>International Journal of Polymer Science</i> , 2014 , 2014, 1-11	2.4	0
88	Fuzzy Model for Electrostatic Fluidized Bed Coating 2014 ,		2
87	Wear response and mechanical behaviour of silicone-based photoluminescent coatings. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013 , 429, 1-11	5.1	7
86	Progressive and constant load scratch testing of single- and multi-layered composite coatings. <i>Tribology International</i> , 2013 , 64, 39-52	4.9	12
85	Abrasive Fluidized Bed (AFB) finishing of thermally sprayed cobalt-chromium coatings. <i>Manufacturing Letters</i> , 2013 , 1, 1-4	4.5	3
84	Hard polyurethane coatings on compliant polycarbonate: An application of the 3D deformation response model to scratch visibility. <i>Progress in Organic Coatings</i> , 2013 , 76, 1494-1504	4.8	4

83	Visual appearance and scratch resistance of high performance thermoset and thermoplastic powder coatings. <i>Progress in Organic Coatings</i> , 2013 , 76, 244-256	4.8	28
82	New ways to the manufacturing of pigmented multi-layer protective coatings. <i>Surface and Coatings Technology</i> , 2013 , 232, 860-867	4.4	8
81	Application and drying at ambient temperature of thick organic/inorganic hybrid coatings on glass. <i>Surface and Coatings Technology</i> , 2013 , 236, 212-223	4.4	8
80	The Mechanisms of Material Removal in the Fluidized Bed Machining of Polyvinyl Chloride Substrates. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2013 , 135,	3.3	4
79	Manufacturing of steel foams by Slip Reaction Foam Sintering (SRFS). <i>Materials & Design</i> , 2012 , 40, 268-275		18
78	Surface reconstruction of porous substrates in sintered bronze by cw-high power diode laser. <i>Optics and Lasers in Engineering</i> , 2012 , 50, 1306-1315	4.6	7
77	Laser surface modification (LSM) of thermally-sprayed Diamalloy 2002 coating. <i>Optics and Laser Technology</i> , 2012 , 44, 1942-1958	4.2	12
76	Effect of the substrate and interface on micro-scratch deformation of epoxy-polyester powder coatings. <i>Progress in Organic Coatings</i> , 2012 , 74, 712-718	4.8	11
75	Chemical vapor deposition of highly adherent diamond coatings onto co-cemented tungsten carbides irradiated by high power diode laser. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 694-701	9.5	18
74	Recent Advances in the Deposition of Diamond Coatings on Co-Cemented Tungsten Carbides. <i>Advances in Materials Science and Engineering</i> , 2012 , 2012, 1-14	1.5	15
73	Springback control in sheet metal bending by laser-assisted bending: Experimental analysis, empirical and neural network modelling. <i>Optics and Lasers in Engineering</i> , 2011 , 49, 1372-1383	4.6	57
72	Manufacture and characterization of free-standing epoxy-polyester films. <i>Progress in Organic Coatings</i> , 2011 , 70, 259-272	4.8	10
71	Effects of IR pre-curing conditions on wear resistance of metal flake powder coatings. <i>Progress in Organic Coatings</i> , 2011 , 70, 273-286	4.8	4
70	Flash IR pre-curing of the decorative layer in metal-flake powder coatings. <i>Progress in Organic Coatings</i> , 2011 , 72, 498-510	4.8	3
69	Adhesion and wear resistance of CVD diamond coatings on laser treated WC/Co substrates. <i>Wear</i> , 2011 , 271, 2016-2024	3.5	27
68	Scratch response of high-performance thermoset and thermoplastic powders deposited by the electrostatic spray and hot dipping/fluidised bed coating methods: The role of the contact condition. <i>Surface and Coatings Technology</i> , 2011 , 205, 5186-5198	4.4	19
67	Co removal and phase transformations during high power diode laser irradiation of cemented carbide. <i>Applied Surface Science</i> , 2011 , 257, 4239-4245	6.7	6
66	The role of the substrate in micro-scale scratching of epoxy/polyester films. <i>Applied Surface Science</i> , 2011 , 257, 4449-4463	6.7	11

65	Dry sliding wear response of some industrial powder coatings. <i>Tribology International</i> , 2011 , 44, 1236-1250	4.9	10
64	Al ₂ O ₃ Graded Coatings on Aluminum Alloy Deposited by the Fluidized Bed (FB) Technique: Film Formation and Mechanical Performance. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2010 , 132,	1.8	3
63	Surface modification of Al ₂ O ₃ composites by laser treatment. <i>Optics and Lasers in Engineering</i> , 2010 , 48, 1266-1277	4.6	7
62	Wear and Corrosion Behavior of HVOF-Sprayed WC-CoCr Coatings on Al Alloys. <i>Journal of Thermal Spray Technology</i> , 2010 , 19, 358-367	2.5	36
61	Scratch resistance of fast-cured metal flake powder coatings. <i>Progress in Organic Coatings</i> , 2010 , 68, 111-119	4.8	1
60	Scratch and wear resistance of transparent topcoats on carbon laminates. <i>Progress in Organic Coatings</i> , 2010 , 67, 209-219	4.8	10
59	Scratch resistance of fast-cured metal flake powder coatings. <i>Progress in Organic Coatings</i> , 2010 , 67, 161-169	4.8	2
58	Scratch and wear resistance of transparent topcoats on carbon laminates. <i>Progress in Organic Coatings</i> , 2010 , 68, 100-110	4.8	4
57	High speed finishing of a CuZn15 brass alloy by Abrasive Recirculating Fluidized Bed (ARFB). <i>Powder Technology</i> , 2010 , 203, 591-602	5.2	10
56	HF-CVD of diamond coatings onto Fluidized Bed (FB) treated CrN interlayers. <i>Thin Solid Films</i> , 2010 , 519, 1594-1599	2.2	4
55	Wear resistance of nano- and micro-crystalline diamond coatings onto WC/Co with Cr/CrN interlayers. <i>Thin Solid Films</i> , 2010 , 519, 1629-1635	2.2	43
54	Production of Open Cell Aluminum Foams by Using the Dissolution and Sintering Process (DSP). <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2009 , 131,	3.3	11
53	Hybrid forming process of AA 6108 T4 thin sheets: Modelling by neural network solutions. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2009 , 223, 535-545	2.4	7
52	Electrostatic spray painting of carbon fibre-reinforced epoxy composites. <i>Progress in Organic Coatings</i> , 2009 , 64, 339-349	4.8	34
51	Influence of scratch load and speed in scratch tests of bilayer powder coatings. <i>Progress in Organic Coatings</i> , 2009 , 64, 247-258	4.8	18
50	On the interaction mechanisms between a high-power diode laser source and silver alloys: The case of aesthetic welding. <i>Optics and Lasers in Engineering</i> , 2009 , 47, 821-830	4.6	3
49	Combined use of scratch tests and CLA profilometry to characterize polyester powder coatings. <i>Surface and Coatings Technology</i> , 2009 , 203, 1863-1878	4.4	13
48	HVOF-sprayed WC/CoCr coatings on Al alloy: Effect of the coating thickness on the tribological properties. <i>Wear</i> , 2009 , 267, 944-953	3.5	64

47	Post-deposition laser treatment of plasma sprayed titania-hydroxyapatite functionally graded coatings. <i>Journal of the European Ceramic Society</i> , 2009 , 29, 3147-3158	6	17
46	Progress in abrasive fluidized bed machining. <i>Journal of Materials Processing Technology</i> , 2009 , 209, 6087-6102	5.5	33
45	On the use of Fluidised Bed Coating (FBC) to deposit thin Al ₂ O ₃ films onto metal substrates. <i>International Journal of Materials and Product Technology</i> , 2009 , 35, 407	1	
44	Surface appearance and mechanical strength of multi-layer polymeric films. <i>Progress in Organic Coatings</i> , 2008 , 61, 249-261	4.8	6
43	Mechanical strength and wear resistance of protective coatings applied by fluidized bed (FB). <i>Progress in Organic Coatings</i> , 2008 , 61, 262-282	4.8	8
42	On the use of CrN/Cr and CrN interlayers in hot filament chemical vapour deposition (HF-CVD) of diamond films onto WC-Co substrates. <i>Diamond and Related Materials</i> , 2008 , 17, 325-335	3.5	42
41	An application of a high power diode laser to remove oxides on AISI 316L stainless steel. <i>International Journal of Materials and Product Technology</i> , 2008 , 32, 71	1	1
40	Modelling of Fluidized Bed Degreasing (FBD) process by ANNs. <i>International Journal of Surface Science and Engineering</i> , 2008 , 2, 294	1	2
39	Fluidized bed coating of metal substrates by using high performance thermoplastic powders: Statistical approach and neural network modelling. <i>Engineering Applications of Artificial Intelligence</i> , 2008 , 21, 1130-1143	7.2	2
38	Fast Regime-Fluidized Bed Machining (FR-FBM) of Atmospheric Plasma Spraying (APS) TiO ₂ coatings. <i>Surface and Coatings Technology</i> , 2008 , 203, 855-861	4.4	7
37	Fast Regime Fluidized Bed Machining (FR-FBM) of Thermally Sprayed Coatings. <i>Journal of Thermal Spray Technology</i> , 2008 , 17, 796-804	2.5	9
36	Raman and photoluminescence study of hot filament CVD diamond films grown on WC-Co substrates. <i>Journal of Raman Spectroscopy</i> , 2008 , 39, 157-163	2.3	5
35	On the combined use of scratch tests and CLA profilometry for the characterization of polyester powder coatings: Influence of scratch load and speed. <i>Applied Surface Science</i> , 2008 , 254, 7198-7214	6.7	31
34	Characterization of laser treated steels using instrumented indentation by cylindrical flat punch. <i>Surface and Coatings Technology</i> , 2008 , 202, 2557-2569	4.4	16
33	Heat treatment effects on the corrosion resistance of some HVOF-sprayed metal alloy coatings. <i>Surface and Coatings Technology</i> , 2008 , 202, 4839-4847	4.4	29
32	HVOF-sprayed WC-Co as hard interlayer for DLC films. <i>Surface and Coatings Technology</i> , 2008 , 203, 699-703	4.4	18
31	Epoxy-based thermosetting powder coatings: Surface appearance, scratch adhesion and wear resistance. <i>Surface and Coatings Technology</i> , 2007 , 201, 7479-7504	4.4	50
30	Modelling of electrostatic fluidized bed (EFB) coating process using artificial neural networks. <i>Engineering Applications of Artificial Intelligence</i> , 2007 , 20, 721-733	7.2	25

29	Recovering recyclable materials: Experimental analysis of CD-R laser processing. <i>Optics and Lasers in Engineering</i> , 2007 , 45, 208-221	4.6	8
28	Microstructural and tribological comparison of HVOF-sprayed and post-treated M ₅₀ Co ₅ Cr ₃ Bi (M = Co, Ni) alloy coatings. <i>Wear</i> , 2007 , 263, 1397-1416	3.5	45
27	Development of matte finishes in electrostatic (EFB) and conventional hot dipping (CHDFB) fluidized bed coating process. <i>Progress in Organic Coatings</i> , 2007 , 59, 53-67	4.8	12
26	Progress in fluidized bed assisted abrasive jet machining (FB-AJM): Internal polishing of aluminium tubes. <i>International Journal of Machine Tools and Manufacture</i> , 2007 , 47, 483-495	9.4	40
25	Microstructural and tribological characterisation of as sprayed and heat treated HVOF deposited Ni alloys. <i>Surface Engineering</i> , 2007 , 23, 355-372	2.6	9
24	Fluidized Bed Assisted Abrasive Jet Machining (FB-AJM): Precision Internal Finishing of Inconel 718 Components. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2007 , 129, 1045	3.3	23
23	Metal foams for structural applications: design and manufacturing. <i>International Journal of Computer Integrated Manufacturing</i> , 2007 , 20, 497-504	4.3	11
22	Improvement of Fatigue Behaviour of High Strength Aluminium Alloys by Fluidized Bed Peening (FBP). <i>Key Engineering Materials</i> , 2007 , 344, 87-96	0.4	3
21	Surface preparation and coating of metal coils by using a fully integrated manufacturing system. <i>International Journal of Computer Integrated Manufacturing</i> , 2007 , 20, 452-464	4.3	4
20	Electrostatic fluidized bed (EFB) coating of heat sensitive and electrical insulating substrates with low-curing thermoset epoxy-polyester (EP) powders. <i>Progress in Organic Coatings</i> , 2006 , 56, 185-198	4.8	10
19	Development of smooth finishes in electrostatic fluidized bed (EFB) coating process of high-performance thermoplastic powders (PPA 571 H). <i>Progress in Organic Coatings</i> , 2006 , 57, 337-347	4.8	11
18	Local Mechanical and Morphological Characterization of Friction Stir-Welded Butt Joints. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2006 , 220, 813-821	2.4	3
17	Hot filament chemical vapour deposition and wear resistance of diamond films on WC-Co substrates coated using PVD-arc deposition technique. <i>Diamond and Related Materials</i> , 2006 , 15, 1284-1291	3.5	38
16	Development of an abrasive jet machining system assisted by two fluidized beds for internal polishing of circular tubes. <i>International Journal of Machine Tools and Manufacture</i> , 2006 , 46, 271-283	9.4	38
15	A new technology in surface finishing: Fluidized bed machining (FBM) of aluminium alloys. <i>Journal of Materials Processing Technology</i> , 2006 , 173, 157-165	5.3	35
14	Advance in paint stripping from aluminium substrates. <i>Journal of Materials Processing Technology</i> , 2006 , 173, 232-239	5.3	36
13	Advance in fluidized bed coating: An experimental investigation on a performance polymer coating alloy. <i>Journal of Materials Processing Technology</i> , 2006 , 178, 170-180	5.3	8
12	Application of instrumented micro-indentations to the mechanical characterization of wooden structures: Part I - Analysis of highly selected and decayed pinewood samples. <i>Measurement: Journal of the International Measurement Confederation</i> , 2006 , 39, 274-284	4.6	2

11	Application of instrumented micro-indentations to <i>in situ</i> mechanical characterization of wooden structures: Part II Analysis of different species. <i>Measurement: Journal of the International Measurement Confederation</i> , 2006 , 39, 285-295	4.6	2
10	Electrostatic fluidized bed deposition of a high performance polymeric powder on metallic substrates. <i>Surface and Coatings Technology</i> , 2006 , 200, 4282-4290	4.4	23
9	Influence of process parameters in electrostatic fluidized bed coating. <i>Surface and Coatings Technology</i> , 2006 , 200, 4619-4629	4.4	20
8	An application of neural network solutions to laser assisted paint stripping process of hybrid epoxy-polyester coatings on aluminum substrates. <i>Surface and Coatings Technology</i> , 2006 , 200, 6678-6689	4.4	10
7	Electrostatic spray deposition (ESD) of polymeric powders on thermoplastic (PA66) substrate. <i>Surface and Coatings Technology</i> , 2006 , 201, 296-308	4.4	29
6	Line bending of Al ₂ O ₃ coated and uncoated aluminium thin sheets. <i>Surface and Coatings Technology</i> , 2006 , 201, 660-673	4.4	11
5	Electrostatic spray deposition (ESD) of self organizing TiO ₂ -epoxy powder paints: Experimental analysis and numerical modeling. <i>Surface and Coatings Technology</i> , 2006 , 201, 3212-3228	4.4	12
4	Fluidized bed micro-machining and HFCVD of diamond films onto Co-cemented tungsten carbide (WC-Co) hardmetal slabs. <i>Thin Solid Films</i> , 2006 , 515, 87-94	2.2	16
3	Al ₂ O ₃ thin coating of AA 6082 T6 components using a fast regime fluidized bed. <i>Thin Solid Films</i> , 2006 , 515, 141-151	2.2	19
2	A FEM model of conventional hot dipping coating process by using a fluidized bed. <i>Progress in Organic Coatings</i> , 2005 , 54, 390-398	4.8	11
1	Siloxane coating with epoxy modification: optimization of adhesion to improve steel corrosion protection. <i>Journal of Coatings Technology Research</i> , 1		