

Yi Cao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3007829/publications.pdf>

Version: 2024-02-01

79
papers

2,687
citations

159358

30
h-index

205818

48
g-index

79
all docs

79
docs citations

79
times ranked

3031
citing authors

#	ARTICLE	IF	CITATIONS
1	The cytotoxicity of zinc oxide nanoparticles to 3D brain organoids results from excessive intracellular zinc ions and defective autophagy. <i>Cell Biology and Toxicology</i> , 2023, 39, 259-275.	2.4	11
2	Co-Catalyst Ti3C2TX MXene-Modified ZnO Nanorods Photoanode for Enhanced Photoelectrochemical Water Splitting. <i>Topics in Catalysis</i> , 2023, 66, 12-21.	1.3	12
3	Potential roles of Kruppel-like factors in mediating adverse vascular effects of nanomaterials: A review. <i>Journal of Applied Toxicology</i> , 2022, 42, 4-16.	1.4	23
4	MoS2 nanosheets and bulk materials altered lipid profiles in 3D Caco-2 spheroids. <i>Chinese Chemical Letters</i> , 2022, 33, 293-297.	4.8	28
5	Comparison of P25 and nanobelts on Kruppel-like factor-mediated nitric oxide pathways in human umbilical vein endothelial cells. <i>Journal of Applied Toxicology</i> , 2022, 42, 651-659.	1.4	8
6	Effects of epigallocatechin gallate on the stability, dissolution and toxicology of ZnO nanoparticles. <i>Food Chemistry</i> , 2022, 371, 131383.	4.2	5
7	TiO2 nanosheets promote the transformation of vascular smooth muscle cells into foam cells in vitro and in vivo through the up-regulation of nuclear factor kappa B subunit 2. <i>Journal of Hazardous Materials</i> , 2022, 424, 127704.	6.5	14
8	Risk Factors of Skilled Nursing Facility Admissions and the Interrelation With Hospitalization and Amount of Informal Caregiving Received. <i>Medical Care</i> , 2022, 60, 294-301.	1.1	3
9	Influences of Unmodified and Carboxylated Carbon Nanotubes on Lipid Profiles in THP-1 Macrophages: A Lipidomics Study. <i>International Journal of Toxicology</i> , 2022, 41, 16-25.	0.6	5
10	The uses of 3D human brain organoids for neurotoxicity evaluations: A review. <i>NeuroToxicology</i> , 2022, 91, 84-93.	1.4	18
11	Intratracheal instillation of graphene oxide decreases anti-virus responses and lipid contents via suppressing Toll-like receptor 3 in mouse livers. <i>Journal of Applied Toxicology</i> , 2022, 42, 1822-1831.	1.4	7
12	Nutrient molecule corona: An update for nanomaterial-food component interactions. <i>Toxicology</i> , 2022, 476, 153253.	2.0	15
13	Modeling better <i>in vitro</i> models for the prediction of nanoparticle toxicity: a review. <i>Toxicology Mechanisms and Methods</i> , 2021, 31, 1-17.	1.3	51
14	Transcriptomic analysis suggested the involvement of impaired lipid droplet biogenesis in graphene oxide-induced cytotoxicity in human umbilical vein endothelial cells. <i>Chemico-Biological Interactions</i> , 2021, 333, 109325.	1.7	24
15	Introduction to special issue endothelial cells in toxicology: Current status and future perspectives. <i>Journal of Applied Toxicology</i> , 2021, 41, 656-658.	1.4	0
16	Characterization and Mechanism of Linearized-Microcystinase Involved in Bacterial Degradation of Microcystins. <i>Frontiers in Microbiology</i> , 2021, 12, 646084.	1.5	7
17	Titanate nanofibers reduce Kruppel-like factor 2 (KLF2)-eNOS pathway in endothelial monolayer: A transcriptomic study. <i>Chinese Chemical Letters</i> , 2021, 32, 1567-1570.	4.8	20
18	A comparative study of toxicity of graphdiyne and graphene oxide to human umbilical vein endothelial cells. <i>Journal of Applied Toxicology</i> , 2021, 41, 2021-2030.	1.4	16

#	ARTICLE	IF	CITATIONS
19	Comparison of multi-walled carbon nanotubes and halloysite nanotubes on lipid profiles in human umbilical vein endothelial cells. <i>NanoImpact</i> , 2021, 23, 100333.	2.4	12
20	Transcriptomic-based toxicological investigations of graphene oxide with modest cytotoxicity to human umbilical vein endothelial cells: changes of Toll-like receptor signaling pathways. <i>Toxicology Research</i> , 2021, 10, 1104-1115.	0.9	11
21	Titanate nanotubes at non-cytotoxic concentrations affect NO signaling pathway in human umbilical vein endothelial cells. <i>Toxicology in Vitro</i> , 2020, 62, 104689.	1.1	20
22	Mechanical Properties and Gamma-Ray Shielding Performance of 3D-Printed Poly-Ether-Ether-Ketone/Tungsten Composites. <i>Materials</i> , 2020, 13, 4475.	1.3	34
23	Induction of lipid droplets in THP-1 macrophages by multi-walled carbon nanotubes in a diameter-dependent manner: A transcriptomic study. <i>Toxicology Letters</i> , 2020, 332, 65-73.	0.4	23
24	Transcriptomic analysis revealed that multi-walled carbon nanotubes diameter-dependently induced pyroptosis in THP-1 macrophages. <i>NanoImpact</i> , 2020, 20, 100270.	2.4	13
25	Multi-walled carbon nanotubes decrease neuronal NO synthase in 3D brain organoids. <i>Science of the Total Environment</i> , 2020, 748, 141384.	3.9	30
26	Anthocyanins decrease the internalization of TiO ₂ nanoparticles into 3D Caco-2 spheroids. <i>Food Chemistry</i> , 2020, 331, 127360.	4.2	10
27	Evaluation of toxicity of halloysite nanotubes and multi-walled carbon nanotubes to endothelial cells <i>in vitro</i> and blood vessels <i>in vivo</i> . <i>Nanotoxicology</i> , 2020, 14, 1017-1038.	1.6	44
28	Multi-walled carbon nanotubes (MWCNTs) transformed THP-1 macrophages into foam cells: Impact of pulmonary surfactant component dipalmitoylphosphatidylcholine. <i>Journal of Hazardous Materials</i> , 2020, 392, 122286.	6.5	22
29	Highly green fluorescent Nb ₂ C MXene quantum dots. <i>Chemical Communications</i> , 2020, 56, 6648-6651.	2.2	49
30	Graphene oxide size-dependently altered lipid profiles in THP-1 macrophages. <i>Ecotoxicology and Environmental Safety</i> , 2020, 199, 110714.	2.9	30
31	Pre-incubated with BSA-complexed free fatty acids alters ER stress/autophagic gene expression by carboxylated multi-walled carbon nanotube exposure in THP-1 macrophages. <i>Chinese Chemical Letters</i> , 2019, 30, 1224-1228.	4.8	24
32	Influence of 3-Hydroxyflavone on Colloidal Stability and Internalization of Ag Nanomaterials Into THP-1 Macrophages. <i>Dose-Response</i> , 2019, 17, 155932581986571.	0.7	4
33	Evaluation of <i>in vitro</i> toxicity of silica nanoparticles (NPs) to lung cells: Influence of cell types and pulmonary surfactant component DPPC. <i>Ecotoxicology and Environmental Safety</i> , 2019, 186, 109770.	2.9	32
34	PEGylated gold nanorods are not cytotoxic to human endothelial cells but affect kruppel-like factor signaling pathway. <i>Toxicology and Applied Pharmacology</i> , 2019, 382, 114758.	1.3	20
35	Pharmacological and toxicological aspects of carbon nanotubes (CNTs) to vascular system: A review. <i>Toxicology and Applied Pharmacology</i> , 2019, 385, 114801.	1.3	50
36	Multicolor tunable highly luminescent carbon dots for remote force measurement and white light emitting diodes. <i>Chemical Communications</i> , 2019, 55, 12164-12167.	2.2	33

#	ARTICLE	IF	CITATIONS
37	Toxicity of combined exposure of ZnO nanoparticles (NPs) and myricetin to Caco-2 cells: changes of NP colloidal aspects, NP internalization and the apoptosis-endoplasmic reticulum stress pathway. <i>Toxicology Research</i> , 2019, 8, 613-620.	0.9	11
38	Multi-walled carbon nanotubes promoted lipid accumulation in human aortic smooth muscle cells. <i>Toxicology and Applied Pharmacology</i> , 2019, 374, 11-19.	1.3	31
39	Multi-walled carbon nanotubes (MWCNTs) promoted lipid accumulation in THP-1 macrophages through modulation of endoplasmic reticulum (ER) stress. <i>Nanotoxicology</i> , 2019, 13, 938-951.	1.6	41
40	Cyanidin chloride modestly protects Caco-2 cells from ZnO nanoparticle exposure probably through the induction of autophagy. <i>Food and Chemical Toxicology</i> , 2019, 127, 251-259.	1.8	20
41	The toxicity of multi-walled carbon nanotubes (MWCNTs) to human endothelial cells: The influence of diameters of MWCNTs. <i>Food and Chemical Toxicology</i> , 2019, 126, 169-177.	1.8	55
42	<p>Multi-Walled Carbon Nanotubes (MWCNTs) Activate Apoptotic Pathway Through ER Stress: Does Surface Chemistry Matter?</p>. <i>International Journal of Nanomedicine</i> , 2019, Volume 14, 9285-9294.	3.3	18
43	Palmitate enhanced the cytotoxicity of ZnO nanomaterials possibly by promoting endoplasmic reticulum stress. <i>Journal of Applied Toxicology</i> , 2019, 39, 798-806.	1.4	12
44	Influence of pristine and hydrophobic ZnO nanoparticles on cytotoxicity and endoplasmic reticulum (ER) stress-autophagy-apoptosis gene expression in A549-macrophage co-culture. <i>Ecotoxicology and Environmental Safety</i> , 2019, 167, 188-195.	2.9	18
45	The use of proteomic technologies to study molecular mechanisms of multidrug resistance in cancer. <i>European Journal of Medicinal Chemistry</i> , 2019, 162, 423-434.	2.6	30
46	The toxicity of hydroxylated and carboxylated multi-walled carbon nanotubes to human endothelial cells was not exacerbated by ER stress inducer. <i>Chinese Chemical Letters</i> , 2019, 30, 582-586.	4.8	28
47	3-â€Hydroxyflavone enhances the toxicity of ZnO nanoparticles in vitro. <i>Journal of Applied Toxicology</i> , 2018, 38, 1206-1214.	1.4	14
48	The Toxicity of Nanoparticles to Human Endothelial Cells. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1048, 59-69.	0.8	31
49	Chemical Structures of Polyphenols That Critically Influence the Toxicity of ZnO Nanoparticles. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 1714-1722.	2.4	25
50	Toxicity of ZnO nanoparticles (NPs) with or without hydrophobic surface coating to THP-1 macrophages: interactions with BSA or oleate-BSA. <i>Toxicology Mechanisms and Methods</i> , 2018, 28, 520-528.	1.3	7
51	The effects of baicalein or baicalin on the colloidal stability of ZnO nanoparticles (NPs) and toxicity of NPs to Caco-2 cells. <i>Toxicology Mechanisms and Methods</i> , 2018, 28, 167-176.	1.3	31
52	A comparative study of toxicity of TiO₂, ZnO, and Ag nanoparticles to human aortic smooth-muscle cells. <i>International Journal of Nanomedicine</i> , 2018, Volume 13, 8037-8049.	3.3	42
53	A review of cardiovascular toxicity of TiO ₂ , ZnO and Ag nanoparticles (NPs). <i>BioMetals</i> , 2018, 31, 457-476.	1.8	55
54	Influence of bovine serum albumin pre-incubation on toxicity and ER stress-apoptosis gene expression in THP-1 macrophages exposed to ZnO nanoparticles. <i>Toxicology Mechanisms and Methods</i> , 2018, 28, 587-598.	1.3	11

#	ARTICLE	IF	CITATIONS
55	Cytotoxicity, cytokine release and ER stress-autophagy gene expression in endothelial cells and alveolar-endothelial co-culture exposed to pristine and carboxylated multi-walled carbon nanotubes. <i>Ecotoxicology and Environmental Safety</i> , 2018, 161, 569-577.	2.9	27
56	Lipid accumulation in multi-walled carbon nanotube-exposed HepG2 cells: Possible role of lipophagy pathway. <i>Food and Chemical Toxicology</i> , 2018, 121, 65-71.	1.8	21
57	The endoplasmic reticulum stress inducer thapsigargin enhances the toxicity of ZnO nanoparticles to macrophages and macrophage-endothelial co-culture. <i>Environmental Toxicology and Pharmacology</i> , 2017, 50, 103-110.	2.0	31
58	Influence of phytochemicals on the biocompatibility of inorganic nanoparticles: a state-of-the-art review. <i>Phytochemistry Reviews</i> , 2017, 16, 555-563.	3.1	21
59	The use of human umbilical vein endothelial cells (HUVECs) as an <i>in vitro</i> model to assess the toxicity of nanoparticles to endothelium: a review. <i>Journal of Applied Toxicology</i> , 2017, 37, 1359-1369.	1.4	209
60	Evaluation of <i>in vitro</i> toxicity of polymeric micelles to human endothelial cells under different conditions. <i>Chemico-Biological Interactions</i> , 2017, 263, 46-54.	1.7	26
61	The effects of endoplasmic reticulum stress inducer thapsigargin on the toxicity of ZnO or TiO ₂ nanoparticles to human endothelial cells. <i>Toxicology Mechanisms and Methods</i> , 2017, 27, 191-200.	1.3	43
62	The presence of palmitate affected the colloidal stability of ZnO NPs but not the toxicity to Caco-2 cells. <i>Journal of Nanoparticle Research</i> , 2017, 19, 1.	0.8	14
63	The presence of oleate stabilized ZnO nanoparticles (NPs) and reduced the toxicity of aged NPs to Caco-2 and HepG2 cells. <i>Chemico-Biological Interactions</i> , 2017, 278, 40-47.	1.7	41
64	Toxicity of ZnO nanoparticles (NPs) to A549 cells and A549 epithelium <i>in vitro</i> : Interactions with dipalmitoyl phosphatidylcholine (DPPC). <i>Environmental Toxicology and Pharmacology</i> , 2017, 56, 233-240.	2.0	32
65	A review of endoplasmic reticulum (ER) stress and nanoparticle (NP) exposure. <i>Life Sciences</i> , 2017, 186, 33-42.	2.0	106
66	Cytotoxicity, oxidative stress and inflammation induced by ZnO nanoparticles in endothelial cells: interaction with palmitate or lipopolysaccharide. <i>Journal of Applied Toxicology</i> , 2017, 37, 895-901.	1.4	53
67	Thermoresponsive Polymers with Lower Critical Solution Temperature or Upper Critical Solution Temperature Type Phase Behaviour Do Not Induce Toxicity to Human Endothelial Cells. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 79-85.	1.2	30
68	The adverse vascular effects of multi-walled carbon nanotubes (MWCNTs) to human vein endothelial cells (HUVECs) <i>in vitro</i> : role of length of MWCNTs. <i>Journal of Nanobiotechnology</i> , 2017, 15, 80.	4.2	54
69	Monocyte adhesion induced by multi-walled carbon nanotubes and palmitic acid in endothelial cells and alveolar endothelial co-cultures. <i>Nanotoxicology</i> , 2016, 10, 1-10.	1.6	32
70	Foam cell formation by particulate matter (PM) exposure: a review. <i>Inhalation Toxicology</i> , 2016, 28, 583-590.	0.8	46
71	Consideration of interaction between nanoparticles and food components for the safety assessment of nanoparticles following oral exposure: A review. <i>Environmental Toxicology and Pharmacology</i> , 2016, 46, 206-210.	2.0	83
72	Combined effects of low levels of palmitate on toxicity of ZnO nanoparticles to THP-1 macrophages. <i>Environmental Toxicology and Pharmacology</i> , 2016, 48, 103-109.	2.0	47

#	ARTICLE	IF	CITATIONS
73	Anthocyanins and phenolic acids from a wild blueberry (<i>Vaccinium angustifolium</i>) powder counteract lipid accumulation in THP-1-derived macrophages. <i>European Journal of Nutrition</i> , 2016, 55, 171-182.	1.8	24
74	Synergistic Effects of Zinc Oxide Nanoparticles and Fatty Acids on Toxicity to Caco-2 Cells. <i>International Journal of Toxicology</i> , 2015, 34, 67-76.	0.6	58
75	Applications of the comet assay in particle toxicology: air pollution and engineered nanomaterials exposure. <i>Mutagenesis</i> , 2015, 30, 67-83.	1.0	54
76	Endothelial cell activation, oxidative stress and inflammation induced by a panel of metal-based nanomaterials. <i>Nanotoxicology</i> , 2015, 9, 813-824.	1.6	38
77	Carbon Black Nanoparticles Promote Endothelial Activation and Lipid Accumulation in Macrophages Independently of Intracellular ROS Production. <i>PLoS ONE</i> , 2014, 9, e106711.	1.1	45
78	Vascular Effects of Multiwalled Carbon Nanotubes in Dyslipidemic ApoE ^{-/-} Mice and Cultured Endothelial Cells. <i>Toxicological Sciences</i> , 2014, 138, 104-116.	1.4	94
79	Oxidative stress and inflammation generated DNA damage by exposure to air pollution particles. <i>Mutation Research - Reviews in Mutation Research</i> , 2014, 762, 133-166.	2.4	250