

Serge Boveda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3008354/serge-boveda-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

3,656
citations

19
h-index

60
g-index

77
ext. papers

6,215
ext. citations

3.8
avg, IF

4.48
L-index

#	Paper	IF	Citations
64	Prospective evolution of cardiac arrhythmia care: 2030 vision.. <i>Archives of Cardiovascular Diseases</i> , 2022 , 115, 179-189	2.7	
63	Left Atrial Appendage Closure in Patients With Atrial Fibrillation and Coexisting Cerebral Amyloid Angiopathy. <i>Stroke</i> , 2021 , 52, e792-e793	6.7	1
62	High vagal tone predicts pulmonary vein reconnection after cryoballoon ablation for paroxysmal atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 2075	1.6	2
61	The management of secondary mitral regurgitation in patients with heart failure: a joint position statement from the Heart Failure Association (HFA), European Association of Cardiovascular Imaging (EACVI), European Heart Rhythm Association (EHRA), and European Association of Percutaneous Cardiovascular Interventions (EAPCI) of the ESC. <i>European Heart Journal</i> , 2021 ,	9.5	29
60	Catheter ablation of atrial fibrillation in patients with hypertrophic cardiomyopathy: a European observational multicentre study. <i>Europace</i> , 2021 , 23, 1409-1417	3.9	4
59	Antithrombotic treatment management in low stroke risk patients undergoing cardioversion of atrial fibrillation . <i>Europace</i> , 2021 , 23, 1502-1507	3.9	
58	Long-term clinical outcomes after single freeze cryoballoon ablation for paroxysmal atrial fibrillation: a 5-year follow-up. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 61, 87-93	2.4	3
57	Temperature-guided ablation with the second-generation cryoballoon for paroxysmal atrial fibrillation: 3-year follow-up in a multicenter experience. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 61, 95-104	2.4	1
56	Wearable cardioverter-defibrillator in patients with a transient risk of sudden cardiac death: the WEARIT-France cohort study. <i>Europace</i> , 2021 , 23, 73-81	3.9	8
55	Cardiac pacing in severe recurrent reflex syncope and tilt-induced asystole. <i>European Heart Journal</i> , 2021 , 42, 508-516	9.5	29
54	2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in collaboration with the European Association for Cardio-Thoracic Surgery (EACTS): The Task Force for the diagnosis and management of atrial fibrillation of the European Society of Cardiology (ESC)	9.5	1676
53	Substrate mapping of the left atrium in persistent atrial fibrillation: spatial correlation of localized complex conduction patterns in global charge-density maps to low-voltage areas in 3D contact bipolar voltage maps. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 62, 539-547	2.4	1
52	Single procedural outcomes in the setting of percutaneous ablation for persistent atrial fibrillation: a propensity-matched score comparison between different strategies. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 1	2.4	4
51	Comparison between superior vena cava ablation in addition to pulmonary vein isolation and standard pulmonary vein isolation in patients with paroxysmal atrial fibrillation with the cryoballoon technique. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 62, 579-586	2.4	2
50	Cryoablation of atrial fibrillation using computed tomography overlay. <i>Europace</i> , 2020 , 22, 1357	3.9	
49	Subcutaneous implantable cardioverter defibrillator indication in prevention of sudden cardiac death in difficult clinical situations: A French expert position paper. <i>Archives of Cardiovascular Diseases</i> , 2020 , 113, 359-366	2.7	2
48	Wearable cardioverter-defibrillator to reduce the transient risk of sudden cardiac death in coronary artery disease. <i>Europace</i> , 2020 , 22, 1600	3.9	2

47	Non-vitamin K oral anticoagulants in hypertrophic cardiomyopathy patients undergoing catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2626-2631	2.7	4
46	Peri-procedural management, implantation feasibility, and short-term outcomes in patients undergoing implantation of leadless pacemakers: European Snapshot Survey. <i>Europace</i> , 2020 , 22, 833-838	3.9	6
45	Factors influencing the use of leadless or transvenous pacemakers: results of the European Heart Rhythm Association Prospective Survey. <i>Europace</i> , 2020 , 22, 667-673	3.9	6
44	Impact of Type-2 Diabetes Mellitus on the Outcomes of Catheter Ablation of Atrial Fibrillation (European Observational Multicentre Study). <i>American Journal of Cardiology</i> , 2020 , 125, 901-906	3	20
43	Early mortality after implantable cardioverter defibrillator: Incidence and associated factors. <i>International Journal of Cardiology</i> , 2020 , 301, 114-118	3.2	3
42	Implantable cardioverter defibrillator therapy for primary prevention of sudden cardiac death in the real world: Main findings from the French multicentre DAI-PP programme (pilot phase). <i>Archives of Cardiovascular Diseases</i> , 2019 , 112, 523-531	2.7	1
41	Do patients need to adapt to technology improvements?. <i>Europace</i> , 2019 , 21, 1605-1606	3.9	1
40	Catheter ablation of atrial fibrillation in patients with heart failure with reduced ejection fraction: Real world experience from six European centers. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1270-1277	2.7	3
39	Polymorphic Wide QRS Complex Tachycardia: Differential Diagnosis. <i>Cardiac Electrophysiology Clinics</i> , 2019 , 11, 333-344	1.4	3
38	Usefulness of a clinical risk score to predict the response to cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2018 , 260, 82-87	3.2	13
37	Factors influencing the use of subcutaneous or transvenous implantable cardioverter-defibrillators: results of the European Heart Rhythm Association prospective survey. <i>Europace</i> , 2018 , 20, 887-892	3.9	10
36	Use of leadless pacemakers in Europe: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2018 , 20, 555-559	3.9	22
35	Impact of a novel algorithm designed to reduce T-wave oversensing with the subcutaneous defibrillator in a patient with type I Brugada electrocardiogram. <i>Heart Rhythm Case Reports</i> , 2018 , 4, 31-33	1	2
34	Clinical impact of an additional left ventricular lead in cardiac resynchronization therapy nonresponders: The V trial. <i>Heart Rhythm</i> , 2018 , 15, 870-876	6.7	18
33	Duration of hospital admission, need of on-demand analgesia and other peri-procedural and short-term outcomes in sub-cutaneous vs. transvenous implantable cardioverter-defibrillators. <i>International Journal of Cardiology</i> , 2018 , 258, 133-137	3.2	4
32	2018 ESC Guidelines for the diagnosis and management of syncope. <i>European Heart Journal</i> , 2018 , 39, 1883-1948	9.5	672
31	Single-Procedure Outcomes and Quality-of-Life Improvement 12 Months Post-Cryoballoon Ablation in Persistent Atrial Fibrillation: Results From the Multicenter CRYO4PERSISTENT AF Trial. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 1440-1447	4.6	44
30	Association of catheter ablation for atrial fibrillation with mortality and stroke: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2018 , 266, 136-142	3.2	19

29	Factors determining the choice between subcutaneous or transvenous implantable cardioverter-defibrillators in Poland in comparison with other European countries: a sub-study of the European Heart Rhythm Association prospective survey. <i>Kardiologia Polska</i> , 2018 , 76, 1507-1515	0.9	1
28	Peri-procedural routines, implantation techniques, and procedure-related complications in patients undergoing implantation of subcutaneous or transvenous automatic cardioverter-defibrillators: results of the European Snapshot Survey on S-ICD Implantation (ESSS-SICDI). <i>Europace</i> , 2018 , 20, 1218-1224	3.9	13
27	Crioablaci3n de la fibrilaci3n auricular: ¿es 3n solo para la fibrilaci3n auricular parox3tica?. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 236-238	1.5	1
26	Sex-specific outcomes with addition of defibrillation to resynchronisation therapy in patients with heart failure. <i>Heart</i> , 2017 , 103, 753-760	5.1	20
25	Temporal Trends Over a Decade of Defibrillator Therapy for Primary Prevention in Community Practice. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 666-673	2.7	11
24	Leadless pacemaker surrounded by three valvular prostheses. <i>Heart Rhythm</i> , 2017 , 14, 1421	6.7	6
23	Results from a multicentre comparison of cryoballoon vs. radiofrequency ablation for paroxysmal atrial fibrillation: is cryoablation more reproducible?. <i>Europace</i> , 2017 , 19, 48-57	3.9	70
22	Cryoballoon ablation in atrial fibrillation: Advantages and drawbacks. <i>Revista Portuguesa De Cardiologia</i> , 2017 , 36 Suppl 1, 19-24	1	3
21	Cryoballoon ablation in atrial fibrillation: Advantages and drawbacks. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017 , 36, 19-24	0	
20	Outcome of Primary Prevention Implantable Cardioverter Defibrillator Therapy According to New York Heart Association Functional Classification. <i>American Journal of Cardiology</i> , 2016 , 118, 1225-1232	3	8
19	Impact of early complications on outcomes in patients with implantable cardioverter-defibrillator for primary prevention. <i>Heart Rhythm</i> , 2016 , 13, 1045-1051	6.7	24
18	Primary Prevention Implantable Cardioverter Defibrillator (ICD) Therapy in Women-Data From a Multicenter French Registry. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	39
17	Outcomes after cryoballoon or radiofrequency ablation for persistent atrial fibrillation: a multicentric propensity-score matched study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016 , 47, 133-142	2.4	19
16	Implantation of subcutaneous implantable cardioverter defibrillators in Europe: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2016 , 18, 1434-9	3.9	17
15	Comparison between radiofrequency with contact force-sensing and second-generation cryoballoon for paroxysmal atrial fibrillation catheter ablation: a multicentre European evaluation. <i>Europace</i> , 2015 , 17, 718-24	3.9	115
14	Contact-force guided radiofrequency vs. second-generation balloon cryotherapy for pulmonary vein isolation in patients with paroxysmal atrial fibrillation-a prospective evaluation. <i>Europace</i> , 2015 , 17, 225-31	3.9	100
13	Unusual mechanism of complete atrioventricular block following atrial flutter ablation. <i>HeartRhythm Case Reports</i> , 2015 , 1, 369-372	1	1
12	Ablation of paroxysmal atrial fibrillation in 2015: radiofrequency or cryoenergy?. <i>Interventional Cardiology</i> , 2015 , 7, 295-303	3	

11	Impact of Free Thyroxine on the Outcomes of Left Atrial Ablation Procedures. <i>American Journal of Cardiology</i> , 2015 , 116, 1863-8	3	13
10	Rivaroxaban and dabigatran in patients undergoing catheter ablation of atrial fibrillation. <i>Europace</i> , 2014 , 16, 1137-44	3.9	68
9	Real-time assessment of bidirectional block during pulmonary vein cryoablation. <i>Europace</i> , 2014 , 16, 1256	3.9	
8	Real-time assessment of pulmonary vein disconnection during cryoablation of atrial fibrillation: can it be achieved in almost all cases?. <i>Europace</i> , 2014 , 16, 826-33	3.9	29
7	Real-time contact force sensing for pulmonary vein isolation in the setting of paroxysmal atrial fibrillation: procedural and 1-year results. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 130-7	2.7	123
6	Outcome after implantation of a cardioverter-defibrillator in patients with Brugada syndrome: a multicenter study-part 2. <i>Circulation</i> , 2013 , 128, 1739-47	16.7	164
5	Interventional cardiologists and risk of radiation-induced cataract: results of a French multicenter observational study. <i>International Journal of Cardiology</i> , 2013 , 167, 1843-7	3.2	144
4	Addition of a second LV pacing site in CRT nonresponders rationale and design of the multicenter randomized V(3) trial. <i>Journal of Cardiac Failure</i> , 2010 , 16, 709-13	3.3	24
3	Sinus rhythm restoration by catheter ablation in patients with long-lasting atrial fibrillation and congestive heart failure: impact of the left ventricular ejection fraction improvement on the implantable cardioverter defibrillator insertion indication. <i>Europace</i> , 2009 , 11, 1018-23	3.9	13
2	Report of a pacing-dependent patient implanted with a dual-chamber ICD: Smart, but not always smart enough. <i>Heart Rhythm</i> , 2009 , 6, 1674-6	6.7	1
1	Clockwise loop of the ablation catheter in the left atrium: an easy and safe approach facilitating substrate modulation in the setting of atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 338-41	2.7	4