

# Yiap Loong Tan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3008498/publications.pdf>

Version: 2024-02-01

19  
papers

234  
citations

933410

10  
h-index

996954

15  
g-index

19  
all docs

19  
docs citations

19  
times ranked

176  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term outcomes of synthetic transobturator nonabsorbable anterior mesh versus anterior colporrhaphy in symptomatic, advanced pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2014, 25, 257-264.	1.4	30
2	Long-term outcome of native tissue reconstructive vaginal surgery for advanced pelvic organ prolapse at 86 months: Hysterectomy versus hysteropexy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 1099-1107.	1.3	28
3	Surgical outcomes of anterior trans-obturator mesh and vaginal sacrospinous ligament fixation for severe pelvic organ prolapse in overweight and obese Asian women. <i>International Urogynecology Journal</i> , 2013, 24, 809-816.	1.4	20
4	Clinical outcomes of mesh exposure/extrusion: presentation, timing and management. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015, 55, 284-290.	1.0	19
5	Anterior-Apical Single-Incision Mesh Surgery (SIMS): Surgical and Functional Outcomes at 1 Year. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 50-56.	0.6	19
6	Assessment of Collagen-Coated Anterior Mesh Through Morphology and Clinical Outcomes in Pelvic Reconstructive Surgery for Pelvic Organ Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2014, 21, 753-761.	0.6	18
7	Ultrasonography and clinical outcomes following surgical anti-incontinence procedures (Monarc vs) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	1.1	15
8	Five-Year Outcome of MiniArc Single-Incision Sling Used in the Treatment of Primary Urodynamic Stress Incontinence. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 116-123.	0.6	14
9	Comparison of outcomes after vaginal reconstruction surgery between elderly and younger women. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014, 53, 348-354.	1.3	11
10	Five-year follow-up study of Monarc transobturator tape for surgical treatment of primary stress urinary incontinence. <i>International Urogynecology Journal</i> , 2016, 27, 1653-1659.	1.4	11
11	Assessment of collagen versus non collagen coated anterior vaginal mesh in pelvic reconstructive surgery: prospective study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 138-144.	1.1	9
12	Influence of anterior vaginal mesh with concomitant mid-urethral sling surgery on stress urinary incontinence: clinical and sonographic outcome. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015, 55, 593-600.	1.0	7
13	A Delayed Type of Ureteric Injury Developed After Transobturator Mesh Procedure for Massive Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 179-180.	1.1	6
14	Tension-releasing suture appendage on single-incision sling device: A novel approach to postoperative voiding dysfunctions. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2016, 55, 519-524.	1.3	6
15	Ultrasonography and clinical outcomes following anti-incontinence procedures (Monarc vs) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	1.1	6
16	Delayed intravesical mesh erosion in a midurethral sling following further mesh-augmented pelvic prolapse surgery. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 862-864.	1.3	5
17	Strangulated small bowel 14 years after abdominal sacrocolpopexy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 611-613.	1.3	5
18	Impact of intrinsic sphincter deficiency on mid-urethral sling outcomes. <i>International Urogynecology Journal</i> , 2021, , 1.	1.4	5

#	ARTICLE	IF	CITATIONS
19	Lower urinary tract dysfunction resulting from a 10-year retained intravesical absorbable suture from a uterine myomectomy. Taiwanese Journal of Obstetrics and Gynecology, 2013, 52, 435-436.	1.3	0