
Xingchao Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3008590/publications.pdf Version: 2024-02-01



XINCCHAO MANC

#	Article	IF	CITATIONS
1	Clinical risk factor analysis of bilateral vestibular schwannoma's growth pattern inconsistency in individual NF2 patients. Clinical Neurology and Neurosurgery, 2021, 200, 106365.	0.6	0
2	Continuous dural suturing for closure of grade 3 leaks after tumor removal via an endoscopic endonasal approach. Neurosurgical Review, 2021, 44, 373-380.	1.2	14
3	Cerebrospinal fluid dynamics along the optic nerve in patients with spontaneous cerebrospinal fluid rhinorrhea: a retrospective computed tomographic cisternography study. Acta Ophthalmologica, 2021, 99, 885-891.	0.6	0
4	Dissociated Deficits between Explicit and Implicit Empathetic Pain Perception in Neurofibromatosis Type 1. Brain Sciences, 2021, 11, 1591.	1.1	0
5	Visuospatial but Not Verbal Working Memory Deficits in Adult Patients With Neurofibromatosis Type 1. Frontiers in Psychology, 2021, 12, 751384.	1.1	1
6	Posterior fossa ependymoma with preoperative cerebrospinal metastases: a case report with literature review. British Journal of Neurosurgery, 2020, , 1-4.	0.4	1
7	Clinical features of newly developed NF2 intracranial meningiomas through comparative analysis of pediatric and adult patients. Clinical Neurology and Neurosurgery, 2020, 194, 105799.	0.6	8
8	Risk factors and outcomes of cerebrospinal fluid leak related to endoscopic pituitary adenoma surgery. British Journal of Neurosurgery, 2020, 34, 447-452.	0.4	19
9	Anterior insular cortex is a bottleneck of cognitive control. NeuroImage, 2019, 195, 490-504.	2.1	65
10	Selective impairment of the executive attentional network in adult patients with neurofibromatosis type 1. NeuroReport, 2019, 30, 921-926.	0.6	5
11	Anterior insular cortex plays a critical role in interoceptive attention. ELife, 2019, 8, .	2.8	99
12	Awake craniotomy for assisting placement of auditory brainstem implant in NF2 patients. Acta Oto-Laryngologica, 2018, 138, 548-553.	0.3	5
13	Surgical treatment of large vestibular schwannomas in patients with neurofibromatosis type 2: outcomes on facial nerve function and hearing preservation. Journal of Neuro-Oncology, 2018, 138, 417-424.	1.4	14
14	Risk Factors and Management of Intraoperative Cerebrospinal Fluid Leaks in Endoscopic Treatment of Pituitary Adenoma: Analysis of 492 Patients. World Neurosurgery, 2017, 101, 390-395.	0.7	56
15	Distinctive localization and MRI features correlate of molecular subgroups in adult medulloblastoma. Journal of Neuro-Oncology, 2017, 135, 353-360.	1.4	23
16	A Retrospective Analysis of Vision-Impairing Tumors Among 467 Patients with Neurofibromatosis Type 2. World Neurosurgery, 2017, 97, 557-564.	0.7	5
17	Clinical Features and Prognostic Factors of Primary Intracranial Malignant Fibrous Histiocytoma: A Report of 8 Cases and a Literature Review. Translational Neuroscience and Clinics, 2016, 2, 155-164.	0.1	0
18	Complete Resection of Cavernous Malformations in the Hypothalamus: A Case Report and Review of the Literature. Translational Neuroscience and Clinics, 2016, 2, 199-202.	0.1	0

XINGCHAO WANG

#	Article	IF	CITATIONS
19	Superior Sagittal Sinus Obstruction by Giant Meningiomas: Is Total Removal Feasible?. World Neurosurgery, 2016, 94, 111-119.	0.7	8
20	Granular cell tumors in the central nervous system: a report on eight cases and a literature review. British Journal of Neurosurgery, 2016, 30, 611-618.	0.4	13
21	Molecular subgroups of adult medulloblastoma: a long-term single-institution study. Neuro-Oncology, 2016, 18, 982-990.	0.6	75
22	Analysis of Treatment Tolerance and Factors Associated with Overall Survival in Elderly Patients with Glioblastoma. World Neurosurgery, 2016, 95, 77-84.	0.7	18
23	Alterations in gray matter volume due to unilateral hearing loss. Scientific Reports, 2016, 6, 25811.	1.6	33
24	Clinical, radiological, and pathological features of 33 adult unilateral thalamic gliomas. World Journal of Surgical Oncology, 2016, 14, 78.	0.8	28
25	Clinical features of clear cell meningioma: a retrospective study of 36 cases among 10,529 patients in a single institution. Acta Neurochirurgica, 2016, 158, 67-76.	0.9	32
26	Post-Traumatic Cerebrospinal Fluid Rhinorrhea Associated with Craniofacial Fibrous Dysplasia: Case Report and Literature Review. Translational Neuroscience and Clinics, 2016, 2, 188-194.	0.1	1
27	Necessary, Yet Dissociable Contributions of the Insular and Ventromedial Prefrontal Cortices to Norm Adaptation: Computational and Lesion Evidence in Humans. Journal of Neuroscience, 2015, 35, 467-473.	1.7	77
28	Recovery of empathetic function following resection of insular gliomas. Journal of Neuro-Oncology, 2014, 117, 269-277.	1.4	16
29	Altered Regional and Circuit Resting-State Activity Associated with Unilateral Hearing Loss. PLoS ONE, 2014, 9, e96126.	1.1	54
30	Anterior insular cortex is necessary for empathetic pain perception. Brain, 2012, 135, 2726-2735.	3.7	194