

# Marta Martinuzzo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3008828/publications.pdf>

Version: 2024-02-01

21  
papers

924  
citations

759233

12  
h-index

752698

20  
g-index

23  
all docs

23  
docs citations

23  
times ranked

633  
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidance from the Scientific and Standardization Committee for lupus anticoagulant/antiphospholipid antibodies of the International Society on Thrombosis and Haemostasis. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2828-2839.	3.8	211
2	Anti $\beta_2$ glycoprotein I antibodies: detection and association with thrombosis. <i>British Journal of Haematology</i> , 1995, 89, 397-402.	2.5	149
3	Circulating levels of tissue factor and proinflammatory cytokines in patients with primary antiphospholipid syndrome or leprosy related antiphospholipid antibodies. <i>Lupus</i> , 2005, 14, 129-136.	1.6	86
4	Which are the Best Biological Markers of the Antiphospholipid Syndrome?. <i>Journal of Autoimmunity</i> , 2000, 15, 163-172.	6.5	81
5	Frequent False-positive results of lupus anticoagulant tests in plasmas of patients receiving the new oral anticoagulants and enoxaparin. <i>International Journal of Laboratory Hematology</i> , 2014, 36, 144-150.	1.3	75
6	Reactivity to $\beta_2$ Glycoprotein I Clearly Differentiates Anticardiolipin Antibodies from Antiphospholipid Syndrome and Syphilis. <i>Thrombosis and Haemostasis</i> , 1996, 75, 717-720.	3.4	63
7	High titers of autoantibodies to tissue factor pathway inhibitor are associated with the antiphospholipid syndrome. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 718-724.	3.8	59
8	Autoimmune antiphospholipid antibodies impair the inhibition of activated factor X by protein Z/protein Z-dependent protease inhibitor. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 1764-1770.	3.8	54
9	Pregnancy loss and autoantibodies against phospholipid-binding proteins. <i>Obstetrics and Gynecology</i> , 1997, 89, 975-980.	2.4	31
10	Variability of cut-off values for the detection of lupus anticoagulants: results of an international multicenter multiplatform study. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1180-1190.	3.8	27
11	Occurrence of anti-prothrombin and anti- $\beta_2$ - glycoprotein I antibodies in patients with history of thrombosis. <i>Translational Research</i> , 1999, 134, 610-615.	2.3	25
12	Binding properties of antibodies to prothrombin and $\beta_2$ -glycoprotein I ( $\beta_2$ -GPI) assayed by ELISA and dot blot. <i>Clinical and Experimental Immunology</i> , 1999, 118, 480-486.	2.6	13
13	The emerging role of multiple antiphospholipid antibodies positivity in patients with antiphospholipid syndrome. <i>Expert Review of Clinical Immunology</i> , 2015, 11, 1255-1263.	3.0	10
14	False-positive lupus anticoagulant results by <i>DRVT</i> in the presence of rivaroxaban even at low plasma concentrations. <i>International Journal of Laboratory Hematology</i> , 2018, 40, e99-e101.	1.3	9
15	Antibodies to tissue factor pathway inhibitor are uncommonly detected in patients with infection-related antiphospholipid antibodies. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 2250-2251.	3.8	8
16	Antigen Specificity and Clinical Relevance of Antiphospholipid Syndrome- Related Autoantibodies. <i>Current Rheumatology Reviews</i> , 2005, 1, 177-187.	0.8	8
17	The haemostasis traffic light: a pragmatic tool for bleeding management. <i>Anaesthesia</i> , 2019, 74, 1623-1624.	3.8	5
18	Acquired factor <i>XIII</i> deficiency in patients under therapeutic plasma exchange: A poorly explored etiology. <i>Journal of Clinical Apheresis</i> , 2021, 36, 59-66.	1.3	5

#	ARTICLE	IF	CITATIONS
19	Management of factor XI deficiency in oncological liver and colorectal surgery by therapeutic plasma exchange: A case report. <i>Transfusion and Apheresis Science</i> , 2021, 60, 103176.	1.0	3
20	The fibrinogen prothrombin timeâ€ derived method is not useful in patients anticoagulated with low molecular weight heparins or rivaroxaban. <i>Journal of Thrombosis and Haemostasis</i> , 2018, 16, 1626-1631.	3.8	2
21	Rivaroxaban Levels in Patients' Plasmas are Comparable by Using Two Different Anti Xa Assay/Coagulometer Systems Calibrated with Two Different Calibrators. <i>Clinical Laboratory</i> , 2018, 64, 1091-1095.	0.5	0