

Robert L Goldenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3009866/publications.pdf>

Version: 2024-02-01

187
papers

14,556
citations

46984

47
h-index

20943

115
g-index

188
all docs

188
docs citations

188
times ranked

15008
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal infection and stillbirth: a review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 4442-4450.	0.7	4
2	Preeclampsia at delivery is associated with lower serum vitamin D and higher antiangiogenic factors: a case control study. <i>Reproductive Biology and Endocrinology</i> , 2022, 20, 8.	1.4	1
3	Birth length is the strongest predictor of linear growth status and stunting in the first 2 years of life after a preconception maternal nutrition intervention: the children of the Women First trial. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 86-96.	2.2	11
4	Placental vascular malperfusion lesions are associated with hypertension, growth restriction, and antepartum hemorrhage and ultimately with fetal and preterm neonatal death. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 363-364.	0.7	1
5	Predictors of <i>Plasmodium falciparum</i> Infection in the First Trimester Among Nulliparous Women From Kenya, Zambia, and the Democratic Republic of the Congo. <i>Journal of Infectious Diseases</i> , 2022, 225, 2002-2010.	1.9	3
6	Birth asphyxia is under-rated as a cause of preterm neonatal mortality in low- and middle-income countries: A prospective, observational study from PURPOSE. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1993-2000.	1.1	5
7	Growth from Birth Through Six Months for Infants of Mothers in the "Women First" Preconception Maternal Nutrition Trial. <i>Journal of Pediatrics</i> , 2021, 229, 199-206.e4.	0.9	13
8	Factors Associated With Parental Acceptance of Minimally Invasive Tissue Sampling to Identify the Causes of Stillbirth and Neonatal Death. <i>Clinical Infectious Diseases</i> , 2021, 73, S422-S429.	2.9	5
9	Have Coronavirus Disease 2019 (COVID-19) Community Lockdowns Reduced Preterm Birth Rates?. <i>Obstetrics and Gynecology</i> , 2021, 137, 399-402.	1.2	28
10	Gestational weight gain in 4 low- and middle-income countries and associations with birth outcomes: a secondary analysis of the Women First Trial. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 804-812.	2.2	12
11	Perceptions of women, their husbands and healthcare providers about anemia in rural Pakistan: Findings from a qualitative exploratory study. <i>PLoS ONE</i> , 2021, 16, e0249360.	1.1	2
12	Maternal and fetal vascular lesions of malperfusion in the placentas associated with fetal and neonatal death: results of a prospective observational study. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 660.e1-660.e12.	0.7	25
13	Heat Stress-Associated Growth Retardation in the First 1000 Days Is Mitigated by Preconception Nutritional Supplementation. <i>Current Developments in Nutrition</i> , 2021, 5, 88.	0.1	0
14	Preventable stillbirths in India and Pakistan: a prospective, observational study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1762-1773.	1.1	12
15	Maternal serum fructosamine levels and stillbirth: A case-control study of The Stillbirth Collaborative Research Network. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, , .	1.1	2
16	Weekly 17 alpha-hydroxyprogesterone caproate to prevent preterm birth among women living with HIV: a randomised, double-blind, placebo-controlled trial. <i>Lancet HIV</i> , 2021, 8, e605-e613.	2.1	21
17	Lung Findings in Minimally Invasive Tissue Sampling (MITS) Examinations of Fetal and Preterm Neonatal Deaths: A Report From the PURPOSE Study. <i>Clinical Infectious Diseases</i> , 2021, 73, S430-S434.	2.9	5
18	Cytokine profiling: variation in immune modulation with preterm birth vs. uncomplicated term birth identifies pivotal signals in pathogenesis of preterm birth. <i>Journal of Perinatal Medicine</i> , 2021, 49, 299-309.	0.6	12

#	ARTICLE	IF	CITATIONS
19	Preconceptional Lipid-Based Nutrient Supplementation in 2 Low-Resource Countries Results in Distinctly Different IGF-1/mTOR Placental Responses. <i>Journal of Nutrition</i> , 2021, 151, 556-569.	1.3	9
20	Use of Smokeless Tobacco Before Conception and Its Relationship With Maternal and Fetal Outcomes of Pregnancy in Thatta, Pakistan: Findings From Women First Study. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1291-1299.	1.4	3
21	A mobile cesarean birth center as a solution to improve access to surgical birth in rural Ethiopia: a mixed methods research protocol. <i>Pilot and Feasibility Studies</i> , 2021, 7, 218.	0.5	0
22	Incidence and associated factors of extrauterine growth restriction (EUGR) in preterm infants, a cross-sectional study in selected NICUs in Ethiopia. <i>BMJ Paediatrics Open</i> , 2020, 4, e000765.	0.6	8
23	Prevalence and determinants of anemia among women of reproductive age in Thatta Pakistan: Findings from a cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0239320.	1.1	15
24	Hemoglobin concentrations and adverse birth outcomes in South Asian pregnant women: findings from a prospective Maternal and Neonatal Health Registry. <i>Reproductive Health</i> , 2020, 17, 154.	1.2	23
25	Risk factors associated with adverse maternal outcomes following intrapartum cesarean birth: a secondary analysis of the WHO global survey on maternal and perinatal health, 2004–2008. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 687.	0.9	2
26	Causal Genetic Variants in Stillbirth. <i>New England Journal of Medicine</i> , 2020, 383, 1107-1116.	13.9	67
27	Comparison of neonatal outcomes of small for gestational age and appropriate for gestational age preterm infants born at 28–36 weeks of gestation: a multicentre study in Ethiopia. <i>BMJ Paediatrics Open</i> , 2020, 4, e000740.	0.6	7
28	Prevalence of clinically-evident congenital anomalies in the Western highlands of Guatemala. <i>Reproductive Health</i> , 2020, 17, 153.	1.2	5
29	Neonatal deaths in rural Karnataka, India 2014–2018: a prospective population-based observational study in a low-resource setting. <i>Reproductive Health</i> , 2020, 17, 161.	1.2	9
30	The Global Network Maternal Newborn Health Registry: a multi-country, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2020, 17, 184.	1.2	26
31	Reports from the NICHD Global Network’s Maternal and Newborn Health Registry: supplement introduction. <i>Reproductive Health</i> , 2020, 17, 177.	1.2	2
32	Stillbirth 2010–2018: a prospective, population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2020, 17, 146.	1.2	13
33	Exploring women and traditional birth attendants’ perceptions and experiences of stillbirths in district Thatta, Sindh, Pakistan: a qualitative study. <i>Reproductive Health</i> , 2020, 17, 3.	1.2	15
34	Preconception nutrition intervention improved birth length and reduced stunting and wasting in newborns in South Asia: The Women First Randomized Controlled Trial. <i>PLoS ONE</i> , 2020, 15, e0218960.	1.1	16
35	Oligohydramnios: a prospective study of fetal, neonatal and maternal outcomes in low-middle income countries. <i>Reproductive Health</i> , 2020, 17, 19.	1.2	22
36	Development of the Global Network for Women’s and Children’s Health Research’s socioeconomic status index for use in the network’s sites in low and lower middle-income countries. <i>Reproductive Health</i> , 2020, 17, 193.	1.2	9

#	ARTICLE	IF	CITATIONS
37	Associations Between the Features of Gross Placental Morphology and Birthweight. <i>Pediatric and Developmental Pathology</i> , 2019, 22, 194-204.	0.5	14
38	Major causes of death in preterm infants in selected hospitals in Ethiopia (SIP): a prospective, cross-sectional, observational study. <i>The Lancet Global Health</i> , 2019, 7, e1130-e1138.	2.9	113
39	Challenges of Implementing an Individual Randomized Controlled Trial (Women First: Preconception) <i>Tj ETQq1 1 0.784314 rgBT /Ove</i> Insights, 2019, 12, 117863881985205.	0.8	1
40	The association of stillbirth with placental abnormalities in growth-restricted and normally grown fetuses. <i>Paediatric and Perinatal Epidemiology</i> , 2019, 33, 274-383.	0.8	9
41	Mode of delivery among nulliparous women with single, cephalic, term pregnancies: The WHO global survey on maternal and perinatal health, 2004-2008. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 147, 165-172.	1.0	6
42	Polyhydramnios among women in a cluster-randomized trial of ultrasound during prenatal care within five low and low-middle income countries: a secondary analysis of the first look study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 258.	0.9	3
43	Maternal Characteristics Affect Fetal Growth Response in the Women First Preconception Nutrition Trial. <i>Nutrients</i> , 2019, 11, 2534.	1.7	9
44	Variation in C-reactive protein at 1 month post-partum by etiology of preterm birth: selective identification of those at risk for both poor pregnancy outcome and future health complications. <i>Journal of Perinatal Medicine</i> , 2019, 47, 804-810.	0.6	1
45	Interpregnancy interval and risk of stillbirth: a population-based case control study. <i>Annals of Epidemiology</i> , 2019, 35, 35-41.	0.9	16
46	Perceptions of parents and religious leaders regarding minimal invasive tissue sampling to identify the cause of death in stillbirths and neonates: results from a qualitative study. <i>Reproductive Health</i> , 2019, 16, 53.	1.2	22
47	Challenges in classification and assignment of causes of stillbirths in low- and lower middle-income countries. <i>Seminars in Perinatology</i> , 2019, 43, 308-314.	1.1	17
48	Making cesarean delivery SAFE in low- and middle-income countries. <i>Seminars in Perinatology</i> , 2019, 43, 260-266.	1.1	3
49	Understanding causes of stillbirth: moving in the right direction. <i>The Lancet Global Health</i> , 2019, 7, e400-e401.	2.9	5
50	Including ultrasound scans in antenatal care in low-resource settings: Considering the complementarity of obstetric ultrasound screening and maternity waiting homes in strengthening referral systems in low-resource, rural settings. <i>Seminars in Perinatology</i> , 2019, 43, 273-281.	1.1	7
51	Use of ultrasound and mHealth to improve perinatal outcomes in low and middle income countries. <i>Seminars in Perinatology</i> , 2019, 43, 267-272.	1.1	5
52	Intramuscular 17-hydroxyprogesterone caproate to prevent preterm birth among HIV-infected women in Zambia: study protocol of the IPOP randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 81.	0.9	10
53	Traditional birth attendants and birth outcomes in low-middle income countries: A review. <i>Seminars in Perinatology</i> , 2019, 43, 247-251.	1.1	19
54	Associations Between Features of Placental Morphology and Birth Weight in Dichorionic Twins. <i>American Journal of Epidemiology</i> , 2019, 188, 518-526.	1.6	9

#	ARTICLE	IF	CITATIONS
55	Evaluating WHO-Recommended Interventions for Preterm Birth: A Mathematical Model of the Potential Reduction of Preterm Mortality in Sub-Saharan Africa. <i>Global Health, Science and Practice</i> , 2019, 7, 215-227.	0.6	21
56	It Takes a System: Magnesium Sulfate for Prevention of Eclampsia in a Resource-Limited Community Setting. <i>Global Health, Science and Practice</i> , 2019, 7, 340-343.	0.6	5
57	Perceptions of health professionals regarding minimally invasive tissue sampling (MITS) to identify the cause of death in stillbirths and neonates: results from a qualitative study. <i>Maternal Health, Neonatology and Perinatology</i> , 2019, 5, 17.	1.0	12
58	Criteria for assigning cause of death for stillbirths and neonatal deaths in research studies in low-middle income countries. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 1915-1923.	0.7	24
59	Use of antibiotics to reduce preterm birth. <i>The Lancet Global Health</i> , 2019, 7, e18-e19.	2.9	4
60	Malpresentation in low- and middle-income countries: Associations with perinatal and maternal outcomes in the Global Network. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 300-308.	1.3	13
61	A Prospective, Population-Based Study of Trends in Operative Vaginal Delivery Compared to Cesarean Delivery Rates in Low- and Middle-Income Countries, 2010-2016. <i>American Journal of Perinatology</i> , 2019, 36, 730-736.	0.6	18
62	Intravenous fluid contaminated with <i>Klebsiella oxytoca</i> as a source of sepsis in a preterm newborn: Case report. <i>American Journal of Infection Control</i> , 2019, 47, 840-842.	1.1	5
63	Stillbirth, Inflammatory Markers, and Obesity: Results from the Stillbirth Collaborative Research Network. <i>American Journal of Perinatology</i> , 2018, 35, 1071-1078.	0.6	14
64	Antenatal corticosteroids: an assessment of anticipated benefits and potential risks. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 62-74.	0.7	113
65	Potentially Preventable Stillbirth in a Diverse U.S. Cohort. <i>Obstetrics and Gynecology</i> , 2018, 131, 336-343.	1.2	34
66	Factors influencing referrals for ultrasound-diagnosed complications during prenatal care in five low and middle income countries. <i>Reproductive Health</i> , 2018, 15, 204.	1.2	13
67	Perceptions of parents and healthcare professionals regarding minimal invasive tissue sampling to identify the cause of death in stillbirths and neonates: a qualitative study protocol. <i>Reproductive Health</i> , 2018, 15, 179.	1.2	5
68	Comparison of diameter-based and image-based measures of surface area from gross placental pathology for use in epidemiologic studies. <i>Placenta</i> , 2018, 69, 82-85.	0.7	1
69	Improving pregnancy outcomes in low- and middle-income countries. <i>Reproductive Health</i> , 2018, 15, 88.	1.2	58
70	Association of participation in a supplemental nutrition program with stillbirth by race, ethnicity, and maternal characteristics. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 306.	0.9	8
71	Translating research evidence into practice: a report from the 2nd International Conference on Maternal and Newborn Health from KLE University - Belagavi, India. <i>Reproductive Health</i> , 2018, 15, 99.	1.2	2
72	Trends and determinants of stillbirth in developing countries: results from the Global Network's Population-Based Birth Registry. <i>Reproductive Health</i> , 2018, 15, 100.	1.2	64

#	ARTICLE	IF	CITATIONS
73	An approach to identify a minimum and rational proportion of caesarean sections in resource-poor settings: a global network study. <i>The Lancet Global Health</i> , 2018, 6, e894-e901.	2.9	38
74	Association of Temporal Changes in Gestational Age With Perinatal Mortality in the United States, 2007-2015. <i>JAMA Pediatrics</i> , 2018, 172, 627.	3.3	30
75	Association Between Temporal Changes in Neonatal Mortality and Spontaneous and Clinician-Initiated Deliveries in the United States, 2006-2013. <i>JAMA Pediatrics</i> , 2018, 172, 949.	3.3	22
76	Monitoring of birth registry coverage and data quality utilizing lot quality assurance sampling methodology: A pilot study. <i>Journal of Family Medicine and Primary Care</i> , 2018, 7, 522.	0.3	1
77	A prospective study of maternal, fetal and neonatal outcomes in the setting of cesarean section in low- and middle-income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 410-420.	1.3	50
78	The Global Network Neonatal Cause of Death algorithm for low-resource settings. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 904-911.	0.7	18
79	Maternal near miss in low-resource areas. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 138, 347-355.	1.0	29
80	Evaluation of Focused Obstetric Ultrasound Examinations by Health Care Personnel in the Democratic Republic of Congo, Guatemala, Kenya, Pakistan, and Zambia. <i>Current Problems in Diagnostic Radiology</i> , 2017, 46, 210-215.	0.6	31
81	Interventions to reduce neonatal mortality: a mathematical model to evaluate impact of interventions in sub-Saharan Africa. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1286-1295.	0.7	15
82	Associations between Maternal and Fetal Inherited Thrombophilias, Placental Characteristics Associated with Vascular Malperfusion, and Fetal Growth. <i>TH Open</i> , 2017, 01, e43-e55.	0.7	6
83	Dengue and stillbirth. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 886-888.	4.6	4
84	Challenges of Implementing Antenatal Ultrasound Screening in a Rural Study Site: A Case Study From the Democratic Republic of the Congo. <i>Global Health, Science and Practice</i> , 2017, 5, 315-324.	0.6	17
85	Fetal death certificate data quality: a tale of two U.S. counties. <i>Annals of Epidemiology</i> , 2017, 27, 466-471.e2.	0.9	10
86	Maternal exposure to childhood maltreatment and risk of stillbirth. <i>Annals of Epidemiology</i> , 2017, 27, 459-465.e2.	0.9	15
87	Improving Birth Outcomes in Low- and Middle-Income Countries. <i>New England Journal of Medicine</i> , 2017, 377, 2387-2388.	13.9	12
88	Fetal growth restriction: Case definition & guidelines for data collection, analysis, and presentation of immunization safety data. <i>Vaccine</i> , 2017, 35, 6546-6554.	1.7	24
89	Maternal marijuana use, adverse pregnancy outcomes, and neonatal morbidity. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 478.e1-478.e8.	0.7	106
90	Immediate postpartum use of long-acting reversible contraceptives in low- and middle-income countries. <i>Maternal Health, Neonatology and Perinatology</i> , 2017, 3, 24.	1.0	20

#	ARTICLE	IF	CITATIONS
91	Maternal and Neonatal Directed Assessment of Technologies (MANDATE): Methods and Assumptions for a Predictive Model for Maternal, Fetal, and Neonatal Mortality Interventions. <i>Global Health, Science and Practice</i> , 2017, 5, 571-580.	0.6	6
92	Altered fetal growth, placental abnormalities, and stillbirth. <i>PLoS ONE</i> , 2017, 12, e0182874.	1.1	64
93	A multi-faceted intervention including antenatal corticosteroids to reduce neonatal mortality associated with preterm birth: a case study from the Guatemalan Western Highlands. <i>Reproductive Health</i> , 2016, 13, 63.	1.2	10
94	Reducing stillbirths in low-income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 135-143.	1.3	26
95	Cesarean section in sub-Saharan Africa. <i>Maternal Health, Neonatology and Perinatology</i> , 2016, 2, 6.	1.0	97
96	Diabetes during Pregnancy in Low- and Middle-Income Countries. <i>American Journal of Perinatology</i> , 2016, 33, 1227-1235.	0.6	40
97	Maternal Mortality from Obstructed Labor: A MANDATE Analysis of the Ability of Technology to Save Lives in Sub-Saharan Africa. <i>American Journal of Perinatology</i> , 2016, 33, 873-881.	0.6	12
98	Pathways to preterm birth: Case definition and guidelines for data collection, analysis, and presentation of immunization safety data. <i>Vaccine</i> , 2016, 34, 6093-6101.	1.7	13
99	The global network antenatal corticosteroids trial: impact on stillbirth. <i>Reproductive Health</i> , 2016, 13, 68.	1.2	7
100	The Antenatal Corticosteroids Trial (ACT)™s explanations for neonatal mortality - a secondary analysis. <i>Reproductive Health</i> , 2016, 13, 62.	1.2	29
101	The Antenatal Corticosteroids Trial (ACT): a secondary analysis to explore site differences in a multi-country trial. <i>Reproductive Health</i> , 2016, 13, 64.	1.2	12
102	Web-Based Quality Assurance Process Drives Improvements in Obstetric Ultrasound in 5 Low- and Middle-Income Countries. <i>Global Health, Science and Practice</i> , 2016, 4, 675-683.	0.6	19
103	Stillbirths. <i>Clinics in Perinatology</i> , 2016, 43, 439-453.	0.8	25
104	Reducing neonatal mortality associated with preterm birth: gaps in knowledge of the impact of antenatal corticosteroids on preterm birth outcomes in low-middle income countries. <i>Reproductive Health</i> , 2016, 13, 61.	1.2	17
105	Use of antenatal corticosteroids at health facilities and communities in low-and-middle income countries. <i>Reproductive Health</i> , 2016, 13, 66.	1.2	11
106	Antenatal corticosteroids beyond 34 weeks gestation: What do we know?. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 423-430.	0.7	75
107	Stillbirths: progress and unfinished business. <i>Lancet, The</i> , 2016, 387, 574-586.	6.3	195
108	Stillbirths: recall to action in high-income countries. <i>Lancet, The</i> , 2016, 387, 691-702.	6.3	481

#	ARTICLE	IF	CITATIONS
109	Global burden of prematurity. <i>Seminars in Fetal and Neonatal Medicine</i> , 2016, 21, 74-79.	1.1	314
110	Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , 2015, 12, S8.	1.2	158
111	Postpartum contraceptive use and unmet need for family planning in five low-income countries. <i>Reproductive Health</i> , 2015, 12, S11.	1.2	106
112	Neonatal mortality and coverage of essential newborn interventions 2010 - 2013: a prospective, population-based study from low-middle income countries. <i>Reproductive Health</i> , 2015, 12, S6.	1.2	41
113	A prospective population-based study of maternal, fetal, and neonatal outcomes in the setting of prolonged labor, obstructed labor and failure to progress in low- and middle-income countries. <i>Reproductive Health</i> , 2015, 12, S9.	1.2	50
114	Maternal and newborn outcomes in Pakistan compared to other low and middle income countries in the Global Network's Maternal Newborn Health Registry: an active, community-based, pregnancy surveillance mechanism. <i>Reproductive Health</i> , 2015, 12, S15.	1.2	47
115	Stillbirth rates in low-middle income countries 2010 - 2013: a population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2015, 12, S7.	1.2	89
116	The Global Network Maternal Newborn Health Registry: a multi-national, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2015, 12, S1.	1.2	90
117	A prospective observational description of frequency and timing of antenatal care attendance and coverage of selected interventions from sites in Argentina, Guatemala, India, Kenya, Pakistan and Zambia. <i>Reproductive Health</i> , 2015, 12, S12.	1.2	24
118	Institutional deliveries and perinatal and neonatal mortality in Southern and Central India. <i>Reproductive Health</i> , 2015, 12, S13.	1.2	38
119	Trends in perinatal deaths from 2010 to 2013 in the Guatemalan Western Highlands. <i>Reproductive Health</i> , 2015, 12, S14.	1.2	13
120	Establishment of a Maternal Newborn Health Registry in the Belgaum District of Karnataka, India. <i>Reproductive Health</i> , 2015, 12, S3.	1.2	12
121	Lost to follow-up among pregnant women in a multi-site community based maternal and newborn health registry: a prospective study. <i>Reproductive Health</i> , 2015, 12, S4.	1.2	14
122	Urogenital fistula reviewed: a marker of severe maternal morbidity and an indicator of the quality of maternal healthcare delivery. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 20.	1.0	8
123	Research results from a registry supporting efforts to improve maternal and child health in low and middle income countries. <i>Reproductive Health</i> , 2015, 12, S4.	1.2	3
124	The Distribution of Clinical Phenotypes of Preterm Birth Syndrome. <i>JAMA Pediatrics</i> , 2015, 169, 220.	3.3	129
125	Global network for women's and children's health research: a system for low-resource areas to determine probable causes of stillbirth, neonatal, and maternal death. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 11.	1.0	23
126	Risk factors for maternal death and trends in maternal mortality in low- and middle-income countries: a prospective longitudinal cohort analysis. <i>Reproductive Health</i> , 2015, 12, S5.	1.2	78

#	ARTICLE	IF	CITATIONS
127	Maternal, fetal and neonatal mortality: lessons learned from historical changes in high income countries and their potential application to low-income countries. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 3.	1.0	45
128	Reducing maternal mortality from preeclampsia and eclampsia in low-resource countries – what should work?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 148-155.	1.3	36
129	Resuscitation and Obstetrical Care to Reduce Intrapartum-Related Neonatal Deaths: A MANDATE Study. <i>Maternal and Child Health Journal</i> , 2015, 19, 1853-1863.	0.7	40
130	Antenatal corticosteroids for preterm births in resource-limited settings – Authors' reply. <i>Lancet, The</i> , 2015, 385, 1945.	6.3	4
131	Tranexamic Acid to Reduce Postpartum Hemorrhage: A MANDATE Systematic Review and Analyses of Impact on Maternal Mortality. <i>American Journal of Perinatology</i> , 2015, 32, 469-474.	0.6	10
132	Impact of exposure to cooking fuels on stillbirths, perinatal, very early and late neonatal mortality - a multicenter prospective cohort study in rural communities in India, Pakistan, Kenya, Zambia and Guatemala. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 18.	1.0	35
133	A population-based, multifaceted strategy to implement antenatal corticosteroid treatment versus standard care for the reduction of neonatal mortality due to preterm birth in low-income and middle-income countries: the ACT cluster-randomised trial. <i>Lancet, The</i> , 2015, 385, 629-639.	6.3	262
134	A Color-Coded Tape for Uterine Height Measurement: A Tool to Identify Preterm Pregnancies in Low Resource Settings. <i>PLoS ONE</i> , 2015, 10, e0117134.	1.1	7
135	A prospective study of maternal, fetal and neonatal deaths in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , 2014, 92, 605-612.	1.5	144
136	Fetal Growth and Risk of Stillbirth: A Population-Based Case-Control Study. <i>PLoS Medicine</i> , 2014, 11, e1001633.	3.9	129
137	First look: a cluster-randomized trial of ultrasound to improve pregnancy outcomes in low income country settings. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 73.	0.9	64
138	Association Between Stillbirth and Illicit Drug Use and Smoking During Pregnancy. <i>Obstetrics and Gynecology</i> , 2014, 123, 113-125.	1.2	216
139	Placental Findings in Singleton Stillbirths. <i>Obstetrics and Gynecology</i> , 2014, 123, 325-336.	1.2	173
140	Screening Obstetric Ultrasound Training for a 5-Country Cluster Randomized Controlled Trial. <i>Ultrasound Quarterly</i> , 2014, 30, 262-266.	0.3	23
141	Adoption and foster care placement as a risk factor for preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 317-318.	0.7	1
142	Bile acids in a multicenter, population-based case-control study of stillbirth. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, 460.e1-460.e9.	0.7	10
143	A solution pathway for preterm birth: accelerating a priority research agenda. <i>The Lancet Global Health</i> , 2013, 1, e328-e330.	2.9	44
144	The MANDATE model for evaluating interventions to reduce postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 121, 5-9.	1.0	21

#	ARTICLE	IF	CITATIONS
145	A combined community- and facility-based approach to improve pregnancy outcomes in low-resource settings: a Global Network cluster randomized trial. <i>BMC Medicine</i> , 2013, 11, 215.	2.3	49
146	Stillbirths and neonatal mortality as outcomes. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 123, 252-253.	1.0	21
147	A multi-country study of the "intrapartum stillbirth and early neonatal death indicator" in hospitals in low-resource settings. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 122, 230-233.	1.0	23
148	Stillbirth: Knowledge and Practice among U.S. Obstetrician-Gynecologists. <i>American Journal of Perinatology</i> , 2013, 30, 813-820.	0.6	11
149	Assessment of Obstetric and Neonatal Health Services in Developing Country Health Facilities. <i>American Journal of Perinatology</i> , 2013, 30, 787-794.	0.6	42
150	A Review of Studies with Chlorhexidine Applied Directly to the Umbilical Cord. <i>American Journal of Perinatology</i> , 2013, 30, 699-702.	0.6	14
151	An Algorithm for the Estimation of Gestational Age at the Time of Fetal Death. <i>Paediatric and Perinatal Epidemiology</i> , 2013, 27, 145-157.	0.8	34
152	Neonatal Death in Low- to Middle-Income Countries: A Global Network Study. <i>American Journal of Perinatology</i> , 2012, 29, 649-656.	0.6	58
153	Disparities in interventions for child and maternal mortality. <i>Lancet, The</i> , 2012, 379, 1178-1180.	6.3	11
154	The Maternal and Newborn Health Registry Study of the Global Network for Women's and Children's Health Research. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 118, 190-193.	1.0	109
155	Home birth attendants in low income countries: who are they and what do they do?. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 34.	0.9	36
156	The preterm birth syndrome: issues to consider in creating a classification system. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 113-118.	0.7	177
157	Lessons for low-income regions following the reduction in hypertension-related maternal mortality in high-income countries. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 113, 91-95.	1.0	84
158	Stillbirths: the vision for 2020. <i>Lancet, The</i> , 2011, 377, 1798-1805.	6.3	150
159	Stillbirths: what difference can we make and at what cost?. <i>Lancet, The</i> , 2011, 377, 1523-1538.	6.3	261
160	Determinants of Stillbirth in Zambia. <i>Obstetrics and Gynecology</i> , 2011, 117, 1151-1159.	1.2	43
161	Epidemiology of stillbirth in low-middle income countries: A Global Network Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 1379-1385.	1.3	76
162	Maternal mortality. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 293-295.	0.7	24

#	ARTICLE	IF	CITATIONS
163	Effectiveness of interventions to screen and manage infections during pregnancy on reducing stillbirths: a review. <i>BMC Public Health</i> , 2011, 11, S3.	1.2	106
164	A New System for Determining the Causes of Stillbirth. <i>Obstetrics and Gynecology</i> , 2010, 116, 254-260.	1.2	162
165	Reducing Intrapartum-Related Neonatal Deaths in Low- and Middle-Income Countriesâ€”What Works?. <i>Seminars in Perinatology</i> , 2010, 34, 395-407.	1.1	188
166	Infectious Causes of Stillbirth: A Clinical Perspective. <i>Clinical Obstetrics and Gynecology</i> , 2010, 53, 635-645.	0.6	46
167	Chlorhexidine Vaginal and Infant Wipes to Reduce Perinatal Mortality and Morbidity. <i>Obstetrics and Gynecology</i> , 2010, 115, 1225-1232.	1.2	34
168	Newborn-Care Training and Perinatal Mortality in Developing Countries. <i>New England Journal of Medicine</i> , 2010, 362, 614-623.	13.9	344
169	Exposure of pregnant women to indoor air pollution: a study from nine low and middle income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 540-548.	1.3	35
170	Tobacco use and secondhand smoke exposure during pregnancy in two African countries: Zambia and the Democratic Republic of the Congo. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 531-539.	1.3	21
171	Infection-related stillbirths. <i>Lancet, The</i> , 2010, 375, 1482-1490.	6.3	177
172	Commentary: Improving Important Pregnancy Outcomes. <i>Birth</i> , 2009, 36, 51-53.	1.1	5
173	Stillbirth Classificationâ€”Developing an International Consensus for Research. <i>Obstetrics and Gynecology</i> , 2009, 114, 901-914.	1.2	168
174	Stillbirth and early neonatal mortality in rural Central Africa. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 105, 112-117.	1.0	50
175	Reducing intrapartum stillbirths and intrapartum-related neonatal deaths. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 107, S1-S3.	1.0	36
176	Infection and stillbirth. <i>Seminars in Fetal and Neonatal Medicine</i> , 2009, 14, 182-189.	1.1	95
177	Womenâ€™s Perceptions Regarding the Safety of Births at Various Gestational Ages. <i>Obstetrics and Gynecology</i> , 2009, 114, 1254-1258.	1.2	52
178	The Alabama Preterm Birth Study: Umbilical cord blood <i>Ureaplasma urealyticum</i> and <i>Mycoplasma hominis</i> cultures in very preterm newborn infants. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 43.e1-43.e5.	0.7	239
179	Epidemiology and causes of preterm birth. <i>Lancet, The</i> , 2008, 371, 75-84.	6.3	5,851
180	The Alabama Preterm Birth Study: Diffuse decidual leukocytoclastic necrosis of the decidua basalis, a placental lesion associated with preeclampsia, indicated preterm birth and decreased fetal growth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 391-395.	0.7	35

#	ARTICLE	IF	CITATIONS
181	Predictors of Stillbirth in Sub-Saharan Africa. <i>Obstetrics and Gynecology</i> , 2007, 110, 989-997.	1.2	42
182	Low birth weight in the United States. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 584S-590S.	2.2	236
183	The relationship of intrapartum and antepartum stillbirth rates to measures of obstetric care in developed and developing countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1303-1309.	1.3	120
184	Use of Vaginally Administered Chlorhexidine During Labor to Improve Pregnancy Outcomes. <i>Obstetrics and Gynecology</i> , 2006, 107, 1139-1146.	1.2	40
185	Changes in intendedness during pregnancy in a high-risk multiparous population. <i>Maternal and Child Health Journal</i> , 2000, 4, 179-182.	0.7	48
186	Psychosocial Impact of Tubal Ligation in Alabama Women ¹ . <i>Journal of Applied Social Psychology</i> , 1991, 21, 1248-1264.	1.3	3
187	The Epidemiology of Preterm Birth. , 0, , 22-38.		16