

In-Nam Kang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3010351/publications.pdf>

Version: 2024-02-01

63
papers

1,591
citations

279798

23
h-index

315739

38
g-index

63
all docs

63
docs citations

63
times ranked

2099
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficiency enhancement of a fluorinated wide-bandgap polymer for ternary nonfullerene organic solar cells. <i>Polymer</i> , 2020, 188, 122131.	3.8	10
2	High-Detectivity Green-Selective All-Polymer p-n Junction Photodetectors. <i>Advanced Optical Materials</i> , 2020, 8, 2001038.	7.3	23
3	Synthesis and characterization of a wide-bandgap polymer based on perfluorinated and alkylthiolated benzodithiophene with a deep highest occupied molecular orbital level for organic photovoltaics. <i>Journal of Polymer Science</i> , 2020, 58, 2755-2763.	3.8	5
4	Synthesis and characterization of the fluorinated thieno[3,4-c]pyrrole-4,6-dione-based donor-acceptor polymers for organic solar cells. <i>Dyes and Pigments</i> , 2019, 160, 403-409.	3.7	8
5	Efficient and hysteresis-less perovskite and organic solar cells by employing donor-acceptor type π -conjugated polymer. <i>Organic Electronics</i> , 2019, 72, 18-24.	2.6	25
6	Synthesis and characterization of highly conjugated side-group-substituted benzo[1,2-b:4,5-b']dithiophene-based copolymer for use in organic solar cells. <i>Journal of Polymer Science Part A</i> , 2018, 56, 653-660.	2.3	4
7	Efficient organic photovoltaic cells based on thiazolothiazole and benzodithiophene copolymers with π -conjugated bridges. <i>Journal of Polymer Science Part A</i> , 2018, 56, 1978-1988.	2.3	6
8	High-performance fluorine-containing BDT-based copolymer for organic solar cells with a high open circuit voltage. <i>Journal of Polymer Science Part A</i> , 2017, 55, 2506-2512.	2.3	13
9	New 1,7-Disubstituted Perylene-diimides as Molecular Acceptors for Organic Solar Cells. <i>Bulletin of the Korean Chemical Society</i> , 2017, 38, 484-492.	1.9	4
10	Synthesis and Characterization of a Soluble D-A Molecule Containing a 2D Conjugated Selenophene-Based Side Group for Organic Solar Cells. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700016.	3.9	8
11	Synthesis of a Zr-Based Metal-Organic Framework with Spirobifluorenetetrabenzoic Acid for the Effective Removal of Nerve Agent Simulants. <i>Inorganic Chemistry</i> , 2017, 56, 12098-12101.	4.0	44
12	Synthesis and characterization of a new phenanthrenequinoxaline-based polymer for organic solar cells. <i>Journal of Polymer Science Part A</i> , 2016, 54, 2804-2810.	2.3	7
13	Synthesis and characterization of new low band-gap polymers containing electron-accepting acenaphtho[1,2-c]thiophene-S,S-dioxide groups. <i>Journal of Polymer Science Part A</i> , 2016, 54, 498-506.	2.3	2
14	New benzodithiophene- and benzooxadiazole/benzothiadiazole-based donor-acceptor π -conjugated polymers for organic photovoltaics. <i>Journal of Polymer Science Part A</i> , 2016, 54, 2668-2679.	2.3	7
15	Impact of the Crystalline Packing Structures on Charge Transport and Recombination via Alkyl Chain Tunability of DPP-Based Small Molecules in Bulk Heterojunction Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 12940-12950.	8.0	43
16	Low band gap diketopyrrolopyrrole-based small molecule bulk heterojunction solar cells: influence of terminal side chain on morphology and photovoltaic performance. <i>RSC Advances</i> , 2016, 6, 28658-28665.	3.6	10
17	Concentration-Dependent Pyrene-Driven Self-Assembly in Benzo[1,2-b:4,5-b']dithiophene (BDT)-Thienothiophene (TT)-Pyrene Copolymers. <i>Macromolecules</i> , 2015, 48, 3509-3515.	4.8	23
18	Synthesis, Characterization, and Photovoltaic Properties of 4,8-Dithienylbenzo[1,2-b:4,5-b']dithiophene-Based Donor-Acceptor Polymers with New Polymerization and 2D Conjugation Extension Pathways: A Potential Donor Building Block for High Performance and Stable Inverted Organic Solar Cells. <i>Macromolecules</i> , 2015, 48, 2454-2465.	4.8	26

#	ARTICLE	IF	CITATIONS
19	Modulation of optical and electronic properties of quinoxaline-based conjugated polymers for organic photovoltaic cells. <i>Journal of Polymer Science Part A</i> , 2015, 53, 1904-1914.	2.3	5
20	Influential effects of π -spacers, alkyl side chains, and various processing conditions on the photovoltaic properties of alkylselenenyl substituted benzodithiophene based polymers. <i>Journal of Materials Chemistry C</i> , 2015, 3, 796-808.	5.5	23
21	Thieno[3,2-b]thiophene-substituted benzodithiophene in donor-acceptor type semiconducting copolymers: A feasible approach to improve performances of organic photovoltaic cells. <i>Journal of Polymer Science Part A</i> , 2014, 52, 3608-3616.	2.3	16
22	Effect of backbone structures on photovoltaic properties in naphthodithiophene-based copolymers. <i>Journal of Polymer Science Part A</i> , 2014, 52, 305-312.	2.3	5
23	Synthesis of new acenaphtho[1,2-c]thiophene-based low bandgap polymers for organic photovoltaics. <i>Solar Energy Materials and Solar Cells</i> , 2014, 122, 190-196.	6.2	11
24	Highly Conjugated Side-Chain-Substituted Benzo[1,2-b:4,5-b']dithiophene-Based Conjugated Polymers for Use in Polymer Solar Cells. <i>Macromolecules</i> , 2014, 47, 97-105.	4.8	50
25	Thieno[3,2-b]thiophene-Substituted Benzo[1,2-b:4,5-b']dithiophene as a Promising Building Block for Low Bandgap Semiconducting Polymers for High-Performance Single and Tandem Organic Photovoltaic Cells. <i>Chemistry of Materials</i> , 2014, 26, 1234-1242.	6.7	111
26	Alkoxyphenylthiophene Linked Benzodithiophene Based Medium Band Gap Polymers for Organic Photovoltaics: Efficiency Improvement upon Methanol Treatment Depends on the Planarity of Backbone. <i>Macromolecules</i> , 2014, 47, 7060-7069.	4.8	36
27	Synthesis and Photovoltaic Properties of a New Low-Bandgap Polymer Consisting of Benzodithiophene and Fluorinated Benzoselenadiazole Units. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 1780-1788.	2.2	11
28	Synthesis and photovoltaic properties of new poly(quarterselenophene) and poly(quarterselenophene-alt-quarterthiophene)s. <i>Solar Energy Materials and Solar Cells</i> , 2013, 117, 161-167.	6.2	5
29	New low bandgap semiconducting polymers consisting of 5-(9H-carbazol-9-yl)benzo[a]phenazine as a new acceptor unit for organic photovoltaic cells. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2354-2365.	2.3	7
30	Development of naphthalene and quinoxaline-based donor-acceptor conjugated copolymers for delivering high open-circuit voltage in photovoltaic devices. <i>Journal of Polymer Science Part A</i> , 2013, 51, 1843-1851.	2.3	7
31	Photovoltaic performance enhancement using fluorene-based copolymers containing pyrene units. <i>Journal of Polymer Science Part A</i> , 2013, 51, 1512-1519.	2.3	11
32	Synthesis and characterization of regioregular poly(3-dodecyltellurophene). <i>Journal of Polymer Science Part A</i> , 2013, 51, 2753-2758.	2.3	21
33	New quinoxaline derivatives as accepting units in donor-acceptor type low-band gap polymers for organic photovoltaic cells. <i>Journal of Polymer Science Part A</i> , 2013, 51, 4136-4149.	2.3	22
34	Synthesis and characterization of thermally crosslinkable hole-transporting polymers for PLEDs. <i>Journal of Polymer Science Part A</i> , 2013, 51, 5111-5117.	2.3	7
35	Synthesis and Characterization of New Selenophene-Based Donor-Acceptor Low-Bandgap Polymers for Organic Photovoltaic Cells. <i>Macromolecules</i> , 2012, 45, 1303-1312.	4.8	90
36	Synthesis and Characterization of a Novel Naphthodithiophene-Based Copolymer for Use in Polymer Solar Cells. <i>Macromolecules</i> , 2012, 45, 6938-6945.	4.8	48

#	ARTICLE	IF	CITATIONS
37	Synthesis and characterization of diselenoquinoxaline-based donor-acceptor polymers for organic photovoltaic cells. <i>Synthetic Metals</i> , 2012, 162, 873-880.	3.9	3
38	Introduction of Perylene Units for Enhanced Interchain Interaction in Conjugated Polymers for Organic Photovoltaic Devices. <i>Macromolecules</i> , 2012, 45, 2367-2376.	4.8	25
39	Incorporation of Pyrene Units to Improve Hole Mobility in Conjugated Polymers for Organic Solar Cells. <i>Macromolecules</i> , 2012, 45, 8628-8638.	4.8	67
40	New TIPS-substituted benzo[1,2-b:4,5-b']dithiophene-based copolymers for application in polymer solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 22224.	6.7	42
41	Synthesis and characterization of new selenophene-based conjugated polymers for organic photovoltaic cells. <i>Journal of Polymer Science Part A</i> , 2012, 50, 551-561.	2.3	16
42	Side-chain effects on phenothiazine-based donor-acceptor copolymer properties in organic photovoltaic devices. <i>Journal of Polymer Science Part A</i> , 2012, 50, 649-658.	2.3	19
43	Photovoltaic devices using semiconducting polymers containing head-to-tail structured bithiophene, pyrene, and benzothiadiazole derivatives. <i>Journal of Polymer Science Part A</i> , 2012, 50, 3415-3424.	2.3	22
44	Highly stable printed polymer field-effect transistors and inverters via polyselenophene conjugated polymers. <i>Journal of Materials Chemistry</i> , 2012, 22, 12774.	6.7	31
45	Synthesis and Photovoltaic Properties of a Low-Band-Gap Copolymer of Dithieno[3,2-b:1,3-d']thiophene and Dithienylquinoxaline. <i>Macromolecules</i> , 2011, 44, 1238-1241.	4.8	32
46	Synthesis and Characterization of Quinoxaline-Based Thiophene Copolymers as Photoactive Layers in Organic Photovoltaic Cells. <i>Bulletin of the Korean Chemical Society</i> , 2011, 32, 417-423.	1.9	8
47	Synthesis and Photovoltaic Properties of Quinoxaline-Based Alternating Copolymers for High-Efficiency Bulk-Heterojunction Polymer Solar Cells. <i>Macromolecules</i> , 2011, 44, 5994-6001.	4.8	63
48	Synthesis and properties of phenothiazylene vinylene and bithiophene-based copolymers for organic thin film transistors. <i>Synthetic Metals</i> , 2011, 161, 72-78.	3.9	11
49	Synthesis and characterization of dithienothiophene/benzothiadiazole based low band gap donor-acceptor copolymers for bulk hetero junction photovoltaic cells. <i>Synthetic Metals</i> , 2011, 161, 1838-1844.	3.9	7
50	Synthesis and characterization of thiazolothiazole-based polymers and their applications in polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3129-3137.	2.3	22
51	Bulk heterojunction polymer solar cells based on binary and ternary blend systems. <i>Journal of Polymer Science Part A</i> , 2011, 49, 4416-4424.	2.3	21
52	Synthesis and properties of phenothiazylene vinylene-based polymers: New organic semiconductors for field-effect transistors and solar cells. <i>Journal of Polymer Science Part A</i> , 2010, 48, 635-646.	2.3	19
53	Effects of Bphen Layer as Hole Blocking Material on the Performance of Vertical Type Light Emitting Transistor Using C ₆₀ and MEH-PPV. <i>Molecular Crystals and Liquid Crystals</i> , 2009, 505, 1/[239]-8/[246].	0.9	0
54	Field-effect transistors based on PPV derivatives as a semiconducting layer. <i>Journal of Polymer Science Part A</i> , 2009, 47, 111-120.	2.3	26

#	ARTICLE	IF	CITATIONS
55	New Semiconducting Polymers Containing 3,6-Dimethyl(thieno[3,2- <i>b</i>]thiophene or) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 2009, 21, 2650-2660.	6.7	51
56	New selenophene-based semiconducting copolymers for high performance organic thin-film transistors. Journal of Materials Chemistry, 2009, 19, 3490.	6.7	59
57	New amorphous semiconducting copolymers containing fluorene and thiophene moieties for organic thin-film transistors. Journal of Materials Chemistry, 2008, 18, 1895.	6.7	32
58	New Zn Complex Derivatives for Red OLEDs Host Materials. Molecular Crystals and Liquid Crystals, 2007, 463, 33/[315]-39/[321].	0.9	7
59	New deep-blue emitting materials based on fully substituted ethylene derivatives. Journal of Materials Chemistry, 2007, 17, 4670.	6.7	105
60	White electroluminescence from a single polyfluorene containing bis-DCM units. Journal of Polymer Science Part A, 2007, 45, 3380-3390.	2.3	31
61	Synthesis and characterization of highly twisted and bulky tetraoctyloxybiphenyl-containing polyfluorene copolymers: toward efficient blue polymer light emitting diodes. Journal of Nanoscience and Nanotechnology, 2007, 7, 3810-4.	0.9	0
62	Synthesis and Electroluminescent Properties of Phenothiazyl Derivatives Having Aromatic Moieties. Molecular Crystals and Liquid Crystals, 2006, 462, 135-142.	0.9	1
63	Conjugated Polymers Based on Phenothiazine and Fluorene in Light-Emitting Diodes and Field Effect Transistors. Chemistry of Materials, 2004, 16, 1298-1303.	6.7	117