

# Marjan Goodarzi

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3010439/marjan-goodarzi-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141 papers	7,343 citations	52 h-index	81 g-index
144 ext. papers	9,073 ext. citations	4.2 avg, IF	7.01 L-index

#	Paper	IF	Citations
141	Investigation of nanofluid mixed convection in a shallow cavity using a two-phase mixture model. <i>International Journal of Thermal Sciences</i> , <b>2014</b> , 75, 204-220	4.1	243
140	Viscosity of nanofluids: A review of recent experimental studies. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 73, 114-123	5.8	216
139	Investigation of rib height effect on heat transfer and flow parameters of laminar water/nanofluid in a rib-microchannel. <i>Applied Mathematics and Computation</i> , <b>2016</b> , 290, 135-153	2.7	195
138	Investigation of turbulent heat transfer and nanofluid flow in a double pipe heat exchanger. <i>Advanced Powder Technology</i> , <b>2018</b> , 29, 273-282	4.6	164
137	Investigation of heat transfer and pressure drop of a counter flow corrugated plate heat exchanger using MWCNT based nanofluids. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 66, 172-179	5.8	163
136	Efficacy of a hybrid nanofluid in a new microchannel heat sink equipped with both secondary channels and ribs. <i>Journal of Molecular Liquids</i> , <b>2019</b> , 273, 88-98	6	159
135	Particle size and type effects on heat transfer enhancement of Ferro-nanofluids in a pulsating heat pipe. <i>Powder Technology</i> , <b>2016</b> , 301, 1218-1226	5.2	151
134	A modified two-phase mixture model of nanofluid flow and heat transfer in a 3-D curved microtube. <i>Advanced Powder Technology</i> , <b>2016</b> , 27, 2175-2185	4.6	147
133	The numerical modeling of water/FMWCNT nanofluid flow and heat transfer in a backward-facing contracting channel. <i>Physica B: Condensed Matter</i> , <b>2018</b> , 537, 176-183	2.8	142
132	Investigation of heat transfer performance and friction factor of a counter-flow double-pipe heat exchanger using nitrogen-doped, graphene-based nanofluids. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 76, 16-23	5.8	138
131	Experimental study on the effect of inclination angle on heat transfer enhancement of a ferrofluid in a closed loop oscillating heat pipe under magnetic field. <i>Experimental Thermal and Fluid Science</i> , <b>2016</b> , 74, 265-270	3	136
130	Application of Nanofluids in Thermal Performance Enhancement of Parabolic Trough Solar Collector: State-of-the-Art. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 463	2.6	134
129	New temperature, interfacial shell dependent dimensionless model for thermal conductivity of nanofluids. <i>International Journal of Heat and Mass Transfer</i> , <b>2017</b> , 114, 207-210	4.9	131
128	Effects on thermophysical properties of carbon based nanofluids: Experimental data, modelling using regression, ANFIS and ANN. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 125, 920-932	4.9	128
127	Forced convective heat transfer of water/functionalized multi-walled carbon nanotube nanofluids in a microchannel with oscillating heat flux and slip boundary condition. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 68, 69-77	5.8	125
126	Study of synthesis, stability and thermo-physical properties of graphene nanoplatelet/platinum hybrid nanofluid. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 77, 15-21	5.8	125
125	Synthesized CuFe <sub>2</sub> O <sub>4</sub> /SiO <sub>2</sub> nanocomposites added to water/EG: Evaluation of the thermophysical properties beside sensitivity analysis & EANN. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 127, 1169-1179	4.9	117

124	Modeling of thermal conductivity of ZnO-EG using experimental data and ANN methods. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 63, 35-40	5.8	116
123	Effect of magnetic field on the heat transfer rate of kerosene/Fe <sub>2</sub> O <sub>3</sub> nanofluid in a copper oscillating heat pipe. <i>Experimental Thermal and Fluid Science</i> , <b>2015</b> , 68, 663-668	3	110
122	A novel comprehensive experimental study concerned synthesizes and prepare liquid paraffin-Fe <sub>3</sub> O <sub>4</sub> mixture to develop models for both thermal conductivity & viscosity: A new approach of GMDH type of neural network. <i>International Journal of Heat and Mass Transfer</i> , <b>2019</b> , 131, 432-441	4.9	108
121	Influence of base fluid, temperature, and concentration on the thermophysical properties of hybrid nanofluids of alumina/ferrofluid: experimental data, modeling through enhanced ANN, ANFIS, and curve fitting. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 143, 4149-4167	4.1	107
120	Experimental evaluation of dynamic viscosity of ZnO/MWCNTs/engine oil hybrid nanolubricant based on changes in temperature and concentration. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2019</b> , 136, 513-525	4.1	106
119	A novel sensitivity analysis model of EANN for F-MWCNTs/Fe <sub>3</sub> O <sub>4</sub> /EG nanofluid thermal conductivity: Outputs predicted analytically instead of numerically to more accuracy and less costs. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2019</b> , 521, 406-415	3.3	103
118	Performance investigation of micro- and nano-sized particle erosion in a 90° elbow using an ANFIS model. <i>Powder Technology</i> , <b>2015</b> , 284, 336-343	5.2	103
117	Investigation of free convection heat transfer and entropy generation of nanofluid flow inside a cavity affected by magnetic field and thermal radiation. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2019</b> , 137, 997-1019	4.1	102
116	A survey on experimental and numerical studies of convection heat transfer of nanofluids inside closed conduits. <i>Advances in Mechanical Engineering</i> , <b>2016</b> , 8, 168781401667356	1.2	94
115	Comparing various machine learning approaches in modeling the dynamic viscosity of CuO/water nanofluid. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 139, 2585-2599	4.1	94
114	Develop 24 dissimilar ANNs by suitable architectures & training algorithms via sensitivity analysis to better statistical presentation: Measure MSEs between targets & ANN for Fe <sub>3</sub> O <sub>4</sub> /Eg/Water nanofluid. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2019</b> , 519, 159-168	3.3	92
113	Experimental Investigation on Thermal Performance of a PV/T-PCM (Photovoltaic/Thermal) System Cooling with a PCM and Nanofluid. <i>Energies</i> , <b>2019</b> , 12, 2572	3.1	91
112	Appraising influence of COOH-MWCNTs on thermal conductivity of antifreeze using curve fitting and neural network. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2019</b> , 514, 36-45	3.3	89
111	Thermal Assessment of Nano-Particulate Graphene-Water/Ethylene Glycol (WEG 60:40) Nano-Suspension in a Compact Heat Exchanger. <i>Energies</i> , <b>2019</b> , 12, 1929	3.1	87
110	Investigation of energy performance in a U-shaped evacuated solar tube collector using oxide added nanoparticles through the emitter, absorber and transmittal environments via discrete ordinates radiation method. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 139, 2623-2631	4.1	83
109	Develop optimal network topology of artificial neural network (AONN) to predict the hybrid nanofluids thermal conductivity according to the empirical data of Al <sub>2</sub> O <sub>3</sub> /Cu nanoparticles dispersed in ethylene glycol. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2020</b> , 549, 124015	3.3	79
108	Pool boiling heat transfer to CuO-H <sub>2</sub> O nanofluid on finned surfaces. <i>International Journal of Heat and Mass Transfer</i> , <b>2020</b> , 156, 119780	4.9	78
107	Effects of magnetic field on micro cross jet injection of dispersed nanoparticles in a microchannel. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 2683-2704	4.5	75

106	Configuration and Optimization of a Minichannel Using Water-Alumina Nanofluid by Non-Dominated Sorting Genetic Algorithm and Response Surface Method. <i>Nanomaterials</i> , <b>2020</b> , 10, 5-4	74
105	Comparison of experimental data, modelling and non-linear regression on transport properties of mineral oil based nanofluids. <i>Powder Technology</i> , <b>2017</b> , 317, 458-470	72
104	Effect of Nano-Graphene Oxide and n-Butanol Fuel Additives Blended with Diesel/Nigella sativa Biodiesel Fuel Emulsion on Diesel Engine Characteristics. <i>Symmetry</i> , <b>2020</b> , 12, 961	72
103	Develop the lattice Boltzmann method to simulate the slip velocity and temperature domain of buoyancy forces of FMWCNT nanoparticles in water through a micro flow imposed to the specified heat flux. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2018</b> , 509, 729-745	71
102	Numerical study of entropy generation due to coupled laminar and turbulent mixed convection and thermal radiation in an enclosure filled with a semitransparent medium. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 761745	71
101	Develop the nano scale method of lattice Boltzmann to predict the fluid flow and heat transfer of air in the inclined lid driven cavity with a large heat source inside, Two case studies: Pure natural convection & mixed convection. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2018</b> , 509, 210-233	70
100	Study of Two-Phase Newtonian Nanofluid Flow Hybrid with Hafnium Particles under the Effects of Slip. <i>Inventions</i> , <b>2020</b> , 5, 6	69
99	Heat Transfer and Pressure Drop in Fully Developed Turbulent Flows of Graphene Nanoplatelets/Silver/Water Nanofluids. <i>Fluids</i> , <b>2016</b> , 1, 20	69
98	Effect of Sr@ZnO nanoparticles and Ricinus communis biodiesel-diesel fuel blends on modified CRDI diesel engine characteristics. <i>Energy</i> , <b>2021</b> , 215, 119094	69
97	Efficiency assessment of using graphene nanoplatelets-silver/water nanofluids in microchannel heat sinks with different cross-sections for electronics cooling. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 347-372	68
96	Investigation of permeability effect on slip velocity and temperature jump boundary conditions for FMWNT/Water nanofluid flow and heat transfer inside a microchannel filled by a porous media. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2018</b> , 97, 226-238	68
95	Comparison of the Finite Volume and Lattice Boltzmann Methods for Solving Natural Convection Heat Transfer Problems inside Cavities and Enclosures. <i>Abstract and Applied Analysis</i> , <b>2014</b> , 2014, 1-15	59
94	Turbulent flows in a spiral double-pipe heat exchanger. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 39-53	59
93	Investigating the effect of nanoparticles diameter on turbulent flow and heat transfer properties of non-Newtonian carboxymethyl cellulose/CuO fluid in a microtube. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 29, 1699-1723	56
92	Heat transfer evaluation of a micro heat exchanger cooling with spherical carbon-acetone nanofluid. <i>International Journal of Heat and Mass Transfer</i> , <b>2020</b> , 149, 119124	55
91	Thermal Evaluation of Graphene Nanoplatelets Nanofluid in a Fast-Responding HP with the Potential Use in Solar Systems in Smart Cities. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 2101	54
90	Thermal evaluation of a heat pipe working with n-pentane-acetone and n-pentane-methanol binary mixtures. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 139, 2435-2445	53
89	Heat and fluid flow analysis of metal foam embedded in a double-layered sinusoidal heat sink under local thermal non-equilibrium condition using nanofluid. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2019</b> , 138, 1461-1476	52

88	A novel comprehensive experimental study concerned graphene oxide nanoparticles dispersed in water: Synthesise, characterisation, thermal conductivity measurement and present a new approach of RLSF neural network. <i>International Communications in Heat and Mass Transfer</i> , <b>2019</b> , 109, 104333	5.8	50
87	Heat transfer analysis of Ga-In-Sn in a compact heat exchanger equipped with straight micro-passages. <i>International Journal of Heat and Mass Transfer</i> , <b>2019</b> , 139, 675-684	4.9	49
86	Operation analysis, response and performance evaluation of a pulsating heat pipe for low temperature heat recovery. <i>Energy Conversion and Management</i> , <b>2020</b> , 222, 113230	10.6	49
85	Entropy generation of graphene-platinum hybrid nanofluid flow through a wavy cylindrical microchannel solar receiver by using neural networks. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 145, 1949-1967	4.1	49
84	Transient pool boiling and particulate deposition of copper oxide nano-suspensions. <i>International Journal of Heat and Mass Transfer</i> , <b>2020</b> , 155, 119743	4.9	48
83	A review on application of nanofluid in various types of heat pipes. <i>Journal of Central South University</i> , <b>2019</b> , 26, 1021-1041	2.1	47
82	Boundary Layer Flow and Heat Transfer of FMWCNT/Water Nanofluids over a Flat Plate. <i>Fluids</i> , <b>2016</b> , 1, 31	1.6	45
81	Evaluating the unsteady Casson nanofluid over a stretching sheet with solar thermal radiation: An optimal case study. <i>Case Studies in Thermal Engineering</i> , <b>2021</b> , 26, 101160	5.6	44
80	Effect of Zinc Oxide Nano-Additives and Soybean Biodiesel at Varying Loads and Compression Ratios on VCR Diesel Engine Characteristics. <i>Symmetry</i> , <b>2020</b> , 12, 1042	2.7	42
79	Effect of horizontal and vertical elliptic baffles inside an enclosure on the mixed convection of a MWCNTs-water nanofluid and its entropy generation. <i>European Physical Journal Plus</i> , <b>2018</b> , 133, 1	3.1	41
78	Numerical investigation of mixed convection heat transfer behavior of nanofluid in a cavity with different heat transfer areas. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 140, 2779-2803	4.1	40
77	CFD analysis of employing a novel ecofriendly nanofluid in a miniature pin fin heat sink for cooling of electronic components: Effect of different configurations. <i>Advanced Powder Technology</i> , <b>2019</b> , 30, 2503-2516	4.6	39
76	Comparative study of the performance of air and geothermal sources of heat pumps cycle operating with various refrigerants and vapor injection. <i>AEJ - Alexandria Engineering Journal</i> , <b>2020</b> , 59, 4037-4047	6.1	37
75	Reforming of methanol with steam in a micro-reactor with Cu <sub>2</sub> SiO <sub>2</sub> porous catalyst. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 19628-19639	6.7	36
74	Irreversibility Analysis of Hybrid Nanofluid Flow over a Thin Needle with Effects of Energy Dissipation. <i>Symmetry</i> , <b>2019</b> , 11, 663	2.7	36
73	Numerical modeling of turbulence mixed convection heat transfer in air filled enclosures by finite volume method. <i>International Journal of Multiphysics</i> , <b>2011</b> , 5, 307-324	0.6	35
72	Effect of injection parameters and producer gas derived from redgram stalk on the performance and emission characteristics of a diesel engine. <i>AEJ - Alexandria Engineering Journal</i> , <b>2021</b> , 60, 3133-3142	6.1	35
71	Boiling heat transfer characteristics of graphene oxide nanoplatelets nano-suspensions of water-perfluorohexane (C <sub>6</sub> F <sub>14</sub> ) and water-n-pentane. <i>AEJ - Alexandria Engineering Journal</i> , <b>2020</b> , 59, 4511-4521	6.1	33

70	Thermal analysis of a binary base fluid in pool boiling system of glycol/water alumina nano-suspension. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 143, 2453-2462	4.1	33
69	Effects of Geometry and Hydraulic Characteristics of Shallow Reservoirs on Sediment Entrapment. <i>Water (Switzerland)</i> , <b>2018</b> , 10, 1725	3	33
68	Propose a new approach of fuzzy lookup table method to predict Al <sub>2</sub> O <sub>3</sub> /deionized water nanofluid thermal conductivity based on achieved empirical data. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2019</b> , 527, 121177	3.3	32
67	Effects of external wind breakers of Heller dry cooling system in power plants. <i>Applied Thermal Engineering</i> , <b>2018</b> , 129, 1124-1134	5.8	32
66	Slip velocity and temperature jump of a non-Newtonian nanofluid, aqueous solution of carboxy-methyl cellulose/aluminum oxide nanoparticles, through a microtube. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 29, 1606-1628	4.5	32
65	Forced convection in a double tube heat exchanger using nanofluids with constant and variable thermophysical properties. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 3247-3265	4.5	31
64	Performance Enhancement of Internal Combustion Engines through Vibration Control: State of the Art and Challenges. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 406	2.6	29
63	Potential application of Response Surface Methodology (RSM) for the prediction and optimization of thermal conductivity of aqueous CuO (II) nanofluid: A statistical approach and experimental validation. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2020</b> , 554, 124353	3.3	28
62	Experimental study of the effect of various surfactants on surface sediment and pool boiling heat transfer coefficient of silica/DI water nano-fluid. <i>Powder Technology</i> , <b>2019</b> , 356, 391-402	5.2	27
61	Turbulent heat transfer and nanofluid flow in an annular cylinder with sudden reduction. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 141, 373-385	4.1	26
60	Investigation on the effect of cottonseed oil blended with different percentages of octanol and suspended MWCNT nanoparticles on diesel engine characteristics. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 1	4.1	26
59	Experimental investigation and performance optimisation of a catalytic reforming micro-reactor using response surface methodology. <i>Energy Conversion and Management</i> , <b>2019</b> , 199, 111983	10.6	25
58	Providing a model for Csf according to pool boiling convection heat transfer of water/ferrous oxide nanofluid using sensitivity analysis. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 2867-2881	4.5	25
57	Mathematical Modeling for Nanofluids Simulation: A Review of the Latest Works <b>2016</b> ,		25
56	Thermal and mechanical design of tangential hybrid microchannel and high-conductivity inserts for cooling of disk-shaped electronic components. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 143, 2125-2133	4.1	25
55	Present a new multi objective optimization statistical Pareto frontier method composed of artificial neural network and multi objective genetic algorithm to improve the pipe flow hydrodynamic and thermal properties such as pressure drop and heat transfer coefficient for non-Newtonian binary fluid. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2019</b> , 527, 121177	3.3	24
54	Numerical analysis of dual variable of conductivity in bioconvection flow of Carreau-Yasuda nanofluid containing gyrotactic motile microorganisms over a porous medium. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 145, 2033-2044	4.1	24
53	A 3-D numerical simulation of non-Newtonian blood flow through femoral artery bifurcation with a moderate arteriosclerosis: investigating Newtonian/non-Newtonian flow and its effects on elastic vessel walls. <i>Heat and Mass Transfer</i> , <b>2019</b> , 55, 2037-2047	2.2	24



52	Cooling Enhancement and Stress Reduction Optimization of Disk-Shaped Electronic Components Using Nanofluids. <i>Symmetry</i> , <b>2020</b> , 12, 931	2.7	23
51	A Hybrid Finite-Element/Finite-Difference Scheme for Solving the 3-D Energy Equation in Transient Nonisothermal Fluid Flow over a Staggered Tube Bank. <i>Numerical Heat Transfer, Part B: Fundamentals</i> , <b>2015</b> , 68, 169-183	1.3	23
50	Experimental investigation on compression ignition engine powered with pentanol and thevetia peruviana methyl ester under reactivity controlled compression ignition mode of operation. <i>Case Studies in Thermal Engineering</i> , <b>2021</b> , 25, 100921	5.6	22
49	Thermodynamic potential of a high-concentration hybrid photovoltaic/thermal plant for co-production of steam and electricity. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 143, 1389-1398	4.1	22
48	Effect of different building envelope materials on thermal comfort and air-conditioning energy savings: A case study in Basra city, Iraq. <i>Journal of Energy Storage</i> , <b>2021</b> , 34, 101975	7.8	22
47	Heat Transfer Improvement in a Double Backward-Facing Expanding Channel Using Different Working Fluids. <i>Symmetry</i> , <b>2020</b> , 12, 1088	2.7	21
46	Thermal and mechanical design of reverting microchannels for cooling disk-shaped electronic parts using constructal theory. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 245-265	4.5	21
45	The Effect of Inclination Angle and Reynolds Number on the Performance of a Direct Contact Membrane Distillation (DCMD) Process. <i>Energies</i> , <b>2020</b> , 13, 2824	3.1	20
44	Exergo-Economic Optimization of Organic Rankine Cycle for Saving of Thermal Energy in a Sample Power Plant by Using of Strength Pareto Evolutionary Algorithm II. <i>Processes</i> , <b>2020</b> , 8, 264	2.9	20
43	3D interconnected structure of poly(methyl methacrylate) microbeads coated with copper nanoparticles for highly thermal conductive epoxy composites. <i>Composites Part B: Engineering</i> , <b>2019</b> , 175, 107105	10	20
42	Investigation of the effect of using various HFC refrigerants in geothermal heat pump with residential heating applications. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 141, 361-372	4.1	19
41	Improving the efficiency of an exhaust thermoelectric generator based on changes in the baffle distribution of the heat exchanger. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 143, 523-533	4.1	19
40	Convective Bubbly Flow of Water in an Annular Pipe: Role of Total Dissolved Solids on Heat Transfer Characteristics and Bubble Formation. <i>Water (Switzerland)</i> , <b>2019</b> , 11, 1566	3	18
39	Boiling flow of graphene nanoplatelets nano-suspension on a small copper disk. <i>Powder Technology</i> , <b>2021</b> , 377, 10-19	5.2	18
38	Experimental investigation on rheological, momentum and heat transfer characteristics of flowing fiber crop suspensions. <i>International Communications in Heat and Mass Transfer</i> , <b>2017</b> , 80, 60-69	5.8	15
37	High Quality Syngas Production with Supercritical Biomass Gasification Integrated with a Water-Gas Shift Reactor. <i>Energies</i> , <b>2019</b> , 12, 2591	3.1	14
36	Experimental Analysis of Engine Performance and Exhaust Pollutant on a Single-Cylinder Diesel Engine Operated Using Moringa Oleifera Biodiesel. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 7071	2.6	14
35	A detailed hydrothermal investigation of a helical micro double-tube heat exchanger for a wide range of helix pitch length. <i>Case Studies in Thermal Engineering</i> , <b>2021</b> , 28, 101413	5.6	14

34	Entropy Optimization of First-Grade Viscoelastic Nanofluid Flow over a Stretching Sheet by Using Classical Keller-Box Scheme. <i>Mathematics</i> , <b>2021</b> , 9, 2563	2.3	13
33	Effect of various factors and diverse approaches to enhance the performance of solar stills: a comprehensive review. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 1	4.1	13
32	Assessment of Iron Oxide (III)Therminol 66 Nanofluid as a Novel Working Fluid in a Convective Radiator Heating System for Buildings. <i>Energies</i> , <b>2019</b> , 12, 4327	3.1	13
31	Influence of divergent length on the gas-particle flow in dual hose dry ice blasting nozzle geometry. <i>Powder Technology</i> , <b>2020</b> , 364, 152-158	5.2	12
30	A novel technique based on artificial intelligence for modeling the required temperature of a solar bread cooker equipped with concentrator through experimental data. <i>Food and Bioproducts Processing</i> , <b>2020</b> , 123, 437-449	4.9	12
29	Natural convection heat transfer of water/Ag nanofluid inside an elliptical enclosure with different attack angles. <i>Mathematical Methods in the Applied Sciences</i> ,	2.3	12
28	A Significant Solar Energy Note on Powell-Eyring Nanofluid with Thermal Jump Conditions: Implementing Cattaneo-Christov Heat Flux Model. <i>Mathematics</i> , <b>2021</b> , 9, 2669	2.3	11
27	A new method of black-box fuzzy system identification optimized by genetic algorithm and its application to predict mixture thermal properties. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 2485-2499	4.5	11
26	Energetic Analysis of Different Configurations of Power Plants Connected to Liquid Chemical Looping Gasification. <i>Processes</i> , <b>2019</b> , 7, 763	2.9	11
25	Toluene methylation to para-xylene. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2019</b> , 135, 1723-1732	4.1	11
24	Effect of impact force for dual-hose dry blasting nozzle geometry for various pressure and distance: an experimental work. <i>European Physical Journal Plus</i> , <b>2020</b> , 135, 1	3.1	8
23	The effect of microchannel-porous media and nanofluid on temperature and performance of CPV system. <i>Journal of Thermal Analysis and Calorimetry</i> ,1	4.1	7
22	Numerical investigation of anguilliform locomotion by the SPH method. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 328-346	4.5	7
21	Effect of Parameters Behavior of Simarouba Methyl Ester Operated Diesel Engine. <i>Energies</i> , <b>2021</b> , 14, 4973	3.1	7
20	Effect of injection timing and duration on the performance of diesel engine fueled with port injection of oxygenated fuels. <i>Chemical Engineering Communications</i> ,1-13	2.2	7
19	Isothermal torrefaction kinetics for sewage sludge pretreatment. <i>Fuel</i> , <b>2020</b> , 277, 118103	7.1	6
18	Integral Transform Method to Solve the Problem of Porous Slider without Velocity Slip. <i>Symmetry</i> , <b>2019</b> , 11, 791	2.7	6
17	Numerical study of laminar mixed convection heat transfer of power-law non-Newtonian fluids in square enclosures by finite volume method. <i>International Journal of Physical Sciences</i> , <b>2011</b> , 6,	0.3	6



16	Thermal efficiency enhancement of solar aircraft by utilizing unsteady hybrid nanofluid: A single-phase optimized entropy analysis. <i>Sustainable Energy Technologies and Assessments</i> , <b>2022</b> , 52, 101898	4.7	6
15	Pareto optimal design of a finned latent heat thermal energy storage unit using a novel hybrid technique. <i>Journal of Energy Storage</i> , <b>2021</b> , 44, 103310	7.8	6
14	Influence of nozzle area ratio on the gas-particle flow for single-hose dry ice blasting nozzle. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 143, 2343-2354	4.1	6
13	Numerical modeling of aeroacoustic characteristics of different savonius blade profiles. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2019</b> , 30, 3349-3369	4.5	5
12	Adsorption Method for the Remediation of Brilliant Green Dye Using Halloysite Nanotube: Isotherm, Kinetic and Modeling Studies. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 8088	2.6	5
11	Sustainable Adsorption Method for the Remediation of Crystal Violet Dye Using Nutraceutical Industrial Fenugreek Seed Spent. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 7635	2.6	5
10	Marangoni-bioconvectonal flow of Reiner-Philippoff nanofluid with melting phenomenon and nonuniform heat source/sink in the presence of a swimming microorganisms. <i>Mathematical Methods in the Applied Sciences</i> ,	2.3	5
9	Dynamics analysis of a novel hybrid deep clustering for unsupervised learning by reinforcement of multi-agent to energy saving in intelligent buildings. <i>Applied Energy</i> , <b>2022</b> , 313, 118863	10.7	5
8	A framework for sentiment analysis on schema-based research content via lexica analysis <b>2014</b> ,		4
7	Applying Bayesian Markov chain Monte Carlo (MCMC) modeling to predict the melting behavior of phase change materials. <i>Journal of Energy Storage</i> , <b>2021</b> , 45, 103570	7.8	4
6	Radiation Heat Transfer in a Complex Geometry Containing Anisotropically-Scattering Mie Particles. <i>Energies</i> , <b>2019</b> , 12, 3986	3.1	4
5	Optimizing nozzle convergent angle using central composite design on the particle velocity and acoustic power level for single-hose dry ice blasting nozzle. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 144, 2159-2173	4.1	4
4	A Recent Study on Remediation of Direct Blue 15 Dye Using Halloysite Nanotubes. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 8196	2.6	4
3	An innovative design of a high strength and low weight sudden micro expansion by considering a nanofluid: Electronic cooling application. <i>Case Studies in Thermal Engineering</i> , <b>2021</b> , 28, 101637	5.6	3
2	A survey of using multiple affiliations by scholars in scientific articles. <i>Scientometrics</i> , <b>2016</b> , 107, 317-3183		3
1	Effect of Producer Gas from Redgram Stalk and Combustion Chamber Types on the Emission and Performance Characteristics of Diesel Engine. <i>Energies</i> , <b>2021</b> , 14, 5879	3.1	1