

Alberto Corigliano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3010554/publications.pdf>

Version: 2024-02-01

203
papers

4,948
citations

101384

36
h-index

118652

62
g-index

223
all docs

223
docs citations

223
times ranked

2897
citing authors

#	ARTICLE	IF	CITATIONS
1	Wearable Ball-Impact Piezoelectric Multi-Converters for Low-Frequency Energy Harvesting from Human Motion. <i>Sensors</i> , 2022, 22, 772.	2.1	16
2	Microstructured Phononic Crystal Isolates from Ultrasonic Mechanical Vibrations. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2499.	1.3	4
3	Numerical and experimental evaluation of the magnetic interaction for frequency up-conversion in piezoelectric vibration energy harvesters. <i>Meccanica</i> , 2022, 57, 1139-1154.	1.2	13
4	SHM under varying environmental conditions: an approach based on model order reduction and deep learning. <i>Computers and Structures</i> , 2022, 266, 106790.	2.4	21
5	Linear and Nonlinear Mechanics in MEMS. , 2022, , 389-437.		1
6	Mechanics of Microsystems: A Recent Journey in a Fascinating Branch of Mechanics. , 2022, , 419-435.		2
7	Efficient Modeling and Simulation of PMUT Arrays in Various Ambients. <i>Micromachines</i> , 2022, 13, 962.	1.4	6
8	The role of anchor imposed motion in the failure of MEMS microphones under free fall tests. <i>Microelectronics Reliability</i> , 2022, 135, 114584.	0.9	1
9	A New Approach for the Control and Reduction of Warpage and Residual Stresses in Bonded Wafer. <i>Micromachines</i> , 2021, 12, 361.	1.4	8
10	Failure of MEMS Microphones During Impact Tests: the Role of Anchor Imposed Motion. , 2021, , .		0
11	Top-down, multi-scale numerical simulation of MEMS microphones under guided free fall tests. <i>Microelectronics Reliability</i> , 2021, 121, 114129.	0.9	6
12	An Autoencoder-Based Deep Learning Approach for Load Identification in Structural Dynamics. <i>Sensors</i> , 2021, 21, 4207.	2.1	12
13	Selective Mode Conversion and Rainbow Trapping via Graded Elastic Waveguides. <i>Physical Review Applied</i> , 2021, 16, .	1.5	37
14	A 3D Printed Ti6Al4V Alloy Uniaxial Capacitive Accelerometer. <i>IEEE Sensors Journal</i> , 2021, 21, 19640-19646.	2.4	4
15	Online structural health monitoring by model order reduction and deep learning algorithms. <i>Computers and Structures</i> , 2021, 255, 106604.	2.4	29
16	Model order reduction for the analysis of large arrays of piezoelectric micromachined ultrasonic transducers in water. <i>Applied Acoustics</i> , 2021, 182, 108231.	1.7	6
17	From mechanics to acoustics: Critical assessment of a robust metamaterial for acoustic insulation application. <i>Applied Acoustics</i> , 2021, 183, 108311.	1.7	6
18	Enhanced Energy Harvesting of Flexural Waves in Elastic Beams by Bending Mode of Graded Resonators. <i>Frontiers in Materials</i> , 2021, 8, .	1.2	13

#	ARTICLE	IF	CITATIONS
19	A Generative Adversarial Network Based Autoencoder for Structural Health Monitoring. , 2021, 2, .		0
20	Unscented Kalman Filter Empowered by Bayesian Model Evidence for System Identification in Structural Dynamics. , 2021, 2, .		1
21	An investigation on the magnetic interaction for frequency up-converting piezoelectric vibration energy harvesters. , 2021, , .		1
22	Non-linear mechanics in resonant inertial micro sensors. International Journal of Non-Linear Mechanics, 2020, 120, 103386.	1.4	19
23	Graded elastic metasurface for enhanced energy harvesting. New Journal of Physics, 2020, 22, 013013.	1.2	92
24	Piezo-micro-ultrasound-transducers for air-coupled arrays: Modeling and experiments in the linear and non-linear regimes. Extreme Mechanics Letters, 2020, 40, 100968.	2.0	9
25	Experimental investigation of amplification, via a mechanical delay-line, in a rainbow-based metamaterial for energy harvesting. Applied Physics Letters, 2020, 117, .	1.5	51
26	A design strategy to match the band gap of periodic and aperiodic metamaterials. Scientific Reports, 2020, 10, 16403.	1.6	27
27	Design, Fabrication and Experimental Validation of a Metaplate for Vibration Isolation in MEMS. Journal of Microelectromechanical Systems, 2020, 29, 1401-1410.	1.7	17
28	Numerical Analysis of Impact Induced Failure for MEMS Membranes during Guided Free Fall Tests. , 2020, , .		0
29	Air-coupled PMUTs array with residual stresses: experimental tests in the linear and non-linear dynamic regime. International Journal of Smart and Nano Materials, 2020, 11, 387-399.	2.0	7
30	A metaplate for complete 3D vibration isolation. European Journal of Mechanics, A/Solids, 2020, 84, 104016.	2.1	24
31	On the Effects of Package on the PMUTs Performancesâ€”Multiphysics Model and Frequency Analyses. Micromachines, 2020, 11, 307.	1.4	9
32	Wide low frequency bandgap in imperfect 3D modular structures based on modes separation. Mechanics Research Communications, 2020, 105, 103512.	1.0	3
33	Fully convolutional networks for structural health monitoring through multivariate time series classification. Advanced Modeling and Simulation in Engineering Sciences, 2020, 7, .	0.7	30
34	A Metaplate in MEMS for innovative applications: vibration isolation and tunable mechanical filters. , 2020, , .		4
35	The First 3D-Printed and Wet-Metallized Three-Axis Accelerometer With Differential Capacitive Sensing. IEEE Sensors Journal, 2019, 19, 9131-9138.	2.4	30
36	Experimental and numerical evidence of comparable levels of attenuation in periodic and a-periodic metastructures. Applied Physics Letters, 2019, 115, .	1.5	11

#	ARTICLE	IF	CITATIONS
37	Modelling and Simulation of Glass Frit Bonding of Silicon Wafers. , 2019, , .		0
38	Air-Coupled Array of Pmutats at 100 kHz with PZT Active Layer: Multiphysics Model and Experiments. , 2019, , .		7
39	Design, fabrication and experimental validation of a MEMS periodic auxetic structure. Smart Materials and Structures, 2019, 28, 095011.	1.8	13
40	Low frequency 3D ultra-wide vibration attenuation via elastic metamaterial. Scientific Reports, 2019, 9, 8039.	1.6	59
41	High speed vision system for the dynamic characterization of 3D printed sensors. Journal of Physics: Conference Series, 2019, 1249, 012001.	0.3	1
42	Towards 3-Axis FM Memas Gyroscopes: Mechanical Design and Experimental Validation. , 2019, , .		1
43	Optimal 2D auxetic micro-structures with band gap. Meccanica, 2019, 54, 2001-2027.	1.2	27
44	3-D Design and Simulation of a Piezoelectric Micropump. Micromachines, 2019, 10, 259.	1.4	24
45	A new MEMS three-axial frequency-modulated (FM) gyroscope: a mechanical perspective. European Journal of Mechanics, A/Solids, 2018, 70, 203-212.	2.1	22
46	The First 3-D-Printed z-Axis Accelerometers With Differential Capacitive Sensing. IEEE Sensors Journal, 2018, 18, 53-60.	2.4	28
47	3D auxetic single material periodic structure with ultra-wide tunable bandgap. Scientific Reports, 2018, 8, 2262.	1.6	96
48	Design of piezoMEMS for high strain rate nanomechanical experiments. Extreme Mechanics Letters, 2018, 20, 14-20.	2.0	13
49	Multiphysics modelling and experimental validation of an air-coupled array of PMUTs with residual stresses. Journal of Micromechanics and Microengineering, 2018, 28, 054005.	1.5	18
50	Nonlinear dynamics under varying temperature conditions of the resonating beams of a differential resonant accelerometer. Journal of Micromechanics and Microengineering, 2018, 28, 075004.	1.5	12
51	3D-printing and wet metallization for uniaxial and multi-axial accelerometers. , 2018, , .		3
52	Air-coupled PMUT at 100 kHz with PZT active layer and residual stresses: Multiphysics model and experimental validation. , 2017, , .		11
53	On the dynamics of a high frequency oscillator for mechanical watches. Mechanism and Machine Theory, 2017, 117, 276-293.	2.7	3
54	Mechanical low-frequency filter via modes separation in 3D periodic structures. Applied Physics Letters, 2017, 111, .	1.5	50

#	ARTICLE	IF	CITATIONS
55	Synthesis of auxetic structures using optimization of compliant mechanisms and a micropolar material model. <i>Structural and Multidisciplinary Optimization</i> , 2017, 55, 1-12.	1.7	35
56	Modelling and experimental verification of a single phase three-dimensional lightweight locally resonant elastic metamaterial with complete low frequency bandgap. , 2017, , .		5
57	The First Frequency-Modulated (FM) Pitch Gyroscope. <i>Proceedings (mdpi)</i> , 2017, 1, 393.	0.2	5
58	Design, Fabrication and Testing of the First 3D-Printed and Wet Metallized z-Axis Accelerometer. <i>Proceedings (mdpi)</i> , 2017, 1, .	0.2	2
59	Reduced Order Modeling of Composite Laminates Through Solid-Shell Coupling. <i>Journal of Aerospace Technology and Management</i> , 2017, 9, 397-403.	0.3	3
60	Advanced Model for Fast Assessment of Piezoelectric Micro Energy Harvesters. <i>Frontiers in Materials</i> , 2016, 3, .	1.2	14
61	Sensitivity and temperature behavior of a novel z-axis differential resonant micro accelerometer. <i>Journal of Micromechanics and Microengineering</i> , 2016, 26, 035006.	1.5	23
62	Torsional Microresonator in the Nonlinear Regime: Experimental, Numerical and Analytical Characterization. <i>Procedia Engineering</i> , 2016, 168, 933-936.	1.2	4
63	Modeling and experimental verification of an ultra-wide bandgap in 3D phononic crystal. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	107
64	Multiphysics Analysis and Experimental Validation of an air Coupled Piezoelectric Micromachined Ultrasonic Transducer with Residual Stresses. <i>Procedia Engineering</i> , 2016, 168, 852-855.	1.2	9
65	Coupled domain decomposition“proper orthogonal decomposition methods for the simulation of quasi-brittle fracture processes. <i>Advanced Modeling and Simulation in Engineering Sciences</i> , 2016, 3, .	0.7	7
66	Non linear response and optimization of a new z-axis resonant micro-accelerometer. <i>Mechatronics</i> , 2016, 40, 235-243.	2.0	12
67	Evaluation of adhesion in microsystems using equivalent rough surfaces modeled with spherical caps. <i>European Journal of Mechanics, A/Solids</i> , 2016, 57, 121-131.	2.1	9
68	Optimization of auxetic structures for MEMS applications. , 2016, , .		4
69	A highly efficient simulation technique for piezoelectric energy harvesters. <i>Journal of Physics: Conference Series</i> , 2015, 660, 012141.	0.3	1
70	Model Order Reduction and domain decomposition strategies for the solution of the dynamic elastic“plastic structural problem. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2015, 290, 127-155.	3.4	55
71	Numerical solution of the Duffing equation with random coefficients. <i>Meccanica</i> , 2015, 50, 1841-1853.	1.2	30
72	Improved one-dimensional model of piezoelectric laminates for energy harvesters including three dimensional effects. <i>Composite Structures</i> , 2015, 127, 369-381.	3.1	32

#	ARTICLE	IF	CITATIONS
73	Optimal design and nonlinearities in a z-axis resonant accelerometer. , 2015, , .		4
74	Self-induced parametric amplification arising from nonlinear elastic coupling in a micromechanical resonating disk gyroscope. Scientific Reports, 2015, 5, 9036.	1.6	91
75	Predicting the closed-loop stability and oscillation amplitude of nonlinear parametrically amplified oscillators. Applied Physics Letters, 2015, 106, .	1.5	17
76	Modelling and characterization of circular microplate electrostatic actuators for micropump applications. , 2015, , .		6
77	An Efficient Earth Magnetic Field MEMS Sensor: Modeling, Experimental Results, and Optimization. Journal of Microelectromechanical Systems, 2015, 24, 887-895.	1.7	18
78	Dynamic nonlinear behavior of torsional resonators in MEMS. Journal of Micromechanics and Microengineering, 2014, 24, 095025.	1.5	26
79	Integrated structure for a resonant micro-gyroscope and accelerometer. Frattura Ed Integrita Strutturale, 2014, 8, 334-342.	0.5	1
80	Experimental verification of a bridge-shaped, non-linear vibration energy harvesters. , 2014, , .		1
81	Geometry optimization of a Lorentz force, resonating MEMS magnetometer. Microelectronics Reliability, 2014, 54, 1192-1199.	0.9	18
82	Experimental verification of a bridge-shaped, nonlinear vibration energy harvester. Applied Physics Letters, 2014, 105, .	1.5	51
83	A three-scale approach to the numerical simulation of metallic bonding for MEMS packaging. Microelectronics Reliability, 2014, 54, 2039-2043.	0.9	0
84	Thermo-electrical and structural coupled simulations of buckling beam microprobes in high temperature/high current conditions. , 2014, , .		0
85	Numerical simulations of piezoelectric MEMS energy harvesters. , 2014, , .		3
86	An efficient earth magnetic field MEMS sensor: Modelling and experimental results. , 2014, , .		3
87	A domain decomposition approach for the simulation of fracture phenomena in polycrystalline microsystems. Computer Methods in Applied Mechanics and Engineering, 2014, 277, 180-218.	3.4	11
88	Microsystems and Mechanics. Procedia IUTAM, 2014, 10, 138-160.	1.2	6
89	Advanced models for the calculation of capillary attraction in axisymmetric configurations. European Journal of Mechanics, A/Solids, 2014, 47, 298-308.	2.1	18
90	A Differential Resonant Micro Accelerometer for Out-of-plane Measurements. Procedia Engineering, 2014, 87, 640-643.	1.2	17

#	ARTICLE	IF	CITATIONS
91	Modeling of a Bridge-Shaped Nonlinear Piezoelectric Energy Harvester. Energy Harvesting and Systems, 2014, 1, .	1.7	8
92	A domain decomposition technique applied to the solution of the coupled electro-mechanical problem. International Journal for Numerical Methods in Engineering, 2013, 93, 137-159.	1.5	12
93	Micro- or nano-mechanics. Meccanica, 2013, 48, 1817-1818.	1.2	1
94	Experimental evaluation and numerical modeling of adhesion phenomena in polysilicon MEMS. Meccanica, 2013, 48, 1835-1844.	1.2	56
95	A resonant micro accelerometer based on electrostatic stiffness variation. Meccanica, 2013, 48, 1893-1900.	1.2	32
96	A domain decomposition method for the simulation of fracture in polysilicon MEMS. Microelectronics Reliability, 2013, 53, 1045-1054.	0.9	2
97	Domain decomposition and model order reduction methods applied to the simulation of multi-physics problems in MEMS. Computers and Structures, 2013, 122, 113-127.	2.4	27
98	Compact biaxial micromachined resonant accelerometer. Journal of Micromechanics and Microengineering, 2013, 23, 105012.	1.5	33
99	A multi-scale approach to wafer to wafer metallic bonding in MEMS. , 2013, , .		3
100	Optimal design of a resonating MEMS magnetometer: A multi-physics approach. , 2013, , .		3
101	Modelling of spontaneous adhesion phenomena in micro-electro-mechanical systems. European Journal of Mechanics, A/Solids, 2013, 39, 144-152.	2.1	31
102	MEMS-based surface mounted health monitoring system for composite laminates. Microelectronics Journal, 2013, 44, 598-605.	1.1	23
103	On the application of piezolaminated composites to diaphragm micropumps. Composite Structures, 2013, 99, 231-240.	3.1	25
104	Recent Advances in Computational Methods for Microsystems. Advanced Materials Research, 2013, 745, 13-25.	0.3	6
105	Modelling of a bridge-shaped nonlinear piezoelectric energy harvester. Journal of Physics: Conference Series, 2013, 476, 012100.	0.3	5
106	Physically-Based Reduced Order Modelling of a Uni-Axial Polysilicon MEMS Accelerometer. Sensors, 2012, 12, 13985-14003.	2.1	14
107	A kinetic model for capillary flows in MEMS. , 2012, , .		1
108	Experimental and numerical assessment of adhesion in real-life MEMS. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
109	A domain decomposition method for the simulation of fracture in polysilicon MEMS. , 2012, , .		1
110	Sensitivity, probabilistic and stochastic analysis of the thermo-piezoelectric phenomena in solids by the stochastic perturbation technique. Meccanica, 2012, 47, 877-891.	1.2	12
111	The effect of nano-scale interaction forces on the premature pull-in of real-life Micro-Electro-Mechanical Systems. Microelectronics Reliability, 2012, 52, 271-281.	0.9	15
112	Enhancing the Linear Range of MEMS Resonators for Sensing Applications. IEEE Sensors Journal, 2011, 11, 3202-3210.	2.4	17
113	On the nonlinear behaviour of MEMS resonators. , 2011, , .		1
114	A new biaxial silicon resonant micro accelerometer. , 2011, , .		14
115	Overall elastic domain of thin polysilicon films. Computational Materials Science, 2011, 50, 2993-3004.	1.4	17
116	OVERALL ELASTIC PROPERTIES OF POLYSILICON FILMS: A STATISTICAL INVESTIGATION OF THE EFFECTS OF POLYCRYSTAL MORPHOLOGY. International Journal for Multiscale Computational Engineering, 2011, 9, 327-346.	0.8	34
117	Monte carlo simulation of micro-cracking in polysilicon MEMS exposed to shocks. International Journal of Fracture, 2011, 167, 83-101.	1.1	38
118	Design of high stroke electrostatic micropumps: a charge control approach with ring electrodes. Microsystem Technologies, 2011, 17, 165-173.	1.2	12
119	A microsystem for the fracture characterization of polysilicon at the micro-scale. European Journal of Mechanics, A/Solids, 2011, 30, 127-136.	2.1	21
120	Design issues in electrostatic microplate actuators: Device stability and post pull-in behaviour. , 2011, , .		4
121	Structural Integrity Assessment of a Pipeline Subjected to an Underwater Explosion. , 2011, , .		3
122	A PLATE MODEL FOR THE EVALUATION OF PULL-IN INSTABILITY OCCURRENCE IN ELECTROSTATIC MICROPUMP DIAPHRAGMS. International Journal of Applied Mechanics, 2011, 03, 1-19.	1.3	20
123	Two-Scale Simulation of Drop-Induced Failure of Polysilicon MEMS Sensors. Sensors, 2011, 11, 4972-4989.	2.1	29
124	Two-scale vs three-scale FE analyses of shock-induced failure in polysilicon MEMS. , 2010, , .		1
125	Multiscale finite-element models for predicting spontaneous adhesion in MEMS. Mecanique Et Industries, 2010, 11, 177-182.	0.2	11
126	On-Chip Mechanical Characterization using an Electro-thermo-mechanical Actuator. Experimental Mechanics, 2010, 50, 695-707.	1.1	17

#	ARTICLE	IF	CITATIONS
127	A Resonant Microaccelerometer With High Sensitivity Operating in an Oscillating Circuit. Journal of Microelectromechanical Systems, 2010, 19, 1140-1152.	1.7	139
128	A high sensitivity uniaxial resonant accelerometer. , 2010, , .		22
129	An on-chip experimental assessment Of Casimir force effect in micro-electromechanical systems. , 2010, , .		1
130	Finite Element modelling of adhesion phenomena in MEMS. , 2010, , .		5
131	Experimental-Numerical Assessment of Impact-Induced Damage in Cross-Ply Laminates. Advanced Structured Materials, 2010, , 493-504.	0.3	2
132	Real-time monitoring of the fatigue damage accumulation in polysilicon microstructures at different applied stresses. , 2009, , .		1
133	A new two-beam differential resonant micro accelerometer. , 2009, , .		9
134	Modeling Impact-induced Failure of Polysilicon MEMS: A Multi-scale Approach. Sensors, 2009, 9, 556-567.	2.1	47
135	A new on-chip test structure for real time fatigue analysis in polysilicon MEMS. Microelectronics Reliability, 2009, 49, 120-126.	0.9	26
136	Polysilicon MEMS accelerometers exposed to shocks: numericalâ€œexperimental investigation. Journal of Micromechanics and Microengineering, 2009, 19, 035023.	1.5	39
137	A multiscale-stochastic finite element approach to shock-induced polysilicon MEMS failure. , 2009, , .		2
138	On the numerical evaluation of capacitance and electrostatic forces in MEMS. , 2009, , .		8
139	On the analysis of spontaneous adhesion in MEMS. , 2009, , .		5
140	Solid damping in micro electro mechanical systems. Meccanica, 2008, 43, 419-428.	1.2	88
141	A three-scale FE approach to reliability analysis of MEMS sensors subject to impacts. Meccanica, 2008, 43, 469-483.	1.2	40
142	Numerical modelling of impact rupture in polysilicon microsystems. Computational Mechanics, 2008, 42, 251-259.	2.2	27
143	Numerical-experimental comparison of low-g and high-g tests on a polysilicon MEMS accelerometer. , 2008, , .		0
144	Intrinsic dissipation in microelectromechanical systems. , 2008, , .		1

#	ARTICLE	IF	CITATIONS
145	A polysilicon test structure for fatigue and fracture testing in micro electro mechanical devices. , 2008, , .		4
146	An experimental assessment of Casimir force effect in micro-electromechanical systems. , 2008, , .		4
147	Mechanical Characterization of Polysilicon at the Micro-Scale Through On-Chip Tests. Computational and Experimental Methods in Structures, 2008, , 427-454.	0.2	0
148	Mechanical Characterization of Low-Dimensional Structures Through On-Chip Tests. , 2008, , 349-383.		3
149	Numerical Simulation of Impact-Induced Rupture in Polysilicon MEMS. Sensor Letters, 2008, 6, 35-42.	0.4	2
150	Parametric Study of Fracture Properties in Polycrystalline MEMS. , 2007, , .		1
151	Multi-Scale Modeling of Shock-Induced Failure of Polysilicon MEMS. , 2007, , .		4
152	Multi-scale Analysis of MEMS Sensors Subject to Drop Impacts. Sensors, 2007, 7, 1817-1833.	2.1	63
153	Electro-Thermal Actuator for On-Chip Nanoscale Tensile Tests: Analytical Modelling and Multi-Physics Simulations. Sensor Letters, 2007, 5, 592-607.	0.4	11
154	A thermal actuator for nanoscale in situ microscopy testing: design and characterization. Journal of Micromechanics and Microengineering, 2006, 16, 242-253.	1.5	262
155	Numerical analysis of rate-dependent dynamic composite delamination. Composites Science and Technology, 2006, 66, 766-775.	3.8	45
156	Modelling of interlaminar fracture processes in composites using interface elements. Composites Science and Technology, 2006, 66, 255-263.	3.8	14
157	Micro-Scale Simulation of Impact Rupture in Polysilicon MEMS. , 2006, , 647-648.		3
158	Rupture Tests on Polysilicon Films Through on-Chip Electrostatic Actuation. Sensor Letters, 2006, 4, 38-45.	0.4	6
159	Out of Plane Flexural Behaviour of Thin Polysilicon Films: Mechanical Characterization and Application of the Weibull Approach. Sensor Letters, 2006, 4, 184-190.	0.4	4
160	Impact Induced Composite Delamination: State and Parameter Identification via Unscented Kalman Filter. , 2006, , 1251-1252.		0
161	Impact induced composite delamination: state and parameter identification via joint and dual extended Kalman filters. Computer Methods in Applied Mechanics and Engineering, 2005, 194, 5242-5272.	3.4	67
162	Out of plane vs in plane flexural behaviour of thin polysilicon films: Mechanical characterization and application of the Weibull approach. Microelectronics Reliability, 2005, 45, 1758-1763.	0.9	17

#	ARTICLE	IF	CITATIONS
163	On-Chip Electrostatically Actuated Bending Tests for the Mechanical Characterization of Polysilicon at the Micro Scale. <i>Meccanica</i> , 2005, 40, 485-503.	1.2	22
164	Mechanical Characterization of Polysilicon Through On-Chip Tensile Tests. <i>Journal of Microelectromechanical Systems</i> , 2004, 13, 200-219.	1.7	119
165	Parameter identification in explicit structural dynamics: performance of the extended Kalman filter. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2004, 193, 3807-3835.	3.4	139
166	Study of the mechanical behaviour of a macroscopic glass/polyester composite by ESPI method and numerical simulations. <i>Composites Science and Technology</i> , 2004, 64, 1829-1841.	3.8	3
167	Numerical modeling of rate-dependent debonding processes in composites. <i>Composite Structures</i> , 2003, 61, 39-50.	3.1	45
168	Damage and Fracture Mechanics Techniques for Composite Structures. , 2003, , 459-539.		9
169	Mechanical characterization of epitaxial polysilicon in MEMS. , 2003, , 722-726.		3
170	Identification of a constitutive model for the simulation of time-dependent interlaminar debonding processes in composites. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2002, 191, 1861-1894.	3.4	14
171	Elasto-Plastic Interface Law for Non-Homogeneous Materials: Formulation, Sensitivity Analysis, Parameter Identification. <i>Solid Mechanics and Its Applications</i> , 2002, , 233-242.	0.1	1
172	Parameter identification of a time-dependent elastic-damage interface model for the simulation of debonding in composites. <i>Composites Science and Technology</i> , 2001, 61, 191-203.	3.8	40
173	Simulation of damage in composites by means of interface models: parameter identification. <i>Composites Science and Technology</i> , 2001, 61, 2299-2315.	3.8	35
174	Rate-dependent interface models: formulation and numerical applications. <i>International Journal of Solids and Structures</i> , 2001, 38, 547-576.	1.3	85
175	Anisotropic behaviour of porous, ductile media. <i>International Journal of Solids and Structures</i> , 2001, 38, 2427-2451.	1.3	12
176	Mechanical behaviour of a syntactic foam/glass fibre composite sandwich: experimental results. <i>Structural Engineering and Mechanics</i> , 2001, 12, 169-188.	1.0	27
177	Finite elements with embedded displacement discontinuity: a generalized variable formulation. <i>International Journal for Numerical Methods in Engineering</i> , 2000, 49, 1227-1266.	1.5	29
178	Mechanical behavior of a syntactic foam: experiments and modeling. <i>International Journal of Solids and Structures</i> , 2000, 37, 5773-5794.	1.3	139
179	Some aspects of interlaminar degradation in composites. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2000, 185, 203-224.	3.4	56
180	Experimental characterization and numerical simulations of a syntactic-foam/glass-fibre composite sandwich. <i>Composites Science and Technology</i> , 2000, 60, 2169-2180.	3.8	107

#	ARTICLE	IF	CITATIONS
181	Title is missing!. International Journal of Fracture, 2000, 104, 349-373.	1.1	40
182	CONSTITUTIVE MODELLING OF COMPOSITES AND LAMINATES VIA HOMOGENISATION AND PARAMETER IDENTIFICATION. , 2000, , 449-457.		3
183	Analysis of ductile fracture in damaged pipelines by a geometric parameter method. Engineering Structures, 1999, 21, 924-936.	2.6	7
184	Geometrical and interfacial non-linearities in the analysis of delamination in composites. International Journal of Solids and Structures, 1999, 36, 2189-2216.	1.3	94
185	A discrete formulation for elastic solids with damaging interfaces. Computer Methods in Applied Mechanics and Engineering, 1997, 140, 329-359.	3.4	45
186	On uniqueness of the dynamic finite-step problem in gradient-dependent softening plasticity. International Journal of Solids and Structures, 1996, 33, 3881-3902.	1.3	13
187	Modeling and simulation of crack propagation in mixed-modes interlaminar fracture specimens. International Journal of Fracture, 1996, 77, 111-140.	1.1	146
188	Damage analysis of interlaminar fracture specimens. Composite Structures, 1995, 31, 61-74.	3.1	244
189	Dynamic shakedown analysis and bounds for elastoplastic structures with nonassociative, internal variable constitutive laws. International Journal of Solids and Structures, 1995, 32, 3145-3166.	1.3	53
190	Numerical analysis of discretized elastoplastic systems using the generalized midpoint time integration. Engineering Computations, 1994, 11, 389-411.	0.7	5
191	Generalized midpoint finite element dynamic analysis of elastoplastic systems. International Journal for Numerical Methods in Engineering, 1993, 36, 361-383.	1.5	10
192	Formulation, identification and use of interface models in the numerical analysis of composite delamination. International Journal of Solids and Structures, 1993, 30, 2779-2811.	1.3	171
193	Dynamic Analysis of Elastoplastic Softening Discretized Structures. Journal of Engineering Mechanics -ASCE, 1992, 118, 2352-2375.	1.6	12
194	Dynamic shakedown in elastoplastic structures with general internal variable constitutive laws. International Journal of Plasticity, 1991, 7, 679-692.	4.1	29
195	Extremum properties of finite-step solutions in elastoplasticity with nonlinear mixed hardening. International Journal of Solids and Structures, 1991, 27, 965-981.	1.3	42
196	Convergence of the Newton-Raphson Method in Elastic-Plastic-Softening Structural Dynamics. , 1991, , 258-265.		1
197	On-chip tensile test for epitaxial polysilicon. , 0, , .		6
198	Rupture tests on polysilicon films through on-chip electrostatic actuation [MEMS applications]. , 0, , .		1

#	ARTICLE	IF	CITATIONS
199	On the evaluation of damping forces in MEMS. , 0, , .		0
200	Out of plane flexural behaviour of thin polysilicon films: mechanical characterization and application of the weibull approach. , 0, , .		1
201	Simulation of Impact Rupture in Polysilicon Mems. , 0, , .		3
202	A Time Series Autoencoder for Load Identification via Dimensionality Reduction of Sensor Recordings. , 0, , .		0
203	Static and Dynamic Analyses of Actuation Devices in Electrostatic Micro-Pumps. , 0, , .		0