

Ya-Ling Hsu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3012311/publications.pdf>

Version: 2024-02-01

110
papers

3,879
citations

101543

36
h-index

144013

57
g-index

112
all docs

112
docs citations

112
times ranked

6019
citing authors

#	ARTICLE	IF	CITATIONS
1	Cysteinyl Leukotriene Pathway and Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 120.	4.1	14
2	IL-25 Induced ROS-Mediated M2 Macrophage Polarization via AMPK-Associated Mitophagy. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3.	4.1	26
3	Investigation of the Relationship between Cardiovascular Biomarkers and Brachial Ankle Pulse Wave Velocity in Hemodialysis Patients. <i>Journal of Personalized Medicine</i> , 2022, 12, 636.	2.5	4
4	Downregulated ADAMTS1 Incorporating A2M Contributes to Tumorigenesis and Alters Tumor Immune Microenvironment in Lung Adenocarcinoma. <i>Biology</i> , 2022, 11, 760.	2.8	2
5	Tumor Necrosis Factor Receptor Superfamily Member 21 Induces Endothelial-Mesenchymal Transition in Coronary Artery Endothelium of Type 2 Diabetes Mellitus. <i>Biomedicines</i> , 2022, 10, 1282.	3.2	4
6	High B3GALT5 expression confers poor clinical outcome and contributes to tumor progression and metastasis in breast cancer. <i>Breast Cancer Research</i> , 2021, 23, 5.	5.0	11
7	Low Expression of IL-15 and NKT in Tumor Microenvironment Predicts Poor Outcome of MYCN-Non-Amplified Neuroblastoma. <i>Journal of Personalized Medicine</i> , 2021, 11, 122.	2.5	9
8	The relationship of indoxyl sulfate and p-cresyl sulfate with target cardiovascular proteins in hemodialysis patients. <i>Scientific Reports</i> , 2021, 11, 3786.	3.3	12
9	Ubiquitin Conjugating Enzyme E2 H (UBE2H) Is Linked to Poor Outcomes and Metastasis in Lung Adenocarcinoma. <i>Biology</i> , 2021, 10, 378.	2.8	5
10	Identification of potential genes in upper tract urothelial carcinoma using next-generation sequencing with bioinformatics and in vitro analyses. <i>PeerJ</i> , 2021, 9, e11343.	2.0	2
11	The Downregulation of LSAMP Expression Promotes Lung Cancer Progression and Is Associated with Poor Survival Prognosis. <i>Journal of Personalized Medicine</i> , 2021, 11, 578.	2.5	9
12	Hypoxia-Induced Epithelial-to-Mesenchymal Transition in Proximal Tubular Epithelial Cells through miR-545-3p TNFSF10. <i>Biomolecules</i> , 2021, 11, 1032.	4.0	5
13	Amine oxidase, copper containing 3 exerts anti-mesenchymal transformation and enhances CD4 ⁺ cell recruitment to prolong survival in lung cancer. <i>Oncology Reports</i> , 2021, 46, .	2.6	9
14	Cooperation Between Cancer and Fibroblasts in Vascular Mimicry and N2-Type Neutrophil Recruitment via Notch2 Jagged1 Interaction in Lung Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 696931.	2.8	15
15	The Roles of Extracellular Vesicles in Malignant Melanoma. <i>Cells</i> , 2021, 10, 2740.	4.1	16
16	Autocrine Exosomal Fibulin-1 as a Target of MiR-1269b Induces Epithelial-Mesenchymal Transition in Proximal Tubule in Diabetic Nephropathy. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 789716.	3.7	8
17	miR-150-5p-Containing Extracellular Vesicles Are a New Immunoregulator That Favor the Progression of Lung Cancer in Hypoxic Microenvironments by Altering the Phenotype of NK Cells. <i>Cancers</i> , 2021, 13, 6252.	3.7	12
18	Bone-marrow-derived cell-released extracellular vesicle miR-92a regulates hepatic pre-metastatic niche in lung cancer. <i>Oncogene</i> , 2020, 39, 739-753.	5.9	44

#	ARTICLE	IF	CITATIONS
19	The Potential Effects of Curcumin on Pulmonary Fibroblasts of Idiopathic Pulmonary Fibrosis (IPF)â€”Approaching with Next-Generation Sequencing and Bioinformatics. <i>Molecules</i> , 2020, 25, 5458.	3.8	5
20	Loss of miR-145-5p Causes Ceruloplasmin Interference with PHD-Iron Axis and HIF-2 α Stabilization in Lung Adenocarcinoma-Mediated Angiogenesis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5081.	4.1	14
21	P0970EXOSOMAL MIR-92A-1-5P DERIVED FROM PROXIMAL TUBULAR EPITHELIAL CELLS INDUCES EPITHELIAL-MESENCHYMAL TRANSITION IN MESANGIAL CELLS IN DIABETIC NEPHROPATHY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
22	The Expression Profile of mRNA and tRNA Genes in Splenocytes and Neutrophils after In Vivo Delivery of Antitumor Short Hairpin RNA of Indoleamine 2,3-Dioxygenase. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6703.	4.1	0
23	Upregulation of Thr/Tyr kinase Increases the Cancer Progression by Neurotensin and Dihydropyrimidinase-Like 3 in Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1640.	4.1	18
24	High Glucose Induces Mesangial Cell Apoptosis through miR-15b-5p and Promotes Diabetic Nephropathy by Extracellular Vesicle Delivery. <i>Molecular Therapy</i> , 2020, 28, 963-974.	8.2	49
25	Associations of Bone Turnover Markers with Cognitive Function in Patients Undergoing Hemodialysis. <i>Disease Markers</i> , 2020, 2020, 1-10.	1.3	6
26	The prognostic value of CSN6 expression in upper tract urothelial carcinomas. <i>Kaohsiung Journal of Medical Sciences</i> , 2019, 35, 559-565.	1.9	2
27	Ratio of Early Mitral Inflow Velocity to the Global Diastolic Strain Rate and Global Left Ventricular Longitudinal Systolic Strain Predict Overall Mortality and Major Adverse Cardiovascular Events in Hemodialysis Patients. <i>Disease Markers</i> , 2019, 2019, 1-12.	1.3	9
28	Deducting MicroRNA-Mediated Changes Common in Bronchial Epithelial Cells of Asthma and Chronic Obstructive Pulmonary Diseaseâ€”A Next-Generation Sequencing-Guided Bioinformatic Approach. <i>International Journal of Molecular Sciences</i> , 2019, 20, 553.	4.1	35
29	Deduction of Novel Genes Potentially Involved in Upper Tract Urothelial Carcinoma Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2019, 16, 93-105.	2.5	7
30	New Insight on Solute Carrier Family 27 Member 6 (SLC27A6) in Tumoral and Non-Tumoral Breast Cells. <i>International Journal of Medical Sciences</i> , 2019, 16, 366-375.	2.5	18
31	Differential expression profiles of the transcriptome in bone marrowâ€™derived cells in lung cancer revealed by next generation sequencing and bioinformatics. <i>Oncology Letters</i> , 2019, 17, 4341-4350.	1.8	3
32	CXCL17-derived CD11b+Gr-1+ myeloid-derived suppressor cells contribute to lung metastasis of breast cancer through platelet-derived growth factor-BB. <i>Breast Cancer Research</i> , 2019, 21, 23.	5.0	66
33	Indoxyl Sulfate Induces Apoptosis Through Oxidative Stress and Mitogen-Activated Protein Kinase Signaling Pathway Inhibition in Human Astrocytes. <i>Journal of Clinical Medicine</i> , 2019, 8, 191.	2.4	30
34	Protein-bound uremic toxins are associated with cognitive function among patients undergoing maintenance hemodialysis. <i>Scientific Reports</i> , 2019, 9, 20388.	3.3	34
35	Der f1 induces pyroptosis in human bronchial epithelia via the NLRP3 inflammasome. <i>International Journal of Molecular Medicine</i> , 2018, 41, 757-764.	4.0	38
36	Angiotensin-2, Renal Deterioration, Major Adverse Cardiovascular Events and All-Cause Mortality in Patients with Diabetic Nephropathy. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 545-554.	2.0	21

#	ARTICLE	IF	CITATIONS
37	Hypoxic Lung-Cancer-Derived Extracellular Vesicle MicroRNA-103a Increases the Oncogenic Effects of Macrophages by Targeting PTEN. <i>Molecular Therapy</i> , 2018, 26, 568-581.	8.2	155
38	FP418 ANGIOPOIETIN2 INDUCES MESANGIAL CELLS APOPTOSIS VIA SOCS5/STAT3 SIGNALING IN DIABETIC NEPHROPATHY MICROENVIRONMENT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i176-i176.	0.7	0
39	The Interaction of miR-378i-Skp2 Regulates Cell Senescence in Diabetic Nephropathy. <i>Journal of Clinical Medicine</i> , 2018, 7, 468.	2.4	22
40	Angpt2 Induces Mesangial Cell Apoptosis through the MicroRNA-33-5p-SOCS5 Loop in Diabetic Nephropathy. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 13, 543-555.	5.1	31
41	Solute Carrier Family 27 Member 4 (SLC27A4) Enhances Cell Growth, Migration, and Invasion in Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3434.	4.1	54
42	Systematic Analysis of Transcriptomic Profile of Chondrocytes in Osteoarthritic Knee Using Next-Generation Sequencing and Bioinformatics. <i>Journal of Clinical Medicine</i> , 2018, 7, 535.	2.4	15
43	Systematic Analysis of Differential Expression Profile in Rheumatoid Arthritis Chondrocytes Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2018, 15, 1129-1142.	2.5	20
44	Molecular Mechanisms of Anticancer Effects of Phytoestrogens in Breast Cancer. <i>Current Protein and Peptide Science</i> , 2018, 19, 323-332.	1.4	33
45	Knockdown of GA-binding protein subunit β 1 inhibits cell proliferation via p21 induction in renal cell carcinoma. <i>International Journal of Oncology</i> , 2018, 53, 886-894.	3.3	6
46	Interaction between Tumor-Associated Dendritic Cells and Colon Cancer Cells Contributes to Tumor Progression via CXCL1. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2427.	4.1	89
47	Independent Association of Overhydration with All-Cause and Cardiovascular Mortality Adjusted for Global Left Ventricular Longitudinal Systolic Strain and E/E a ™ Ratio in Maintenance Hemodialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1322-1332.	2.0	10
48	CYT-Rx20 inhibits ovarian cancer cells in vitro and in vivo through oxidative stress-induced DNA damage and cell apoptosis. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 1129-1140.	2.3	6
49	Association of long-chain acyl-coenzyme A synthetase 5 expression in human breast cancer by estrogen receptor status and its clinical significance. <i>Oncology Reports</i> , 2017, 37, 3253-3260.	2.6	35
50	Synthetic β -nitrostyrene derivative CYT-Rx20 as inhibitor of oral cancer cell proliferation and tumor growth through glutathione suppression and reactive oxygen species induction. <i>Head and Neck</i> , 2017, 39, 1055-1064.	2.0	4
51	Overexpression and proliferation dependence of acyl-CoA thioesterase 11 and 13 in lung adenocarcinoma. <i>Oncology Letters</i> , 2017, 14, 3647-3656.	1.8	15
52	CYT-Rx20 Inhibits Cervical Cancer Cell Growth and Migration Through Oxidative Stress-Induced DNA Damage, Cell Apoptosis, and Epithelial-to-Mesenchymal Transition Inhibition. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 1306-1317.	2.5	0
53	Deduction of Novel Genes Potentially Involved in Osteoblasts of Rheumatoid Arthritis Using Next-Generation Sequencing and Bioinformatic Approaches. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2396.	4.1	21
54	Montelukast Induces Apoptosis-Inducing Factor-Mediated Cell Death of Lung Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1353.	4.1	44

#	ARTICLE	IF	CITATIONS
55	Secreted Protein Acidic and Rich in Cysteine (SPARC) Enhances Cell Proliferation, Migration, and Epithelial Mesenchymal Transition, and SPARC Expression is Associated with Tumor Grade in Head and Neck Cancer. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1556.	4.1	34
56	Dual Role of MiR-21-Mediated Signaling in HUVECs and Rat Surgical Flap under Normoxia and Hypoxia Condition. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1917.	4.1	18
57	Hypoxia-regulated MicroRNA-210 Overexpression is Associated with Tumor Development and Progression in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , 2017, 14, 578-584.	2.5	22
58	The interaction between fluid status and angiotensin-2 in adverse renal outcomes of chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0173906.	2.5	11
59	Investigation of the role of tumor necrosis factor-like weak inducer of apoptosis in non-small cell lung cancer. <i>Oncology Reports</i> , 2017, 39, 573-581.	2.6	5
60	Systematic Analysis of Transcriptomic Profile of Renal Cell Carcinoma under Long-Term Hypoxia Using Next-Generation Sequencing and Bioinformatics. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2657.	4.1	19
61	S100B expression in breast cancer as a predictive marker for cancer metastasis. <i>International Journal of Oncology</i> , 2017, 52, 433-440.	3.3	21
62	Identification of novel gene expression signature in lung adenocarcinoma by using next-generation sequencing data and bioinformatics analysis. <i>Oncotarget</i> , 2017, 8, 104831-104854.	1.8	69
63	Secreted protein acidic and rich in cysteine (SPARC) induces cell migration and epithelial mesenchymal transition through WNK1/snail in non-small cell lung cancer. <i>Oncotarget</i> , 2017, 8, 63691-63702.	1.8	52
64	Identification of novel genetic regulations associated with airway epithelial homeostasis using next-generation sequencing data and bioinformatics approaches. <i>Oncotarget</i> , 2017, 8, 82674-82688.	1.8	22
65	Identification of novel genes in aging osteoblasts using next-generation sequencing and bioinformatics. <i>Oncotarget</i> , 2017, 8, 113598-113613.	1.8	13
66	Didymin reverses phthalate ester-associated breast cancer aggravation in the breast cancer tumor microenvironment. <i>Oncology Letters</i> , 2016, 11, 1035-1042.	1.8	26
67	Laricitrin suppresses increased benzo(a)pyrene-induced lung tumor-associated monocyte-derived dendritic cell cancer progression. <i>Oncology Letters</i> , 2016, 11, 1783-1790.	1.8	11
68	Cysteinyl Leukotriene Receptor Antagonists Decrease Cancer Risk in Asthma Patients. <i>Scientific Reports</i> , 2016, 6, 23979.	3.3	46
69	Serum neutrophil gelatinase-associated lipocalin and resistin are associated with dengue infection in adults. <i>BMC Infectious Diseases</i> , 2016, 16, 441.	2.9	8
70	Isolinderalactone enhances the inhibition of SOCS3 on STAT3 activity by decreasing miR-30c in breast cancer. <i>Oncology Reports</i> , 2016, 35, 1356-1364.	2.6	29
71	Synthetic Steroid Hormones Regulated Cell Proliferation Through MicroRNA-34a-5p in Human Ovarian Endometrioma1. <i>Biology of Reproduction</i> , 2016, 94, 60.	2.7	10
72	Laricitrin ameliorates lung cancer-mediated dendritic cell suppression by inhibiting signal transducer and activator of transcription 3. <i>Oncotarget</i> , 2016, 7, 85220-85234.	1.8	14

#	ARTICLE	IF	CITATIONS
73	Lung cancer-derived galectin-1 contributes to cancer associated fibroblast-mediated cancer progression and immune suppression through TDO2/kynurenine axis. <i>Oncotarget</i> , 2016, 7, 27584-27598.	1.8	112
74	S100P interacts with integrin $\alpha 7$ and increases cancer cell migration and invasion in lung cancer. <i>Oncotarget</i> , 2015, 6, 29585-29598.	1.8	45
75	Benzyl butyl phthalate increases the chemoresistance to doxorubicin/cyclophosphamide by increasing breast cancer-associated dendritic cell-derived CXCL1/GRO α and S100A8/A9. <i>Oncology Reports</i> , 2015, 34, 2889-2900.	2.6	29
76	Wedelolactone inhibits breast cancer-induced osteoclastogenesis by decreasing Akt/mTOR signaling. <i>International Journal of Oncology</i> , 2015, 46, 555-562.	3.3	41
77	Tricetin, a dietary flavonoid, suppresses benzo(a)pyrene-induced human non-small cell lung cancer bone metastasis. <i>International Journal of Oncology</i> , 2015, 46, 1985-1993.	3.3	21
78	Syringetin suppresses osteoclastogenesis mediated by osteoblasts in human lung adenocarcinoma. <i>Oncology Reports</i> , 2015, 34, 617-626.	2.6	8
79	6-Shogaol, an Active Constituent of Dietary Ginger, Impairs Cancer Development and Lung Metastasis by Inhibiting the Secretion of CC-Chemokine Ligand 2 (CCL2) in Tumor-Associated Dendritic Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 1730-1738.	5.2	39
80	Aryl hydrocarbon receptor agonists upregulate VEGF secretion from bronchial epithelial cells. <i>Journal of Molecular Medicine</i> , 2015, 93, 1257-1269.	3.9	34
81	Obtusifolin Suppresses Phthalate Esters-Induced Breast Cancer Bone Metastasis by Targeting Parathyroid Hormone-Related Protein. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 11933-11940.	5.2	13
82	Arctigenin, a dietary phytoestrogen, induces apoptosis of estrogen receptor-negative breast cancer cells through the ROS/p38 MAPK pathway and epigenetic regulation. <i>Free Radical Biology and Medicine</i> , 2014, 67, 159-170.	2.9	134
83	Myosin IIa activation is crucial in breast cancer derived galectin-1 mediated tolerogenic dendritic cell differentiation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 1965-1976.	2.4	12
84	Cluster of differentiation 45 activation is crucial in interleukin-10-dependent tumor-associated dendritic cell differentiation. <i>Oncology Letters</i> , 2014, 8, 620-626.	1.8	3
85	Erratum to "Subamolid A Induces Mitotic Catastrophe Accompanied by Apoptosis in Human Lung Cancer Cells". <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-3.	1.2	6
86	Gemifloxacin, a Fluoroquinolone Antimicrobial Drug, Inhibits Migration and Invasion of Human Colon Cancer Cells. <i>BioMed Research International</i> , 2013, 2013, 1-11.	1.9	31
87	Galectin-1 promotes lung cancer tumor metastasis by potentiating integrin $\alpha 6 \beta 4$ and Notch1/Jagged2 signaling pathway. <i>Carcinogenesis</i> , 2013, 34, 1370-1381.	2.8	79
88	4-Shogaol, an Active Constituent of Dietary Ginger, Inhibits Metastasis of MDA-MB-231 Human Breast Adenocarcinoma Cells by Decreasing the Repression of NF- κ B/Snail on RKIP. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 852-861.	5.2	51
89	Heat shock induces apoptosis through reactive oxygen species involving mitochondrial and death receptor pathways in corneal cells. <i>Experimental Eye Research</i> , 2011, 93, 405-412.	2.6	31
90	Glabridin, an isoflavan from licorice root, inhibits migration, invasion and angiogenesis of MDA-MB-231 human breast adenocarcinoma cells by inhibiting focal adhesion kinase/Rho signaling pathway. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 318-327.	3.3	76

#	ARTICLE	IF	CITATIONS
91	Lung Tumor-Associated Dendritic Cell-Derived Amphiregulin Increased Cancer Progression. <i>Journal of Immunology</i> , 2011, 187, 1733-1744.	0.8	38
92	Lung Tumor-associated Osteoblast-derived Bone Morphogenetic Protein-2 Increased Epithelial-to-Mesenchymal Transition of Cancer by Runx2/Snail Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2011, 286, 37335-37346.	3.4	70
93	6â€Dehydrogingerdione, an active constituent of dietary ginger, induces cell cycle arrest and apoptosis through reactive oxygen species/câ€Jun Nâ€terminal kinase pathways in human breast cancer cells. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 1307-1317.	3.3	53
94	Phospholipase D signaling pathway is involved in lung cancer-derived IL-8 increased osteoclastogenesis. <i>Carcinogenesis</i> , 2010, 31, 587-596.	2.8	47
95	Tricetin, a Dietary Flavonoid, Induces Apoptosis through the Reactive Oxygen Species/c-Jun NH₂-Terminal Kinase Pathway in Human Liver Cancer Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12547-12556.	5.2	30
96	Dehydrocostuslactone, a Medicinal Plant-Derived Sesquiterpene Lactone, Induces Apoptosis Coupled to Endoplasmic Reticulum Stress in Liver Cancer Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 329, 808-819.	2.5	67
97	Shallot and licorice constituent isoliquiritigenin arrests cell cycle progression and induces apoptosis through the induction of ATM/p53 and initiation of the mitochondrial system in human cervical carcinoma HeLa cells. <i>Molecular Nutrition and Food Research</i> , 2009, 53, 826-835.	3.3	49
98	Syringetin, a flavonoid derivative in grape and wine, induces human osteoblast differentiation through bone morphogenetic proteinâ€2/extracellular signalâ€regulated kinase 1/2 pathway. <i>Molecular Nutrition and Food Research</i> , 2009, 53, 1452-1461.	3.3	49
99	Tricetin, a Dietary Flavonoid, Inhibits Proliferation of Human Breast Adenocarcinoma MCF-7 Cells by Blocking Cell Cycle Progression and Inducing Apoptosis. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 8688-8695.	5.2	50
100	Isoliquiritigenin Inhibits Cell Proliferation and Induces Apoptosis in Human Hepatoma Cells. <i>Planta Medica</i> , 2005, 71, 130-134.	1.3	51
101	Asiatic Acid, a Triterpene, Induces Apoptosis and Cell Cycle Arrest through Activation of Extracellular Signal-Regulated Kinase and p38 Mitogen-Activated Protein Kinase Pathways in Human Breast Cancer Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 313, 333-344.	2.5	207
102	Isoliquiritigenin induces apoptosis and cell cycle arrest through p53-dependent pathway in Hep G2 cells. <i>Life Sciences</i> , 2005, 77, 279-292.	4.3	88
103	Apoptotic effects of extract from <i>Antrodia camphorata</i> fruiting bodies in human hepatocellular carcinoma cell lines. <i>Cancer Letters</i> , 2005, 221, 77-89.	7.2	110
104	ISOLIQUIRITIGENIN INHIBITS THE PROLIFERATION AND INDUCES THE APOPTOSIS OF HUMAN NON-SMALL CELL LUNG CANCER A549 CELLS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2004, 31, 414-418.	1.9	65
105	Acacetin inhibits the proliferation of Hep G2 by blocking cell cycle progression and inducing apoptosis. <i>Biochemical Pharmacology</i> , 2004, 67, 823-829.	4.4	90
106	Acacetin-induced cell cycle arrest and apoptosis in human non-small cell lung cancer A549 cells. <i>Cancer Letters</i> , 2004, 212, 53-60.	7.2	99
107	Involvement of p53, nuclear factor ÎB and Fas/Fas ligand in induction of apoptosis and cell cycle arrest by saikosaponin d in human hepatoma cell lines. <i>Cancer Letters</i> , 2004, 213, 213-221.	7.2	85
108	The proliferative inhibition and apoptotic mechanism of Saikosaponin D in human non-small cell lung cancer A549 cells. <i>Life Sciences</i> , 2004, 75, 1231-1242.	4.3	91

#	ARTICLE	IF	CITATIONS
109	Proliferative inhibition, cell-cycle dysregulation, and induction of apoptosis by ursolic acid in human non-small cell lung cancer A549 cells. <i>Life Sciences</i> , 2004, 75, 2303-2316.	4.3	191
110	The Antiproliferative Activity of Saponin-Enriched Fraction from <i>Bupleurum Koa</i> Is through Fas-Dependent Apoptotic Pathway in Human Non-small Cell Lung Cancer A549 Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2004, 27, 1112-1115.	1.4	25