

# Jeffrey Pyun

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3012346/jeffrey-pyun-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

|                    |                          |                |                 |
|--------------------|--------------------------|----------------|-----------------|
| 134<br>papers      | 9,130<br>citations       | 47<br>h-index  | 94<br>g-index   |
| 137<br>ext. papers | 10,128<br>ext. citations | 7.9<br>avg, IF | 6.28<br>L-index |

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 134 | SmartPrint Single-Mode Flexible Polymer Optical Interconnect for High Density Integrated Photonics. <i>Journal of Lightwave Technology</i> , <b>2022</b> , 1-1  | 4    | 1         |
| 133 | High Verdet Constant Materials for Magneto-Optical Faraday Rotation: A Review. <i>Chemistry of Materials</i> , <b>2022</b> , 34, 2531-2544  | 9.6  | 4         |
| 132 | Elemental sulfur-molybdenum disulfide composites for high-performance cathodes for LiB batteries: the impact of interfacial structures on electrocatalytic anchoring of polysulfides. <i>MRS Communications</i> , <b>2021</b> , 11, 261-271       | 2.7  | 1         |
| 131 | Polymer-Coated Magnetic Nanoparticles as Ultrahigh Verdet Constant Materials: Correlation of Nanoparticle Size with Magnetic and Magneto-Optical Properties. <i>Chemistry of Materials</i> , <b>2021</b> , 33, 5010-5020                          | 9.6  | 5         |
| 130 | Segmented Polyurethanes and Thermoplastic Elastomers from Elemental Sulfur with Enhanced Thermomechanical Properties and Flame Retardancy. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 23082  | 3.6  | 2         |
| 129 | Segmented Polyurethanes and Thermoplastic Elastomers from Elemental Sulfur with Enhanced Thermomechanical Properties and Flame Retardancy. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 22900-22907                       | 16.4 | 9         |
| 128 | Polymerizations with Elemental Sulfur: From Petroleum Refining to Polymeric Materials.. <i>Journal of the American Chemical Society</i> , <b>2021</b> ,   | 16.4 | 12        |
| 127 | Increasing the rate of the hydrogen evolution reaction in neutral water with protic buffer electrolytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> ,                                   | 11.5 | 6         |
| 126 | Polymer and magnetic nanoparticle composites with tunable magneto-optical activity: role of nanoparticle dispersion for high verdet constant materials. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 5417-5425                      | 7.1  | 9         |
| 125 | One-step vapor-phase synthesis of transparent high refractive index sulfur-containing polymers. <i>Science Advances</i> , <b>2020</b> , 6, eabb5320   | 14.3 | 30        |
| 124 | Refractive Index Contrast Polymers: Photoresponsive Systems with Spatial Modulation of Refractive Index for Photonics. <i>ACS Macro Letters</i> , <b>2020</b> , 9, 416-421  | 6.6  | 11        |
| 123 | Chalcogenide hybrid inorganic/organic polymer resins: Amine functional prepolymers from elemental sulfur. <i>Journal of Polymer Science</i> , <b>2020</b> , 58, 35-41   | 2.4  |           |
| 122 | 100th Anniversary of Macromolecular Science Viewpoint: High Refractive Index Polymers from Elemental Sulfur for Infrared Thermal Imaging and Optics. <i>ACS Macro Letters</i> , <b>2020</b> , 9, 245-259  | 6.6  | 38        |
| 121 | Chalcogenide hybrid inorganic/organic polymer resins: Amine functional prepolymers from elemental sulfur. <i>Journal of Polymer Science</i> , <b>2020</b> , 58, 35-41   | 2.4  | 5         |
| 120 | Dynamic Covalent Polymerization of Chalcogenide Hybrid Inorganic/Organic Polymer Resins with Norbornenyl Comonomers. <i>Macromolecular Research</i> , <b>2020</b> , 28, 1003-1009   | 1.9  | 2         |
| 119 | Influence of the Processing Environment on the Surface Composition and Electronic Structure of Size-Quantized CdSe Quantum Dots. <i>Journal of Physical Chemistry C</i> , <b>2020</b> , 124, 21305-21318  | 3.8  | 4         |
| 118 | Synthesis of Metallopolymers via Atom Transfer Radical Polymerization from a [2Fe-2S] Metalloinitiator: Molecular Weight Effects on Electrocatalytic Hydrogen Production. <i>Macromolecular Rapid Communications</i> , <b>2020</b> , 41, e1900424 | 4.8  | 4         |

|     |   |      |     |
|-----|---|------|-----|
| 117 | Recent advances in the polymerization of elemental sulphur, inverse vulcanization and methods to obtain functional Chalcogenide Hybrid Inorganic/Organic Polymers (CHIPs). <i>Polymer Chemistry</i> , <b>2019</b> , 10, 4078-4105     | 4.9  | 102 |
| 116 | Water-soluble and air-stable [2Fe-2S]-metallopolymers: A new class of electrocatalysts for H <sub>2</sub> production via water splitting. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , <b>2019</b> , 194, 701-706 | 16.4 | 4   |
| 115 | Infrared Fingerprint Engineering: A Molecular-Design Approach to Long-Wave Infrared Transparency with Polymeric Materials. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 17820-17824  | 3.6  | 8   |
| 114 | Infrared Fingerprint Engineering: A Molecular-Design Approach to Long-Wave Infrared Transparency with Polymeric Materials. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 17656-17660                           | 16.4 | 28  |
| 113 | Rational design of sulfur-containing composites for high-performance lithium-sulfur batteries. <i>APL Materials</i> , <b>2019</b> , 7, 020904   | 5.7  | 20  |
| 112 | Synthesis of a Macroporous Conjugated Polymer Framework: Iron Doping for Highly Stable, Highly Efficient Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 3087-3097                        | 9.5  | 37  |
| 111 | Catalytic Metallopolymers from [2Fe-2S] Clusters: Artificial Metalloenzymes for Hydrogen Production. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 7537-7550   | 16.4 | 36  |
| 110 | Catalytic Metallopolymers from [2Fe-2S] Clusters: Artificial Metalloenzymes for Hydrogen Production. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 7617-7630  | 3.6  | 11  |
| 109 | Nucleophilic Activation of Elemental Sulfur for Inverse Vulcanization and Dynamic Covalent Polymerizations. <i>Journal of Polymer Science Part A</i> , <b>2019</b> , 57, 7-12   | 2.5  | 34  |
| 108 | Functionalized chalcogenide hybrid inorganic/organic polymers (CHIPs) via inverse vulcanization of elemental sulfur and vinylanilines. <i>Polymer Chemistry</i> , <b>2018</b> , 9, 2290-2294  | 4.9  | 36  |
| 107 | High Sulfur Content Organic/Inorganic Hybrid Polymeric Materials  |      | 0   |
| 106 | [FeFe]-Hydrogenase Mimetic Metallopolymers with Enhanced Catalytic Activity for Hydrogen Production in Water. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 12074-12078   | 3.6  | 9   |
| 105 | [FeFe]-Hydrogenase Mimetic Metallopolymers with Enhanced Catalytic Activity for Hydrogen Production in Water. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 11898-11902  | 16.4 | 35  |
| 104 | Nonlinear optical properties of chalcogenide hybrid inorganic/organic polymers (CHIPs) using the Z-scan technique. <i>Optical Materials Express</i> , <b>2018</b> , 8, 2510   | 2.6  | 7   |
| 103 | Macromolecular Engineering of the Outer Coordination Sphere of [2Fe-2S] Metallopolymers to Enhance Catalytic Activity for H <sub>2</sub> Production. <i>ACS Macro Letters</i> , <b>2018</b> , 7, 1383-1387                            | 6.6  | 17  |
| 102 | Sulfur Polymers Meet Poly(ionic liquid)s: Bringing New Properties to Both Polymer Families. <i>Macromolecular Rapid Communications</i> , <b>2018</b> , 39, e1800529   | 4.8  | 19  |
| 101 | One Dimensional Photonic Crystals Using Ultrahigh Refractive Index Chalcogenide Hybrid Inorganic/Organic Polymers. <i>ACS Macro Letters</i> , <b>2018</b> , 7, 875-880  | 6.6  | 43  |
| 100 | The use of polymers in Li-S batteries: A review. <i>Journal of Polymer Science Part A</i> , <b>2017</b> , 55, 1635-1668   | 2.5  | 96  |

|    |  |      |     |
|----|--|------|-----|
| 99 | Facile Assembly of Aligned Magnetic Nanoparticle Chains in Polymer Nanocomposite Films by Magnetic Flow Coating. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 11290-11298  | 9.5  | 17  |
| 98 | Chalcogenide Hybrid Inorganic/Organic Polymers: Ultrahigh Refractive Index Polymers for Infrared Imaging. <i>ACS Macro Letters</i> , <b>2017</b> , 6, 500-504  | 6.6  | 83  |
| 97 | Chalcogenide hybrid inorganic/organic polymers (CHIPs) via inverse vulcanization and dynamic covalent polymerizations. <i>Polymer Chemistry</i> , <b>2017</b> , 8, 5167-5173   | 4.9  | 44  |
| 96 | Multimodal Characterization of the Morphology and Functional Interfaces in Composite Electrodes for Li-S Batteries by Li Ion and Electron Beams. <i>Langmuir</i> , <b>2017</b> , 33, 9361-9377   | 4    | 7   |
| 95 | The Importance of Confined Sulfur Nanodomains and Adjoining Electron Conductive Pathways in Subreaction Regimes of Li-S Batteries. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1700074   | 21.8 | 75  |
| 94 | Subsurface Imaging of the Cores of Polymer-Encapsulated Cobalt Nanoparticles Using Force Modulation Microscopy. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 23498-23504  | 3.8  | 1   |
| 93 | Type I vs. quasi-type II modulation in CdSe@CdS tetrapods: ramifications for noble metal tipping. <i>CrystEngComm</i> , <b>2017</b> , 19, 6443-6453  | 3.3  | 11  |
| 92 | MO <sub>2</sub> -S <sub>8</sub> Composite Cathodes for Long Cycle Life High Performance Li-S Batteries Studied by FESEM and High-Resolution AEM. <i>Microscopy and Microanalysis</i> , <b>2017</b> , 23, 1972-1973   | 0.5  |     |
| 91 | From waste to valuable plasticsDiscovery of new paradigms from well-studied systems with elemental sulfur. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , <b>2017</b> , 192, 157-161   | 1    | 5   |
| 90 | Inverse vulcanization of elemental sulfur and styrene for polymeric cathodes in Li-S batteries. <i>Journal of Polymer Science Part A</i> , <b>2017</b> , 55, 107-116   | 2.5  | 101 |
| 89 | Colloidal Random Terpolymers: Controlling Reactivity Ratios of Colloidal Comonomers via Metal Tipping. <i>ACS Macro Letters</i> , <b>2016</b> , 5, 950-954   | 6.6  | 9   |
| 88 | Conformal Polymeric Multilayer Coatings on Sulfur Cathodes via the Layer-by-Layer Deposition for High Capacity Retention in LiS Batteries. <i>ACS Macro Letters</i> , <b>2016</b> , 5, 471-475   | 6.6  | 27  |
| 87 | A one-pot synthesis of polysulfane-bearing block copolymer nanoparticles with tunable size and refractive index. <i>Chemical Communications</i> , <b>2016</b> , 52, 2485-8   | 5.8  | 20  |
| 86 | Synthesis and Assembly of Dipolar Heterostructured Tetrapods: Colloidal Polymers with "Giant tert-butyl" Groups. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 1787-91  | 16.4 | 17  |
| 85 | Modular synthesis of functional polymer nanoparticles from a versatile platform based on poly(pentafluorophenylmethacrylate). <i>Journal of Polymer Science Part A</i> , <b>2016</b> , 54, 1895-1901   | 2.5  | 5   |
| 84 | Synthesis and Assembly of Dipolar Heterostructured Tetrapods: Colloidal Polymers with Giant tert-butylGroups. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 1819-1823  | 3.6  |     |
| 83 | Arm length dependency of Pt-decorated CdSe tetrapods on the performance of photocatalytic hydrogen generation. <i>Korean Journal of Chemical Engineering</i> , <b>2016</b> , 33, 2287-2290   | 2.8  | 4   |
| 82 | Analytical Multimode Scanning and Transmission Electron Imaging and Tomography of Multiscale Structural Architectures of Sulfur Copolymer-Based Composite Cathodes for Next-Generation High-Energy Density Li-S Batteries. <i>Microscopy and Microanalysis</i> , <b>2016</b> , 22, 1198-1221 | 0.5  | 10  |

|    |  |      |     |
|----|--|------|-----|
| 81 | Elemental Sulfur and Molybdenum Disulfide Composites for Li-S Batteries with Long Cycle Life and High-Rate Capability. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 13437-48   | 9.5  | 92  |
| 80 | Graphene quantum dots: structural integrity and oxygen functional groups for high sulfur/sulfide utilization in lithium sulfur batteries. <i>NPG Asia Materials</i> , <b>2016</b> , 8, e272-e272   | 10.3 | 78  |
| 79 | Polymerizations with elemental sulfur: A novel route to high sulfur content polymers for sustainability, energy and defense. <i>Progress in Polymer Science</i> , <b>2016</b> , 58, 90-125   | 29.6 | 224 |
| 78 | High Refractive Index Copolymers with Improved Thermomechanical Properties via the Inverse Vulcanization of Sulfur and 1,3,5-Triisopropenylbenzene. <i>ACS Macro Letters</i> , <b>2016</b> , 5, 1152-1156  | 6.6  | 107 |
| 77 | Recent approaches for the direct use of elemental sulfur in the synthesis and processing of advanced materials. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 3249-58   | 16.4 | 173 |
| 76 | Inverse vulcanization of elemental sulfur with 1,4-diphenylbutadiyne for cathode materials in LiS batteries. <i>RSC Advances</i> , <b>2015</b> , 5, 24718-24722  | 3.7  | 114 |
| 75 | Universal Length Dependence of Rod-to-Seed Exciton Localization Efficiency in Type I and Quasi-Type II CdSe@CdS Nanorods. <i>ACS Nano</i> , <b>2015</b> , 9, 4591-9  | 16.7 | 76  |
| 74 | High sulfur content polymer nanoparticles obtained from interfacial polymerization of sodium polysulfide and 1,2,3-trichloropropane in water. <i>Macromolecular Rapid Communications</i> , <b>2015</b> , 36, 1103-7                                  | 4.8  | 20  |
| 73 | Uniform decoration of Pt nanoparticles on well-defined CdSe tetrapods and the effect of their Pt cluster size on photocatalytic H <sub>2</sub> generation. <i>CrystEngComm</i> , <b>2015</b> , 17, 8423-8427   | 3.3  | 16  |
| 72 | Band Edge Energetics of Heterostructured Nanorods: Photoemission Spectroscopy and Waveguide Spectroelectrochemistry of Au-Tipped CdSe Nanorod Monolayers. <i>ACS Nano</i> , <b>2015</b> , 9, 8786-800  | 16.7 | 20  |
| 71 | Dynamic Covalent Polymers via Inverse Vulcanization of Elemental Sulfur for Healable Infrared Optical Materials. <i>ACS Macro Letters</i> , <b>2015</b> , 4, 862-866   | 6.6  | 130 |
| 70 | Colloidal polymers from inorganic nanoparticle monomers. <i>Progress in Polymer Science</i> , <b>2015</b> , 40, 85-120   | 29.6 | 58  |
| 69 | Structural origins of enhanced capacity retention in novel copolymerized sulfur-based composite cathodes for high-energy density Li-S batteries. <i>MRS Communications</i> , <b>2015</b> , 5, 353-364  | 2.7  | 20  |
| 68 | Neue Ansätze zur direkten Verwendung elementaren Schwefels in der Synthese und Verarbeitung moderner Werkstoffe. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 3298-3308   | 3.6  | 27  |
| 67 | Multiscale Structural Architectures of Novel Sulfur Copolymer Composite Cathodes for High-Energy Density Li-S Batteries Studied by Analytical Multimode STEM Imaging and Tomography. <i>Microscopy and Microanalysis</i> , <b>2015</b> , 21, 143-144 | 0.5  | 1   |
| 66 | Kilogram scale inverse vulcanization of elemental sulfur to prepare high capacity polymer electrodes for Li-S batteries. <i>Journal of Polymer Science Part A</i> , <b>2015</b> , 53, 173-177  | 2.5  | 100 |
| 65 | Improving the Charge Conductance of Elemental Sulfur via Tandem Inverse Vulcanization and Electropolymerization. <i>ACS Macro Letters</i> , <b>2015</b> , 4, 111-114   | 6.6  | 54  |
| 64 | Inverse Vulcanization of Elemental Sulfur to Prepare Polymeric Electrode Materials for Li-S Batteries.. <i>ACS Macro Letters</i> , <b>2014</b> , 3, 229-232  | 6.6  | 217 |

|    |   |      |     |
|----|---|------|-----|
| 63 | New infrared transmitting material via inverse vulcanization of elemental sulfur to prepare high refractive index polymers. <i>Advanced Materials</i> , <b>2014</b> , 26, 3014-8  | 24   | 215 |
| 62 | One-pot synthesis of PbS NP/sulfur-oleylamine copolymer nanocomposites via the copolymerization of elemental sulfur with oleylamine. <i>Polymer Chemistry</i> , <b>2014</b> , 5, 3617                                     | 4.9  | 64  |
| 61 | Synthesis of ferromagnetic cobalt nanoparticle tipped CdSe@CdS nanorods: critical role of Pt-activation. <i>CrystEngComm</i> , <b>2014</b> , 16, 9461-9468  | 3.3  | 12  |
| 60 | Colloidal polymers from dipolar assembly of cobalt-tipped CdSe@CdS nanorods. <i>ACS Nano</i> , <b>2014</b> , 8, 3272-3284   | 10.7 | 32  |
| 59 | Colloidal polymers via dipolar assembly of magnetic nanoparticle monomers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 6022-32   | 9.5  | 41  |
| 58 | Preparation of Dynamic Covalent Polymers via Inverse Vulcanization of Elemental Sulfur. <i>ACS Macro Letters</i> , <b>2014</b> , 3, 1258-1261   | 6.6  | 94  |
| 57 | Optical properties of sulfur copolymers for infrared applications <b>2014</b> ,   |      | 3   |
| 56 | Single chain polymer nanoparticles via sequential ATRP and oxidative polymerization. <i>Polymer Chemistry</i> , <b>2013</b> , 4, 3765   | 4.9  | 38  |
| 55 | Synthesis, self-assembly and reversible healing of supramolecular perfluoropolyethers. <i>Journal of Polymer Science Part A</i> , <b>2013</b> , 51, 3598-3606   | 2.5  | 27  |
| 54 | The use of elemental sulfur as an alternative feedstock for polymeric materials. <i>Nature Chemistry</i> , <b>2013</b> , 5, 518-24  | 17.6 | 748 |
| 53 | Polyoctadecyl methacrylate brushes via surface-initiated atom transfer radical polymerization. <i>Applied Organometallic Chemistry</i> , <b>2013</b> , 27, 378-682  | 3.1  | 3   |
| 52 | Selbstorganisation und kolloidale Polymerisation von Polymer-Nanopartikel-Hybriden zu mesoskopischen Ketten. <i>Angewandte Chemie</i> , <b>2012</b> , 124, 12576-12578  | 3.6  | 4   |
| 51 | Self-assembly and colloidal polymerization of polymer-nanoparticle hybrids into mesoscopic chains. <i>Angewandte Chemie - International Edition</i> , <b>2012</b> , 51, 12408-9   | 16.4 | 20  |
| 50 | Controlling length and areal density of artificial cilia through the dipolar assembly of ferromagnetic nanoparticles. <i>Soft Matter</i> , <b>2012</b> , 8, 5334  | 3.6  | 19  |
| 49 | Hybrids by Cluster Complex-Initiated Polymerization. <i>Macromolecules</i> , <b>2012</b> , 45, 2614-2618  | 5.5  | 8   |
| 48 | Directing the deposition of ferromagnetic cobalt onto Pt-tipped CdSe@CdS nanorods: synthetic and mechanistic insights. <i>ACS Nano</i> , <b>2012</b> , 6, 8632-45   | 16.7 | 57  |
| 47 | Functionalization and patterning of reactive polymer brushes based on surface reversible addition and fragmentation chain transfer polymerization. <i>Journal of Polymer Science Part A</i> , <b>2012</b> , 50, 4010-4018 | 2.5  | 39  |
| 46 | Surface Initiated Atom Transfer Radical Polymerizations from Indium Tin Oxide Electrodes: Electrochemistry of Polymer Brushes. <i>ACS Symposium Series</i> , <b>2012</b> , 197-209  | 0.4  | 2   |



|    |   |      |     |
|----|---|------|-----|
| 45 | Colloidal Polymerization of Polymer-Coated Ferromagnetic Cobalt Nanoparticles into Pt-Co <sub>3</sub> O <sub>4</sub> Nanowires. <i>Chemistry of Materials</i> , <b>2011</b> , 23, 1120-1129                               | 9.6  | 44  |
| 44 | Dipolar organization and magnetic actuation of flagella-like nanoparticle assemblies. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 7314  |      | 42  |
| 43 | Graphenoxid als Katalysator: Kohlenstoffmaterialien in Anwendungen jenseits der Nanotechnologie. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 46-48  | 3.6  | 31  |
| 42 | Elemental Sulfur as a Reactive Medium for Gold Nanoparticles and Nanocomposite Materials. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 11611-11614   | 3.6  | 9   |
| 41 | Titelbild: Elemental Sulfur as a Reactive Medium for Gold Nanoparticles and Nanocomposite Materials (Angew. Chem. 48/2011). <i>Angewandte Chemie</i> , <b>2011</b> , 123, 11459-11459                                     | 3.6  | 1   |
| 40 | Graphene oxide as catalyst: application of carbon materials beyond nanotechnology. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 46-8  | 16.4 | 336 |
| 39 | Elemental sulfur as a reactive medium for gold nanoparticles and nanocomposite materials. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 11409-12   | 16.4 | 61  |
| 38 | Cover Picture: Elemental Sulfur as a Reactive Medium for Gold Nanoparticles and Nanocomposite Materials (Angew. Chem. Int. Ed. 48/2011). <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 11263-11263 | 16.4 | 164 |
| 37 | Morphological conversion of dipolar core-shell Au@Co nanoparticles into beaded Au@Co <sub>3</sub> O <sub>4</sub> nanowires. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 14163                               |      | 14  |
| 36 | Magnetic self-assembly of gold nanoparticle chains using dipolar core-shell colloids. <i>Chemical Communications</i> , <b>2011</b> , 47, 890-2  | 5.8  | 26  |
| 35 | Synthesis and colloidal polymerization of ferromagnetic Au-Co nanoparticles into Au-Co <sub>3</sub> O <sub>4</sub> nanowires. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 3234-5                 | 16.4 | 104 |
| 34 | Photoelectrochemical processes in polymer-tethered CdSe nanocrystals. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 2622-32  | 16.4 | 35  |
| 33 | Ferrocene functional polymer brushes on indium tin oxide via surface-initiated atom transfer radical polymerization. <i>Langmuir</i> , <b>2010</b> , 26, 2083-92  | 4    | 64  |
| 32 | Mechanically reinforced silica aerogel nanocomposites via surface initiated atom transfer radical polymerizations. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 6863   |      | 85  |
| 31 | Synthesis of ferromagnetic polymer coated nanoparticles on multi-gram scale with tunable particle size. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 6023  |      | 25  |
| 30 | Dipolar assembly of ferromagnetic nanoparticles into magnetically driven artificial cilia. <i>Soft Matter</i> , <b>2010</b> , 6, 602-609  | 3.6  | 34  |
| 29 | Polymer-stabilized phospholipid vesicles with a controllable, pH-dependent disassembly mechanism. <i>Langmuir</i> , <b>2009</b> , 25, 1908-10   | 4    | 18  |
| 28 | Efficient CdSe nanocrystal diffraction gratings prepared by microcontact molding. <i>ACS Nano</i> , <b>2009</b> , 3, 3629-37  | 16.7 | 19  |

- 27 Lanthanide(III)-doped magnetite nanoparticles. *Journal of the American Chemical Society*, **2009**, 131, 6336-6344 84
- 26 Colloidal polymerization of polymer-coated ferromagnetic nanoparticles into cobalt oxide nanowires. *ACS Nano*, **2009**, 3, 3143-57 16.7 152
- 25 Self-assembly of polymer-coated ferromagnetic nanoparticles into mesoscopic polymer chains. *Journal of Polymer Science, Part B: Polymer Physics*, **2008**, 46, 2267-2277 2.6 44
- 24 Magnetic assembly and pyrolysis of functional ferromagnetic colloids into one-dimensional carbon nanostructures. *Journal of the American Chemical Society*, **2007**, 129, 8694-5 16.4 67
- 23 Field induced formation of mesoscopic polymer chains from functional ferromagnetic colloids. *Journal of the American Chemical Society*, **2007**, 129, 6291-7 16.4 70
- 22 Nanocomposite Materials from Functional Polymers and Magnetic Colloids. *Polymer Reviews*, **2007**, 47, 231-263 14 147
- 21 Poly(3,4-ethylenedioxythiophene)-semiconductor nanoparticle composite thin films tethered to indium tin oxide substrates via electropolymerization. *Journal of the American Chemical Society*, **2007**, 129, 11310-1 16.4 43
- 20 Synthesis and self-assembly of polymer-coated ferromagnetic nanoparticles. *ACS Nano*, **2007**, 1, 279-92 16.7 149
- 19 Polymer-coated ferromagnetic colloids from well-defined macromolecular surfactants and assembly into nanoparticle chains. *Journal of the American Chemical Society*, **2006**, 128, 6562-3 16.4 200
- 18 The dramatic effect of architecture on the self-assembly of block copolymers at interfaces. *Langmuir*, **2005**, 21, 10444-58 4 75
- 17 Synthesis and Direct Visualization of Block Copolymers Composed of Different Macromolecular Architectures. *Macromolecules*, **2005**, 38, 2674-2685 5.5 72
- 16 Synthesis and Surface Attachment of ABC Triblock Copolymers Containing Glassy and Rubbery Segments. *Macromolecular Chemistry and Physics*, **2004**, 205, 411-417 2.6 26
- 15 Evaluating the Effect of Termination by Chain - Chain Coupling in Living Free-Radical Polymerizations. *Australian Journal of Chemistry*, **2003**, 56, 775 1.2 20
- 14 Synthesis of Polymer Brushes Using Atom Transfer Radical Polymerization. *Macromolecular Rapid Communications*, **2003**, 24, 1043-1059 4.8 622
- 13 ABA triblock copolymers containing polyhedral oligomeric silsesquioxane pendant groups: synthesis and unique properties. *Polymer*, **2003**, 44, 2739-2750 3.9 193
- 12 Synthesis and Characterization of Organic/Inorganic Hybrid Nanoparticles: Kinetics of Surface-Initiated Atom Transfer Radical Polymerization and Morphology of Hybrid Nanoparticle Ultrathin Films. *Macromolecules*, **2003**, 36, 5094-5104 5.5 297
- 11 Synthesis of Block, Statistical, and Gradient Copolymers from Octadecyl (Meth)acrylates Using Atom Transfer Radical Polymerization. *Macromolecules*, **2003**, 36, 8969-8977 5.5 128
- 10 Macromolecules of controlled architecture. *Journal of Materials Chemistry*, **2003**, 13, 2653-2660 32



|   |  |      |     |
|---|--|------|-----|
| 9 | Synthesis and characterization of silica-graft-polystyrene hybrid nanoparticles: Effect of constraint on the glass-transition temperature of spherical polymer brushes. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2002</b> , 40, 2667-2676 | 2.6  | 138 |
| 8 | Synthesis of well-defined block copolymers tethered to polysilsesquioxane nanoparticles and their nanoscale morphology on surfaces. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 9445-6  | 16.4 | 159 |
| 7 | Synthesis of Nanocomposite Organic/Inorganic Hybrid Materials Using Controlled/Living Radical Polymerization. <i>Chemistry of Materials</i> , <b>2001</b> , 13, 3436-3448  | 9.6  | 631 |
| 6 | Functionalization of polymers prepared by ATRP using radical addition reactions. <i>Macromolecular Rapid Communications</i> , <b>2000</b> , 21, 103-109  | 4.8  | 103 |
| 5 | The Synthesis of Hybrid Polymers Using Atom Transfer Radical Polymerization: Homopolymers and Block Copolymers from Polyhedral Oligomeric Silsesquioxane Monomers. <i>Macromolecules</i> , <b>2000</b> , 33, 217-220   | 5.5  | 194 |
| 4 | Synthesis and Characterization of Star Polymers with Varying Arm Number, Length, and Composition from Organic and Hybrid Inorganic/Organic Multifunctional Initiators. <i>Macromolecules</i> , <b>1999</b> , 32, 6526-6535                                       | 5.5  | 355 |
| 3 | Preparation of hyperbranched polyacrylates by atom transfer radical polymerization, 4. The use of zero-valent copper. <i>Macromolecular Rapid Communications</i> , <b>1998</b> , 19, 665-670   | 4.8  | 105 |
| 2 | Rapid Photolithographic Fabrication of High Density Optical Interconnects using Refractive Index Contrast Polymers. <i>Optical Materials Express</i> ,   | 2.6  | 1   |
| 1 | High Refractive Index Chalcogenide Hybrid Inorganic/Organic Polymers for Integrated Photonics. <i>Advanced Optical Materials</i> , 2200176   | 8.1  | 1   |