
Douglas S Domingues

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3012941/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | MathFeature: feature extraction package for DNA, RNA and protein sequences based on mathematical descriptors. Briefings in Bioinformatics, 2022, 23, . | 6.5 | 30 |
| 2 | Physiological Responses to Drought, Salinity, and Heat Stress in Plants: A Review. Stresses, 2022, 2, 113-135. | 4.8 | 149 |
| 3 | TERL: classification of transposable elements by convolutional neural networks. Briefings in Bioinformatics, 2021, 22, . | 6.5 | 22 |
| 4 | Computational Analysis of and CircRNAs in. Methods in Molecular Biology, 2021, 2362, 147-172. | 0.9 | 1 |
| 5 | Feature extraction approaches for biological sequences: a comparative study of mathematical features. Briefings in Bioinformatics, 2021, 22, . | 6.5 | 22 |
| 6 | The urea transporter DUR3 is differentially regulated by abiotic and biotic stresses in coffee plants. Physiology and Molecular Biology of Plants, 2021, 27, 203-212. | 3.1 | 3 |
| 7 | Structure analyses and expression pattern of the ERF transcription factor family in Coffea arabica. Journal of Botanical Research, 2021, 3, . | 0.2 | 0 |
| 8 | NCED expression is related to increased ABA biosynthesis and stomatal closure under aluminum stress. Environmental and Experimental Botany, 2021, 185, 104404. | 4.2 | 33 |
| 9 | Hexanoic acid: a new potential substitute for copperâ€based agrochemicals against citrus canker. Journal of Applied Microbiology, 2021, 131, 2488-2499. | 3.1 | 10 |
| 10 | Elevated [CO2] Mitigates Drought Effects and Increases Leaf 5-O-Caffeoylquinic Acid and Caffeine Concentrations During the Early Growth of Coffea Arabica Plants. Frontiers in Sustainable Food Systems, 2021, 5, . | 3.9 | 4 |
| 11 | Transcriptome Analyses of Leaves Reveal That Hexanoic Acid Priming Differentially Regulate Gene Expression in Contrasting Coffea arabica Cultivars. Frontiers in Sustainable Food Systems, 2021, 5, . | 3.9 | 1 |
| 12 | An Atlas of Plant Transposable Elements. F1000Research, 2021, 10, 1194. | 1.6 | 11 |
| 13 | The Terrestrial Carnivorous Plant Utricularia reniformis Sheds Light on Environmental and Life-Form Genome Plasticity. International Journal of Molecular Sciences, 2020, 21, 3. | 4.1 | 30 |
| 14 | A Novel Decomposing Model With Evolutionary Algorithms for Feature Selection in Long Non-Coding RNAs. IEEE Access, 2020, 8, 181683-181697. | 4.2 | 9 |
| 15 | Genome-Wide Screening and Characterization of Non-Coding RNAs in Coffea canephora. Non-coding RNA, 2020, 6, 39. | 2.6 | 5 |
| 16 | Low root PIP1-1 and PIP2 aquaporins expression could be related to reduced hydration in â€~Rangpur' lime plants exposed to aluminium. Functional Plant Biology, 2020, 47, 112. | 2.1 | 18 |
| 17 | Low-Copy Genes in Terpenoid Metabolism: The Evolution and Expression of MVK and DXR Genes in Angiosperms. Plants, 2020, 9, 525. | 3.5 | 6 |
| 18 | Transcriptional patterns of <i>Coffea arabica</i> L. nitrate reductase, glutamine and asparagine synthetase genes are modulated under nitrogen suppression and coffee leaf rust. PeerJ, 2020, 8, e8320. | 2.0 | 8 |

DOUGLAS S DOMINGUES

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Population structure and genetic relationships between Ethiopian and Brazilian Coffea arabica genotypes revealed by SSR markers. Genetica, 2019, 147, 205-216. | 1.1 | 14 |
| 20 | Decarboxylation mechanisms of C4 photosynthesis in Saccharum spp.: increased PEPCK activity under water-limiting conditions. BMC Plant Biology, 2019, 19, 144. | 3.6 | 11 |
| 21 | mirtronDB: a mirtron knowledge base. Bioinformatics, 2019, 35, 3873-3874. | 4.1 | 16 |
| 22 | An integrated analysis of mRNA and sRNA transcriptional profiles in Coffea arabica L. roots: insights on nitrogen starvation responses. Functional and Integrative Genomics, 2019, 19, 151-169. | 3.5 | 28 |
| 23 | Pattern recognition analysis on long noncoding RNAs: a tool for prediction in plants. Briefings in Bioinformatics, 2019, 20, 682-689. | 6.5 | 53 |
| 24 | Genome-wide association study reveals candidate genes influencing lipids and diterpenes contents in Coffea arabica L. Scientific Reports, 2018, 8, 465. | 3.3 | 53 |
| 25 | PlaNC-TE: a comprehensive knowledgebase of non-coding RNAs and transposable elements in plants. Database: the Journal of Biological Databases and Curation, 2018, 2018, 1-7. | 3.0 | 19 |
| 26 | Functional annotation and distribution overview of RNA families in 27ÂStreptococcus agalactiae genomes. BMC Genomics, 2018, 19, 556. | 2.8 | 11 |
| 27 | Inpactor, Integrated and Parallel Analyzer and Classifier of LTR Retrotransposons and Its Application for Pineapple LTR Retrotransposons Diversity and Dynamics. Biology, 2018, 7, 32. | 2.8 | 21 |
| 28 | Diterpenes biochemical profile and transcriptional analysis of cytochrome P450s genes in leaves, roots, flowers, and during Coffea arabica L. fruit development. Plant Physiology and Biochemistry, 2017, 111, 340-347. | 5.8 | 19 |
| 29 | ceRNAs in plants: computational approaches and associated challenges for target mimic research. Briefings in Bioinformatics, 2017, 19, 1273-1289. | 6.5 | 16 |
| 30 | Distribution of Divo in Coffea genomes, a poorly described family of angiosperm LTR-Retrotransposons. Molecular Genetics and Genomics, 2017, 292, 741-754. | 2.1 | 7 |
| 31 | Transcriptome Analysis of Leaves, Flowers and Fruits Perisperm of Coffea arabica L. Reveals the Differential Expression of Genes Involved in Raffinose Biosynthesis. PLoS ONE, 2017, 12, e0169595. | 2.5 | 35 |
| 32 | RNA-Seq differential expression analysis: An extended review and a software tool. PLoS ONE, 2017, 12, e0190152. | 2.5 | 451 |
| 33 | Genome-wide analysis of EgEVE_1, a transcriptionally active endogenous viral element associated to small RNAs in Eucalyptus genomes. Genetics and Molecular Biology, 2017, 40, 217-225. | 1.3 | 8 |
| 34 | Genome-wide identification, classification and transcriptional analysis of nitrate and ammonium transporters in Coffea. Genetics and Molecular Biology, 2017, 40, 346-359. | 1.3 | 10 |
| 35 | Differentially Accumulated Proteins in <i>Coffea arabica</i> Seeds during Perisperm Tissue Development and Their Relationship to Coffee Grain Size. Journal of Agricultural and Food Chemistry, 2016, 64, 1635-1647. | 5.2 | 9 |
| 36 | PlanTE-MIR DB: a database for transposable element-related microRNAs in plant genomes. Functional and Integrative Genomics, 2016, 16, 235-242. | 3.5 | 29 |

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Transcriptome analysis in Coffea eugenioides, an Arabica coffee ancestor, reveals differentially expressed genes in leaves and fruits. Molecular Genetics and Genomics, 2016, 291, 323-336. | 2.1 | 26 |
| 38 | Galactinol synthase transcriptional profile in two genotypes of Coffea canephora with contrasting tolerance to drought. Genetics and Molecular Biology, 2015, 38, 182-190. | 1.3 | 40 |
| 39 | Terminal-Repeat Retrotransposons with GAG Domain in Plant Genomes: A New Testimony on the Complex World of Transposable Elements. Genome Biology and Evolution, 2015, 7, 493-504. | 2.5 | 23 |
| 40 | Identification of the transcriptionally active cytochrome P450 repertoire in Coffea arabica. Genetics and Molecular Research, 2015, 14, 2399-2412. | 0.2 | 4 |
| 41 | Transcriptionally active LTR retrotransposons in Eucalyptus genus are differentially expressed and insertionally polymorphic. BMC Plant Biology, 2015, 15, 198. | 3.6 | 28 |
| 42 | Homeologous genes involved in mannitol synthesis reveal unequal contributions in response to abiotic stress in Coffea arabica. Molecular Genetics and Genomics, 2014, 289, 951-963. | 2.1 | 30 |
| 43 | Stress-induced Δ1-pyrroline-5-carboxylate synthetase (P5CS) gene confers tolerance to salt stress in transgenic sugarcane. Acta Physiologiae Plantarum, 2014, 36, 2309-2319. | 2.1 | 52 |
| 44 | CoffeebEST: an integrated resource for Coffea spp expressed sequence tags. Genetics and Molecular Research, 2014, 13, 10913-10920. | 0.2 | 0 |
| 45 | Nitrogen Starvation, Salt and Heat Stress in Coffee (Coffea arabica L.): Identification and Validation of New Genes for qPCR Normalization. Molecular Biotechnology, 2013, 53, 315-325. | 2.4 | 42 |
| 46 | The accumulation of endogenous proline induces changes in gene expression of several antioxidant enzymes in leaves of transgenic Swingle citrumelo. Molecular Biology Reports, 2013, 40, 3269-3279. | 2.3 | 134 |
| 47 | Construction and characterization of a BAC library from the Coffea arabica genotype Timor Hybrid CIFC 832/2. Genetica, 2013, 141, 217-226. | 1.1 | 8 |
| 48 | Identificação e Caracterização de Microssatélites de Coffea arabica a partir de dados de sequenciamento de RNA e de BACs. BBR - Biochemistry and Biotechnology Reports, 2013, 2, 186. | 0.0 | 1 |
| 49 | Analysis of plant LTR-retrotransposons at the fine-scale family level reveals individual molecular patterns. BMC Genomics, 2012, 13, 137. | 2.8 | 57 |
| 50 | A novel linkage map of sugarcane with evidence for clustering of retrotransposon-based markers. BMC Genetics, 2012, 13, 51. | 2.7 | 34 |
| 51 | Mutator System Derivatives Isolated from Sugarcane Genome Sequence. Tropical Plant Biology, 2012, 5, 233-243. | 1.9 | 7 |
| 52 | Gene expression and enzymatic activity of pectin methylesterase during fruit development and ripening in Coffea arabica L. Genetics and Molecular Research, 2012, 11, 3186-3197. | 0.2 | 9 |
| 53 | Identification of potential transcriptionally active Copia LTR retrotransposons in Eucalyptus. BMC Proceedings, 2011, 5, . | 1.6 | 1 |
| 54 | The Biotechnology Roadmap for Sugarcane Improvement. Tropical Plant Biology, 2010, 3, 75-87. | 1.9 | 62 |

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Nitric Oxide Mediates the Hormonal Control of Crassulacean Acid Metabolism Expression in Young Pineapple Plants. Plant Physiology, 2010, 152, 1971-1985. | 4.8 | 80 |
| 56 | Identificação de marcador RAPD e SCAR relacionados ao caractere florescimento precoce em <i>Eucalyptus grandis</i> Ciencia Florestal, 2010, 16, 251-260. | 0.3 | 3 |
| 57 | Thermoperiod affects the diurnal cycle of nitrate reductase expression and activity in pineapple plants by modulating the endogenous levels of cytokinins. Physiologia Plantarum, 2009, 137, 201-212. | 5.2 | 23 |
| 58 | Boron transport in Eucalyptus. 2. Identification in silico of a putative boron transporter for xylem loading in eucalypt. Genetics and Molecular Biology, 2005, 28, 625-629. | 1.3 | 11 |
| 59 | mirtronDB: a mirtron knowledge base. , 0, , . | | Ο |
| 60 | How candidate genes respond to aluminum toxicity in Citrus x limonia Osbeck?. Theoretical and Experimental Plant Physiology, 0, , . | 2.4 | 1 |