## Francesco M Fusco

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3014607/publications.pdf

Version: 2024-02-01

64 papers

1,555 citations

361045 20 h-index 329751 37 g-index

68 all docs 68 docs citations

68 times ranked 2795 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Common cardiovascular risk factors and in-hospital mortality in 3,894 patients with COVID-19: survival analysis and machine learning-based findings from the multicentre Italian CORIST Study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1899-1913.                                | 1.1 | 137       |
| 2  | Dysregulation of lipid metabolism and pathological inflammation in patients with COVID-19. Scientific Reports, 2021, 11, 2941.  | 1.6 | 102       |
| 3  | Tocilizumab for patients with COVID-19 pneumonia. The single-arm TOCIVID-19 prospective trial. Journal of Translational Medicine, 2020, 18, 405.  | 1.8 | 98        |
| 4  | Framework for the design and operation of high-level isolation units: consensus of the European Network of Infectious Diseases. Lancet Infectious Diseases, The, 2009, 9, 45-56.  | 4.6 | 97        |
| 5  | Fever of unknown origin: a systematic review of the literature for 1995???2004. Nuclear Medicine Communications, 2006, 27, 205-211.   | 0.5 | 92        |
| 6  | Use of hydroxychloroquine in hospitalised COVID-19 patients is associated with reduced mortality: Findings from the observational multicentre Italian CORIST study. European Journal of Internal Medicine, 2020, 82, 38-47.   | 1.0 | 88        |
| 7  | Heparin in COVID-19 Patients Is Associated with Reduced In-Hospital Mortality: The Multicenter Italian CORIST Study. Thrombosis and Haemostasis, 2021, 121, 1054-1065.  | 1.8 | 87        |
| 8  | Patient to patient transmission of hepatitis B virus: a systematic review of reports on outbreaks between 1992 and 2007. BMC Medicine, 2009, 7, 15.   | 2.3 | 76        |
| 9  | COVID-19 among healthcare workers in a specialist infectious diseases setting in Naples, Southern Italy: results of a cross-sectional surveillance study. Journal of Hospital Infection, 2020, 105, 596-600.  | 1.4 | 76        |
| 10 | Infection control in the management of highly pathogenic infectious diseases: consensus of the European Network of Infectious Disease. Lancet Infectious Diseases, The, 2009, 9, 301-311.   | 4.6 | 69        |
| 11 | Fever of unknown origin (FUO): which are the factors influencing the final diagnosis? A 2005–2015 systematic review. BMC Infectious Diseases, 2019, 19, 653.  | 1.3 | 64        |
| 12 | The Serum Metabolome of Moderate and Severe COVID-19 Patients Reflects Possible Liver Alterations Involving Carbon and Nitrogen Metabolism. International Journal of Molecular Sciences, 2021, 22, 9548.  | 1.8 | 56        |
| 13 | RAAS inhibitors are not associated with mortality in COVID-19 patients: Findings from an observational multicenter study in Italy and a meta-analysis of 19 studies. Vascular Pharmacology, 2020, 135, 106805.  | 1.0 | 39        |
| 14 | Immediate Versus Deferred Switching From a Boosted Protease Inhibitor–based Regimen to a Dolutegravir-based Regimen in Virologically Suppressed Patients With High Cardiovascular Risk or Age ≥50 Years: Final 96-Week Results of the NEATO22 Study. Clinical Infectious Diseases, 2019, 68, 597-606. | 2.9 | 34        |
| 15 | Infection control management of patients with suspected highly infectious diseases in emergency departments: data from a survey in 41 facilities in 14 European countries. BMC Infectious Diseases, 2012, 12, 27.   | 1.3 | 32        |
| 16 | Outbreak of cutaneous larva migrans in Naples, southern Italy. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2002, 96, 491-492.   | 0.7 | 30        |
| 17 | Isolation rooms for highly infectious diseases: an inventory of capabilities in European countries.<br>Journal of Hospital Infection, 2009, 73, 15-23.  | 1.4 | 26        |
| 18 | Isolation Facilities for Highly Infectious Diseases in Europe – A Cross-Sectional Analysis in 16 Countries. PLoS ONE, 2014, 9, e100401.   | 1.1 | 22        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A curriculum for training healthcare workers in the management of highly infectious diseases. Eurosurveillance, 2007, 12, 5-6.   | 3.9 | 22        |
| 20 | EuroNHID checklists for the assessment of high-level isolation units and referral centres for highly infectious diseases: results from the pilot phase of a European survey. Clinical Microbiology and Infection, 2009, 15, 711-719. | 2.8 | 21        |
| 21 | Lopinavir/Ritonavir and Darunavir/Cobicistat in Hospitalized COVID-19 Patients: Findings From the Multicenter Italian CORIST Study. Frontiers in Medicine, 2021, 8, 639970.  | 1.2 | 20        |
| 22 | Case definition for Ebola and Marburg haemorrhagic fevers: a complex challenge for epidemiologists and clinicians. New Microbiologica, 2009, 32, 359-67.   | 0.1 | 19        |
| 23 | Personal Protective Equipment Management and Policies: European Network for Highly Infectious Diseases Data from 48 Isolation Facilities in 16 European Countries. Infection Control and Hospital Epidemiology, 2012, 33, 1008-1016. | 1.0 | 18        |
| 24 | Burden of Disease in PWH Harboring a Multidrug-Resistant Virus: Data From the PRESTIGIO Registry. Open Forum Infectious Diseases, 2020, 7, ofaa456.  | 0.4 | 16        |
| 25 | Dynamics and phylogenetic relationships of HIV-1 transmitted drug resistance according to subtype in Italy over the years 2000–14. Journal of Antimicrobial Chemotherapy, 2017, 72, 2837-2845.                                       | 1.3 | 15        |
| 26 | Infection control practices in facilities for highly infectious diseases across Europe. Journal of Hospital Infection, 2012, 81, 184-191.  | 1.4 | 14        |
| 27 | Ebola: missed opportunities for Europe–Africa research. Lancet Infectious Diseases, The, 2015, 15, 1254-1255.  | 4.6 | 13        |
| 28 | Switching from boosted PIs to dolutegravir decreases soluble CD14 and adiponectin in high cardiovascular risk people living with HIV. Journal of Antimicrobial Chemotherapy, 2021, 76, 2380-2393.                                    | 1.3 | 13        |
| 29 | A 2009 cross-sectional survey of procedures for post-mortem management of highly infectious disease patients in 48 isolation facilities in 16 countries: data from EuroNHID. Infection, 2016, 44, 57-64.                             | 2.3 | 12        |
| 30 | Transportation capacity for patients with highly infectious diseases in Europe: a survey in 16 nations. Clinical Microbiology and Infection, 2019, 21, e1-e5.  | 2.8 | 11        |
| 31 | Invasive Meningococcal Disease due to group C N. meningitidis ST11 (cc11): The Tuscany cluster 2015–2016. Vaccine, 2018, 36, 5962-5966.  | 1.7 | 8         |
| 32 | Use of lung ultrasound in COVID-19: comparison with ultra-high-resolution computed tomography among 29 patients at "D. Cotugno" hospital, Naples, Italy. Infezioni in Medicina, 2020, 28, 346-350.                                   | 0.7 | 8         |
| 33 | The added value of long-lasting preparedness for the management of a patient with Ebola. European Journal of Internal Medicine, 2015, 26, 451-452.   | 1.0 | 7         |
| 34 | Three cases of Zika virus imported in Italy: need for a clinical awareness and evidence-based knowledge. BMC Infectious Diseases, 2016, 16, 669.   | 1.3 | 7         |
| 35 | Occupational transmission of an Orthopoxvirus infection during an outbreak in a colony of <i>Macaca tonkeana</i> in Lazio Region, Italy, 2015. Zoonoses and Public Health, 2018, 65, 578-583.  | 0.9 | 7         |
| 36 | Risk management of febrile respiratory illness in emergency departments. New Microbiologica, 2008, 31, 165-73.   | 0.1 | 7         |

3

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Epidemiology of HCV and HBV in a High Endemic Area of Southern Italy: Opportunities from the COVID-19 Pandemic—Standardized National Screening or One Tailored to Local Epidemiology?. Biology, 2022, 11, 609.  | 1.3 | 7         |
| 38 | Biosecurity Measures in 48 Isolation Facilities Managing Highly Infectious Diseases. Biosecurity and Bioterrorism, 2012, 10, 208-214.   | 1.2 | 6         |
| 39 | Persons living with HIV may be reluctant to access to COVID-19 testing services: data from  D.<br>Cotugno' Hospital, Naples, Southern Italy. Aids, 2020, 34, 2151-2152.   | 1.0 | 6         |
| 40 | Letter to the editor: Management of patients with Ebola virus disease in Europe: high-level isolation units should have a key role. Eurosurveillance, 2014, 19, 20993.  | 3.9 | 6         |
| 41 | Diagnostic issues and capabilities in 48 isolation facilities in 16 European countries: data from EuroNHID surveys. BMC Research Notes, 2012, 5, 527.   | 0.6 | 5         |
| 42 | Non-randomised Ebola trialsâ€"lessons for optimal outbreak research. Lancet Infectious Diseases, The, 2016, 16, 407-408.  | 4.6 | 5         |
| 43 | Switching from boosted PIs to dolutegravir in HIV-infected patients with high cardiovascular risk: 48 week effects on subclinical cardiovascular disease. Journal of Antimicrobial Chemotherapy, 2020, 75, 3334-3343.   | 1.3 | 5         |
| 44 | Influenza A (H1N1) in Rome, Italy in family: three case reports. Cases Journal, 2009, 2, 9123.  | 0.4 | 4         |
| 45 | Facing the threat of highly infectious diseases in Europe: the need for a networking approach. Clinical Microbiology and Infection, 2009, 15, 706-710.  | 2.8 | 4         |
| 46 | Considerations regarding safe transport and transfer for Ebola patients in western countries. Intensive Care Medicine, 2015, 41, 1175-1176.   | 3.9 | 4         |
| 47 | Hospital preparedness for knowledge-based response to Ebola and other emerging infectious diseases:<br>A continuous challenge. European Journal of Internal Medicine, 2015, 26, 454-455.  | 1.0 | 4         |
| 48 | Sampling Surfaces for Ebola Virus Persistence After Cleaning Procedures in High-Level Isolation Settings: The Experience With 2 Patients at the Lazzaro Spallanzani National Institute for Infectious Diseases. Infection Control and Hospital Epidemiology, 2016, 37, 723-725. | 1.0 | 4         |
| 49 | Highly infectious diseases in the Mediterranean Sea area: Inventory of isolation capabilities and recommendations for appropriate isolation. New Microbes and New Infections, 2018, 26, S65-S73.  | 0.8 | 4         |
| 50 | The contribution of the European high containment laboratories during the 2014–2015 Ebola Virus Disease emergency. Clinical Microbiology and Infection, 2017, 23, 58-60.  | 2.8 | 3         |
| 51 | Meningococcal disease in an ambulance worker. Eurosurveillance, 2008, 13, 9-10.   | 3.9 | 3         |
| 52 | Differences among confirmed and not-confirmed COVID-19 patients at "D.Cotugno" hospital, Naples (Italy): what we learned from first suspected cases?. Infezioni in Medicina, 2020, 28, 84-88.   | 0.7 | 3         |
| 53 | Adopting a Global Safety Standard for the Prevention of Ebola Needle-Stick Exposures. Infection Control and Hospital Epidemiology, 2015, 36, 745-746.   | 1.0 | 2         |
| 54 | Enabling Rapid Response to the 2014–2016 Ebola Epidemic: The Experience and the Results of the National Institute for Infectious Diseases Lazzaro Spallanzani. Advances in Experimental Medicine and Biology, 2016, 972, 103-122.   | 0.8 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Clinical presentation and outcome of twenty cases of Invasive Meningococcal Disease due to Serogroup C – Clonal complex 11 in the Florence province, Italy, 2015–2016. Journal of Infection, 2017, 74, 210-213. | 1.7 | 2         |
| 56 | Overuse of antimicrobials and over-hospitalization in an adult measles cluster in the Florence area during the ongoing Italian outbreak. Infection, 2018, 46, 891-892.  | 2.3 | 2         |
| 57 | Disentangling the Association of Hydroxychloroquine Treatment with Mortality in Covid-19<br>Hospitalized Patients through Hierarchical Clustering. Journal of Healthcare Engineering, 2021, 2021, 1-10.         | 1.1 | 2         |
| 58 | Brucellosis with erythema nodosum-like manifestations diagnosed by isolated positivity of the ELISA test for anti-Brucella IgM. Infezioni in Medicina, 2005, 13, 255-8.   | 0.7 | 2         |
| 59 | Reasons for switching ART: Comparison of data collected in 2012–2013 and 2014–2015 in Florence, Italy. International Journal of STD and AIDS, 2018, 29, 392-395.  | 0.5 | 1         |
| 60 | Parietal intrahemispheric source connectivity of resting-state electroencephalographic alpha rhythms is abnormal in NaÃ-ve HIV patients. Brain Research Bulletin, 2022, 181, 129-143.                           | 1.4 | 1         |
| 61 | Biocontainment Patient Care Units. Biosecurity and Bioterrorism, 2007, 5, 86-86.  | 1.2 | 0         |
| 62 | Noninvasive positive-pressure ventilation. Cmaj, 2008, 178, 597-598.  | 0.9 | 0         |
| 63 | Infection control in the emergency department. Cmaj, 2012, 184, 1065.3-1065.  | 0.9 | 0         |
| 64 | Microelimination of HCV in residual populations of coinfected HIV/HCV: real-life data from an hospital setting in Southern Italy. Digestive and Liver Disease, 2020, 52, e25.                                   | 0.4 | O         |