

MarÃ-a J Cano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3016509/publications.pdf>

Version: 2024-02-01

87
papers

802
citations

623734

14
h-index

677142

22
g-index

87
all docs

87
docs citations

87
times ranked

230
citing authors

#	ARTICLE	IF	CITATIONS
1	A multilocus phylogeny of the moss genus <i>Didymodon</i> and allied genera (Pottiaceae): Generic delimitations and their implications for systematics. <i>Journal of Systematics and Evolution</i> , 2022, 60, 281-304.	3.1	16
2	A molecular approach to the phylogeny of the moss genus <i>Pseudocrossidium</i> (Pottiaceae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	3.1	4
3	Reappraisal of <i>Barbula trifaria</i> var. <i>desertorum</i> (J. Froehl.) S. Agnew (Pottiaceae, Bryophyta), based on morphological and molecular evidence. <i>Nova Hedwigia</i> , 2022, 114, 9-21.	0.4	4
4	Circumscription and Phylogenetic Position of Two Propagulose Species of <i>Syntrichia</i> (Pottiaceae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	3.5	2
5	A new species of moss emerges from molecular and morphological data: <i>Schistidium memnonium</i> sp. nov. (Grimmiaceae, Bryophyta). <i>Plant Biosystems</i> , 2021, 155, 567-578.	1.6	4
6	<i>Schistidium apocarpum</i> Complex (Grimmiaceae, Bryophyta) in the Baetic Mountain Ranges, Southern Iberian Peninsula. <i>Cryptogamie, Bryologie</i> , 2021, 42, .	0.2	0
7	<i>Fissidens eremicus</i> (Fissidentaceae), a new pseudocryptic African-European species with dimorphic stems. <i>Journal of Bryology</i> , 2021, 43, 266-276.	1.2	4
8	<i>Syntrichia splendida</i> M.T.Gallego & M.J.Cano (Pottiaceae), a new moss species from northern Chile. <i>Journal of Bryology</i> , 2021, 43, 277-282.	1.2	2
9	“Giant males” in <i>Fissidens</i> (Bryophyta) from arid areas: The case of <i>F. eremicus</i> and <i>F. sublimbatus</i> . <i>Nova Hedwigia</i> , 2021, , .	0.4	1
10	Six new records of Pottiaceae (Bryophyta) for Cyprus. <i>Herzogia</i> , 2021, 33, .	0.4	0
11	<i>Syntrichia lamellaris</i> M.T.Gallego, M.J.Cano & Larrañ (Pottiaceae), a new moss species from Chilean Patagonia. <i>Journal of Bryology</i> , 2020, 42, 128-132.	1.2	3
12	<i>Andinella</i> , a new name for <i>Andinia</i> (Pottiaceae, Bryophyta) non <i>Andinia</i> (Luer) Luer (Orchidaceae). <i>Phytotaxa</i> , 2020, 452, 243-245.	0.3	3
13	New Bryophyte Records from the Mediterranean Region of Chile. <i>Cryptogamie, Bryologie</i> , 2020, 41, 131.	0.2	3
14	<i>Erythrophyllopsis perlaticosta</i> M.J.Cano & J.A.Jiménez (Pottiaceae) a new species from the Peruvian Andes. <i>Journal of Bryology</i> , 2019, 41, 21-27.	1.2	0
15	<i>Schistidium convergens</i> (Grimmiaceae, Bryophyta), a new species from southern Spain and Morocco. <i>Nova Hedwigia</i> , 2019, 109, 65-80.	0.4	6
16	<i>Didymodon ochyrarum</i> (Pottiaceae, Bryophyta), a new Andean species from tropical South America. <i>Acta Musei Silesiae: Scientiae Naturales</i> , 2019, 68, 135-141.	0.2	2
17	Taxonomic Revision of <i>Chionoloma</i> (Pottiaceae, Bryophyta). <i>Annals of the Missouri Botanical Garden</i> , 2019, 104, 563-632.	1.3	9
18	<i>Bryoerythrophyllum sollmanianum</i> (Pottiaceae), a new moss species from the Sino-Himalayan region. <i>Bryologist</i> , 2019, 122, 307.	0.6	2

#	ARTICLE	IF	CITATIONS
19	New data on the moss genus <i>Stegonia</i> (Bryophyta, Pottiaceae). <i>Herzogia</i> , 2019, 32, 338.	0.4	1
20	<i>Stephanodictyon borneense</i> (Pottiaceae, Bryophyta): new combination, typification and update of distribution. <i>Plant Biosystems</i> , 2018, 152, 1160-1164.	1.6	4
21	<i>Didymodon buckii</i> (Pottiaceae), a new moss species from the Neotropics. <i>Bryologist</i> , 2018, 121, 554-559.	0.6	2
22	New synonyms and typifications in <i>Chionoloma tenuirostre</i> (Pottiaceae, Bryophyta). <i>Phytotaxa</i> , 2018, 373, 147.	0.3	4
23	Taxonomic resurrection of an awnless variety of <i>Syntrichia ruralis</i> and comparison with other European muticous taxa in this genus. <i>Journal of Bryology</i> , 2018, 40, 244-250.	1.2	7
24	Taxonomy and distribution of <i>Pachyneuropsis</i> (Pottiaceae, Bryophyta). <i>Plant Systematics and Evolution</i> , 2018, 304, 1069-1076.	0.9	2
25	Taxonomic identity of <i>Chionoloma bombayense</i> (Pottiaceae, Bryophyta). <i>Nova Hedwigia</i> , 2018, 106, 5-15.	0.4	4
26	<i>Didymodon caboverdeanus</i> J.A.Jiménez & M.J.Cano (Pottiaceae, Musci), a new species from the Cape Verde archipelago. <i>Journal of Bryology</i> , 2017, 39, 171-176.	1.2	4
27	A new species of <i>Chionoloma</i> (Pottiaceae) from Central and South America with a key to Neotropical species of the genus. <i>Bryologist</i> , 2017, 120, 340-346.	0.6	8
28	Three new mosses records from the Andes of northwestern Argentina.. <i>Boletín De La Sociedad Argentina De Botanica</i> , 2017, 52, 261-263.	0.3	4
29	The genus <i>Saitobryum</i> (Pottiaceae) revisited. <i>Journal of Bryology</i> , 2016, 38, 223-229.	1.2	6
30	New records of Pottiaceae (Bryophyta) from Cape Verde. <i>Nova Hedwigia</i> , 2016, 103, 373-383.	0.4	5
31	Untangling <i>Pseudocrossidium crinitum</i> s. l. (Pottiaceae, Bryophyta) through molecular and morphometric analysis. <i>Nova Hedwigia</i> , 2016, 102, 89-106.	0.4	6
32	Disentangling generic limits in <i>Chionoloma</i> , <i>Oxystegus</i> , <i>Pachyneuropsis</i> and <i>Pseudosymblepharis</i> (Bryophyta: Pottiaceae): An inquiry into their phylogenetic relationships. <i>Taxon</i> , 2016, 65, 3-18.	0.7	21
33	<i>Bryoerythrophyllum subcaespitosum</i> (Pottiaceae), a new combination for a neglected species from South America. <i>Phytotaxa</i> , 2015, 68, 29.	0.3	5
34	<i>Didymodon edentulus</i> (Bryophyta, Pottiaceae), a new Andean species from the Cordillera Occidental in Peru. <i>Nova Hedwigia</i> , 2015, 100, 471-478.	0.4	6
35	<i>Pseudocrossidium exiguum</i> M.J.Cano & J.A.Jiménez (Pottiaceae), a new species from South America. <i>Journal of Bryology</i> , 2015, 37, 56-61.	1.2	7
36	On <i>Barbula munyensis</i> R.S.Williams (Pottiaceae), an overlooked species from the tropical montane forest of South America. <i>Journal of Bryology</i> , 2014, 36, 22-26.	1.2	4

#	ARTICLE	IF	CITATIONS
37	A new combination in <i>Pseudosymblepharis</i> (Pottiaceae) from South and Central America. Journal of Bryology, 2014, 36, 27-33.	1.2	10
38	A new species of <i>Didymodon</i> (Bryophyta, Pottiaceae), from northern South America. Nova Hedwigia, 2014, 99, 467-473.	0.4	5
39	Morphological and Molecular Data Support a New Combination in the Neotropical Complex of Cucullate-leaved Species of <i>Syntrichia</i> (Pottiaceae). Systematic Botany, 2014, 39, 361-368.	0.5	13
40	(2331) Proposal to conserve the name <i>Globulina boliviana</i> (<i>Bryoerythrophyllum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td 2014, 63, 1372-1372.	0.7	0
41	Taxonomic Revision of <i>Brachytheciastrum</i> (Brachytheciaceae, Bryophyta) from the Mediterranean Region. Systematic Botany, 2013, 38, 283-294.	0.5	11
42	<i>Brachymitrium laciniatum</i> (Splachnaceae) Rediscovered in South America. Polish Botanical Journal, 2013, 58, 231-235.	0.5	2
43	A taxonomic revision of the tribe Pleuroweisieae (Pottiaceae, Bryophyta) in South America. Phytotaxa, 2013, 143, 1.	0.3	25
44	<i>Brachythecium laetum</i> (Brid.) Schimp. (Brachytheciaceae, Bryophyta) new to the flora of the Iberian Peninsula and Bulgaria with notes on related taxa. Journal of Bryology, 2012, 34, 137-140.	1.2	4
45	Typification, taxonomy and distribution of <i>Brachythecium erythrorrhizon</i> Schimp. (Brachytheciaceae,) Tj ETQq1 1 0,784314 rgBT /Over	0.4	0
46	<i>Didymodon lainzii</i> (Pottiaceae) a new species from the tropical seasonally dry forests of Ecuador and Peru. Bryologist, 2012, 115, 406-411.	0.6	11
47	New records, synonyms and one combination in the genus <i>Syntrichia</i> (Pottiaceae) from South America. Bryologist, 2011, 114, 556-562.	0.6	9
48	<i>Pseudocrossidium adustum</i> (Pottiaceae) an overlooked taxon in the Southern Hemisphere. Bryologist, 2011, 114, 356-361.	0.6	4
49	<i>Sciuro-hypnum</i> (Brachytheciaceae) in the Mediterranean region. Bryologist, 2011, 114, 595-610.	0.6	13
50	New records of Pottiaceae (Bryophyta) for Argentina and Bolivia. Nova Hedwigia, 2011, 93, 165-176.	0.4	12
51	A contribution to the phylogenetic study of Mielichhoferiaceae-Mniaceae (Bryophyta) based on molecular sequence data. Nova Hedwigia, 2011, 93, 47-56.	0.4	15
52	<i>Pseudocrossidium perpapillosum</i> (Pottiaceae) a new species from South America. Journal of Bryology, 2011, 33, 300-303.	1.2	8
53	<i>Guerramontesia microdonta</i> (Pottiaceae, Bryophyta) a New Monotypic Genus from South America. Systematic Botany, 2010, 35, 453-460.	0.5	22
54	A Systematic Revision of the Genus <i>Erythrophyllopsis</i> (Pottiaceae, Bryophyta). Systematic Botany, 2010, 35, 683-694.	0.5	16

#	ARTICLE	IF	CITATIONS
55	A new species of <i>Didymodon</i> (Pottiaceae) from the Northwestern Argentina. <i>Bryologist</i> , 2010, 113, 770-774.	0.6	7
56	Phylogenetic relationships in the genus <i>Hennediella</i> (Pottiaceae, Bryophyta) inferred from nrITS sequence data. <i>Plant Systematics and Evolution</i> , 2009, 281, 209-216.	0.9	10
57	<i>Pseudocrossidium linearifolium</i> (Pottiaceae) comb. et stat. nov. <i>Bryologist</i> , 2009, 112, 188-193.	0.6	9
58	<i>Indusiella</i> (Ptychomitriaceae) in South America. <i>Bryologist</i> , 2009, 112, 308-314.	0.6	3
59	New synonymy in <i>Syntrichia</i> (Pottiaceae) in the Neotropics. <i>Bryologist</i> , 2009, 112, 173-177.	0.6	8
60	<i>Syntrichia boliviana</i> (Pottiaceae, Bryophyta), a New Species from the Tropical Andes. <i>Systematic Botany</i> , 2009, 34, 245-251.	0.5	9
61	The genus <i>Tortula</i> (Pottiaceae, Bryophyta) in South America. <i>Botanical Journal of the Linnean Society</i> , 2008, 156, 173-220.	1.6	49
62	A new species of <i>Didymodon</i> Hedw. (Pottiaceae, Bryophyta) from Peru. <i>Botanical Journal of the Linnean Society</i> , 2008, 156, 221-226.	1.6	14
63	Molecular and morphological evidence on the status of <i>Bryum mildeanum</i> Jur. and records revision in the Iberian Peninsula. <i>Journal of Bryology</i> , 2008, 30, 297-302.	1.2	8
64	<i>Didymodon hegewaldiorum</i> (Pottiaceae), a new species from the Tropical Andes. <i>Journal of Bryology</i> , 2008, 30, 121-125.	1.2	21
65	<i>Didymodon coquimbensis</i> (Pottiaceae), a new species from Chile. <i>Bryologist</i> , 2007, 110, 812-816.	0.6	9
66	A new species of <i>Syntrichia</i> Brid. (Pottiaceae, Bryophyta) from Chile. <i>Journal of Bryology</i> , 2007, 29, 183-187.	1.2	8
67	Typification of the names of some infraspecific taxa in the <i>Tortula subulata</i> complex (<i>Pottiaceae</i> , Bryophyta) and their taxonomic disposition. <i>Taxon</i> , 2007, 56, 949-952.	0.7	8
68	Two new combinations in <i>Didymodon</i> (Pottiaceae) from South America. <i>Bryologist</i> , 2006, 109, 391-397.	0.6	18
69	<i>Syntrichia ammonsiana</i> (Pottiaceae), new to South America. <i>Bryologist</i> , 2006, 109, 236-238.	0.6	6
70	Preliminary Investigation of the Systematics of <i>Didymodon</i> (Pottiaceae, Musci) Based on nrITS Sequence Data. <i>Systematic Botany</i> , 2005, 30, 461-470.	0.5	30
71	A new evaluation of the genus <i>Trichostomopsis</i> (Pottiaceae, Bryophyta). <i>Botanical Journal of the Linnean Society</i> , 2005, 147, 117-127.	1.6	28
72	A morphometric and molecular study in <i>Tortula subulata</i> complex (Pottiaceae, Bryophyta). <i>Botanical Journal of the Linnean Society</i> , 2005, 149, 333-350.	1.6	21

#	ARTICLE	IF	CITATIONS
73	<i>Syntrichia bogotensis</i> (Bryopsida, Pottiaceae) New for Macaronesia. <i>Bryologist</i> , 2005, 108, 219-223.	0.6	6
74	(1666) Proposal to conserve the name <i>Pseudocrossidium revolutum</i> (Pottiaceae , Bryophyta) with a conserved type. <i>Taxon</i> , 2005, 54, 189-190.	0.7	2
75	(1610) Proposal to conserve the name <i>Tortula solmsii</i> against <i>Tortula limbata</i> (Pottiaceae , Bryophyta). <i>Taxon</i> , 2004, 53, 198-199.	0.7	2
76	A taxonomic study of <i>Syntrichia laevipila</i> (Pottiaceae, Musci) complex. <i>Botanical Journal of the Linnean Society</i> , 2004, 145, 219-230.	1.6	15
77	Lectotypification of twenty names of taxa referable to <i>Tortula</i> Hedw. (Pottiaceae , Bryophyta). <i>Taxon</i> , 2003, 52, 611-618.	0.7	9
78	<i>Didymodon revolutus</i> (Bryopsida, Pottiaceae), A Species New to the Asian Flora. <i>Bryologist</i> , 2003, 106, 575-577.	0.6	8
79	An overview of <i>Syntrichia ruralis</i> complex (Pottiaceae: Musci) in the Mediterranean region and neighbouring areas. <i>Botanical Journal of the Linnean Society</i> , 2002, 138, 209-224.	1.6	22
80	<i>Weissia perssonii</i> Kindb. in the Iberian peninsula. <i>Cryptogamie, Bryologie</i> , 2001, 22, 287-290.	0.2	1
81	Remarks on the chorology, habitat and morphology of <i>Pseudotaxiphyllum laetevirens</i> (K. Koppe & Dill) Hedenäs in the Iberian Peninsula. <i>Cryptogamie, Bryologie</i> , 2001, 22, 53-57.	0.2	1
82	<i>Fissidens sublimbatus</i> , New to Morocco and the Canary Islands. <i>Bryologist</i> , 2001, 104, 468-470.	0.6	9
83	The Status and Distribution of <i>Syntrichia virescens</i> var. <i>minor</i> (Pottiaceae, Musci). <i>Bryologist</i> , 2000, 103, 375-378.	0.6	9
84	Bryophyte checklist of Northern Africa. <i>Journal of Bryology</i> , 1999, 21, 207-244.	1.2	93
85	<i>Anacolia menziesii</i> (Bartramiaceae, Musci) a New Species to the European Bryophyte Flora. <i>Bryologist</i> , 1998, 101, 588.	0.6	4
86	<i>Pterygoneurum compactum</i> sp. nov. (Musci: Pottiaceae) from Spain. <i>Bryologist</i> , 1994, 97, 412.	0.6	7
87	<i>Hymenostylium chapadense</i> M.J.Cano & J.A.Jiménez (Pottiaceae), a new species from Brazil and its phylogenetic position based on molecular data. <i>Journal of Bryology</i> , 0, , 1-11.	1.2	0