H Bryant Nguyen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3016624/publications.pdf

Version: 2024-02-01

36 papers 1,888 citations

20 h-index 377865 34 g-index

36 all docs 36 docs citations

36 times ranked 2586 citing authors

#	Article	IF	CITATIONS
1	Implementation of a bundle of quality indicators for the early management of severe sepsis and septic shock is associated with decreased mortality*. Critical Care Medicine, 2007, 35, 1105-1112.	0.9	503
2	AKI Treated with Renal Replacement Therapy in Critically Ill Patients with COVID-19. Journal of the American Society of Nephrology: JASN, 2021, 32, 161-176.	6.1	207
3	Early lactate clearance is associated with biomarkers of inflammation, coagulation, apoptosis, organ dysfunction and mortality in severe sepsis and septic shock. Journal of Inflammation, 2010, 7, 6.	3.4	132
4	Early goal-directed therapy in severe sepsis and septic shock: insights and comparisons to ProCESS, ProMISe, and ARISE. Critical Care, 2016, 20, 160.	5.8	129
5	Outcome effectiveness of the severe sepsis resuscitation bundle with addition of lactate clearance as a bundle item: a multi-national evaluation. Critical Care, 2011, 15, R229.	5.8	103
6	Superior accuracy of mid-regional proadrenomedullin for mortality prediction in sepsis with varying levels of illness severity. Annals of Intensive Care, 2017, 7, 15.	4.6	72
7	Sepsis in the 21st century: recent definitions and therapeutic advances. American Journal of Emergency Medicine, 2007, 25, 564-571.	1.6	67
8	An educational course including medical simulation for early goal-directed therapy and the severe sepsis resuscitation bundle: An evaluation for medical student training. Resuscitation, 2009, 80, 674-679.	3.0	57
9	Life after sepsis: an international survey of survivors to understand the post-sepsis syndrome. International Journal for Quality in Health Care, 2019, 31, 191-198.	1.8	56
10	Serum 1,25-Dihydroxyvitamin D: An Outcome Prognosticator in Human Sepsis. PLoS ONE, 2013, 8, e64348.	2.5	52
11	Vitamin C, Hydrocortisone, and Thiamine for the Treatment of Severe Sepsis and Septic Shock: A Retrospective Analysis of Real-World Application. Journal of Clinical Medicine, 2019, 8, 478.	2.4	51
12	Comparison of Predisposition, Insult/Infection, Response, and Organ dysfunction, Acute Physiology And Chronic Health Evaluation II, and Mortality in Emergency Department Sepsis in patients meeting criteria for early goal-directed therapy and the severe sepsis resuscitation bundle. Journal of Critical Care, 2012, 27, 362-369.	2.2	50
13	Patient-Centered Structured Interdisciplinary Bedside Rounds in the Medical ICU. Critical Care Medicine, 2018, 46, 85-92.	0.9	49
14	MORTALITY PREDICTIONS USING CURRENT PHYSIOLOGIC SCORING SYSTEMS IN PATIENTS MEETING CRITERIA FOR EARLY GOAL-DIRECTED THERAPY AND THE SEVERE SEPSIS RESUSCITATION BUNDLE. Shock, 2008, 30, 23-28.	2.1	43
15	The Utility of a Quality Improvement Bundle in Bridging the Gap between Research and Standard Care in the Management of Severe Sepsis and Septic Shock in the Emergency Department. Academic Emergency Medicine, 2007, 14, 1079-1086.	1.8	33
16	Cardiac index measurements by transcutaneous Doppler ultrasound and transthoracic echocardiography in adult and pediatric emergency patients. Journal of Clinical Monitoring and Computing, 2010, 24, 237-247.	1.6	33
17	Effects of Compliance With the Early Management Bundle (SEP-1) on Mortality Changes Among Medicare Beneficiaries With Sepsis. Chest, 2022, 161, 392-406.	0.8	31
18	Realâ€time Sonographically Guided Percutaneous Dilatational Tracheostomy Using a Longâ€Axis Approach Compared to the Landmark Technique. Journal of Ultrasound in Medicine, 2014, 33, 1407-1415.	1.7	28

#	Article	IF	CITATIONS
19	The cost impact of PCT-guided antibiotic stewardship versus usual care for hospitalised patients with suspected sepsis or lower respiratory tract infections in the US: A health economic model analysis. PLoS ONE, 2019, 14, e0214222.	2.5	23
20	Impact of a 2-Day Critical Care Ultrasound Course during Fellowship Training: A Pilot Study. Critical Care Research and Practice, 2015, 2015, 1-8.	1.1	21
21	Real-world use of procalcitonin and other biomarkers among sepsis hospitalizations in the United States: A retrospective, observational study. PLoS ONE, 2018, 13, e0205924.	2.5	19
22	The Utility of a Quality Improvement Bundle in Bridging the Gap between Research and Standard Care in the Management of Severe Sepsis and Septic Shock in the Emergency Department. Academic Emergency Medicine, 2007, 14, 1079-1086.	1.8	19
23	Comparative effectiveness of physician diagnosis and guideline definitions in identifying sepsis patients in the emergency department. Journal of Critical Care, 2015, 30, 71-77.	2.2	15
24	Mechanistic study of the cause of decreased blood 1,25-Dihydroxyvitamin D in sepsis. BMC Infectious Diseases, 2019, 19, 1020.	2.9	14
25	Precision and consistency of the passive leg raising maneuver for determining fluid responsiveness with bioreactance non-invasive cardiac output monitoring in critically ill patients and healthy volunteers. PLoS ONE, 2019, 14, e0222956.	2.5	13
26	A Physiologic Approach to Hemodynamic Monitoring and Optimizing Oxygen Delivery in Shock Resuscitation. Journal of Clinical Medicine, 2020, 9, 2052.	2.4	13
27	Standardization of Severe Sepsis Management: A Survey of Methodologies in Academic and Community Settings. Journal of Emergency Medicine, 2010, 38, 122-132.	0.7	11
28	Use of Biomarkers to Identify Acute Kidney Injury to Help Detect Sepsis in Patients With Infection. Critical Care Medicine, 2021, 49, e360-e368.	0.9	11
29	Developing a percutaneous dilatational tracheostomy service by medical intensivists: Experience at one academic Institution. Journal of Critical Care, 2015, 30, 321-326.	2.2	9
30	Leadership Primer for Current and Aspiring Pulmonary, Critical Care, and Sleep Medicine Academic Division Chiefs. Annals of the American Thoracic Society, 2018, 15, 655-661.	3.2	8
31	Effectiveness of Angiotensin II for Catecholamine Refractory Septic or Distributive Shock on Mortality: A Propensity Score Weighted Analysis of Real-World Experience in the Medical ICU., 2022, 4, e0623.		6
32	Mortality Benefit From the Passive Leg Raise Maneuver in Guiding Resuscitation of Septic Shock Patients: A Systematic Review and Meta-Analysis of Randomized Trials. Journal of Intensive Care Medicine, 2022, 37, 611-617.	2.8	5
33	Solely Targeting "Alactatemia―in Septic Shock Resuscitation?. Chest, 2013, 143, 1521-1523.	0.8	2
34	A multi-center evaluation of a disposable catheter to aid in correct positioning of the endotracheal tube after intubation in critically ill patients. Journal of Critical Care, 2018, 48, 222-227.	2.2	2
35	Necrotizing Fasciitis Within 72 hours After Presentation with Skin and Skin Structure Infection. Western Journal of Emergency Medicine, 2020, 21, 943-948.	1.1	1
36	Severe Sepsis and Septic Shock. , 0, , 235-250.		0