

H Bryant Nguyen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3016624/publications.pdf>

Version: 2024-02-01

36
papers

1,888
citations

361413
20
h-index

377865
34
g-index

36
all docs

36
docs citations

36
times ranked

2586
citing authors

#	ARTICLE	IF	CITATIONS
1	Mortality Benefit From the Passive Leg Raise Maneuver in Guiding Resuscitation of Septic Shock Patients: A Systematic Review and Meta-Analysis of Randomized Trials. <i>Journal of Intensive Care Medicine</i> , 2022, 37, 611-617.	2.8	5
2	Effects of Compliance With the Early Management Bundle (SEP-1) on Mortality Changes Among Medicare Beneficiaries With Sepsis. <i>Chest</i> , 2022, 161, 392-406.	0.8	31
3	Effectiveness of Angiotensin II for Catecholamine Refractory Septic or Distributive Shock on Mortality: A Propensity Score Weighted Analysis of Real-World Experience in the Medical ICU. , 2022, 4, e0623.		6
4	AKI Treated with Renal Replacement Therapy in Critically Ill Patients with COVID-19. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 161-176.	6.1	207
5	Use of Biomarkers to Identify Acute Kidney Injury to Help Detect Sepsis in Patients With Infection. <i>Critical Care Medicine</i> , 2021, 49, e360-e368.	0.9	11
6	Necrotizing Fasciitis Within 72 hours After Presentation with Skin and Skin Structure Infection. <i>Western Journal of Emergency Medicine</i> , 2020, 21, 943-948.	1.1	1
7	A Physiologic Approach to Hemodynamic Monitoring and Optimizing Oxygen Delivery in Shock Resuscitation. <i>Journal of Clinical Medicine</i> , 2020, 9, 2052.	2.4	13
8	Precision and consistency of the passive leg raising maneuver for determining fluid responsiveness with bioreactance non-invasive cardiac output monitoring in critically ill patients and healthy volunteers. <i>PLoS ONE</i> , 2019, 14, e0222956.	2.5	13
9	The cost impact of PCT-guided antibiotic stewardship versus usual care for hospitalised patients with suspected sepsis or lower respiratory tract infections in the US: A health economic model analysis. <i>PLoS ONE</i> , 2019, 14, e0214222.	2.5	23
10	Vitamin C, Hydrocortisone, and Thiamine for the Treatment of Severe Sepsis and Septic Shock: A Retrospective Analysis of Real-World Application. <i>Journal of Clinical Medicine</i> , 2019, 8, 478.	2.4	51
11	Mechanistic study of the cause of decreased blood 1,25-Dihydroxyvitamin D in sepsis. <i>BMC Infectious Diseases</i> , 2019, 19, 1020.	2.9	14
12	Life after sepsis: an international survey of survivors to understand the post-sepsis syndrome. <i>International Journal for Quality in Health Care</i> , 2019, 31, 191-198.	1.8	56
13	Leadership Primer for Current and Aspiring Pulmonary, Critical Care, and Sleep Medicine Academic Division Chiefs. <i>Annals of the American Thoracic Society</i> , 2018, 15, 655-661.	3.2	8
14	Patient-Centered Structured Interdisciplinary Bedside Rounds in the Medical ICU. <i>Critical Care Medicine</i> , 2018, 46, 85-92.	0.9	49
15	Real-world use of procalcitonin and other biomarkers among sepsis hospitalizations in the United States: A retrospective, observational study. <i>PLoS ONE</i> , 2018, 13, e0205924.	2.5	19
16	A multi-center evaluation of a disposable catheter to aid in correct positioning of the endotracheal tube after intubation in critically ill patients. <i>Journal of Critical Care</i> , 2018, 48, 222-227.	2.2	2
17	Superior accuracy of mid-regional proadrenomedullin for mortality prediction in sepsis with varying levels of illness severity. <i>Annals of Intensive Care</i> , 2017, 7, 15.	4.6	72
18	Early goal-directed therapy in severe sepsis and septic shock: insights and comparisons to ProCESS, ProMISE, and ARISE. <i>Critical Care</i> , 2016, 20, 160.	5.8	129

#	ARTICLE	IF	CITATIONS
19	Impact of a 2-Day Critical Care Ultrasound Course during Fellowship Training: A Pilot Study. <i>Critical Care Research and Practice</i> , 2015, 2015, 1-8.	1.1	21
20	Developing a percutaneous dilatational tracheostomy service by medical intensivists: Experience at one academic Institution. <i>Journal of Critical Care</i> , 2015, 30, 321-326.	2.2	9
21	Comparative effectiveness of physician diagnosis and guideline definitions in identifying sepsis patients in the emergency department. <i>Journal of Critical Care</i> , 2015, 30, 71-77.	2.2	15
22	Real-time Sonographically Guided Percutaneous Dilatational Tracheostomy Using a Long-axis Approach Compared to the Landmark Technique. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 1407-1415.	1.7	28
23	Solely Targeting $\hat{\omega}$ Alactatemia $\hat{\omega}$ in Septic Shock Resuscitation?. <i>Chest</i> , 2013, 143, 1521-1523.	0.8	2
24	Serum 1,25-Dihydroxyvitamin D: An Outcome Prognosticator in Human Sepsis. <i>PLoS ONE</i> , 2013, 8, e64348.	2.5	52
25	Comparison of Predisposition, Insult/Infection, Response, and Organ dysfunction, Acute Physiology And Chronic Health Evaluation II, and Mortality in Emergency Department Sepsis in patients meeting criteria for early goal-directed therapy and the severe sepsis resuscitation bundle. <i>Journal of Critical Care</i> , 2012, 27, 362-369.	2.2	50
26	Outcome effectiveness of the severe sepsis resuscitation bundle with addition of lactate clearance as a bundle item: a multi-national evaluation. <i>Critical Care</i> , 2011, 15, R229.	5.8	103
27	Cardiac index measurements by transcutaneous Doppler ultrasound and transthoracic echocardiography in adult and pediatric emergency patients. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 237-247.	1.6	33
28	Early lactate clearance is associated with biomarkers of inflammation, coagulation, apoptosis, organ dysfunction and mortality in severe sepsis and septic shock. <i>Journal of Inflammation</i> , 2010, 7, 6.	3.4	132
29	Standardization of Severe Sepsis Management: A Survey of Methodologies in Academic and Community Settings. <i>Journal of Emergency Medicine</i> , 2010, 38, 122-132.	0.7	11
30	An educational course including medical simulation for early goal-directed therapy and the severe sepsis resuscitation bundle: An evaluation for medical student training. <i>Resuscitation</i> , 2009, 80, 674-679.	3.0	57
31	MORTALITY PREDICTIONS USING CURRENT PHYSIOLOGIC SCORING SYSTEMS IN PATIENTS MEETING CRITERIA FOR EARLY GOAL-DIRECTED THERAPY AND THE SEVERE SEPSIS RESUSCITATION BUNDLE. <i>Shock</i> , 2008, 30, 23-28.	2.1	43
32	Implementation of a bundle of quality indicators for the early management of severe sepsis and septic shock is associated with decreased mortality*. <i>Critical Care Medicine</i> , 2007, 35, 1105-1112.	0.9	503
33	Sepsis in the 21st century: recent definitions and therapeutic advances. <i>American Journal of Emergency Medicine</i> , 2007, 25, 564-571.	1.6	67
34	The Utility of a Quality Improvement Bundle in Bridging the Gap between Research and Standard Care in the Management of Severe Sepsis and Septic Shock in the Emergency Department. <i>Academic Emergency Medicine</i> , 2007, 14, 1079-1086.	1.8	33
35	The Utility of a Quality Improvement Bundle in Bridging the Gap between Research and Standard Care in the Management of Severe Sepsis and Septic Shock in the Emergency Department. <i>Academic Emergency Medicine</i> , 2007, 14, 1079-1086.	1.8	19
36	Severe Sepsis and Septic Shock. , 0, , 235-250.		0