

# Werner Jp MÃ¼ller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3016767/publications.pdf>

Version: 2024-02-01

259  
papers

35,577  
citations

3930

88  
h-index

3402

183  
g-index

272  
all docs

272  
docs citations

272  
times ranked

39207  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Human RelA Transgene on Murine Macrophage Inflammatory Responses. <i>Biomedicines</i> , 2022, 10, 757.	1.4	0
2	The role of $\beta$ 2 integrin in dendritic cell migration during infection. <i>BMC Immunology</i> , 2021, 22, 2.	0.9	13
3	Multiplexed histology analyses for the phenotypic and spatial characterization of human innate lymphoid cells. <i>Nature Communications</i> , 2021, 12, 1737.	5.8	26
4	Impact of Interleukin 10 Deficiency on Intestinal Epithelium Responses to Inflammatory Signals. <i>Frontiers in Immunology</i> , 2021, 12, 690817.	2.2	13
5	Advanced high dynamic range fluorescence microscopy with Poisson noise modeling and integrated edge-preserving denoising. <i>Journal of Physics Communications</i> , 2021, 5, 075016.	0.5	0
6	<i>Trichuris muris</i> infection drives cell-intrinsic IL4R alpha independent colonic RELM $\beta$ macrophages. <i>PLoS Pathogens</i> , 2021, 17, e1009768.	2.1	6
7	Signaling via the Interleukin-10 Receptor Attenuates Cardiac Hypertrophy in Mice During Pressure Overload, but not Isoproterenol Infusion. <i>Frontiers in Pharmacology</i> , 2020, 11, 559220.	1.6	15
8	Interleukin-10 Prevents Pathological Microglia Hyperactivation following Peripheral Endotoxin Challenge. <i>Immunity</i> , 2020, 53, 1033-1049.e7.	6.6	93
9	A Transgenic Line That Reports CSF1R Protein Expression Provides a Definitive Marker for the Mouse Mononuclear Phagocyte System. <i>Journal of Immunology</i> , 2020, 205, 3154-3166.	0.4	59
10	Using systems medicine to identify a therapeutic agent with potential for repurposing in inflammatory bowel disease. <i>DMM Disease Models and Mechanisms</i> , 2020, 13, .	1.2	9
11	The Generation of an Engineered Interleukin-10 Protein With Improved Stability and Biological Function. <i>Frontiers in Immunology</i> , 2020, 11, 1794.	2.2	29
12	Investigating the importance of B cells and antibodies during <i>Trichuris muris</i> infection using the IgMi mouse. <i>Journal of Molecular Medicine</i> , 2020, 98, 1301-1317.	1.7	5
13	Cell-specific conditional deletion of interleukin-1 (IL-1) ligands and its receptors: a new toolbox to study the role of IL-1 in health and disease. <i>Journal of Molecular Medicine</i> , 2020, 98, 923-930.	1.7	5
14	Selective reconstitution of IFN $\gamma$ gene function in Ncr1+ $\gamma$ NK cells is sufficient to control systemic vaccinia virus infection. <i>PLoS Pathogens</i> , 2020, 16, e1008279.	2.1	13
15	Macrophage-Specific NF- $\kappa$ B Activation Dynamics Can Segregate Inflammatory Bowel Disease Patients. <i>Frontiers in Immunology</i> , 2019, 10, 2168.	2.2	31
16	Permeability analyses and three dimensional imaging of interferon gamma-induced barrier disintegration in intestinal organoids. <i>Stem Cell Research</i> , 2019, 35, 101383.	0.3	32
17	The Essential Role Played by B Cells in Supporting Protective Immunity Against <i>Trichuris muris</i> Infection Is by Controlling the Th1/Th2 Balance in the Mesenteric Lymph Nodes and Depends on Host Genetic Background. <i>Frontiers in Immunology</i> , 2019, 10, 2842.	2.2	19
18	Interleukin-1 mediates ischaemic brain injury via distinct actions on endothelial cells and cholinergic neurons. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 126-138.	2.0	48

#	ARTICLE	IF	CITATIONS
19	Exclusive dependence of IL-10 signaling on intestinal microbiota homeostasis and control of whipworm infection. <i>PLoS Pathogens</i> , 2019, 15, e1007265.	2.1	24
20	Human TNF-Luc reporter mouse: A new model to quantify inflammatory responses. <i>Scientific Reports</i> , 2019, 9, 193.	1.6	17
21	IL-10 signaling in dendritic cells is required for tolerance induction in a murine model of allergic airway inflammation. <i>European Journal of Immunology</i> , 2019, 49, 302-312.	1.6	14
22	Innate Sensing through Mesenchymal TLR4/MyD88 Signals Promotes Spontaneous Intestinal Tumorigenesis. <i>Cell Reports</i> , 2019, 26, 536-545.e4.	2.9	38
23	Although Abundant in Tumor Tissue, Mast Cells Have No Effect on Immunological Micro-milieu or Growth of HPV-Induced or Transplanted Tumors. <i>Cell Reports</i> , 2018, 22, 27-35.	2.9	17
24	IL-6 Type Cytokine Signaling in Adipocytes Induces Intestinal GLP-1 Secretion. <i>Diabetes</i> , 2018, 67, 36-45.	0.3	39
25	OTU-001 Identification of a novel therapeutic agent for treating IBD guided by systems medicine. , 2018, , .		0
26	Distinct Roles for CD4+ Foxp3+ Regulatory T Cells and IL-10 Mediated Immunoregulatory Mechanisms during Experimental Visceral Leishmaniasis Caused by <i>Leishmania donovani</i> . <i>Journal of Immunology</i> , 2018, 201, 3362-3372.	0.4	34
27	Evaluating the IgMi mouse as a novel tool to study B cell biology. <i>European Journal of Immunology</i> , 2018, 48, 2068-2071.	1.6	10
28	Unimpaired Responses to Vaccination With Protein Antigen Plus Adjuvant in Mice With Kit-Independent Mast Cell Deficiency. <i>Frontiers in Immunology</i> , 2018, 9, 1870.	2.2	12
29	Ribonucleotide Excision Repair Is Essential to Prevent Squamous Cell Carcinoma of the Skin. <i>Cancer Research</i> , 2018, 78, 5917-5926.	0.4	40
30	Interleukin-1 $\beta$ has atheroprotective effects in advanced atherosclerotic lesions of mice. <i>Nature Medicine</i> , 2018, 24, 1418-1429.	15.2	192
31	Quantitative analysis of competitive cytokine signaling predicts tissue thresholds for the propagation of macrophage activation. <i>Science Signaling</i> , 2018, 11, .	1.6	55
32	CD4+ Th2 cells are directly regulated by IL-10 during allergic airway inflammation. <i>Mucosal Immunology</i> , 2017, 10, 150-161.	2.7	118
33	Uncoupling of mucosal gene regulation, mRNA splicing and adherent microbiota signatures in inflammatory bowel disease. <i>Gut</i> , 2017, 66, 2087-2097.	6.1	81
34	TGF- $\beta$ 2 inhibitor Smad7 regulates dendritic cell-induced autoimmunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E1480-E1489.	3.3	37
35	IL-1 signaling is critical for expansion but not generation of autoreactive GM-CSF <sup>+</sup> Th17 cells. <i>EMBO Journal</i> , 2017, 36, 102-115.	3.5	50
36	Guidelines for the use of flow cytometry and cell sorting in immunological studies <sup>*</sup> . <i>European Journal of Immunology</i> , 2017, 47, 1584-1797.	1.6	505

#	ARTICLE	IF	CITATIONS
37	Gamma Interferon Mediates Experimental Cerebral Malaria by Signaling within Both the Hematopoietic and Nonhematopoietic Compartments. <i>Infection and Immunity</i> , 2017, 85, .	1.0	23
38	Involvement of interleukin-1 type 1 receptors in lipopolysaccharide-induced sickness responses. <i>Brain, Behavior, and Immunity</i> , 2017, 66, 165-176.	2.0	23
39	P2X7 receptor-dependent tuning of gut epithelial responses to infection. <i>Immunology and Cell Biology</i> , 2017, 95, 178-188.	1.0	35
40	Constitutive Kit activity triggers B-cell acute lymphoblastic leukemia-like disease in mice. <i>Experimental Hematology</i> , 2017, 45, 45-55.e6.	0.2	6
41	Macrophage dysfunction initiates colitis during weaning of infant mice lacking the interleukin-10 receptor. <i>ELife</i> , 2017, 6, .	2.8	26
42	Mesenteric Fat Lipolysis Mediates Obesity-Associated Hepatic Steatosis and Insulin Resistance. <i>Diabetes</i> , 2016, 65, 140-148.	0.3	77
43	Deleting myeloid IL-10 receptor signalling attenuates atherosclerosis in LDLR <sup>-/-</sup> mice by altering intestinal cholesterol fluxes. <i>Thrombosis and Haemostasis</i> , 2016, 116, 565-577.	1.8	13
44	Generation of a Novel T Cell Specific Interleukin-1 Receptor Type 1 Conditional Knock Out Mouse Reveals Intrinsic Defects in Survival, Expansion and Cytokine Production of CD4 T Cells. <i>PLoS ONE</i> , 2016, 11, e0161505.	1.1	12
45	T cell derived IL-10 is dispensable for tolerance induction in a murine model of allergic airway inflammation. <i>European Journal of Immunology</i> , 2016, 46, 2018-2027.	1.6	9
46	Characterization of a conditional interleukin-1 receptor 1 mouse mutant using the Cre/LoxP system. <i>European Journal of Immunology</i> , 2016, 46, 912-918.	1.6	25
47	Loss of Trex1 in Dendritic Cells Is Sufficient To Trigger Systemic Autoimmunity. <i>Journal of Immunology</i> , 2016, 197, 2157-2166.	0.4	61
48	Altered Interleukin-10 Signaling in Skeletal Muscle Regulates Obesity-Mediated Inflammation and Insulin Resistance. <i>Molecular and Cellular Biology</i> , 2016, 36, 2956-2966.	1.1	59
49	Making sense of big data in health research: Towards an EU action plan. <i>Genome Medicine</i> , 2016, 8, 71.	3.6	190
50	Myeloid interferon- $\beta$ receptor deficiency does not affect atherosclerosis in LDLR <sup>-/-</sup> mice. <i>Atherosclerosis</i> , 2016, 246, 325-333.	0.4	6
51	Colonic gene silencing using siRNA-loaded calcium phosphate/PLGA nanoparticles ameliorates intestinal inflammation in vivo. <i>Journal of Controlled Release</i> , 2016, 222, 86-96.	4.8	106
52	Blimp-1-Dependent IL-10 Production by Tr1 Cells Regulates TNF-Mediated Tissue Pathology. <i>PLoS Pathogens</i> , 2016, 12, e1005398.	2.1	92
53	Analysis of mammalian gene function through broad-based phenotypic screens across a consortium of mouse clinics. <i>Nature Genetics</i> , 2015, 47, 969-978.	9.4	137
54	Genetic Cell Ablation Reveals Clusters of Local Self-Renewing Microglia in the Mammalian Central Nervous System. <i>Immunity</i> , 2015, 43, 92-106.	6.6	506

#	ARTICLE	IF	CITATIONS
55	IFN $\gamma$ Signaling Endows DCs with the Capacity to Control Type I Inflammation during Parasitic Infection through Promoting T-bet+ Regulatory T Cells. PLoS Pathogens, 2015, 11, e1004635.	2.1	25
56	Malaria Parasite Infection Compromises Control of Concurrent Systemic Non-typhoidal Salmonella Infection via IL-10-Mediated Alteration of Myeloid Cell Function. PLoS Pathogens, 2014, 10, e1004049.	2.1	75
57	Extracellular Vesicles from Neural Stem Cells Transfer IFN $\gamma$ via Ifngr1 to Activate Stat1 Signaling in Target Cells. Molecular Cell, 2014, 56, 609.	4.5	3
58	Efficacy of an Abbreviated Induction Regimen of Amphotericin B Deoxycholate for Cryptococcal Meningoencephalitis: 3 Days of Therapy Is Equivalent to 14 Days. MBio, 2014, 5, e00725-13.	1.8	23
59	Glycoprotein 130 Receptor Signaling Mediates $\beta$ -Cell Dysfunction in a Rodent Model of Type 2 Diabetes. Diabetes, 2014, 63, 2984-2995.	0.3	24
60	406 A Self-Reinforcing Pathway of Protective Mucosal Immunity Mediated by Epithelial CD1d. Gastroenterology, 2014, 146, S-87.	0.6	0
61	Protective mucosal immunity mediated by epithelial CD1d and IL-10. Nature, 2014, 509, 497-502.	13.7	172
62	Interleukin-10 Receptor Signaling in Innate Immune Cells Regulates Mucosal Immune Tolerance and Anti-Inflammatory Macrophage Function. Immunity, 2014, 40, 706-719.	6.6	455
63	IFN $\gamma$ -Mediated Induction of an Apical IL-10 Receptor on Polarized Intestinal Epithelia. Journal of Immunology, 2014, 192, 1267-1276.	0.4	79
64	Regulatory T cells and T $\beta$ cell-derived IL-10 interfere with effective anti-cytomegalovirus immune response. Immunology and Cell Biology, 2014, 92, 860-871.	1.0	41
65	Extracellular vesicles from neural stem cells transfer the IFN $\gamma$ /IFNGR1 complex to activate Stat1-dependent signalling in target cells. Journal of Neuroimmunology, 2014, 275, 190-191.	1.1	1
66	Extracellular Vesicles from Neural Stem Cells Transfer IFN $\gamma$ via Ifngr1 to Activate Stat1 Signaling in Target Cells. Molecular Cell, 2014, 56, 193-204.	4.5	258
67	Macrophage-Restricted Interleukin-10 Receptor Deficiency, but Not IL-10 Deficiency, Causes Severe Spontaneous Colitis. Immunity, 2014, 40, 720-733.	6.6	460
68	Transient Ablation of Regulatory T cells Improves Antitumor Immunity in Colitis-Associated Colon Cancer. Cancer Research, 2014, 74, 4258-4269.	0.4	84
69	Mouse SAMHD1 Has Antiretroviral Activity and Suppresses a Spontaneous Cell-Intrinsic Antiviral Response. Cell Reports, 2013, 4, 689-696.	2.9	139
70	Monocyte-Derived Dendritic Cells Perform Hemophagocytosis to Fine-Tune Excessive Immune Responses. Immunity, 2013, 39, 584-598.	6.6	68
71	A comparative phenotypic and genomic analysis of C57BL/6J and C57BL/6N mouse strains. Genome Biology, 2013, 14, R82.	13.9	403
72	Neuroprotective intervention by interferon $\gamma$ blockade prevents CD8+ T cell-mediated dendrite and synapse loss. Journal of Experimental Medicine, 2013, 210, 2087-2103.	4.2	77

#	ARTICLE	IF	CITATIONS
73	T Cell-Derived IL-10 Determines Leishmaniasis Disease Outcome and Is Suppressed by a Dendritic Cell Based Vaccine. <i>PLoS Pathogens</i> , 2013, 9, e1003476.	2.1	65
74	TGF- $\beta^2$ Signalling Is Required for CD4+ T Cell Homeostasis But Dispensable for Regulatory T Cell Function. <i>PLoS Biology</i> , 2013, 11, e1001674.	2.6	85
75	CD4+ T Cell-derived IL-10 Promotes <i>Brucella abortus</i> Persistence via Modulation of Macrophage Function. <i>PLoS Pathogens</i> , 2013, 9, e1003454.	2.1	91
76	T $\alpha$ Cell-derived, but not B $\alpha$ Cell-derived, IL-10 suppresses antigen-specific T $\alpha$ Cell responses in <i>L. tmosoides sigmodontis</i> infected mice. <i>European Journal of Immunology</i> , 2013, 43, 1799-1805.	1.6	17
77	Interferon-dependent IL-10 production by Tregs limits tumor Th17 inflammation. <i>Journal of Clinical Investigation</i> , 2013, 123, 4859-4874.	3.9	138
78	Neuroprotective intervention by interferon- $\beta$ blockade prevents CD8+ T cell-mediated dendrite and synapse loss. <i>Journal of Cell Biology</i> , 2013, 202, 202601A90.	2.3	0
79	Induction of Regulatory T Cells by a Murine $\beta^2$ -Defensin. <i>Journal of Immunology</i> , 2012, 188, 735-743.	0.4	50
80	B Cell-Derived IL-10 Does Not Regulate Spontaneous Systemic Autoimmunity in MRL. <i>Fas</i> pr Mice. <i>Journal of Immunology</i> , 2012, 188, 678-685.	0.4	94
81	Adaptive Immune Response to Model Antigens Is Impaired in Murine Leukocyte-Adhesion Deficiency-1 Revealing Elevated Activation Thresholds <i>In Vivo</i> . <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-11.	3.3	5
82	IL-10 Acts As a Developmental Switch Guiding Monocyte Differentiation to Macrophages during a Murine Peritoneal Infection. <i>Journal of Immunology</i> , 2012, 189, 3112-3120.	0.4	36
83	Neuronal gp130 Expression Is Crucial to Prevent Neuronal Loss, Hyperinflammation, and Lethal Course of Murine <i>Toxoplasma</i> Encephalitis. <i>American Journal of Pathology</i> , 2012, 181, 163-173.	1.9	37
84	Studying Immunology in Mice. , 2012, , 349-366.		0
85	Site-specific immunophenotyping of keloid disease demonstrates immune upregulation and the presence of lymphoid aggregates. <i>British Journal of Dermatology</i> , 2012, 167, 1053-1066.	1.4	112
86	Strong Impact of CD4+Foxp3+ Regulatory T Cells and Limited Effect of T Cell-Derived IL-10 on Pathogen Clearance during <i>Plasmodium yoelii</i> Infection. <i>Journal of Immunology</i> , 2012, 188, 5467-5477.	0.4	48
87	IL-27 Promotes IL-10 Production by Effector Th1 CD4+ T Cells: A Critical Mechanism for Protection from Severe Immunopathology during Malaria Infection. <i>Journal of Immunology</i> , 2012, 188, 1178-1190.	0.4	187
88	$\beta^2$ integrin controls immunogenic and tolerogenic mucosal B cell responses. <i>Clinical Immunology</i> , 2012, 144, 87-97.	1.4	19
89	Gp130-Dependent Release of Acute Phase Proteins Is Linked to the Activation of Innate Immune Signaling Pathways. <i>PLoS ONE</i> , 2011, 6, e19427.	1.1	16
90	Mast cell hyperplasia, B-cell malignancy, and intestinal inflammation in mice with conditional expression of a constitutively active kit. <i>Blood</i> , 2011, 117, 2012-2021.	0.6	57

#	ARTICLE	IF	CITATIONS
91	gp130 on macrophages/granulocytes modulates inflammation during experimental tuberculosis. <i>European Journal of Cell Biology</i> , 2011, 90, 505-514.	1.6	17
92	Gp130-Dependent Astrocytic Survival Is Critical for the Control of Autoimmune Central Nervous System Inflammation. <i>Journal of Immunology</i> , 2011, 186, 6521-6531.	0.4	105
93	Commensal gut flora reduces susceptibility to experimentally induced colitis via T-cell-derived interleukin-101. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 2038-2046.	0.9	43
94	Intestinal Tolerance Requires Gut Homing and Expansion of FoxP3+ Regulatory T Cells in the Lamina Propria. <i>Immunity</i> , 2011, 34, 237-246.	6.6	757
95	Interleukin-10 Signaling in Regulatory T Cells Is Required for Suppression of Th17 Cell-Mediated Inflammation. <i>Immunity</i> , 2011, 34, 566-578.	6.6	799
96	Mast Cells Are Key Promoters of Contact Allergy that Mediate the Adjuvant Effects of Haptens. <i>Immunity</i> , 2011, 34, 973-984.	6.6	415
97	Pro-B cells sense productive immunoglobulin heavy chain rearrangement irrespective of polypeptide production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 10644-10649.	3.3	23
98	TLR-2-Activated B Cells Suppress <i>Helicobacter</i> -Induced Preneoplastic Gastric Immunopathology by Inducing T Regulatory-1 Cells. <i>Journal of Immunology</i> , 2011, 186, 878-890.	0.4	131
99	Autocrine Regulation of Pulmonary Inflammation by Effector T-Cell Derived IL-10 during Infection with Respiratory Syncytial Virus. <i>PLoS Pathogens</i> , 2011, 7, e1002173.	2.1	85
100	Monocytes/macrophages and/or neutrophils are the target of IL-10 in the LPS endotoxemia model. <i>European Journal of Immunology</i> , 2010, 40, 443-448.	1.6	103
101	Transgenic mice with a diverse human T cell antigen receptor repertoire. <i>Nature Medicine</i> , 2010, 16, 1029-1034.	15.2	109
102	EuroPhenome: a repository for high-throughput mouse phenotyping data. <i>Nucleic Acids Research</i> , 2010, 38, D577-D585.	6.5	75
103	Continuous Glycoprotein-130-Mediated Signal Transducer and Activator of Transcription-3 Activation Promotes Inflammation, Left Ventricular Rupture, and Adverse Outcome in Subacute Myocardial Infarction. <i>Circulation</i> , 2010, 122, 145-155.	1.6	140
104	Differential Roles of Macrophages in Diverse Phases of Skin Repair. <i>Journal of Immunology</i> , 2010, 184, 3964-3977.	0.4	944
105	Conditional deletion of the MHC class I-related receptor FcRn reveals the sites of IgG homeostasis in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 2788-2793.	3.3	179
106	Preconditioning-induced protection of photoreceptors requires activation of the signal-transducing receptor gp130 in photoreceptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21389-21394.	3.3	44
107	Charles River altered Schaedler flora (CRASF <sup>®</sup> ) remained stable for four years in a mouse colony housed in individually ventilated cages. <i>Laboratory Animals</i> , 2009, 43, 362-370.	0.5	56
108	A Key Role for gp130 Expressed on Peripheral Sensory Nerves in Pathological Pain. <i>Journal of Neuroscience</i> , 2009, 29, 13473-13483.	1.7	125

#	ARTICLE	IF	CITATIONS
109	Nonredundant Roles for B Cell-Derived IL-10 in Immune Counter-Regulation. <i>Journal of Immunology</i> , 2009, 183, 2312-2320.	0.4	271
110	IL-20 Receptor 2 Signaling Down-Regulates Antigen-Specific T Cell Responses. <i>Journal of Immunology</i> , 2009, 182, 802-810.	0.4	51
111	Langerhans Cells Suppress Contact Hypersensitivity Responses Via Cognate CD4 Interaction and Langerhans Cell-Derived IL-10. <i>Journal of Immunology</i> , 2009, 183, 5085-5093.	0.4	125
112	Hepatocyte gp130 Deficiency Reduces Vascular Remodeling After Carotid Artery Ligation. <i>Hypertension</i> , 2009, 54, 1035-1042.	1.3	5
113	Functional knockdown of VCAM-1 at the posttranslational level with ER retained antibodies. <i>Journal of Immunological Methods</i> , 2009, 341, 30-40.	0.6	22
114	T cell-specific deletion of gp130 renders the highly susceptible IL-10-deficient mouse resistant to intestinal nematode infection. <i>European Journal of Immunology</i> , 2009, 39, 2173-2183.	1.6	19
115	Mucosal Addressin Cell-Adhesion Molecule-1 Controls Plasma-Cell Migration and Function in the Small Intestine of Mice. <i>Gastroenterology</i> , 2009, 137, 924-933.	0.6	38
116	The German Mouse Clinic: A Platform for Systemic Phenotype Analysis of Mouse Models. <i>Current Pharmaceutical Biotechnology</i> , 2009, 10, 236-243.	0.9	56
117	Mast cell-specific Cre/loxP-mediated recombination in vivo. <i>Transgenic Research</i> , 2008, 17, 307-315.	1.3	175
118	Susceptibility of four inbred mouse strains to a low-pathogenic isolate of <i>Yersinia enterocolitica</i> . <i>Mammalian Genome</i> , 2008, 19, 279-291.	1.0	8
119	Excessive CpG 1668 stimulation triggers IL-10 production by cDC that inhibits IFN $\gamma$ responses by pDC. <i>European Journal of Immunology</i> , 2008, 38, 3127-3137.	1.6	39
120	Synthetic Mimetics of the gp130 Binding Site for Viral Interleukin-6 as Inhibitors of the vIL-6/gp130 Interaction. <i>Chemical Biology and Drug Design</i> , 2008, 71, 494-500.	1.5	11
121	Role of $\beta$ 7 Integrin and the Chemokine/Chemokine Receptor Pair CCL25/CCR9 in Modeled TNF-Dependent Crohn's Disease. <i>Gastroenterology</i> , 2008, 134, 2025-2035.	0.6	96
122	Regulatory T Cell-Derived Interleukin-10 Limits Inflammation at Environmental Interfaces. <i>Immunity</i> , 2008, 28, 546-558.	6.6	1,309
123	Conditional gp130 deficient mouse mutants. <i>Seminars in Cell and Developmental Biology</i> , 2008, 19, 379-384.	2.3	51
124	GP130-STAT3 Regulates Epithelial Cell Migration and Is Required for Repair of the Bronchiolar Epithelium. <i>American Journal of Pathology</i> , 2008, 172, 1542-1554.	1.9	67
125	Distinct Functions of Interleukin-10 Derived from Different Cellular Sources. <i>Current Immunology Reviews</i> , 2008, 4, 37-42.	1.2	3
126	Gp130 Signaling Promotes Development of Acute Experimental Colitis by Facilitating Early Neutrophil/Macrophage Recruitment and Activation. <i>Journal of Immunology</i> , 2008, 181, 3586-3594.	0.4	37



#	ARTICLE	IF	CITATIONS
127	Differential Molecular and Anatomical Basis for B Cell Migration into the Peritoneal Cavity and Omental Milky Spots. <i>Journal of Immunology</i> , 2008, 180, 2196-2203.	0.4	57
128	Constitutive CD40 signaling in B cells selectively activates the noncanonical NF- $\kappa$ B pathway and promotes lymphomagenesis. <i>Journal of Experimental Medicine</i> , 2008, 205, 1317-1329.	4.2	117
129	Astrocyte gp130 Expression Is Critical for the Control of <i>Toxoplasma</i> Encephalitis. <i>Journal of Immunology</i> , 2008, 181, 2683-2693.	0.4	126
130	Tolerance without Clonal Expansion: Self-Antigen-Expressing B Cells Program Self-Reactive T Cells for Future Deletion. <i>Journal of Immunology</i> , 2008, 181, 5748-5759.	0.4	47
131	LMP1 signaling can replace CD40 signaling in B cells in vivo and has unique features of inducing class-switch recombination to IgG1. <i>Blood</i> , 2008, 111, 1448-1455.	0.6	96
132	Molecular Mimicry between Neurons and an Intracerebral Pathogen Induces a CD8 T Cell-Mediated Autoimmune Disease. <i>Journal of Immunology</i> , 2008, 180, 8421-8433.	0.4	24
133	Serum Response Factor Contributes Selectively to Lymphocyte Development. <i>Journal of Biological Chemistry</i> , 2007, 282, 24320-24328.	1.6	36
134	Sphingosine-1 Phosphate Signaling Regulates Positioning of Dendritic Cells within the Spleen. <i>Journal of Immunology</i> , 2007, 179, 5855-5863.	0.4	54
135	Sequence and Characterization of the Ig Heavy Chain Constant and Partial Variable Region of the Mouse Strain 129S1. <i>Journal of Immunology</i> , 2007, 179, 2419-2427.	0.4	47
136	Contribution of Interleukin-6/gp130 Signaling in Hepatocytes to the Inflammatory Response in Mice Infected with <i>Streptococcus pyogenes</i> . <i>Journal of Infectious Diseases</i> , 2007, 196, 755-762.	1.9	9
137	Signal transducer of inflammation gp130 modulates atherosclerosis in mice and man. <i>Journal of Experimental Medicine</i> , 2007, 204, 1935-1944.	4.2	63
138	The adhesion receptor CD155 determines the magnitude of humoral immune responses against orally ingested antigens. <i>European Journal of Immunology</i> , 2007, 37, 2214-2225.	1.6	69
139	Reply to "TSLP-mediated fetal B lymphopoiesis". <i>Nature Immunology</i> , 2007, 8, 898-898.	7.0	2
140	Visualising the immune repertoire. <i>BMC Systems Biology</i> , 2007, 1, .	3.0	5
141	Integration of mouse phenome data resources. <i>Mammalian Genome</i> , 2007, 18, 157-163.	1.0	44
142	Adult murine hematopoiesis can proceed without $\beta$ 1 and $\beta$ 27 integrins. <i>Blood</i> , 2006, 108, 1857-1864.	0.6	59
143	A change of expression in the conserved signaling gene MKK7 is associated with a selective sweep in the western house mouse <i>Mus musculus domesticus</i> . <i>Journal of Evolutionary Biology</i> , 2006, 19, 1486-1496.	0.8	20
144	Dissecting the cytokine network. <i>Cellular Immunology</i> , 2006, 244, 162-164.	1.4	8

#	ARTICLE	IF	CITATIONS
145	Nine fluorescence parameter analysis on a four-color fluorescence activated flow cytometer. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2006, 69A, 124-126.	1.1	9
146	Interleukin-10 derived from macrophages and/or neutrophils regulates the inflammatory response to LPS but not the response to CpG DNA. <i>European Journal of Immunology</i> , 2006, 36, 3248-3255.	1.6	115
147	Terminal B cell differentiation is skewed by deregulated interleukin-6 secretion in $\hat{A}2$ integrin-deficient mice. <i>Journal of Leukocyte Biology</i> , 2006, 80, 599-607.	1.5	15
148	VH Replacement Rescues Progenitor B Cells with Two Nonproductive VDJ Alleles. <i>Journal of Immunology</i> , 2006, 177, 7007-7014.	0.4	26
149	Enhanced FTY720-Mediated Lymphocyte Homing Requires $G\hat{i}$ Signaling and Depends on $\hat{I}2$ and $\hat{I}27$ Integrin. <i>Journal of Immunology</i> , 2006, 176, 1474-1480.	0.4	20
150	gp130 signaling in proopiomelanocortin neurons mediates the acute anorectic response to centrally applied ciliary neurotrophic factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10707-10712.	3.3	52
151	EMPreSS: standardized phenotype screens for functional annotation of the mouse genome. <i>Nature Genetics</i> , 2005, 37, 1155-1155.	9.4	146
152	Introducing the German Mouse Clinic: open access platform for standardized phenotyping. <i>Nature Methods</i> , 2005, 2, 403-404.	9.0	176
153	Heterozygous deficiency of manganese superoxide dismutase results in severe lipid peroxidation and spontaneous apoptosis in murine myocardium in vivo. <i>Free Radical Biology and Medicine</i> , 2005, 38, 1458-1470.	1.3	104
154	Virus free, cell-based assay for the quantification of murine type I interferons. <i>Journal of Immunological Methods</i> , 2005, 306, 169-175.	0.6	19
155	T Cell-specific Inactivation of the Interleukin 10 Gene in Mice Results in Enhanced T Cell Responses but Normal Innate Responses to Lipopolysaccharide or Skin Irritation. <i>Journal of Experimental Medicine</i> , 2004, 200, 1289-1297.	4.2	283
156	Pre-B cell receptor expression is necessary for thymic stromal lymphopoietin responsiveness in the bone marrow but not in the liver environment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 11070-11075.	3.3	60
157	Generation of Mouse Mutants by Sequence Information Driven and Random Mutagenesis. , 2004, , 85-95.		0
158	The European dimension for the mouse genome mutagenesis program. <i>Nature Genetics</i> , 2004, 36, 925-927.	9.4	195
159	Keratin 14 Cre transgenic mice authenticate keratin 14 as an oocyte-expressed protein. <i>Genesis</i> , 2004, 38, 176-181.	0.8	137
160	VBASE2, an integrative V gene database. <i>Nucleic Acids Research</i> , 2004, 33, D671-D674.	6.5	167
161	Interleukin 6/gp130-dependent pathways are protective during chronic liver diseases. <i>Hepatology</i> , 2003, 38, 218-229.	3.6	144
162	Mice with neonatally induced inactivation of the vascular cell adhesion molecule-1 fail to control the parasite in <i>Toxoplasma</i> encephalitis. <i>European Journal of Immunology</i> , 2003, 33, 1418-1428.	1.6	18

#	ARTICLE	IF	CITATIONS
163	Thymic stromal-derived lymphopoietin distinguishes fetal from adult B cell development. <i>Nature Immunology</i> , 2003, 4, 773-779.	7.0	141
164	Lack of gp130 expression in hepatocytes promotes liver injury1 K.L.S. and T.W. contributed equally to this work.. <i>Gastroenterology</i> , 2003, 125, 532-543.	0.6	90
165	Interleukin-6/Glycoprotein 130-dependent Pathways Are Protective during Liver Regeneration. <i>Journal of Biological Chemistry</i> , 2003, 278, 11281-11288.	1.6	157
166	The p53-dependent effects of macrophage migration inhibitory factor revealed by gene targeting. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 9354-9359.	3.3	265
167	CD4+ T Cell-Associated Pathophysiology Critically Depends on CD18 Gene Dose Effects in a Murine Model of Psoriasis. <i>Journal of Immunology</i> , 2003, 171, 5697-5706.	0.4	53
168	IL-15 is an essential mediator of peripheral NK-cell homeostasis. <i>Blood</i> , 2003, 101, 4887-4893.	0.6	310
169	Integrin $\alpha 2$ -Deficient Mice Develop Normally, Are Fertile, but Display Partially Defective Platelet Interaction with Collagen. <i>Journal of Biological Chemistry</i> , 2002, 277, 10789-10794.	1.6	238
170	$\alpha 7$ integrins contribute to skin graft rejection. <i>Transplantation</i> , 2002, 74, 1202-1203.	0.5	3
171	Monoclonal antibody against $\alpha 7$ integrins, but not $\alpha 7$ deficiency, attenuates intestinal allograft rejection in mice. <i>Transplantation</i> , 2002, 74, 1327-1334.	0.5	11
172	$\alpha 7$ Integrin expression is not required for the localization of T cells to the intestine and colitis pathogenesis. <i>Clinical and Experimental Immunology</i> , 2002, 129, 35-42.	1.1	51
173	Role of STAT3 and PI 3-Kinase/Akt in Mediating the Survival Actions of Cytokines on Sensory Neurons. <i>Molecular and Cellular Neurosciences</i> , 2001, 18, 270-282.	1.0	135
174	Neonatally Induced Inactivation of the Vascular Cell Adhesion Molecule 1 Gene Impairs B Cell Localization and T Cell-Dependent Humoral Immune Response. <i>Journal of Experimental Medicine</i> , 2001, 193, 755-768.	4.2	101
175	Protective Intestinal Anti-Rotavirus B Cell Immunity Is Dependent on $\alpha 4\beta 7$ Integrin Expression But Does Not Require IgA Antibody Production. <i>Journal of Immunology</i> , 2001, 166, 1894-1902.	0.4	66
176	Cloning of the Murine Thymic Stromal Lymphopoietin (Tslp) Receptor. <i>Journal of Experimental Medicine</i> , 2000, 192, 659-670.	4.2	372
177	Common cytokine receptor $\beta 3$ chain ( $\beta 3c$ )-deficient B cells persist in T cell-deficient $\beta 3c$ mice and respond to a T-independent antigen. <i>European Journal of Immunology</i> , 2000, 30, 1614-1622.	1.6	8
178	$\alpha 7$ integrin-deficient mice: delayed leukocyte recruitment and attenuated protective immunity in the small intestine during enteric helminth infection. <i>European Journal of Immunology</i> , 2000, 30, 1656-1664.	1.6	93
179	$\alpha 7$ integrins contribute to demyelinating disease of the central nervous system. <i>Journal of Neuroimmunology</i> , 2000, 103, 146-152.	1.1	87
180	Mice reconstituted with DNA polymerase beta -deficient fetal liver cells are able to mount a T cell-dependent immune response and mutate their Ig genes normally. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 1166-1171.	3.3	94

#	ARTICLE	IF	CITATIONS
181	Blockade of the integrin alpha Lbeta 2 but not of integrins alpha 4 and/or beta 7 significantly prolongs intestinal allograft survival in mice. <i>Gut</i> , 2000, 47, 97-104.	6.1	20
182	Despite high levels of lymphocyte homing receptor $\alpha 4\beta 7$ integrin after small bowel allotransplantation, it is not critical for rejection. <i>Transplantation Proceedings</i> , 2000, 32, 1267-1268.	0.3	0
183	Chronic Colitis in IL-10 <sup>-/-</sup> Mice: Insufficient Counter Regulation of a Th1 Response. <i>International Reviews of Immunology</i> , 2000, 19, 91-121.	1.5	70
184	Simultaneous Flow Cytometric Detection of Bromodeoxyuridine Incorporation and Cell Surface Marker Expression. , 2000, , 105-111.		1
185	$\alpha 4\beta 7$ independent pathway for CD8+ T cell mediated intestinal immunity to rotavirus. <i>Journal of Clinical Investigation</i> , 2000, 106, 1541-1552.	3.9	54
186	Rearrangement and Expression of Immunoglobulin Light Chain Genes Can Precede Heavy Chain Expression during Normal B Cell Development in Mice. <i>Journal of Experimental Medicine</i> , 1999, 189, 75-88.	4.2	92
187	IMGT, the international ImMunoGeneTics database. <i>Nucleic Acids Research</i> , 1999, 27, 209-212.	6.5	409
188	The Role of $\alpha 7$ Integrins in CD8 T Cell Trafficking During an Antiviral Immune Response. <i>Journal of Experimental Medicine</i> , 1999, 189, 1631-1638.	4.2	201
189	Loss of a gp130 Cardiac Muscle Cell Survival Pathway Is a Critical Event in the Onset of Heart Failure during Biomechanical Stress. <i>Cell</i> , 1999, 97, 189-198.	13.5	629
190	L-selectin and $\alpha 7$ integrin synergistically mediate lymphocyte migration to mesenteric lymph nodes. <i>European Journal of Immunology</i> , 1998, 28, 3832-3839.	1.6	67
191	Efficient homing of CD4+ cells to the gut mucosa is necessary for colitis pathogenesis, but may not be required for the down regulation of pathogenic T cells. <i>Gastroenterology</i> , 1998, 114, A1096.	0.6	0
192	IMGT, the International ImMunoGeneTics database. <i>Nucleic Acids Research</i> , 1998, 26, 297-303.	6.5	49
193	Regulated expression of gp130 and IL-6 receptor alpha chain in T cell maturation and activation. <i>International Immunology</i> , 1998, 10, 1175-1184.	1.8	71
194	Postnatally Induced Inactivation of gp130 in Mice Results in Neurological, Cardiac, Hematopoietic, Immunological, Hepatic, and Pulmonary Defects. <i>Journal of Experimental Medicine</i> , 1998, 188, 1955-1965.	4.2	208
195	L-selectin and $\alpha 7$ integrin synergistically mediate lymphocyte migration to mesenteric lymph nodes. <i>European Journal of Immunology</i> , 1998, 28, 3832-3839.	1.6	3
196	Interleukin-4 Protects against a Genetically Linked Lupus-like Autoimmune Syndrome. <i>Journal of Experimental Medicine</i> , 1997, 185, 65-70.	4.2	122
197	IMGT, the international ImMunoGeneTics database. <i>Nucleic Acids Research</i> , 1997, 25, 206-211.	6.5	79
198	Introduction. <i>Research in Immunology</i> , 1997, 148, 447-449.	0.9	0

#	ARTICLE	IF	CITATIONS
199	On the role of the common cytokine receptor $\beta$ chain in B-cell vs. T-cell development. <i>Research in Immunology</i> , 1997, 148, 449-453.	0.9	3
200	Generation of Cre recombinase-specific monoclonal antibodies, able to characterize the pattern of Cre expression in cre-transgenic mouse strains. <i>Journal of Immunological Methods</i> , 1997, 207, 203-212.	0.6	28
201	Histological studies of gene-ablated mice support important functional roles for natural killer cells in the uterus during pregnancy. <i>Journal of Reproductive Immunology</i> , 1997, 35, 111-133.	0.8	86
202	Surrogate Light Chain Expression Is Required to Establish Immunoglobulin Heavy Chain Allelic Exclusion during Early B Cell Development. <i>Immunity</i> , 1996, 4, 133-144.	6.6	159
203	Prolonged islet allograft acceptance in the absence of interleukin 4 expression. <i>Transplant Immunology</i> , 1996, 4, 81-85.	0.6	55
204	Enterocolitis and colon cancer in interleukin-10-deficient mice are associated with aberrant cytokine production and CD4(+) TH1-like responses.. <i>Journal of Clinical Investigation</i> , 1996, 98, 1010-1020.	3.9	1,023
205	<i>Plasmodium chabaudi chabaudi</i> : Differential Susceptibility of Gene-Targeted Mice Deficient in IL-10 to an Erythrocytic-Stage Infection. <i>Experimental Parasitology</i> , 1996, 84, 253-263.	0.5	94
206	Bypass of lethality with mosaic mice generated by Cre <sup>+</sup> loxP-mediated recombination. <i>Current Biology</i> , 1996, 6, 1307-1316.	1.8	175
207	Somatic hypermutation occurs in B cells of terminal deoxynucleotidyl transferase-, CD23-, interleukin-4-, IgD- and CD30-deficient mouse mutants. <i>European Journal of Immunology</i> , 1996, 26, 1966-1969.	1.6	16
208	Critical role for $\beta$ 7 integrins in formation of the gut-associated lymphoid tissue. <i>Nature</i> , 1996, 382, 366-370.	13.7	535
209	Impaired Immunosuppressive Response to Ultraviolet Radiation in Interleukin-10 <sup>-</sup> Deficient Mice. <i>Journal of Investigative Dermatology</i> , 1996, 107, 553-557.	0.3	84
210	Interleukin (IL)-4-independent immunoglobulin class switch to immunoglobulin (Ig)E in the mouse.. <i>Journal of Experimental Medicine</i> , 1996, 184, 1651-1661.	4.2	81
211	T helper cell 1-type CD4+ T cells, but not B cells, mediate colitis in interleukin 10-deficient mice.. <i>Journal of Experimental Medicine</i> , 1996, 184, 241-251.	4.2	372
212	Leishmania promastigotes selectively inhibit interleukin 12 induction in bone marrow-derived macrophages from susceptible and resistant mice.. <i>Journal of Experimental Medicine</i> , 1996, 183, 515-526.	4.2	318
213	Conditional gene targeting.. <i>Journal of Clinical Investigation</i> , 1996, 98, 600-603.	3.9	406
214	Cytokine-Deficient Mouse Mutants. , 1996, , 167-169.		0
215	Common Cytokine Receptor gamma chain (gamma <sub>c</sub> )-Dependent Cytokines: Understanding in vivo Functions by Gene Targeting. <i>Immunological Reviews</i> , 1995, 148, 19-34.	2.8	75
216	Immunological techniques. <i>Current Opinion in Immunology</i> , 1995, 7, 255-257.	2.4	4

#	ARTICLE	IF	CITATIONS
217	Interleukin 10 but not interleukin 4 is a natural suppressant of cutaneous inflammatory responses.. Journal of Experimental Medicine, 1995, 182, 99-108.	4.2	235
218	Lymphoid development in mice with a targeted deletion of the interleukin 2 receptor gamma chain.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 377-381.	3.3	834
219	Mouse anti-mouse IgD monoclonal antibodies generated in IgD-deficient mice. Journal of Immunological Methods, 1995, 183, 231-237.	0.6	23
220	A role for CD5 in TCR-mediated signal transduction and thymocyte selection. Science, 1995, 269, 535-537.	6.0	397
221	Interleukin-10 Deficient Mice. Molecular Biology Intelligence Unit, 1995, , 141-148.	0.2	1
222	Antiviral immune responses in mice deficient for both interleukin-2 and interleukin-4. Journal of Virology, 1995, 69, 4842-4846.	1.5	58
223	Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance.. Journal of Clinical Investigation, 1995, 96, 2339-2347.	3.9	495
224	Resistance to murine acquired immunodeficiency syndrome (MAIDS). Science, 1994, 265, 264-264.	6.0	18
225	Induction of interleukin 4 (IL-4) expression in T helper (Th) cells is not dependent on IL-4 from non-Th cells.. Journal of Experimental Medicine, 1994, 179, 1349-1353.	4.2	153
226	Development and proliferation of lymphocytes in mice deficient for both interleukins-2 and -4. European Journal of Immunology, 1994, 24, 281-284.	1.6	141
227	Lymphocyte populations and immune responses in CD5-deficient mice. European Journal of Immunology, 1994, 24, 1678-1684.	1.6	91
228	Early B-Cell Development in the Mouse: Insights from Mutations Introduced by Gene Targeting. Immunological Reviews, 1994, 137, 135-153.	2.8	131
229	Analysis of the B-cell progenitor compartment at the level of single cells. Current Biology, 1994, 4, 573-583.	1.8	205
230	Cre-loxP-mediated gene replacement: a mouse strain producing humanized antibodies. Current Biology, 1994, 4, 1099-1103.	1.8	96
231	Leishmania major and Toxoplasma gondii have opposite effects on cytokine synthesis by macrophages. Memorias Do Instituto Oswaldo Cruz, 1994, 89, 649-650.	0.8	2
232	Interleukin-10-deficient mice develop chronic enterocolitis. Cell, 1993, 75, 263-274.	13.5	4,004
233	Interleukin-4-deficient mice. Research in Immunology, 1993, 144, 637-638.	0.9	9
234	Immunoglobulin heavy and light chain genes rearrange independently at early stages of B cell development. Cell, 1993, 72, 695-704.	13.5	293

#	ARTICLE	IF	CITATIONS
235	Long-Term Consequences of Interleukin-6 Overexpression in Transgenic Mice. DNA and Cell Biology, 1992, 11, 587-592.	0.9	64
236	A critical role of $\beta$ 5 protein in B cell development. Cell, 1992, 69, 823-831.	13.5	598
237	Allelic exclusion model questioned. Nature, 1992, 359, 371-372.	13.7	3
238	Analysis of cytokine mRNA levels in interleukin-4-transgenic mice by quantitative polymerase chain reaction. European Journal of Immunology, 1992, 22, 1179-1184.	1.6	140
239	Major histocompatibility complex class II hyperexpression on B cells in interleukin 4-transgenic mice does not lead to B cell proliferation and hypergammaglobulinemia. European Journal of Immunology, 1991, 21, 921-925.	1.6	38
240	Generation of long-lived B cells in germ-free mice. European Journal of Immunology, 1991, 21, 1779-1782.	1.6	16
241	Generation and analysis of interleukin-4 deficient mice. Science, 1991, 254, 707-710.	6.0	1,222
242	Most peripheral B cells in mice are ligand selected.. Journal of Experimental Medicine, 1991, 173, 1357-1371.	4.2	423
243	Tumor suppression after tumor cell-targeted tumor necrosis factor alpha gene transfer.. Journal of Experimental Medicine, 1991, 173, 1047-1052.	4.2	288
244	Retroviral interleukin 4 gene transfer into an interleukin 4-dependent cell line results in autocrine growth but not in tumorigenicity. European Journal of Immunology, 1990, 20, 935-938.	1.6	35
245	High gradient magnetic cell separation with MACS. Cytometry, 1990, 11, 231-238.	1.8	1,552
246	Membrane-bound IgM obstructs B cell development in transgenic mice. European Journal of Immunology, 1989, 19, 923-928.	1.6	26
247	c-fos expression interferes with thymus development in transgenic mice. Cell, 1988, 53, 847-856.	13.5	86
248	A retroviral expression vector containing murine immunoglobulin heavy chain promoter/enhancer. Nucleic Acids Research, 1988, 16, 10939-10939.	6.5	18
249	A T cell clone which responds to interleukin 2 but not to interleukin 4. European Journal of Immunology, 1987, 17, 579-580.	1.6	29
250	A new V gene expressed in lambda-2 light chains of the mouse. European Journal of Immunology, 1987, 17, 731-734.	1.6	53
251	Class switch recombination is IgG1 specific on active and inactive IgH loci of IgG1-secreting B-cell blasts.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 3954-3957.	3.3	93
252	Cell-cooling in flow cytometry by peltier elements. Cytometry, 1986, 7, 295-297.	1.8	2

#	ARTICLE	IF	CITATIONS
253	Control of Immunoglobulin Class Switch Recombination. Immunological Reviews, 1986, 89, 69-84.	2.8	64
254	Lymphokines regulate immunoglobulin isotype expression in an antigen-specific immune response. Journal of Immunology, 1986, 136, 2892-5.	0.4	15
255	Modulation of interleukin 2 activity by lymphocyte-derived tetrahydrobiopterin. Die Naturwissenschaften, 1985, 72, 330-331.	0.6	17
256	Signal requirements for growth and differentiation of activated murine B lymphocytes. Journal of Immunology, 1985, 135, 1213-9.	0.4	18
257	Heterogeneous and monoclonal helper T cells induce similar anti-(4-hydroxy-3-nitrophenyl)acetyl (NP) antibody populations in the primary adoptive response I. Isotype distribution. European Journal of Immunology, 1984, 14, 188-194.	1.6	24
258	Intercellular communication and cell cooperation in growth control of T-lymphocytes. Biophysics of Structure and Mechanism, 1982, 9, 125-130.	1.9	1
259	Innate Sensing by Mesenchymal TLR4/MyD88 Signals Promotes Spontaneous Intestinal Tumorigenesis. SSRN Electronic Journal, 0, , .	0.4	0