

Andrej Ernst

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3017400/publications.pdf>

Version: 2024-02-01

102

papers

885

citations

567144

15

h-index

677027

22

g-index

102

all docs

102

docs citations

102

times ranked

421

citing authors

#	ARTICLE	IF	CITATIONS
1	Semicosciniid bryozoans from the Middle Devonian of Rommersheim (Eifel, Germany). <i>Palaontologische Zeitschrift</i> , 2023, 97, 741-749.	0.8	2
2	Bryozoan-rich stromatolites (bryostromatolites) from the Silurian of Gotland and their relation to climate-related perturbations of the global carbon cycle. <i>Sedimentology</i> , 2022, 69, 162-198.	1.6	8
3	Middle Devonian brachiopod-hosted sclerobiont assemblage from the northern shelf of Gondwana (Mader Basin, Morocco): Diversity, colonization patterns and relation to coeval palaeocommunities. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 594, 110947.	1.0	7
4	A cool-water bryozoan association from the La Pola Formation (Sandbian, Ordovician) of Argentine Precordillera. <i>Geodiversitas</i> , 2022, 44, .	0.2	0
5	Symbiosis of cornulitids with the cystoporiferous bryozoan <i>Fistulipora</i> in the Pridoli of Saaremaa, Estonia. <i>Lethaia</i> , 2021, 54, 90-95.	0.6	8
6	Bryozoans from the lower Silurian (Telychian) Hanchiatien Formation from southern Chongqing, South China. <i>Journal of Paleontology</i> , 2021, 95, 252-267.	0.5	1
7	Bryozoan fauna from the Mobarak Formation (Mississippian), northern Iran. <i>Palaontologische Zeitschrift</i> , 2021, 95, 105-116.	0.8	2
8	Richness of Famennian-Tournaisian (late Devonian-early Carboniferous) bryozoans in shallow areas of Palaeotethys and Palaeoasian oceans. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2021, 101, 885.	0.6	1
9	Palaeoecology and taphonomy of a middle Miocene domical cheilostome bryozoan, Siwa Oasis, the northern Western Desert of Egypt. <i>Lethaia</i> , 2021, 54, 504-520.	0.6	1
10	Carboniferous bryozoans from the Kalmard area, central Iran. <i>Palaontologische Zeitschrift</i> , 2020, 94, 533-543.	0.8	1
11	Stenolaemate bryozoans from the Carboniferous of Egypt. <i>Journal of African Earth Sciences</i> , 2020, 165, 103811.	0.9	3
12	Early Famennian bryozoan fauna from the Baqer-abad section, northeast Isfahan, central Iran. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2020, 100, 705-718.	0.6	0
13	Stenolaemate bryozoan fauna from the Mississippian of Guadiato Area, southwestern Spain. <i>Spanish Journal of Paleontology</i> , 2020, 28, 173.	0.0	7
14	Anastomopora (Fenestrata, Bryozoa) from the Middle Devonian of the Rhenish Massif, Germany. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2020, 297, 11-26.	0.2	2
15	The last phylum: Occupation of Bryozoa morpho-ecospace (colony growth habits) during the early phase of the Great Ordovician Biodiversification Event. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 534, 109270.	1.0	12
16	Upper Ordovician bryozoans of Morocco. <i>Geological Society Special Publication</i> , 2019, , SP485-2018-71.	0.8	4
17	Bryozoan fauna from the Reynales Formation (lower Silurian, Aeronian) of New York, USA. <i>Journal of Paleontology</i> , 2019, 93, 628-657.	0.5	1
18	A new cryptostome bryozoan Ptilotrypa from the Upper Ordovician Yong Limestone Formation: Tethyan sequence of Kumaun Higher Himalaya, India. <i>Journal of Paleontology</i> , 2019, 93, 585-591.	0.5	2

#	ARTICLE	IF	CITATIONS
19	Devonian bryozoans from Argentina: new cosmopolitan components of Southwestern Gondwanan basins. <i>Journal of Paleontology</i> , 2019, 93, 232-243.	0.5	6
20	Symbiosis of conulariids with trepostome bryozoans in the Upper Ordovician of Estonia (Baltica). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 518, 89-96.	1.0	25
21	Bryozoan fauna of the Lake Valley Formation (Mississippian), New Mexico. <i>Journal of Paleontology</i> , 2018, 92, 577-595.	0.5	0
22	Bioclaustrations in Upper Ordovician bryozoans from northern Estonia. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2018, 289, 113-121.	0.2	12
23	Early Silurian (Telychian) bryozoan reefs in the epeiric sea of South China: Are heterotrophic metazoan buildups promoted by internal waves?. <i>Sedimentary Geology</i> , 2018, 376, 50-59.	1.0	2
24	SYMBIOSIS OF CORNULITIDS AND BRYOZOANS IN THE LATE ORDOVICIAN OF ESTONIA (BALTICA). <i>Palaios</i> , 2018, 33, 290-295.	0.6	15
25	Diversity dynamics of Ordovician Bryozoa. <i>Lethaia</i> , 2018, 51, 198-206.	0.6	41
26	A bryozoan fauna from the Mississippian (Tournaisian and Viséan) of Belgium. <i>Geobios</i> , 2017, 50, 105-121.	0.7	4
27	A Late Devonian (Frasnian) bryozoan fauna from central Iran. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2017, 97, 541-552.	0.6	4
28	Two bryozoan assemblages from the Ordovician of the Russian Arctic. <i>Gff</i> , 2017, 139, 205-215.	0.4	0
29	The cystoporate bryozoan <i>Glyptopora michelinia</i> (Prout, 1860) in the Viséan-Serpukhovian boundary interval of the Montagne Noire (southern France). <i>Palaontologische Zeitschrift</i> , 2017, 91, 207-216.	0.8	1
30	Late Artinskian-Early Kungurian (Early Permian) warming and maximum marine flooding in the East Gondwana interior rift, Timor and Western Australia, and comparisons across East Gondwana. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 468, 88-121.	1.0	45
31	THE REENGINEERING OF REEF HABITATS DURING THE GREAT ORDOVICIAN BIODIVERSIFICATION EVENT. <i>Palaios</i> , 2017, 32, 584-599.	0.6	32
32	Palaeoecology of Famennian-Tournaisian (Late Devonian-Early Carboniferous) bryozoans from central and southern regions of Russia. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2017, 97, 731-745.	0.6	2
33	Middle Pennsylvanian bryozoans of Cerros de Tule, Sonora, Mexico. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2017, 285, 11-38.	0.2	1
34	Rare rugosan-bryozoan intergrowth from the Upper Ordovician of Estonia. <i>Carnets De Geologie</i> , 2017, 17, 145-151.	0.4	16
35	Articulation in the Family Rhabdomesidae (Cryptostomata: Bryozoa) from the Mississippian of Ireland. <i>Irish Journal of Earth Sciences</i> , 2017, 35, 35.	0.3	6
36	Fenestratrapora (Fenestrata, Bryozoa) from the Middle Devonian of Germany. <i>Palaontologische Zeitschrift</i> , 2016, 90, 19-32.	0.8	4

#	ARTICLE	IF	CITATIONS
37	Earliest symbiotic rugosans in cystoporate bryozoan <i>Ceramopora intercellata</i> Bassler, 1911 from Late Ordovician of Estonia (Baltica). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 461, 140-144.	1.0	20
38	Bryozoan fauna of the Boggy Formation (Deese Group, Pennsylvanian) of the Buckhorn Asphalt Quarry, Oklahoma, USA. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2016, 96, 517-540.	0.6	5
39	New Caledonian Triassic Bryozoa. <i>Journal of Paleontology</i> , 2015, 89, 730-747.	0.5	3
40	Tournaisian (Lower Mississippian) bryozoans from Belgium. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2015, 278, 23-45.	0.2	5
41	Exceptional bryozoan assemblage of a microbial-dominated reef from the early Wenlock of Gotland, Sweden. <i>Gff</i> , 2015, 137, 102-125.	0.4	11
42	Bryozoan fauna of the Upper Ordovician (Katian) of Alnif, Morocco. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2015, 95, 537-553.	0.6	5
43	Stratigraphic relevance and typification of the Mississippian fenestrate bryozoan <i>Narynella narynica</i> (Nikiforova, 1933). <i>Palaontologische Zeitschrift</i> , 2015, 89, 645-651.	0.8	0
44	Lowerâ€“Middle Devonian Fenestellidae (Bryozoa) of NW Spain: implications for fenestrate palaeobiogeography. <i>Facies</i> , 2015, 61, 1.	0.7	3
45	Bryozoan fauna from the Mississippian (Visean) of Roque Redonde (Montagne Noire, southern France). <i>Geodiversitas</i> , 2015, 37, 151-213.	0.2	9
46	< i>Dianulites</i> (Trepustomata, Bryozoa) from the Early Ordovician of Severnaya Zemlya, Arctic Russia. <i>Geological Magazine</i> , 2014, 151, 328-338.	0.9	11
47	Trepostome bryozoans from the ZahoÅ™any Formation (Upper Ordovician) of Lodenice, Prague Basin, Czech Republic. <i>Palaontologische Zeitschrift</i> , 2014, 88, 11-26.	0.8	5
48	Palaeobiogeography and diversification of Tournaisianâ€“VisÃ©an bryozoans (lowerâ€“middle) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 414, 200-211.	1.0	9
49	Postglacial Early Permian (late Sakmarianâ€“early Artinskian) shallow-marine carbonate deposition along a 2000km transect from Timor to west Australia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 409, 180-204.	1.0	39
50	Famennian (Upper Devonian) bryozoans from borehole Velbert 4, Rhenish Massif (Germany). <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2014, 273, 25-44.	0.2	3
51	Diversity dynamics and evolutionary patterns of Devonian Bryozoa. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2013, 93, 45-63.	0.6	20
52	Chapter 12 A review of the Early Palaeozoic biogeography of bryozoans. <i>Geological Society Memoir</i> , 2013, 38, 145-155.	0.9	14
53	ERRATUM volume 34 (4), 2012: 693â€“738. Date of publication: December 28, 2012. Description of a bryozoan fauna from mud mounds of the Lebanza Formation (Lower Devonian) in the Arauz area (Pisuerga-CarriÃ³n Province, Cantabrian Zone, NW Spain). <i>Geodiversitas</i> , 2013, 35, 273-276.	0.2	0
54	Lower Permian bryozoan faunas from Kalmard area, central Iran. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2013, 268, 275-324.	0.2	7

#	ARTICLE	IF	CITATIONS
55	Acanthoclema (Rhabdomesina, Cryptostomata) from the Devonian of Europe. Lecture Notes in Earth System Sciences, 2013, , 45-58.	0.5	0
56	Upper Ordovician (Sandbian) bryozoan fauna from Argentine Precordillera. Journal of Paleontology, 2012, 86, 721-752.	0.5	12
57	A new Middle Devonian cystoporate bryozoan from Germany containing a new symbiont bioclaustration. Acta Palaeontologica Polonica, 2012, , .	0.4	2
58	Inconobotopora(Cystoporata, Bryozoa) from the early Katian (Late Ordovician) Kullsberg Limestone of the Siljan district, Dalarna, central Sweden. Gff, 2012, 134, 19-25.	0.4	1
59	Description of a bryozoan fauna from mud mounds of the Lebanza Formation (Lower Devonian) in the Arauz area (Pisuerga-Carrión Province, Cantabrian Zone, NW Spain). Geodiversitas, 2012, 34, 693-738.	0.2	8
60	Cystoporate bryozoans from the Lower - Middle Devonian of NW Spain. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2012, 263, 261-285.	0.2	3
61	Fenestrate bryozoan fauna from the Lower - Middle Devonian of NW Spain. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2012, 264, 205-247.	0.2	7
62	Bryozoan fauna from the Lower Devonian (middle Lochkovian) of Sierra de Guadarrama, Spain. Journal of Paleontology, 2012, 86, 60-80.	0.5	4
63	Bryozoans, corals, and microfacies of Lower Eifelian (Middle Devonian) limestones at Kierspe, Germany. Facies, 2012, 58, 727-758.	0.7	8
64	Homeomorphy in Lunostoma, a new Middle Devonian cryptostome bryozoan. Palaontologische Zeitschrift, 2012, 86, 135-145.	0.8	6
65	Cryptostome bryozoan Stictoporella simplex (Pocta, 1894) from the Silurian of Bohemia. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2011, 260, 79-85.	0.2	1
66	A bryozoan fauna from the Santa Lucia Formation (Lowerâ€“Middle Devonian) of Cantabrian Mountains, NW Spain. Facies, 2011, 57, 301-329.	0.7	7
67	Frasnian bryozoans (Late Devonian) from the Khoshyeilagh Section, Alborz Mountains (northern) Tj ETQql 1 0.784314 rgBT /Overlock 1	0.8	1
68	Microhabitat complexityâ€“an example from Middle Devonian bryozoan-rich sediments in the Blankenheim Syncline (northern Eifel, Rheinisches Schiefergebirge). Palaeobiodiversity and Palaeoenvironments, 2011, 91, 257-284.	0.6	11
69	Darriwilian Bryozoans from the San Juan Formation (Ordovician), Argentine Precordillera. Ameghiniana, 2010, 47, 343-354.	0.3	15
70	Palaeobiogeography of Famennian (Late Devonian) bryozoans. Palaeogeography, Palaeoclimatology, Palaeoecology, 2010, 298, 360-369.	1.0	12
71	< i>RETEPORA UNDATA</i> M'COY, 1844, TYPE SPECIES OF < i>PHYLLOPORELLA</i> FREDERIKS, 1916, A JUNIOR SYNONYM OF < i>CHAINODICTYON</i> FOERSTE, 1887: A PHYLLOPORINID BRYOZOAN FROM THE MISSISSIPPIAN OF IRELAND REDESCRIPTED. Irish Journal of Earth Sciences, 2010, 28, 53-60.	0.3	1
72	Rhabdomesid and cystoporid bryozoans from the Permian of Deh-e Mohammad, Shotori Mountains (northeastern Iran). Geobios, 2009, 42, 133-140.	0.7	5

#	ARTICLE	IF	CITATIONS
73	Bryozoa from the Surmaq Formation (Permian) of the Hambast Mountains, south of Abadeh, central Iran. <i>Facies</i> , 2009, 55, 595-608.	0.7	3
74	Stenolaemate bryozoans from the Geirud Formation (Upper Devonian/Lower Carboniferous) of Central Alborz (Iran). <i>Palaontologische Zeitschrift</i> , 2009, 83, 439-447.	0.8	13
75	Unusual skeletal morphology and systematic description of a new Devonian cryptostome bryozoan from the Western Sahara. <i>Palaontologische Zeitschrift</i> , 2009, 83, 449-457.	0.8	6
76	< i>Schischcatella</i> (Fenestrata, Bryozoa) from the Devonian of the Rhenish Massif, Germany. <i>Palaeontology</i> , 2009, 52, 1291-1310.	1.0	15
77	Bryozoan fauna from the KonÄprusy Limestone (Pragian, Lower Devonian) of ZlatÄ½ KÅ-Å near KonÄprusy (Czech Republic). <i>Journal of Paleontology</i> , 2009, 83, 767-782.	0.5	9
78	A Hirnantian (latest Ordovician) reefal bryozoan fauna from Anticosti Island, eastern Canada: taxonomy and chemostratigraphy. <i>Canadian Journal of Earth Sciences</i> , 2009, 46, 207-229.	0.6	19
79	The role of bryozoans in fossil reefsâ€”an example from the Middle Devonian of the Western Sahara. <i>Facies</i> , 2008, 54, 613-620.	0.7	21
80	Cryptostomid Bryozoans From The Sassito Formation, Upper Ordovician Coolâ€Water Carbonates of the Argentinean Precordillera. <i>Palaeontology</i> , 2008, 51, 1117-1127.	1.0	12
81	Bryozoans in transition: The depauperate and patchy Jurassic biota. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 263, 9-23.	1.0	28
82	Non-fenestrate bryozoans from the Middle Devonian of the Eifel (western Rhenish Massif, Germany). <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2008, 250, 313-379.	0.2	21
83	Stenolaemate Bryozoa from the Permian of Oman (Aseelah Unit, Batain Coast). <i>Journal of Paleontology</i> , 2008, 82, 676-716.	0.5	7
84	ORDOVICIAN BRYOZOANS FROM THE KANOSH FORMATION (WHITEROCKIAN) OF UTAH, USA. <i>Journal of Paleontology</i> , 2007, 81, 998-1008.	0.5	8
85	Upper Ordovician Bryozoa from the Montagne de Noire, Southern France. <i>Journal of Systematic Palaeontology</i> , 2007, 5, 359-428.	0.6	19
86	Stenolaemate bryozoans from the Middle Devonian of the Rhenish Slate Massif (Eifel, Germany). <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2007, 246, 205-233.	0.2	14
87	UPPER ORDOVICIAN BRYOZOANS OF THE PIN FORMATION (SPITI VALLEY, NORTHERN INDIA). <i>Palaeontology</i> , 2007, 50, 1485-1518.	1.0	22
88	Lower Permian Bryozoa from Ellesmere Island (Canada). <i>Palaontologische Zeitschrift</i> , 2007, 81, 17-28.	0.8	7
89	A cystoporate bryozoan species from the Zechstein (Late Permian). <i>Palaontologische Zeitschrift</i> , 2007, 81, 113-117.	0.8	1
90	Lower Permian Bryozoa of the Jamal Formation from Bagh-e Vang (Shotori Mountains, northeast Iran). <i>Facies</i> , 2006, 52, 627-635.	0.7	6

#	ARTICLE	IF	CITATIONS
91	Stenolaemate Bryozoa from the Upper Carboniferous of the Cantabrian Basin, Northern Spain. Senckenbergiana Lethaea, 2005, 85, 301-317.	0.3	5
92	Lower Carboniferous Bryozoa from some localities in Sauerland, Germany., , 2005, , 49-62.		6
93	Bryozoans from the Artinskian (Lower Permian) Great Bear Cape Formation, Ellesmere Island (Canadian Arctic). , 2005, , 63-68.		3
94	16. Bryozoans. , 2004, , 147-156.		39
95	Zooidal anatomy in Ordovician and Carboniferous trepostome bryozoans. Palaontologische Zeitschrift, 2002, 76, 339-345.	0.8	6
96	Carnocladidae â€” a new family of fenestrate bryozoans. Senckenbergiana Lethaea, 2001, 81, 295-305.	0.3	0
97	Bryozoa of the Upper Permian Zechstein Formation of Germany. Senckenbergiana Lethaea, 2001, 81, 135-181.	0.3	19
98	Permian bryozoans of the NW-tethys. Facies, 2000, 43, 79-102.	0.7	10
99	Two unusual trepostome bryozoans from the Lower Carboniferous of the Karatau (south) Tj ETQq1 1 0.784314 rgBT 0.8 /Overlock 10 Tf 50		
100	Symbiosis in trepostome bryozoans from the Sandbian (Late Ordovician) of Estonia. Historical Biology, 0, , 1-10.	0.7	3
101	Intergrowth of <i>Orbignyella germana</i> Bassler, 1911 (Bryozoa) and <i>Lambelasma carinatum</i> Weyer, 1993 (Rugosa) in the pelmatozoan-bryozoan-receptaculitid reefs from the Late Ordovician of Estonia. Palaeontologia Electronica, 0, , 1-7.	0.9	6
102	Two trepostome bryozoans from the Assistance Formation (Permian, Roadian) near Lake Hazen, Ellesmere Island, Canada. Gff, 0, , 1-8.	0.4	1