

# Volker Spindler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3018986/publications.pdf>

Version: 2024-02-01

63

papers

2,835

citations

126901

33

h-index

182417

51

g-index

68

all docs

68

docs citations

68

times ranked

2856

citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The Actin-Binding Protein $\tilde{\alpha}$ -Adducin Modulates Desmosomal Turnover and Plasticity. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1219-1229.e11.  | 0.7 | 16        |
| 2  | Clustering of desmosomal cadherins by desmoplakin is essential for cell-cell adhesion. <i>Acta Physiologica</i> , 2021, 231, e13609.   | 3.8 | 10        |
| 3  | A new <i>ex vivo</i> human oral mucosa model reveals that p38 MAPK inhibition is not effective in preventing autoantibody-induced mucosal blistering in pemphigus. <i>British Journal of Dermatology</i> , 2020, 182, 987-994. | 1.5 | 26        |
| 4  | Role of Src and Cortactin in Pemphigus Skin Blistering. <i>Frontiers in Immunology</i> , 2019, 10, 626.  | 4.8 | 25        |
| 5  | Desmoglein 1 Deficiency Causes Lethal Skin Blistering. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1596-1599.e2.  | 0.7 | 27        |
| 6  | Plakophilin 1 but not plakophilin 3 regulates desmoglein clustering. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 3465-3476.  | 5.4 | 24        |
| 7  | Modulation of EGF-R signaling by desmoglein 2 in pancreatic cancer cells. <i>FASEB Journal</i> , 2019, 33, 802.36.   | 0.5 | 0         |
| 8  | Src and cortactin are involved in pemphigus skin blistering. <i>FASEB Journal</i> , 2019, 33, 802.12.  | 0.5 | 0         |
| 9  | Mechanisms Causing Loss of Keratinocyte Cohesion in Pemphigus. <i>Journal of Investigative Dermatology</i> , 2018, 138, 32-37.   | 0.7 | 113       |
| 10 | Keratins Regulate the Adhesive Properties of Desmosomal Cadherins through Signaling. <i>Journal of Investigative Dermatology</i> , 2018, 138, 121-131.   | 0.7 | 51        |
| 11 | Premacular membranes in tissue culture. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2018, 256, 1589-1597.  | 1.9 | 10        |
| 12 | Pemphigus-A Disease of Desmosome Dysfunction Caused by Multiple Mechanisms. <i>Frontiers in Immunology</i> , 2018, 9, 136.   | 4.8 | 85        |
| 13 | Atomic Force Microscopy Provides New Mechanistic Insights into the Pathogenesis of Pemphigus. <i>Frontiers in Immunology</i> , 2018, 9, 485.   | 4.8 | 22        |
| 14 | Keratins Regulate p38MAPK-Dependent Desmoglein Binding Properties in Pemphigus. <i>Frontiers in Immunology</i> , 2018, 9, 528.   | 4.8 | 28        |
| 15 | Keratin Retraction and Desmoglein3 Internalization Independently Contribute to Autoantibody-Induced Cell Dissociation in Pemphigus Vulgaris. <i>Frontiers in Immunology</i> , 2018, 9, 858.                                    | 4.8 | 15        |
| 16 | Desmoglein Binding Properties are Regulated by Plakophilins. <i>FASEB Journal</i> , 2018, 32, .  | 0.5 | 0         |
| 17 | Relevance of Keratin Alterations and Desmoglein 3 Internalization in the Autoimmune Skin Disease Pemphigus Vulgaris. <i>FASEB Journal</i> , 2018, 32, 286.9.   | 0.5 | 0         |
| 18 | Loss of desmoglein 2 promotes tumorigenic behavior in pancreatic cancer cells. <i>Molecular Carcinogenesis</i> , 2017, 56, 1884-1895.  | 2.7 | 38        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Different signaling patterns contribute to loss of keratinocyte cohesion dependent on autoantibody profile in pemphigus. <i>Scientific Reports</i> , 2017, 7, 3579.   | 3.3  | 57        |
| 20 | Inhibition of p38MAPK signalling prevents epidermal blistering and alterations of desmosome structure induced by pemphigus autoantibodies in human epidermis. <i>British Journal of Dermatology</i> , 2017, 177, 1612-1618. | 1.5  | 63        |
| 21 | Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1199-1203.   | 0.7  | 34        |
| 22 | Adrenergic Signaling Strengthens Cardiac Myocyte Cohesion. <i>Circulation Research</i> , 2017, 120, 1305-1317.  | 4.5  | 55        |
| 23 | Pemphigus Autoantibodies Induce Blistering in Human Conjunctiva. , 2016, 57, 4442.  |      | 10        |
| 24 | Biomechanical Properties of the Internal Limiting Membrane after Intravitreal Ocriplasmin Treatment. <i>Ophthalmologica</i> , 2016, 235, 233-240.   | 1.9  | 7         |
| 25 | Desmoglein 3-Dependent Signaling Regulates Keratinocyte Migration and Wound Healing. <i>Journal of Investigative Dermatology</i> , 2016, 136, 301-310.  | 0.7  | 53        |
| 26 | Loss of Desmoglein 2 Contributes to the Pathogenesis of Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2015, 21, 1.  | 1.9  | 41        |
| 27 | Soluble VE-cadherin is involved in endothelial barrier breakdown in systemic inflammation and sepsis. <i>Cardiovascular Research</i> , 2015, 107, 32-44.  | 3.8  | 92        |
| 28 | Atomic force microscopy identifies regions of distinct desmoglein 3 adhesive properties on living keratinocytes. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2015, 11, 511-520.                            | 3.3  | 36        |
| 29 | E-cadherin and Src associate with extradesmosomal Dsg3 and modulate desmosome assembly and adhesion. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 4885-4897.   | 5.4  | 72        |
| 30 | Cleavage and Cell Adhesion Properties of Human Epithelial Cell Adhesion Molecule (HEPCAM). <i>Journal of Biological Chemistry</i> , 2015, 290, 24574-24591.   | 3.4  | 38        |
| 31 | Loss of Desmoglein Binding Is Not Sufficient for Keratinocyte Dissociation in Pemphigus. <i>Journal of Investigative Dermatology</i> , 2015, 135, 3068-3077.  | 0.7  | 55        |
| 32 | PKA Compartmentalization via AKAP220 and AKAP12 Contributes to Endothelial Barrier Regulation. <i>PLoS ONE</i> , 2014, 9, e106733.  | 2.5  | 36        |
| 33 | Desmoglein 2 Compensates for Desmoglein 3 but Does Not Control Cell Adhesion via Regulation of p38 Mitogen-activated Protein Kinase in Keratinocytes. <i>Journal of Biological Chemistry</i> , 2014, 289, 17043-17053.      | 3.4  | 38        |
| 34 | < i>Trans- <i>dimerization of JAM-A regulates Rap2 and is mediated by a domain that is distinct from the&lt; i&gt;cis-<i>dimerization interface. Molecular Biology of the Cell</i>, 2014, 25, 1574-1585.</i>                | 2.1  | 29        |
| 35 | Desmosomal Cadherins and Signaling: Lessons from Autoimmune Disease. <i>Cell Communication and Adhesion</i> , 2014, 21, 77-84.  | 1.0  | 44        |
| 36 | Desmosomes and Extradesmosomal Adhesive Signaling Contacts in Pemphigus. <i>Medicinal Research Reviews</i> , 2014, 34, 1127-1145.   | 10.5 | 63        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Adducin Is Required for Desmosomal Cohesion in Keratinocytes. <i>Journal of Biological Chemistry</i> , 2014, 289, 14925-14940.   | 3.4  | 44        |
| 38 | Desmoglein-2 interaction is crucial for cardiomyocyte cohesion and function. <i>Cardiovascular Research</i> , 2014, 104, 245-257.  | 3.8  | 59        |
| 39 | A Desmoplakin Point Mutation with Enhanced Keratin Association Ameliorates Pemphigus Vulgaris Autoantibody-Mediated Loss of Cell Cohesion. <i>American Journal of Pathology</i> , 2014, 184, 2528-2536.                              | 3.8  | 42        |
| 40 | Plakoglobin but Not Desmoplakin Regulates Keratinocyte Cohesion via Modulation of p38MAPK Signaling. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1655-1664.   | 0.7  | 38        |
| 41 | Peptide-mediated desmoglein 3 crosslinking prevents pemphigus vulgaris autoantibody-induced skin blistering. <i>Journal of Clinical Investigation</i> , 2013, 123, 800-11.   | 8.2  | 82        |
| 42 | Desmoglein 2 Is Less Important than Desmoglein 3 for Keratinocyte Cohesion. <i>PLoS ONE</i> , 2013, 8, e53739.   | 2.5  | 65        |
| 43 | Adducin modulates intercellular keratinocyte adhesion. <i>FASEB Journal</i> , 2013, 27, 650.15.  | 0.5  | 1         |
| 44 | Differential contribution of desmoglein 2 and 3 to cell adhesion and intracellular signaling in keratinocytes. <i>FASEB Journal</i> , 2012, 26, 833.2.   | 0.5  | 0         |
| 45 | Tandem peptide blocks pemphigus vulgaris skin blistering in vivo and identifies a desmoglein receptor function leading to p38MAPK modulation. <i>FASEB Journal</i> , 2012, 26, 275.1.  | 0.5  | 0         |
| 46 | Ultrastructural Analysis Reveals cAMP-Dependent Enhancement of Microvascular Endothelial Barrier Functions via Rac1-Mediated Reorganization of Intercellular Junctions. <i>American Journal of Pathology</i> , 2011, 178, 2424-2436. | 3.8  | 36        |
| 47 | The Extent of Desmoglein 3 Depletion in Pemphigus Vulgaris Is Dependent on Ca2+-Induced Differentiation. <i>American Journal of Pathology</i> , 2011, 179, 1905-1916.  | 3.8  | 56        |
| 48 | Beta-Adrenergic Stimulation Contributes to Maintenance of Endothelial Barrier Functions Under Baseline Conditions. <i>Microcirculation</i> , 2011, 18, 118-127.  | 1.8  | 42        |
| 49 | Role of Rho GTPases in desmosomal adhesion and pemphigus pathogenesis. <i>Annals of Anatomy</i> , 2011, 193, 177-180.  | 1.9  | 22        |
| 50 | Differential role of Rho GTPases in intestinal epithelial barrier regulation in vitro. <i>Journal of Cellular Physiology</i> , 2011, 226, 1196-1203.   | 4.1  | 49        |
| 51 | The extend of desmoglein 3 depletion in pemphigus vulgaris is dependent on Ca2+-induced differentiation â€“ a role in suprabasal epidermal skin splitting?. <i>FASEB Journal</i> , 2011, 25, 242.1.                                  | 0.5  | 1         |
| 52 | Mutant PIK3CA licenses TRAIL and CD95L to induce non-apoptotic caspase-8-mediated ROCK activation. <i>Cell Death and Differentiation</i> , 2010, 17, 1435-1447.  | 11.2 | 42        |
| 53 | Actin reorganization contributes to loss of cell adhesion in pemphigus vulgaris. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 299, C606-C613.   | 4.6  | 51        |
| 54 | Protective Endogenous Cyclic Adenosine 5'-Monophosphate Signaling Triggered by Pemphigus Autoantibodies. <i>Journal of Immunology</i> , 2010, 185, 6831-6838.  | 0.8  | 38        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Membrane Tumor Necrosis Factor (TNF) Induces p100 Processing via TNF Receptor-2 (TNFR2). <i>Journal of Biological Chemistry</i> , 2010, 285, 7394-7404.                          | 3.4 | 143       |
| 56 | Role of GTPases in control of microvascular permeability. <i>Cardiovascular Research</i> , 2010, 87, 243-253.  | 3.8 | 311       |
| 57 | cAMP via Epac/Rap1 enhanced microvascular endothelial barrier functions by Rac1-mediated reorganization of adherens and tight junctions. <i>FASEB Journal</i> , 2010, 24, 777.1. | 0.5 | 0         |
| 58 | $\beta^2\alpha$ -adrenergic stimulation contributes to maintenance of endothelial barrier functions under resting conditions. <i>FASEB Journal</i> , 2010, 24, 777.4.            | 0.5 | 0         |
| 59 | Desmocollin 3-mediated Binding Is Crucial for Keratinocyte Cohesion and Is Impaired in Pemphigus. <i>Journal of Biological Chemistry</i> , 2009, 284, 30556-30564.               | 3.4 | 108       |
| 60 | Role of Rac 1 and cAMP in endothelial barrier stabilization and thrombin-induced barrier breakdown. <i>Journal of Cellular Physiology</i> , 2009, 220, 716-726.                  | 4.1 | 93        |
| 61 | Pemphigus IgG Causes Skin Splitting in the Presence of Both Desmoglein 1 and Desmoglein 3. <i>American Journal of Pathology</i> , 2007, 171, 906-916.                            | 3.8 | 44        |
| 62 | Inhibition of Rho A activity causes pemphigus skin blistering. <i>Journal of Cell Biology</i> , 2006, 175, 721-727.  | 5.2 | 147       |
| 63 | Autoantibodies from pemphigus patients cause skin blistering by inhibition of Rho GTPases. <i>FASEB Journal</i> , 2006, 20, .  | 0.5 | 0         |