

Jufeng Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3019849/publications.pdf>

Version: 2024-02-01

65
papers

4,781
citations

134610

34
h-index

120465

65
g-index

65
all docs

65
docs citations

65
times ranked

5314
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing the impacts of biochar-blended urea on nitrogen use efficiency and soil retention in wheat production. <i>GCB Bioenergy</i> , 2022, 14, 65-83.	2.5	11
2	Pool complexity and molecular diversity shaped topsoil organic matter accumulation following decadal forest restoration in a karst terrain. <i>Soil Biology and Biochemistry</i> , 2022, 166, 108553.	4.2	10
3	Amendment of crop residue in different forms shifted micro-pore system structure and potential functionality of macroaggregates while changed their mass proportion and carbon storage of paddy topsoil. <i>Geoderma</i> , 2022, 409, 115643.	2.3	6
4	Copyrolysis of food waste and rice husk to biochar to create a sustainable resource for soil amendment: A pilot-scale case study in Jinhua, China. <i>Journal of Cleaner Production</i> , 2022, 347, 131269.	4.6	8
5	Macroaggregates Serve as Micro-Hotspots Enriched With Functional and Networked Microbial Communities and Enhanced Under Organic/Inorganic Fertilization in a Paddy Topsoil From Southeastern China. <i>Frontiers in Microbiology</i> , 2022, 13, 831746.	1.5	4
6	Improved ginseng production under continuous cropping through soil health reinforcement and rhizosphere microbial manipulation with biochar: a field study of <i>Panax ginseng</i> from Northeast China. <i>Horticulture Research</i> , 2022, 9, .	2.9	15
7	Biochar increases maize yield by promoting root growth in the rainfed region. <i>Archives of Agronomy and Soil Science</i> , 2021, 67, 1411-1424.	1.3	23
8	Long-term elevated CO ₂ and warming enhance microbial necromass carbon accumulation in a paddy soil. <i>Biology and Fertility of Soils</i> , 2021, 57, 673-684.	2.3	20
9	Could biochar amendment be a tool to improve soil availability and plant uptake of phosphorus? A meta-analysis of published experiments. <i>Environmental Science and Pollution Research</i> , 2021, 28, 34108-34120.	2.7	31
10	Amendment of straw biochar increased molecular diversity and enhanced preservation of plant derived organic matter in extracted fractions of a rice paddy. <i>Journal of Environmental Management</i> , 2021, 285, 112104.	3.8	11
11	Quantitative assessment of the effects of biochar amendment on photosynthetic carbon assimilation and dynamics in a rice-soil system. <i>New Phytologist</i> , 2021, 232, 1250-1258.	3.5	10
12	The role of soils in regulation of freshwater and coastal water quality. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021, 376, 20200176.	1.8	11
13	Influence of pyrolysis temperature on the cadmium and lead removal behavior of biochar derived from oyster shell waste. <i>Bioresource Technology Reports</i> , 2021, 15, 100709.	1.5	19
14	Utilization of biochar produced from invasive plant species to efficiently adsorb Cd (II) and Pb (II). <i>Bioresource Technology</i> , 2020, 317, 124011.	4.8	76
15	Greater microbial carbon use efficiency and carbon sequestration in soils: Amendment of biochar versus crop straws. <i>GCB Bioenergy</i> , 2020, 12, 1092-1103.	2.5	35
16	Legacy of soil health improvement with carbon increase following one time amendment of biochar in a paddy soil – A rice farm trial. <i>Geoderma</i> , 2020, 376, 114567.	2.3	40
17	The responses of soil organic carbon mineralization and microbial communities to fresh and aged biochar soil amendments. <i>GCB Bioenergy</i> , 2019, 11, 1408-1420.	2.5	67
18	Macroaggregates as biochemically functional hotspots in soil matrix: Evidence from a rice paddy under long-term fertilization treatments in the Taihu Lake Plain, eastern China. <i>Applied Soil Ecology</i> , 2019, 138, 262-273.	2.1	12

#	ARTICLE	IF	CITATIONS
19	Biochar provided limited benefits for rice yield and greenhouse gas mitigation six years following an amendment in a fertile rice paddy. <i>Catena</i> , 2019, 179, 20-28.	2.2	52
20	Pyrolyzed municipal sewage sludge ensured safe grain production while reduced C emissions in a paddy soil under rice and wheat rotation. <i>Environmental Science and Pollution Research</i> , 2019, 26, 9244-9256.	2.7	22
21	Biochar amendment changes temperature sensitivity of soil respiration and composition of microbial communities 3 years after incorporation in an organic carbon-poor dry cropland soil. <i>Biology and Fertility of Soils</i> , 2018, 54, 175-188.	2.3	79
22	Effects of biochar on availability and plant uptake of heavy metals – A meta-analysis. <i>Journal of Environmental Management</i> , 2018, 222, 76-85.	3.8	172
23	Pyrolysis of contaminated wheat straw to stabilize toxic metals in biochar but recycle the extract for agricultural use. <i>Biomass and Bioenergy</i> , 2018, 118, 32-39.	2.9	35
24	Short-term biochar manipulation of microbial nitrogen transformation in wheat rhizosphere of a metal contaminated Inceptisol from North China plain. <i>Science of the Total Environment</i> , 2018, 640-641, 1287-1296.	3.9	26
25	Changes in microbial biomass and the metabolic quotient with biochar addition to agricultural soils: A Meta-analysis. <i>Agriculture, Ecosystems and Environment</i> , 2017, 239, 80-89.	2.5	143
26	Biochar compound fertilizer increases nitrogen productivity and economic benefits but decreases carbon emission of maize production. <i>Agriculture, Ecosystems and Environment</i> , 2017, 241, 70-78.	2.5	110
27	A long-term hybrid poplar plantation on cropland reduces soil organic carbon mineralization and shifts microbial community abundance and composition. <i>Applied Soil Ecology</i> , 2017, 111, 94-104.	2.1	62
28	Microbial activity promoted with organic carbon accumulation in macroaggregates of paddy soils under long-term rice cultivation. <i>Biogeosciences</i> , 2016, 13, 6565-6586.	1.3	23
29	Responses of Methanogenic and Methanotrophic Communities to Elevated Atmospheric CO ₂ and Temperature in a Paddy Field. <i>Frontiers in Microbiology</i> , 2016, 7, 1895.	1.5	29
30	Is current biochar research addressing global soil constraints for sustainable agriculture?. <i>Agriculture, Ecosystems and Environment</i> , 2016, 226, 25-32.	2.5	96
31	Biochar decreased microbial metabolic quotient and shifted community composition four years after a single incorporation in a slightly acid rice paddy from southwest China. <i>Science of the Total Environment</i> , 2016, 571, 206-217.	3.9	236
32	Molecular changes of ferric oxide bound soil humus during the decomposition of maize straw. <i>Chemical and Biological Technologies in Agriculture</i> , 2016, 3, .	1.9	2
33	Abundance, composition and activity of denitrifier communities in metal polluted paddy soils. <i>Scientific Reports</i> , 2016, 6, 19086.	1.6	28
34	Changes in micronutrient availability and plant uptake under simulated climate change in winter wheat field. <i>Journal of Soils and Sediments</i> , 2016, 16, 2666-2675.	1.5	20
35	Cd immobilization in a contaminated rice paddy by inorganic stabilizers of calcium hydroxide and silicon slag and by organic stabilizer of biochar. <i>Environmental Science and Pollution Research</i> , 2016, 23, 10028-10036.	2.7	99
36	Farmers' Perceptions of Climate Variability and Factors Influencing Adaptation: Evidence from Anhui and Jiangsu, China. <i>Environmental Management</i> , 2016, 57, 976-986.	1.2	57

#	ARTICLE	IF	CITATIONS
37	Functional and structural responses of bacterial and fungal communities from paddy fields following long-term rice cultivation. <i>Journal of Soils and Sediments</i> , 2016, 16, 1460-1471.	1.5	33
38	Biochar has no effect on soil respiration across Chinese agricultural soils. <i>Science of the Total Environment</i> , 2016, 554-555, 259-265.	3.9	67
39	Biochar helps enhance maize productivity and reduce greenhouse gas emissions under balanced fertilization in a rainfed low fertility inceptisol. <i>Chemosphere</i> , 2016, 142, 106-113.	4.2	149
40	Long-term rice cultivation stabilizes soil organic carbon and promotes soil microbial activity in a salt marsh derived soil chronosequence. <i>Scientific Reports</i> , 2015, 5, 15704.	1.6	36
41	Does metal pollution matter with C retention by rice soil?. <i>Scientific Reports</i> , 2015, 5, 13233.	1.6	17
42	Biochar-manure compost in conjunction with pyroligneous solution alleviated salt stress and improved leaf bioactivity of maize in a saline soil from central China: a 2-year field experiment. <i>Journal of the Science of Food and Agriculture</i> , 2015, 95, 1321-1327.	1.7	177
43	Changes in soil microbial community structure and enzyme activity with amendment of biochar-manure compost and pyroligneous solution in a saline soil from Central China. <i>European Journal of Soil Biology</i> , 2015, 70, 67-76.	1.4	102
44	Short-term response of nitrifier communities and potential nitrification activity to elevated CO ₂ and temperature interaction in a Chinese paddy field. <i>Applied Soil Ecology</i> , 2015, 96, 88-98.	2.1	49
45	Consistent increase in abundance and diversity but variable change in community composition of bacteria in topsoil of rice paddy under short term biochar treatment across three sites from South China. <i>Applied Soil Ecology</i> , 2015, 91, 68-79.	2.1	133
46	Soil carbon, multiple benefits. <i>Environmental Development</i> , 2015, 13, 33-38.	1.8	75
47	Assessment of climate change awareness and agronomic practices in an agricultural region of Henan Province, China. <i>Environment, Development and Sustainability</i> , 2015, 17, 379-391.	2.7	22
48	Biochar compound fertilizer as an option to reach high productivity but low carbon intensity in rice agriculture of China. <i>Carbon Management</i> , 2014, 5, 145-154.	1.2	96
49	Effect of biochar amendment on soil silicon availability and rice uptake. <i>Journal of Plant Nutrition and Soil Science</i> , 2014, 177, 91-96.	1.1	75
50	Heavy metal pollution decreases microbial abundance, diversity and activity within particle-size fractions of a paddy soil. <i>FEMS Microbiology Ecology</i> , 2014, 87, 164-181.	1.3	225
51	Short-term responses of microbial community and functioning to experimental CO ₂ enrichment and warming in a Chinese paddy field. <i>Soil Biology and Biochemistry</i> , 2014, 77, 58-68.	4.2	59
52	Changes in greenhouse gas evolution in heavy metal polluted paddy soils with rice straw return: A laboratory incubation study. <i>European Journal of Soil Biology</i> , 2014, 63, 1-6.	1.4	22
53	Sustainable biochar effects for low carbon crop production: A 5-crop season field experiment on a low fertility soil from Central China. <i>Agricultural Systems</i> , 2014, 129, 22-29.	3.2	77
54	Abundance, Composition and Activity of Ammonia Oxidizer and Denitrifier Communities in Metal Polluted Rice Paddies from South China. <i>PLoS ONE</i> , 2014, 9, e102000.	1.1	24

#	ARTICLE	IF	CITATIONS
55	Effects of amendment of biochar-manure compost in conjunction with pyroligneous solution on soil quality and wheat yield of a salt-stressed cropland from Central China Great Plain. <i>Field Crops Research</i> , 2013, 144, 113-118.	2.3	209
56	Change in net global warming potential of a rice-wheat cropping system with biochar soil amendment in a rice paddy from China. <i>Agriculture, Ecosystems and Environment</i> , 2013, 173, 37-45.	2.5	103
57	Biochar soil amendment as a solution to prevent Cd-tainted rice from China: Results from a cross-site field experiment. <i>Ecological Engineering</i> , 2013, 58, 378-383.	1.6	205
58	Biochar soil amendment increased bacterial but decreased fungal gene abundance with shifts in community structure in a slightly acid rice paddy from Southwest China. <i>Applied Soil Ecology</i> , 2013, 71, 33-44.	2.1	324
59	Decline in Topsoil Microbial Quotient, Fungal Abundance and C Utilization Efficiency of Rice Paddies under Heavy Metal Pollution across South China. <i>PLoS ONE</i> , 2012, 7, e38858.	1.1	34
60	Sequestration of maize crop straw C in different soils: Role of oxyhydrates in chemical binding and stabilization as recalcitrance. <i>Chemosphere</i> , 2012, 87, 649-654.	4.2	25
61	Effects of biochar amendment on soil quality, crop yield and greenhouse gas emission in a Chinese rice paddy: A field study of 2 consecutive rice growing cycles. <i>Field Crops Research</i> , 2012, 127, 153-160.	2.3	494
62	Perspectives on studies on soil carbon stocks and the carbon sequestration potential of China. <i>Science Bulletin</i> , 2011, 56, 3748-3758.	1.7	29
63	Variation of organic carbon and nitrogen in aggregate size fractions of a paddy soil under fertilisation practices from Tai Lake Region, China. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 1052-1058.	1.7	34
64	Changes in microbial community structure and function within particle size fractions of a paddy soil under different long-term fertilization treatments from the Tai Lake region, China. <i>Colloids and Surfaces B: Biointerfaces</i> , 2007, 58, 264-270.	2.5	79
65	Effect of long-term fertilization on C mineralization and production of CH ₄ and CO ₂ under anaerobic incubation from bulk samples and particle size fractions of a typical paddy soil. <i>Agriculture, Ecosystems and Environment</i> , 2007, 120, 129-138.	2.5	107