Kai Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3020504/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Brown Carbon Aerosol in Urban Xi'an, Northwest China: The Composition and Light Absorption Properties. Environmental Science & Technology, 2018, 52, 6825-6833.	4.6	149
2	Cyhalofop-butyl has the potential to induce developmental toxicity, oxidative stress and apoptosis in early life stage of zebrafish (Danio rerio). Environmental Pollution, 2015, 203, 40-49.	3.7	98
3	Biological response of earthworm, Eisenia fetida, to five neonicotinoid insecticides. Chemosphere, 2015, 132, 120-126.	4.2	82
4	UHPLC-Orbitrap mass spectrometric characterization of organic aerosol from a central European city (Mainz, Germany) and a Chinese megacity (Beijing). Atmospheric Environment, 2018, 189, 22-29.	1.9	62
5	Radical Formation by Fine Particulate Matter Associated with Highly Oxygenated Molecules. Environmental Science & Technology, 2019, 53, 12506-12518.	4.6	45
6	Organosulfates in atmospheric aerosol: synthesis and quantitative analysis of PM _{2.5} from Xi'an, northwestern China. Atmospheric Measurement Techniques, 2018, 11, 3447-3456.	1.2	44
7	Molecular Characterization and Source Identification of Atmospheric Particulate Organosulfates Using Ultrahigh Resolution Mass Spectrometry. Environmental Science & Technology, 2019, 53, 6192-6202.	4.6	34
8	Atmospheric nitrogen deposition: A review of quantification methods and its spatial pattern derived from the global monitoring networks. Ecotoxicology and Environmental Safety, 2021, 216, 112180.	2.9	31
9	Urban organic aerosol composition in eastern China differs from north to south: molecular insight from a liquid chromatography–mass spectrometry (Orbitrap) study. Atmospheric Chemistry and Physics, 2021, 21, 9089-9104.	1.9	25
10	Dissipation and Residue of Acetamiprid in Watermelon and Soil in the Open Field. Bulletin of Environmental Contamination and Toxicology, 2012, 89, 644-648.	1.3	24
11	Determination and study on dissipation of 1-naphthylacetic acid in garlic and soil using high performance liquid chromatography–tandem mass spectrometry. Food and Chemical Toxicology, 2011, 49, 2869-2874.	1.8	23
12	Measured and Modeled Residue Dynamics of Famoxadone and Oxathiapiprolin in Tomato Fields. Journal of Agricultural and Food Chemistry, 2018, 66, 8489-8495.	2.4	23
13	Field Dissipation and Storage Stability of Glufosinate Ammonium and Its Metabolites in Soil. International Journal of Analytical Chemistry, 2014, 2014, 1-8.	0.4	22
14	Determination and study on dissipation and residue determination of cyhalofop-butyl and its metabolite using HPLC-MS/MS in a rice ecosystem. Environmental Monitoring and Assessment, 2014, 186, 6959-6967.	1.3	21
15	Field dissipation of trifloxystrobin and its metabolite trifloxystrobin acid in soil and apples. Environmental Monitoring and Assessment, 2015, 187, 4100.	1.3	17
16	New Particle Formation and Growth from Dimethyl Sulfide Oxidation by Hydroxyl Radicals. ACS Earth and Space Chemistry, 2021, 5, 801-811.	1.2	15
17	Dynamics and risk assessment of pesticides in cucumber through field experiments and model simulation. Science of the Total Environment, 2021, 773, 145615.	3.9	15
18	Pesticide screening and health risk assessment of residential dust in a rural region of the North China Plain. Chemosphere, 2022, 303, 135115.	4.2	15

Kai Wang

#	Article	IF	CITATIONS
19	The maximum carbonyl ratio (MCR) as a new index for the structural classification of secondary organic aerosol components. Rapid Communications in Mass Spectrometry, 2021, 35, e9113.	0.7	13
20	Determination and study on dissipation and residue of bismerthiazol and its metabolite in Chinese cabbage and soil. Environmental Monitoring and Assessment, 2014, 186, 1195-1202.	1.3	11
21	Fluazinam Residue and Dissipation in Potato Tubers and Vines, and in Field Soil. American Journal of Potato Research, 2015, 92, 567-572.	0.5	11
22	Emissions of soot, PAHs, ultrafine particles, NO _{x,} and other health relevant compounds from stressed burning of candles in indoor air. Indoor Air, 2021, 31, 2033-2048.	2.0	11
23	Residues and Dissipation Dynamics of Fosthiazate in Tomato and Soil. Bulletin of Environmental Contamination and Toxicology, 2012, 89, 664-668.	1.3	9
24	Dissipation dynamic and residue distribution of flusilazole in mandarin. Environmental Monitoring and Assessment, 2013, 185, 9169-9176.	1.3	9
25	Emissions of ultrafine particles from five types of candles during steady burn conditions. Indoor Air, 2021, 31, 1084-1094.	2.0	8
26	Chemical characteristics and sources of organosulfates, organosulfonates, and carboxylic acids in aerosols in urban Xi'an, Northwest China. Science of the Total Environment, 2022, 810, 151187.	3.9	8
27	Dissipation of trinexapac-ethyl and its metabolite in wheat field ecosystems and microbial degradation in soil. International Journal of Environmental Analytical Chemistry, 2014, 94, 1375-1387.	1.8	6
28	Effects of Pymetrozine and Tebuconazole with Foliar Fertilizer Through Mixed Application on Plant Growth and Pesticide Residues in Cucumber. Bulletin of Environmental Contamination and Toxicology, 2022, 108, 267-275.	1.3	3
29	A significant diurnal pattern of ammonia dry deposition to a cropland is detected by an open-path quantum cascade laser-based eddy covariance instrument. Atmospheric Environment, 2022, 278, 119070	1.9	2