

John Marsden

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3021235/john-marsden-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

9,935
citations

55
h-index

98
g-index

183
ext. papers

11,472
ext. citations

5
avg, IF

6.21
L-index

#	Paper	IF	Citations
156	Synthesizing advice to the United States from other nations that have experienced drug epidemics.. <i>Addiction</i> , 2022 , 117, 1202-1203	4.6	
155	The effect evaluation of Individual Placement and Support (IPS) for patients with substance use disorders: study protocol for a randomized controlled trial of IPS versus enhanced self-help. <i>Trials</i> , 2021 , 22, 705	2.8	1
154	The hospital admission profile of people presenting to specialist addiction services with problematic use of alcohol or opioids: A national retrospective cohort study in England. <i>Lancet Regional Health - Europe, The</i> , 2021 , 3, 100036		2
153	Reciprocal influences of tobacco use on illicit opioid and alcohol use during the first six-months of specialist addiction treatment. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108418	4.9	2
152	Core outcomes set for research on the treatment of opioid use disorder (COS-OD): the National Institute on Drug Abuse Clinical Trials Network protocol for an e-Delphi consensus study. <i>Trials</i> , 2021 , 22, 102	2.8	4
151	Effectiveness of incentivised adherence and abstinence monitoring in buprenorphine maintenance: a pragmatic, randomised controlled trial. <i>Addiction</i> , 2021 , 116, 2398-2408	4.6	1
150	Acute impact of self-guided mental imagery on craving in cocaine use disorder: a mixed-methods analysis of a randomized controlled trial. <i>Addiction</i> , 2021 , 116, 2418-2430	4.6	0
149	Therapeutic Drug Monitoring in Buprenorphine/Naloxone Treatment for Opioid Use Disorder: Clinical Feasibility and Optimizing Assay Precision. <i>Pharmacopsychiatry</i> , 2020 , 53, 115-121	2	1
148	Protocol for a multi-centre, definitive randomised controlled trial of the effectiveness of Individual Placement and Support for employment support among people with alcohol and drug dependence. <i>Trials</i> , 2020 , 21, 167	2.8	4
147	Medicines associated with dependence or withdrawal: a mixed-methods public health review and national database study in England. <i>Lancet Psychiatry, the</i> , 2019 , 6, 935-950	23.3	35
146	Understanding and using time series analyses in addiction research. <i>Addiction</i> , 2019 , 114, 1866-1884	4.6	45
145	Suboxone Treatment and Recovery Trial (STAR-T): Study Protocol for a Randomised Controlled Trial of Opioid Medication Assisted Treatment with Adjunctive Medication Management Using Therapeutic Drug Monitoring and Contingency Management. <i>Journal of Addiction</i> , 2019 , 2019, 2491063	2.2	3
144	Efficacy and cost-effectiveness of an adjunctive personalised psychosocial intervention in treatment-resistant maintenance opioid agonist therapy: a pragmatic, open-label, randomised controlled trial. <i>Lancet Psychiatry, the</i> , 2019 , 6, 391-402	23.3	16
143	Factors influencing recruitment to a randomised placebo-controlled trial of oral naltrexone and extended release implant naltrexone: Qualitative study. <i>Journal of Substance Abuse Treatment</i> , 2019 , 99, 52-60	4.2	5
142	Response to commentaries. <i>Addiction</i> , 2019 , 114, 1357-1358	4.6	
141	Does craving for cocaine mediate cocaine use? Analysis of a randomized controlled pilot trial of memory-focused cognitive therapy. <i>Journal of Experimental Psychopathology</i> , 2019 , 10, 204380871986071 ^{2,3}	2.3	2
140	The impact of opiate substitution treatment on mortality risk in drug addicts: a natural experiment study. <i>Health Services and Delivery Research</i> , 2019 , 7, 1-92	1.5	3

139	Extended-release naltrexone versus standard oral naltrexone versus placebo for opioid use disorder: the NEAT three-arm RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-72	4.4	2
138	Prescription of benzodiazepines, z-drugs, and gabapentinoids and mortality risk in people receiving opioid agonist treatment: Observational study based on the UK Clinical Practice Research Datalink and Office for National Statistics death records. <i>PLoS Medicine</i> , 2019 , 16, e1002965	11.6	32
137	Measurement-based care using DSM-5 for opioid use disorder: can we make opioid medication treatment more effective?. <i>Addiction</i> , 2019 , 114, 1346-1353	4.6	24
136	Change in alcohol and other drug use during five years of continuous opioid substitution treatment. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 438-446	4.9	11
135	Substance use, sleep and intervention design: insights from qualitative data. <i>Journal of Mental Health</i> , 2019 , 28, 482-489	2.7	8
134	Prescription of benzodiazepines, z-drugs, and gabapentinoids and mortality risk in people receiving opioid agonist treatment: Observational study based on the UK Clinical Practice Research Datalink and Office for National Statistics death records 2019 , 16, e1002965		
133	Prescription of benzodiazepines, z-drugs, and gabapentinoids and mortality risk in people receiving opioid agonist treatment: Observational study based on the UK Clinical Practice Research Datalink and Office for National Statistics death records 2019 , 16, e1002965		
132	Prescription of benzodiazepines, z-drugs, and gabapentinoids and mortality risk in people receiving opioid agonist treatment: Observational study based on the UK Clinical Practice Research Datalink and Office for National Statistics death records 2019 , 16, e1002965		
131	Prescription of benzodiazepines, z-drugs, and gabapentinoids and mortality risk in people receiving opioid agonist treatment: Observational study based on the UK Clinical Practice Research Datalink and Office for National Statistics death records 2019 , 16, e1002965		
130	Prescription of benzodiazepines, z-drugs, and gabapentinoids and mortality risk in people receiving opioid agonist treatment: Observational study based on the UK Clinical Practice Research Datalink and Office for National Statistics death records 2019 , 16, e1002965		
129	The impact of buprenorphine and methadone on mortality: a primary care cohort study in the United Kingdom. <i>Addiction</i> , 2018 , 113, 1461-1476	4.6	49
128	Memory-Focused Cognitive Therapy for Cocaine Use Disorder: Theory, Procedures and Preliminary Evidence From an External Pilot Randomised Controlled Trial. <i>EBioMedicine</i> , 2018 , 29, 177-189	8.8	10
127	Development and early validation of a patient-reported outcome measure to assess sleep amongst people experiencing problems with alcohol or other drugs. <i>Sleep</i> , 2018 , 41,	1.1	7
126	Effectiveness of inpatient withdrawal and residential rehabilitation interventions for alcohol use disorder: A national observational, cohort study in England. <i>Journal of Substance Abuse Treatment</i> , 2018 , 88, 1-8	4.2	5
125	Effectiveness of community psychosocial and pharmacological treatments for alcohol use disorder: A national observational cohort study in England. <i>Drug and Alcohol Dependence</i> , 2018 , 186, 60-67	4.9	7
124	Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. <i>Addiction</i> , 2018 , 113, 1905-1926	12.6	371
123	The need for more consistent evidential standards in cannabis policy evaluations. <i>Addiction</i> , 2018 , 113, 1553-1554	4.6	0
122	Effect of initiating drug treatment on the risk of drug-related poisoning death and acquisitive crime among offending heroin users. <i>International Journal of Drug Policy</i> , 2018 , 51, 42-51	5.5	4

121	Improving outcomes in the treatment of opioid dependence (IOTOD): reflections on the impact of a medical education initiative on healthcare professionals' attitudes and clinical practice. <i>Journal of European CME</i> , 2018 , 7, 1506197	0.6	0
120	Continuous opioid substitution treatment over five years: Heroin use trajectories and outcomes. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 200-208	4.9	15
119	Effectiveness of adjunctive, personalised psychosocial intervention for non-response to opioid agonist treatment: Study protocol for a pragmatic randomised controlled trial. <i>Contemporary Clinical Trials</i> , 2017 , 53, 36-43	2.3	10
118	Does exposure to opioid substitution treatment in prison reduce the risk of death after release? A national prospective observational study in England. <i>Addiction</i> , 2017 , 112, 1408-1418	4.6	98
117	A rapid evidence review of the effectiveness and cost-effectiveness of alcohol control policies: an English perspective. <i>Lancet, The</i> , 2017 , 389, 1558-1580	4.0	150
116	Effectiveness of treatment for opioid use disorder: A national, five-year, prospective, observational study in England. <i>Drug and Alcohol Dependence</i> , 2017 , 176, 139-147	4.9	31
115	Memory-focused cognitive therapy for cocaine use disorder: Rationale, design and protocol for an external pilot randomised controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2017 , 8, 264-273	1.8	5
114	Global, regional, and country-level coverage of interventions to prevent and manage HIV and hepatitis C among people who inject drugs: a systematic review. <i>The Lancet Global Health</i> , 2017 , 5, e1208-e1220	13.6	236
113	Is treatment for alcohol use disorder associated with reductions in criminal offending? A national data linkage cohort study in England. <i>Drug and Alcohol Dependence</i> , 2016 , 161, 67-76	4.9	15
112	Emerging consensus on measuring addiction recovery: Findings from a multi-stakeholder consultation exercise. <i>Drugs: Education, Prevention and Policy</i> , 2016 , 23, 31-40	1.2	18
111	DEVELOPMENT AND VALIDATION OF 'SURE': A PATIENT REPORTED OUTCOME MEASURE (PROM) FOR RECOVERY FROM DRUG AND ALCOHOL DEPENDENCE. <i>Drug and Alcohol Dependence</i> , 2016 , 165, 159-67	4.9	66
110	Impact of treatment for opioid dependence on fatal drug-related poisoning: a national cohort study in England. <i>Addiction</i> , 2016 , 111, 298-308	4.6	88
109	Are all going to hate the word 'recovery' by the end of this? Service users' views of measuring addiction recovery. <i>Drugs: Education, Prevention and Policy</i> , 2015 , 22, 26-34	1.2	72
108	Effects of a brief intervention for substance use on tobacco smoking and family relationship functioning in schizophrenia and related psychoses: a randomised controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2015 , 51, 30-7	4.2	9
107	Global statistics on addictive behaviours: 2014 status report. <i>Addiction</i> , 2015 , 110, 904-19	4.6	238
106	Griffith Edwards, the Addiction Research Unit and research on the criminal justice system. <i>Addiction</i> , 2015 , 110 Suppl 2, 54-8	4.6	
105	Fatal opioid poisoning: a counterfactual model to estimate the preventive effect of treatment for opioid use disorder in England. <i>Addiction</i> , 2015 , 110, 1321-9	4.6	20
104	Development of the Addiction Dimensions for Assessment and Personalised Treatment (ADAPT). <i>Drug and Alcohol Dependence</i> , 2014 , 139, 121-31	4.9	18

103	How should we measure addiction recovery? Analysis of service provider perspectives using online Delphi groups. <i>Drugs: Education, Prevention and Policy</i> , 2014 , 21, 310-323	1.2	47
102	Training family members to manage heroin overdose and administer naloxone: randomized trial of effects on knowledge and attitudes. <i>Addiction</i> , 2014 , 109, 250-9	4.6	74
101	Ultra-rapid screening for substance-use disorders: the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST-Lite). <i>Drug and Alcohol Dependence</i> , 2013 , 132, 352-61	4.9	67
100	Development of Opioid Overdose Knowledge (OOKS) and Attitudes (OOAS) Scales for take-home naloxone training evaluation. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 383-6	4.9	101
99	Response to reitan. <i>Addiction</i> , 2013 , 108, 650-1	4.6	
98	Risk adjustment of heroin treatment outcomes for comparative performance assessment in England. <i>Addiction</i> , 2012 , 107, 2161-72	4.6	24
97	Comparisons of methamphetamine psychotic and schizophrenic symptoms: a differential item functioning analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 959-64	5.5	62
96	How best to measure change in evaluations of treatment for substance use disorder. <i>Addiction</i> , 2011 , 106, 294-302	4.6	25
95	Addiction's priorities when evaluating submissions. <i>Addiction</i> , 2011 , 106, 463-465	4.6	0
94	Mephedrone: use, subjective effects and health risks. <i>Addiction</i> , 2011 , 106, 1991-6	4.6	205
93	Meta-analysis of drug-related deaths soon after release from prison. <i>Addiction</i> , 2010 , 105, 1545-54	4.6	410
92	Methamphetamine Psychosis in Australia, Philippines, and Thailand. <i>Addictive Disorders and Their Treatment</i> , 2010 , 9, 143-149	0.5	9
91	Community treatments for heroin and crack cocaine addiction [Authors' reply]. <i>Lancet, The</i> , 2010 , 375, 278-279	4.0	
90	Mephedrone: still available and twice the price. <i>Lancet, The</i> , 2010 , 376, 1537	4.0	87
89	Drug Trafficking: Time to Abolish the Death Penalty. <i>International Journal of Mental Health and Addiction</i> , 2010 , 8, 616-619	8.8	
88	Drug Trafficking: Time to Abolish the Death Penalty. <i>Journal of Groups in Addiction and Recovery</i> , 2009 , 4, 322-326		
87	The long road to pharmacotherapies for stimulant dependence. <i>Addiction</i> , 2009 , 104, 234	4.6	1
86	Effectiveness of community treatments for heroin and crack cocaine addiction in England: a prospective, in-treatment cohort study. <i>Lancet, The</i> , 2009 , 374, 1262-70	4.0	93

85	Attendance at Narcotics Anonymous and Alcoholics Anonymous meetings, frequency of attendance and substance use outcomes after residential treatment for drug dependence: a 5-year follow-up study. <i>Addiction</i> , 2008 , 103, 119-25	4.6	138
84	Acute risk of drug-related death among newly released prisoners in England and Wales. <i>Addiction</i> , 2008 , 103, 251-5	4.6	221
83	Validation of the Alcohol, Smoking And Substance Involvement Screening Test (ASSIST). <i>Addiction</i> , 2008 , 103, 1039-47	4.6	626
82	Development of the Treatment Outcomes Profile. <i>Addiction</i> , 2008 , 103, 1450-60	4.6	128
81	Readiness for change and drug use outcomes after treatment. <i>Addiction</i> , 2007 , 102, 301-8	4.6	28
80	What difference does training make? A randomized trial with waiting-list control of general practitioners seeking advanced training in drug misuse. <i>Addiction</i> , 2007 , 102, 1637-47	4.6	17
79	Predictors of mental health service utilization in the 12 months before imprisonment: analysis of results from a national prisons survey. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 548-53	3.6	11
78	Remission of psychiatric symptoms among drug misusers after drug dependence treatment. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 826-32	1.8	38
77	. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 548-553	2.6	1
76	An evaluation of a brief motivational intervention among young ecstasy and cocaine users: no effect on substance and alcohol use outcomes. <i>Addiction</i> , 2006 , 101, 1014-26	4.6	81
75	Effectiveness of drug and alcohol counselling during methadone treatment: content, frequency, and duration of counselling and association with substance use outcomes. <i>Addiction</i> , 2006 , 101, 404-12	4.6	25
74	Personal and social correlates of alcohol consumption among mid-adolescents. <i>British Journal of Developmental Psychology</i> , 2005 , 23, 427-450	2	24
73	Effectiveness of drug dependence treatment in HIV prevention. <i>International Journal of Drug Policy</i> , 2005 , 16, 67-75	5.5	49
72	Alcohol and Drug Misuse and the Organization 2004 , 313-332		
71	An invitation to an alcohol industry lobby to help decide public funding of alcohol research and professional training: a decision that should be reversed. <i>Addiction</i> , 2004 , 99, 1235-6	4.6	17
70	Long-term outcome of treatment for drug dependence. <i>Psychiatry (Abingdon, England)</i> , 2004 , 3, 47-49		1
69	Alcohol use by young people from different ethnic groups: consumption, intoxication and negative consequences. <i>Ethnicity and Health</i> , 2004 , 9, 171-87	2.2	9
68	Increased caseloads in methadone treatment programs: implications for the delivery of services and retention in treatment. <i>Journal of Substance Abuse Treatment</i> , 2004 , 27, 301-6	4.2	4

67	Changes in route of drug administration among continuing heroin users: outcomes 1 year after intake to treatment. <i>Addictive Behaviors</i> , 2004 , 29, 1085-94	4.2	24
66	Arrest Referral in London Police Stations: characteristics of the first year. A key point of intervention for drug users?. <i>Drugs: Education, Prevention and Policy</i> , 2003 , 10, 73-85	1.2	7
65	Psychotic symptoms in methamphetamine psychotic in-patients. <i>International Journal of Neuropsychopharmacology</i> , 2003 , 6, 347-52	5.8	140
64	Psychiatric morbidity and substance use in young people aged 13-15 years: results from the Child and Adolescent Survey of Mental Health. <i>British Journal of Psychiatry</i> , 2003 , 182, 509-17	5.4	99
63	Similarities in outcomes for men and women after drug misuse treatment: results from the National Treatment Outcome Research Study (NTORS). <i>Drug and Alcohol Review</i> , 2003 , 22, 35-41	3.2	30
62	The National Treatment Outcome Research Study (NTORS): 4-5 year follow-up results. <i>Addiction</i> , 2003 , 98, 291-303	4.6	246
61	Perceived functions predict intensity of use and problems in young polysubstance users. <i>Addiction</i> , 2003 , 98, 951-63	4.6	63
60	Minimizing respondent attrition in longitudinal research: practical implications from a cohort study of adolescent drinking. <i>Journal of Adolescence</i> , 2003 , 26, 363-73	3.4	86
59	Treatment process components and heroin use outcome among methadone patients. <i>Drug and Alcohol Dependence</i> , 2003 , 71, 93-102	4.9	24
58	Reduction or cessation of injecting risk behaviours? Treatment outcomes at 1-year follow-up. <i>Addictive Behaviors</i> , 2003 , 28, 785-93	4.2	22
57	Methadone treatment for opiate dependent patients in general practice and specialist clinic settings: Outcomes at 2-year follow-up. <i>Journal of Substance Abuse Treatment</i> , 2003 , 24, 313-21	4.2	35
56	Alcohol use outcomes and heavy drinking at 4-5 years among a treatment sample of drug misusers. <i>Journal of Substance Abuse Treatment</i> , 2003 , 25, 135-43	4.2	28
55	Nicotine, alcohol and drug dependence, and psychiatric comorbidity--results of a national household survey. <i>International Review of Psychiatry</i> , 2003 , 15, 50-6	3.6	40
54	Drug and Alcohol Use and the Link with Homelessness: Results from a Survey of Homeless People in London. <i>Addiction Research and Theory</i> , 2003 , 11, 245-256	2.6	39
53	Criminal outcomes and costs of treatment services for injecting and non-injecting heroin users: evidence from a national prospective cohort survey. <i>Journal of Health Services Research and Policy</i> , 2003 , 8, 134-41	2.4	17
52	Impulsiveness and psychopathology among substance-abusing offenders on Drug Treatment and Testing Orders. <i>Journal of Forensic Psychiatry and Psychology</i> , 2003 , 14, 266-279	0.9	2
51	Who uses services for homeless people? An investigation amongst people sleeping rough in London. <i>Journal of Community and Applied Social Psychology</i> , 2002 , 12, 71-75	2.8	4
50	Dual dependence: assessment of dependence upon alcohol and illicit drugs, and the relationship of alcohol dependence among drug misusers to patterns of drinking, illicit drug use and health problems. <i>Addiction</i> , 2002 , 97, 169-78	4.6	58

49	A prospective study of mortality among drug misusers during a 4-year period after seeking treatment. <i>Addiction</i> , 2002 , 97, 39-47	4.6	224
48	The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): development, reliability and feasibility. <i>Addiction</i> , 2002 , 97, 1183-94	4.6	972
47	Methamphetamine: drug use and psychoses becomes a major public health issue in the Asia Pacific region. <i>Addiction</i> , 2002 , 97, 771-2	4.6	91
46	Factors associated with abstinence, lapse or relapse to heroin use after residential treatment: protective effect of coping responses. <i>Addiction</i> , 2002 , 97, 1259-67	4.6	193
45	Drug use and initiation in prison: results from a national prison survey in England and Wales. <i>Addiction</i> , 2002 , 97, 1551-60	4.6	90
44	Opportunities and Obstacles for Effective Treatment of Drug Misusers in the Criminal Justice System in England and Wales. <i>British Journal of Criminology</i> , 2002 , 42, 412-432	2.1	35
43	Psychosis and drug dependence: results from a national survey of prisoners. <i>British Journal of Psychiatry</i> , 2002 , 181, 393-8	5.4	93
42	Identifying Alcohol Problems Among Methadone Maintenance Patients. <i>Journal of Maintenance in the Addictions</i> , 2002 , 2, 87-101		1
41	The relative influence of friends and functions: modelling frequency of substance use in a non-treatment sample of 16-22 year olds. <i>Health Education</i> , 2002 , 102, 280-288	1	4
40	Reduced injection risk and sexual risk behaviours after drug misuse treatment: results from the National Treatment Outcome Research Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2002 , 14, 77-93	2.2	67
39	'Rich Man's Speed': a qualitative study of young cocaine users. <i>Drugs: Education, Prevention and Policy</i> , 2002 , 9, 195-210	1.2	12
38	Reductions in non-fatal overdose after drug misuse treatment: results from the National Treatment Outcome Research Study (NTORS). <i>Journal of Substance Abuse Treatment</i> , 2002 , 22, 1-9	4.2	79
37	Change and stability of change after treatment of drug misuse: 2-year outcomes from the National Treatment Outcome Research Study (UK). <i>Addictive Behaviors</i> , 2002 , 27, 155-66	4.2	88
36	Changes in use of crack cocaine after drug misuse treatment: 4-5 year follow-up results from the National Treatment Outcome Research Study (NTORS). <i>Drug and Alcohol Dependence</i> , 2002 , 66, 21-8	4.9	56
35	Prison based detoxification for opioid dependence: a randomised double blind controlled trial of lofexidine and methadone. <i>Drug and Alcohol Dependence</i> , 2002 , 67, 169-76	4.9	44
34	Nicotine, alcohol and drug dependence and psychiatric comorbidity. Results of a national household survey. <i>British Journal of Psychiatry</i> , 2001 , 179, 432-7	5.4	212
33	Outcomes after methadone maintenance and methadone reduction treatments: two-year follow-up results from the National Treatment Outcome Research Study. <i>Drug and Alcohol Dependence</i> , 2001 , 62, 255-64	4.9	140
32	Excessive alcohol consumption and drinking expectations among clients in methadone maintenance. <i>Journal of Substance Abuse Treatment</i> , 2001 , 21, 155-60	4.2	47

31	Psychiatric symptoms among clients seeking treatment for drug dependence. Intake data from the National Treatment Outcome Research Study. <i>British Journal of Psychiatry</i> , 2000 , 176, 285-9	5.4	126
30	Drug misuse and acquisitive crime among clients recruited to the National Treatment Outcome Research Study (NTORS). <i>Criminal Behaviour and Mental Health</i> , 2000 , 10, 10-20	1.4	57
29	Randomized trial of supervised injectable versus oral methadone maintenance: report of feasibility and 6-month outcome. <i>Addiction</i> , 2000 , 95, 1631-45	4.6	54
28	Routes of drug administration and multiple drug misuse: regional variations among clients seeking treatment at programmes throughout England. <i>Addiction</i> , 2000 , 95, 1197-206	4.6	26
27	The UK National Treatment Outcome Research Study and its implications. <i>Drug and Alcohol Review</i> , 2000 , 19, 5-7	3.2	3
26	Drug use functions predict cocaine-related problems in young people. <i>Drug and Alcohol Review</i> , 2000 , 19, 181-190	3.2	17
25	Drug selling among drug misusers before intake to treatment and at 1-year follow-up: results from the National Treatment Outcome Research Study (NTORS). <i>Drug and Alcohol Review</i> , 2000 , 19, 143-151	3.2	9
24	Validity and reliability of the Severity of Dependence Scale (SDS) in a Brazilian sample of drug users. <i>Drug and Alcohol Review</i> , 2000 , 19, 451-455	3.2	43
23	Variation between and within drug treatment modalities: data from the National Treatment Outcome Research Study (UK). <i>European Addiction Research</i> , 2000 , 6, 106-14	4.6	26
22	New European instruments for treatment outcome research: reliability of the maudslay addiction profile and treatment perceptions questionnaire in Italy, Spain and Portugal. <i>European Addiction Research</i> , 2000 , 6, 115-22	4.6	36
21	Patterns of improvement after methadone treatment: 1 year follow-up results from the National Treatment Outcome Research Study. <i>Drug and Alcohol Dependence</i> , 2000 , 60, 275-86	4.9	89
20	Reductions in acquisitive crime and drug use after treatment of addiction problems: 1-year follow-up outcomes. <i>Drug and Alcohol Dependence</i> , 2000 , 58, 165-72	4.9	90
19	Treatment outcomes of stimulant misusers. <i>Addictive Behaviors</i> , 2000 , 25, 509-522	4.2	32
18	Patterns of drinking and drinking outcomes among drug misusers. 1-year follow-up results. <i>Journal of Substance Abuse Treatment</i> , 2000 , 19, 45-50	4.2	57
17	Assessing Client Satisfaction with Treatment for Substance Use Problems and the Development of the Treatment Perceptions Questionnaire (TPQ). <i>Addiction Research</i> , 2000 , 8, 455-470		56
16	Client Perceptions of Inpatient Treatment: a qualitative account with implications for service delivery. <i>Drugs: Education, Prevention and Policy</i> , 1999 , 6, 87-97	1.2	14
15	What Influences Young People's Use of Drugs? A qualitative study of decision-making. <i>Drugs: Education, Prevention and Policy</i> , 1999 , 6, 373-387	1.2	62
14	Substance use among young people: the relationship between perceived functions and intentions. <i>Addiction</i> , 1999 , 94, 1043-50	4.6	67

13	Cannabis use in relation to illicit drug use and health problems among opiate misusers in treatment. <i>Drug and Alcohol Review</i> , 1999 , 18, 31-38	3.2	17
12	Continued heroin use during methadone treatment: relationships between frequency of use and reasons reported for heroin use. <i>Drug and Alcohol Dependence</i> , 1999 , 53, 191-5	4.9	19
11	Treatment retention and 1 year outcomes for residential programmes in England. <i>Drug and Alcohol Dependence</i> , 1999 , 57, 89-98	4.9	148
10	Route of drug use and its implications for drug effect, risk of dependence and health consequences. <i>Drug and Alcohol Review</i> , 1998 , 17, 197-211	3.2	57
9	The Maudsley Addiction Profile (MAP): a brief instrument for assessing treatment outcome. <i>Addiction</i> , 1998 , 93, 1857-67	4.6	318
8	Substance use, health and social problems of service users at 54 drug treatment agencies. Intake data from the National Treatment Outcome Research Study. <i>British Journal of Psychiatry</i> , 1998 , 173, 166-71	5.4	145
7	Economic burden of drug dependency. Social costs incurred by drug users at intake to the National Treatment Outcome Research Study. <i>British Journal of Psychiatry</i> , 1998 , 173, 160-5	5.4	47
6	Cocaine in Britain: Prevalence, Problems, and Treatment Responses. <i>Journal of Drug Issues</i> , 1998 , 28, 225-241	1.4	13
5	Opioid Substitution: Critical Issues and Future Directions. <i>Journal of Drug Issues</i> , 1998 , 28, 243-263	1.4	6
4	The National Treatment Outcome Research Study in the United Kingdom: Six-month follow-up outcomes.. <i>Psychology of Addictive Behaviors</i> , 1997 , 11, 324-337	3.4	79
3	Time of day of methadone consumption and illicit heroin use. <i>Drug and Alcohol Dependence</i> , 1997 , 49, 49-54	4.9	10
2	Test-retest reliability of the Severity of Dependence Scale. <i>Addiction</i> , 1997 , 92, 353-353	4.6	9
1	Test-retest reliability of the Severity of Dependence Scale. <i>Addiction</i> , 1997 , 92, 353	4.6	84