
Jorge R Robledo-OrtÃ-z

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3022396/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Compatibilization strategies for PLA biocomposites: a comparative study between extrusion-injection and dry blending-compression molding. Composite Interfaces, 2022, 29, 274-292. | 2.3 | 6 |
| 2 | A Critical Overview of Adsorption Models Linearization: Methodological and Statistical Inconsistencies. Separation and Purification Reviews, 2022, 51, 358-372. | 5.5 | 48 |
| 3 | Old Corrugated Container (OCC) Cardboard Material: An Alternative Source for Obtaining Microfibrillated Cellulose. Journal of Natural Fibers, 2022, 19, 9296-9308. | 3.1 | 1 |
| 4 | Influence of agro-industrial wastes over the abiotic and composting degradation of polylactic acid biocomposites. Journal of Composite Materials, 2022, 56, 43-56. | 2.4 | 8 |
| 5 | Calculating adsorption efficiencies and reusability cycles by retrieving the concept of operating lines. Separation Science and Technology, 2022, 57, 2708-2717. | 2.5 | 1 |
| 6 | Chemically Modified Polysaccharides for Hexavalent Chromium Adsorption. Separation and Purification Reviews, 2021, 50, 333-362. | 5.5 | 30 |
| 7 | Biodegradability and improved mechanical performance of polyhydroxyalkanoates/agave fiber biocomposites compatibilized by different strategies. Journal of Applied Polymer Science, 2021, 138, 50182. | 2.6 | 19 |
| 8 | Fiber-matrix interface improvement via glycidyl methacrylate compatibilization for rotomolded poly(lactic acid)/agave fiber biocomposites. Journal of Composite Materials, 2021, 55, 201-212. | 2.4 | 10 |
| 9 | Plasma-enhanced modification of polysaccharides for wastewater treatment: A review. Carbohydrate Polymers, 2021, 252, 117195. | 10.2 | 13 |
| 10 | Lignocellulosic Materials as Reinforcement of Polyhydroxybutyrate and its Copolymer with Hydroxyvalerate: A Review. Journal of Polymers and the Environment, 2021, 29, 1350-1364. | 5.0 | 17 |
| 11 | Accelerated Weathering of Polylactic Acid/Agave Fiber Biocomposites and the Effect of Fiber–Matrix Adhesion. Journal of Polymers and the Environment, 2021, 29, 937-947. | 5.0 | 15 |
| 12 | A discussion on linear and non-linear forms of Thomas equation for fixed-bed adsorption column modeling. Revista Mexicana De Ingeniera Quimica, 2021, 20, 875-884. | 0.4 | 6 |
| 13 | Congo red adsorption with cellulose-graphene nanoplatelets beads by differential column batch reactor. Journal of Environmental Chemical Engineering, 2021, 9, 105029. | 6.7 | 34 |
| 14 | Influence of the blending method over the thermal and mechanical properties of biodegradable polylactic acid/polyhydroxybutyrate blends and their wood biocomposites. Polymers for Advanced Technologies, 2021, 32, 3483-3494. | 3.2 | 10 |
| 15 | Mechanical and Physicochemical Properties of 3D-Printed Agave Fibers/Poly(lactic) Acid Biocomposites. Materials, 2021, 14, 3111. | 2.9 | 19 |
| 16 | Valorization of Sugarcane Straw for the Development of Sustainable Biopolymer-Based Composites. Polymers, 2021, 13, 3335. | 4.5 | 22 |
| 17 | Zwitterionic cellulose as a promising sorbent for anionic and cationic dyes. Materials Letters, 2021, 300, 130236. | 2.6 | 9 |
| 18 | Synthesis of silanized chitosan anchored onto porous composite and its performance in fixed-bed adsorption of Cr(VI). Journal of Environmental Chemical Engineering, 2021, 9, 106353. | 6.7 | 5 |

Jorge R Robledo-OrtÃz

| # | Article | IF | CITATIONS |
|----|---|--------------------|----------------------|
| 19 | Forest soil bacteria able to produce homo and copolymers of polyhydroxyalkanoates from several pure and waste carbon sources. Letters in Applied Microbiology, 2020, 70, 300-309. | 2.2 | 11 |
| 20 | Accelerated weathering of poly(lactic acid) and its biocomposites: A review. Polymer Degradation and Stability, 2020, 179, 109290. | 5.8 | 56 |
| 21 | Highly porous lignin composites for dye removal in batch and continuous-flow systems. Materials Letters, 2020, 263, 127289. | 2.6 | 16 |
| 22 | Fixed-bed adsorption of Cr(VI) onto chitosan supported on highly porous composites. Environmental Technology and Innovation, 2020, 19, 100824. | 6.1 | 20 |
| 23 | Improving the Compatibility and Mechanical Properties of Natural Fibers/Green Polyethylene Biocomposites Produced by Rotational Molding. Journal of Polymers and the Environment, 2020, 28, 1040-1049. | 5.0 | 41 |
| 24 | Chemical modification of cellulose with zwitterion moieties used in the uptake of red Congo dye from aqueous media. Cellulose, 2019, 26, 9207-9227. | 4.9 | 23 |
| 25 | Evaluation of the Cr(VI) Adsorption Performance of Xanthate Polysaccharides Supported onto Agave Fiber-LDPE Foamed Composites. Water, Air, and Soil Pollution, 2019, 230, 1. | 2.4 | 13 |
| 26 | Increasing the efficiency of organic solar cells by using a bulk electron transport layer of PFN and green synthesized AgNs. Materials Letters, 2019, 237, 101-104. | 2.6 | 3 |
| 27 | Effect of Maleated PLA on the Properties of Rotomolded PLA-Agave Fiber Biocomposites. Journal of Polymers and the Environment, 2019, 27, 61-73. | 5.0 | 50 |
| 28 | Effect of surface treatment on the physical and mechanical properties of injection molded poly(lactic) Tj ETQq0 | 0 0 rgBT /(4.6 | Overlock 10 Ti 18 |
| 29 | Effect of low nanoclay content on the physico-mechanical properties of poly(lactic acid) nanocomposites. Polymers and Polymer Composites, 2019, 27, 43-54. | 1.9 | 10 |
| 30 | Production of bacterial cellulose by Komagataeibacter xylinus using mango waste as alternative culture medium. Revista Mexicana De Ingeniera Quimica, 2019, 19, 851-865. | 0.4 | 18 |
| 31 | GLYCIDYL METHACRYLATE AS COMPATIBILIZER OF POLY(LACTIC ACID)/NANOCLAY/AGAVE FIBER HYBRID BIOCOMPOSITES: EFFECT ON THE PHYSICAL AND MECHANICAL PROPERTIES. Revista Mexicana De Ingeniera Quimica, 2019, 19, 455-469. | 0.4 | 12 |
| 32 | Polylactic acid functionalization with maleic anhydride and its use as coupling agent in natural fiber biocomposites: a review. Composite Interfaces, 2018, 25, 515-538. | 2.3 | 69 |
| 33 | Polylactic acid–agave fiber biocomposites produced by rotational molding: A comparative study with compression molding. Advances in Polymer Technology, 2018, 37, 2528-2540. | 1.7 | 46 |
| 34 | Biosynthesis of silver nanoparticles using a natural extract obtained from an agroindustrial residue of the tequila industry. Materials Letters, 2018, 213, 278-281. | 2.6 | 14 |
| 35 | Thermal analysis of foamed polyethylene rotational molding followed by internal air temperature profiles. Polymer Engineering and Science, 2018, 58, E235. | 3.1 | 12 |
| 36 | Effect of fiber content and surface treatment on the mechanical properties of natural fiber composites produced by rotomolding. Composite Interfaces, 2017, 24, 35-53. | 2.3 | 85 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Effect of agave fiber surface treatment on the properties of polyethylene composites produced by dryâ€blending and compression molding. Polymer Composites, 2017, 38, 96-104. | 4.6 | 26 |
| 38 | Effect of agave fiber content in the thermal and mechanical properties of green composites based on polyhydroxybutyrate or poly(hydroxybutyrate-co-hydroxyvalerate). Industrial Crops and Products, 2017, 99, 117-125. | 5.2 | 91 |
| 39 | Improvement of Pb(II) Adsorption Capacity by Controlled Alkali Treatment to Chitosan Supported onto Agave Fiberâ€HDPE Composites. Macromolecular Symposia, 2017, 374, 1600104. | 0.7 | 5 |
| 40 | Characterization of Ceramic-Hydrogel Composites for Use in Bone Scaffolds Made Using Additive Manufacturing Techniques. MRS Advances, 2016, 1, 2161-2166. | 0.9 | 2 |
| 41 | Bacterial Cellulose Produced by Gluconacetobacter xylinus Culture Using Complex Carbon Sources for Biomedical Applications. MRS Advances, 2016, 1, 2563-2567. | 0.9 | 0 |
| 42 | Effect of coupling agent content and water absorption on the mechanical properties of coirâ€agave fibers reinforced polyethylene hybrid composites. Polymer Composites, 2016, 37, 3015-3024. | 4.6 | 44 |
| 43 | Rotomolded polyethylene-agave fiber composites: Effect of fiber surface treatment on the mechanical properties. Polymer Engineering and Science, 2016, 56, 856-865. | 3.1 | 36 |
| 44 | Effect of thermal annealing on the mechanical and thermal properties of polylactic acid–cellulosic fiber biocomposites. Journal of Applied Polymer Science, 2016, 133, . | 2.6 | 45 |
| 45 | Self-hybridization and Coupling Agent Effect on the Properties of Natural Fiber/HDPE Composites. Journal of Polymers and the Environment, 2015, 23, 126-136. | 5.0 | 19 |
| 46 | Compressive strength study of cement mortars lightened with foamed HDPE nanocomposites. Materials & Design, 2015, 74, 119-124. | 5.1 | 19 |
| 47 | Morphological and mechanical characterization of foamed polyethylene via biaxial rotational molding. Journal of Cellular Plastics, 2015, 51, 489-503. | 2.4 | 28 |
| 48 | Injection molded selfâ€hybrid composites based on polypropylene and natural fibers. Polymer Composites, 2014, 35, 1798-1806. | 4.6 | 18 |
| 49 | Effect of hybridization on the physical and mechanical properties of high density polyethylene–(pine/agave) composites. Materials & Design, 2014, 64, 35-43. | 5.1 | 58 |
| 50 | Chitosan Supported onto Agave Fiber—Postconsumer HDPE Composites for Cr(VI) Adsorption. Industrial & Engineering Chemistry Research, 2012, 51, 5939-5946. | 3.7 | 28 |
| 51 | Film processability and properties of polycaprolactone/thermoplastic starch blends. Journal of Applied Polymer Science, 2012, 123, 179-190. | 2.6 | 6 |
| 52 | Benzene, toluene, and o-xylene degradation by free and immobilized P. putida F1 of postconsumer agave-fiber/polymer foamed composites. International Biodeterioration and Biodegradation, 2011, 65, 539-546. | 3.9 | 39 |
| 53 | Bacterial immobilization by adhesion onto agave-fiber/polymer foamed composites. Bioresource Technology, 2010, 101, 1293-1299. | 9.6 | 12 |
| 54 | Rapid Starch Acetylation at Low Temperature Using Iodine as Catalyst. Macromolecular Symposia, 2009, 283–284, 174-180. | 0.7 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Using Chitosan as a Nucleation Agent in Thermoplastic Foams for Heavy Metal Adsorption. Macromolecular Symposia, 2009, 283–284, 152-158. | 0.7 | 5 |
| 56 | Fiberâ€particle morphological transition and its effect on impact strength of PS/HDPE blends. Polymer Engineering and Science, 2008, 48, 1600-1607. | 3.1 | 5 |
| 57 | Non-isothermal decomposition kinetics of azodicarbonamide in high density polyethylene using a capillary rheometer. Polymer Testing, 2008, 27, 730-735. | 4.8 | 41 |
| 58 | Film Processability, Morphology, and Properties of Polyamide-6/Low Density Polyethylene Blends. Journal of Plastic Film and Sheeting, 2007, 23, 149-169. | 2.2 | 12 |
| 59 | Effect of Freeze-Line Position and Stretching Force on the Morphology of LDPE-PA6 Blown Films. Journal of Plastic Film and Sheeting, 2006, 22, 287-314. | 2.2 | 9 |