

Hisahiro Sasabe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3023534/hisahiro-sasabe-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

9,114
citations

48
h-index

93
g-index

179
ext. papers

9,903
ext. citations

7.4
avg, IF

6.45
L-index

#	Paper	IF	Citations
162	Constructing Soluble Anthracene-Based Blue Emitters Free of Electrically Inert Alkyl Chains for Efficient Evaporation- and Solution-Based OLEDs.. <i>ChemPlusChem</i> , 2022 , e202100517	2.8	0
161	Highly stable and efficient deep-red phosphorescent organic light-emitting devices using a phenanthroline derivative as an n-type exciplex host partner. <i>Journal of Materials Chemistry C</i> , 2022 , 10, 2073-2079	7.1	4
160	Controlling the electronic structures of triphenylene based sky blue TADF emitters by chemical modifications for high efficiency with shorter emission lifetimes. <i>Chemical Engineering Journal</i> , 2022 , 435, 134925	14.7	1
159	Dibenzothiophene/Terpyridine Conjugated Asymmetric Electron-Transporters for High-efficiency and Long-life Green Phosphorescent OLEDs. <i>Chemistry Letters</i> , 2021 , 50, 534-537	1.7	1
158	Asymmetric Spirobiacridine-based Delayed Fluorescence Emitters for High-performance Organic Light-Emitting Devices. <i>Chemistry - A European Journal</i> , 2021 , 27, 10869-10874	4.8	6
157	Asymmetric Spirobiacridine-based Delayed Fluorescence Emitters for High-performance Organic Light-Emitting Devices. <i>Chemistry - A European Journal</i> , 2021 , 27, 10780	4.8	
156	Bis(Triphenylamine)Benzodifuran Chromophores: Synthesis, Electronic Properties and Application in Organic Light-Emitting Diodes. <i>Frontiers in Chemistry</i> , 2021 , 9, 721272	5	2
155	Novel Series of Mononuclear Aluminum Complexes for High-Performance Solution-Processed Organic Light-Emitting Devices. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 6036-6041	16.4	3
154	Novel Series of Mononuclear Aluminum Complexes for High-Performance Solution-Processed Organic Light-Emitting Devices. <i>Angewandte Chemie</i> , 2021 , 133, 6101-6106	3.6	2
153	Facile synthesis of multi-resonance ultra-pure-green TADF emitters based on bridged diarylamine derivatives for efficient OLEDs with narrow emission. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 8308-8313	7.1	19
152	Extended Carbazole Derivatives as Host Materials for Highly Efficient and Long-Life Green Phosphorescent Organic Light-Emitting Diodes. <i>Chemistry - A European Journal</i> , 2021 , 27, 4971-4976	4.8	8
151	Improved operational lifetime of deep-red phosphorescent organic light-emitting diodes using a benzothienobenzothiophene (BTBT)-based p-type host material. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 1215-1220	7.1	9
150	Molecular Orientations of Delayed Fluorescent Emitters in a Series of Carbazole-Based Host Materials. <i>Frontiers in Chemistry</i> , 2020 , 8, 427	5	11
149	Simultaneous realization of high-efficiency, low-drive voltage, and long lifetime TADF OLEDs by multifunctional hole-transporters. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 7200-7210	7.1	11
148	A terpyridine-modified chrysene derivative as an electron transporter to improve the lifetime in phosphorescent OLEDs. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 3200-3205	7.1	2
147	S-Vinyl Sulfide-Derived Pendant-Type Sulfone/Phenoxazine-Based Polymers Exhibiting Thermally Activated Delayed Fluorescence: Synthesis and Photophysical Property Characterization. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 3310-3318	4.3	5
146	Spirobiacridine-based Host Material for Highly Efficient Blue Phosphorescent Organic Light-emitting Devices. <i>Chemistry Letters</i> , 2020 , 49, 228-231	1.7	1

145	A sky blue thermally activated delayed fluorescence emitter to achieve efficient white light emission through in situ metal complex formation. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 3146-3149	7.1	11
144	P-172: Novel Sterically Bulky Hole-Transporters Realizing Enhanced Operation Lifetime in TADF OLEDs. <i>Digest of Technical Papers SID International Symposium</i> , 2019 , 50, 1884-1885	0.5	1
143	P-174: Improved Operation Lifetime of Highly Efficient Sky-Blue TADF OLEDs using Hexaphenylbenzene-based Hole-transporters. <i>Digest of Technical Papers SID International Symposium</i> , 2019 , 50, 1889-1890	0.5	2
142	A Series of Dibenzofuran-Based n-Type Exciplex Host Partners Realizing High-Efficiency and Stable Deep-Red Phosphorescent OLEDs. <i>Chemistry - A European Journal</i> , 2019 , 25, 7231-7231	4.8	1
141	Chrysene-based Electron-transporters Realizing Highly Efficient and Stable Phosphorescent OLEDs. <i>Chemistry Letters</i> , 2019 , 48, 457-460	1.7	3
140	Molecular Orientation: Control of Molecular Orientation in Organic Semiconductor Films using Weak Hydrogen Bonds (Adv. Mater. 18/2019). <i>Advanced Materials</i> , 2019 , 31, 1970131	24	
139	Perovskite Solar Cells: Achieving 20% Efficiency for Low-Temperature-Processed Inverted Perovskite Solar Cells (Adv. Funct. Mater. 12/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970074	15.6	1
138	Photochemistry: A Series of Imidazo[1,2-f]phenanthridine-Based Sky-Blue TADF Emitters Realizing EQE of over 20% (Advanced Optical Materials 5/2019). <i>Advanced Optical Materials</i> , 2019 , 7, 1970020	8.1	
137	Control of Molecular Orientation in Organic Semiconductor Films using Weak Hydrogen Bonds. <i>Advanced Materials</i> , 2019 , 31, e1808300	24	43
136	Review of Molecular Engineering for Horizontal Molecular Orientation in Organic Light-Emitting Devices. <i>Bulletin of the Chemical Society of Japan</i> , 2019 , 92, 716-728	5.1	59
135	High-Efficiency Sky Blue-To-Green Fluorescent Emitters Based on 3-Pyridinecarbonitrile Derivatives. <i>Frontiers in Chemistry</i> , 2019 , 7, 254	5	3
134	A Series of Dibenzofuran-Based n-Type Exciplex Host Partners Realizing High-Efficiency and Stable Deep-Red Phosphorescent OLEDs. <i>Chemistry - A European Journal</i> , 2019 , 25, 7308-7314	4.8	30
133	Low Molecular Weight Materials: Electron-Transport Materials 2019 , 1-10		1
132	Room-Temperature Phosphorescence from a Series of 3-Pyridylcarbazole Derivatives. <i>Chemistry - A European Journal</i> , 2019 , 25, 16294-16300	4.8	11
131	Low Molecular Weight Materials: Hole-Transport Materials 2019 , 1-6		
130	Elucidating the impact of N-arylanilino substituents of squaraines on their photovoltaic performances. <i>Organic Electronics</i> , 2019 , 66, 188-194	3.5	3
129	A novel D1-A-D2 type low bandgap squaraine dye for efficient small molecular organic solar cells. <i>Dyes and Pigments</i> , 2019 , 163, 564-572	4.6	4
128	Achieving 20% Efficiency for Low-Temperature-Processed Inverted Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2019 , 29, 1807556	15.6	57

127	A Series of Imidazo[1,2-f]phenanthridine-Based Sky-Blue TADF Emitters Realizing EQE of over 20%. <i>Advanced Optical Materials</i> , 2019 , 7, 1801282	8.1	33
126	A Novel Series of Thermally and Electrically Stable Hole-transporters End-capped by [1]Benzothieno[3,2-b][1]benzothiophenes for Organic Light-emitting Devices. <i>Chemistry Letters</i> , 2019 , 48, 219-222	1.7	1
125	Central dicyanomethylene-substituted unsymmetrical squaraines and their application in organic solar cells. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 5797-5806	13	19
124	Colorful Squaraines Dyes for Efficient Solution-Processed All Small-Molecule Semitransparent Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 26465-26472	9.5	23
123	Current Status of OLED Material and Process Technologies for Display and Lighting 2018 ,		4
122	Ultrahigh Power Efficiency Thermally Activated Delayed Fluorescent OLEDs by the Strategic Use of Electron-Transport Materials. <i>Advanced Optical Materials</i> , 2018 , 6, 1800376	8.1	20
121	Recent progress of pyrimidine derivatives for high-performance organic light-emitting devices. <i>Journal of Photonics for Energy</i> , 2018 , 8, 1	1.2	47
120	A Novel Sterically Bulky Hole Transporter to Remarkably Improve the Lifetime of Thermally Activated Delayed Fluorescent OLEDs at High Brightness. <i>Chemistry - A European Journal</i> , 2018 , 24, 4590-4596	4.8	27
119	Effects of different types of unsymmetrical squaraines on the material properties and Coulomb interactions in organic photovoltaic devices. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 2116-2123	7.8	4
118	Comparison of the Solution and Vacuum-Processed Squaraine:Fullerene Small-Molecule Bulk Heterojunction Solar Cells. <i>Frontiers in Chemistry</i> , 2018 , 6, 412	5	8
117	Organic LEDs: Ultrahigh Power Efficiency Thermally Activated Delayed Fluorescent OLEDs by the Strategic Use of Electron-Transport Materials (Advanced Optical Materials 17/2018). <i>Advanced Optical Materials</i> , 2018 , 6, 1870067	8.1	
116	A minimal non-radiative recombination loss for efficient non-fullerene all-small-molecule organic solar cells with a low energy loss of 0.54 eV and high open-circuit voltage of 1.15 V. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13918-13924	13	42
115	Highly efficient, deep-red organic light-emitting devices using energy transfer from exciplexes. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 527-530	7.1	58
114	Manipulating the Electronic Excited State Energies of Pyrimidine-Based Thermally Activated Delayed Fluorescence Emitters To Realize Efficient Deep-Blue Emission. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 4742-4749	9.5	80
113	P-191: Realizing Deep-Blue TADF Emission with CIE of (0.16, 0.15) using a Highly Twisted Acceptor Unit. <i>Digest of Technical Papers SID International Symposium</i> , 2017 , 48, 1989-1990	0.5	
112	P-192: Efficient Deep Red Phosphorescent OLEDs with an EL Emission Peak of 670 nm. <i>Digest of Technical Papers SID International Symposium</i> , 2017 , 48, 1991-1992	0.5	1
111	Significant Enhancement of Blue OLED Performances through Molecular Engineering of Pyrimidine-Based Emitter. <i>Advanced Optical Materials</i> , 2017 , 5, 1600843	8.1	54
110	High Power Efficiency Blue-to-Green Organic Light-Emitting Diodes Using Isonicotinonitrile-Based Fluorescent Emitters. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 648-654	4.5	21

109	Horizontally Orientated Sticklike Emitters: Enhancement of Intrinsic Out-Coupling Factor and Electroluminescence Performance. <i>Chemistry of Materials</i> , 2017 , 29, 8630-8636	9.6	119
108	The effect of processing solvent dependent film aggregation on the photovoltaic performance of squaraine:PC71BM bulk heterojunction solar cells. <i>Organic Electronics</i> , 2017 , 51, 62-69	3.5	20
107	DBP and C70 based inverted tandem solar cells using a simple interconnecting layer. <i>RSC Advances</i> , 2017 , 7, 34664-34668	3.7	1
106	Introduction of Twisted Backbone: A New Strategy to Achieve Efficient Blue Fluorescence Emitter with Delayed Emission. <i>Advanced Optical Materials</i> , 2017 , 5, 1700334	8.1	15
105	Unique Solid-State Emission Behavior of Aromatic Difluoroboronated β -Diketones as an Emitter in Organic Light-Emitting Devices. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 2299-2303	4.5	13
104	Rubrene-based interfacial engineering toward enhanced performance in inverted polymer solar cells. <i>Organic Electronics</i> , 2017 , 50, 191-197	3.5	8
103	Low-Band-Gap Small Molecule for Efficient Organic Solar Cells with a Low Energy Loss below 0.6 eV and a High Open-Circuit Voltage of over 0.9 V. <i>ACS Energy Letters</i> , 2017 , 2, 2021-2025	20.1	51
102	A Series of Lithium Pyridyl Phenolate Complexes with a Pendant Pyridyl Group for Electron-Injection Layers in Organic Light-Emitting Devices. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 40541-40548	9.5	8
101	Highly Luminescent π -Conjugated Terpyridine Derivatives Exhibiting Thermally Activated Delayed Fluorescence. <i>Chemistry - A European Journal</i> , 2017 , 23, 114-119	4.8	24
100	Unlocking the Potential of Pyrimidine Conjugate Emitters to Realize High-Performance Organic Light-Emitting Devices. <i>Advanced Optical Materials</i> , 2017 , 5, 1600675	8.1	24
99	50-4: High-Performance Pyrimidine-Based TADF Emitters Realizing Pure Blue-to-Green Emission with EQE of 25%. <i>Digest of Technical Papers SID International Symposium</i> , 2017 , 48, 754-755	0.5	
98	Fundamental functions of peripheral and core pyridine rings in a series of bis-terpyridine derivatives for high-performance organic light-emitting devices. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 8980-8988	7.1	23
97	Effect of substituents in a series of carbazole-based host-materials toward high-efficiency carbene-based blue OLEDs. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 9476-9481	7.1	15
96	Novel Blue Exciplex Comprising Acridine and Sulfone Derivatives as a Host Material for High-efficiency Blue Phosphorescent OLEDs. <i>Chemistry Letters</i> , 2016 , 45, 283-285	1.7	10
95	An effective π -extended squaraine for solution-processed organic solar cells with high efficiency. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18931-18941	13	28
94	Synthesis, properties, and OLED characteristics of 2,2'-bipyridine-based electron-transport materials: the synergistic effect of molecular shape anisotropy and a weak hydrogen-bonding network on molecular orientation. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 3699-3704	7.1	37
93	A series of fluorinated phenylpyridine-based electron-transporters for blue phosphorescent OLEDs. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 1104-1110	7.1	27
92	Light-blue thermally activated delayed fluorescent emitters realizing a high external quantum efficiency of 25% and unprecedented low drive voltages in OLEDs. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 2274-2278	7.1	132

91	Unsymmetrical squaraines with new linkage manner for high-performance solution-processed small-molecule organic photovoltaic cells. <i>RSC Advances</i> , 2016 , 6, 1877-1884	3.7	12
90	P-169: Light-Blue Thermally Activated Delayed Fluorescent Emitters Realizing a High External Quantum Efficiency of 25%. <i>Digest of Technical Papers SID International Symposium</i> , 2016 , 47, 1754-1756 ^{0.5}		
89	High-Performance Green OLEDs Using Thermally Activated Delayed Fluorescence with a Power Efficiency of over 100 lm W(-1). <i>Advanced Materials</i> , 2016 , 28, 2638-43	24	203
88	Two different donor subunits substituted unsymmetrical squaraines for solution-processed small molecule organic solar cells. <i>Organic Electronics</i> , 2016 , 32, 179-186	3.5	11
87	Simultaneous Realization of High EQE of 30%, Low Drive Voltage, and Low Efficiency Roll-Off at High Brightness in Blue Phosphorescent OLEDs. <i>Advanced Optical Materials</i> , 2016 , 4, 86-90	8.1	96
86	Simultaneous Manipulation of Intramolecular and Intermolecular Hydrogen Bonds in n-Type Organic Semiconductor Layers: Realization of Horizontal Orientation in OLEDs. <i>Advanced Optical Materials</i> , 2015 , 3, 769-773	8.1	32
85	Cyano-substitution on the end-capping group: facile access toward asymmetrical squaraine showing strong dipole-dipole interactions as a high performance small molecular organic solar cells material. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 17704-17712	13	32
84	High fill factor and thermal stability of bilayer organic photovoltaic cells with an inverted structure. <i>Applied Physics Letters</i> , 2015 , 106, 053305	3.4	16
83	Blue thermally activated delayed fluorescence materials based on bis(phenylsulfonyl)benzene derivatives. <i>Chemical Communications</i> , 2015 , 51, 16353-6	5.8	97
82	Squaraine dyes for organic photovoltaic cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 14517-14534	13	167
81	Asymmetrical Squaraines Bearing Fluorine-Substituted Indoline Moieties for High-Performance Solution-Processed Small-Molecule Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 13675-84	9.5	33
80	High efficiency solution processed OLEDs using a thermally activated delayed fluorescence emitter. <i>Synthetic Metals</i> , 2015 , 202, 165-168	3.6	48
79	A squaraine dye as molecular sensitizer for increasing light harvesting in polymer solar cells. <i>Synthetic Metals</i> , 2014 , 192, 10-14	3.6	17
78	Precise Evaluation of Angstrom-Ordered Mixed Interfaces in Solution-Processed OLEDs by Neutron Reflectometry. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1400097	4.6	13
77	Bisanthracene-Based Donor-Acceptor-type Light-Emitting Dopants: Highly Efficient Deep-Blue Emission in Organic Light-Emitting Devices. <i>Advanced Functional Materials</i> , 2014 , 24, 2064-2071	15.6	233
76	Soluble squaraine derivatives for 4.9% efficient organic photovoltaic cells. <i>RSC Advances</i> , 2014 , 4, 42804-42807 ^{2.6}	3.7	26
75	Esterification of Indoline-Based Small-Molecule Donors for Efficient Co-evaporated Organic Photovoltaics. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 14785-14794	3.8	14
74	A Series of Squaraine Dyes: Effects of Side Chain and the Number of Hydroxyl Groups on Material Properties and Photovoltaic Performance. <i>Chemistry of Materials</i> , 2014 , 26, 1356-1364	9.6	97

73	Lithium Phenolate Complexes with a Pyridine-Containing Polymer for Solution-Processable Electron Injection Layers in PLEDs. <i>Advanced Functional Materials</i> , 2014 , 24, 6038-6045	15.6	14
72	Low-driving-voltage blue phosphorescent organic light-emitting devices with external quantum efficiency of 30%. <i>Advanced Materials</i> , 2014 , 26, 5062-6	24	268
71	High-performance blue phosphorescent OLEDs using energy transfer from exciplex. <i>Advanced Materials</i> , 2014 , 26, 1612-6	24	201
70	Instant low-temperature cross-linking of poly(N-vinylcarbazole) for solution-processed multilayer blue phosphorescent organic light-emitting devices. <i>Advanced Materials</i> , 2014 , 26, 7543-6	24	74
69	Solution-processed multilayer small-molecule light-emitting devices with high-efficiency white-light emission. <i>Nature Communications</i> , 2014 , 5, 5756	17.4	229
68	Organic Light-Emitting Devices: Instant Low-Temperature Cross-Linking of Poly(N-vinylcarbazole) for Solution-Processed Multilayer Blue Phosphorescent Organic Light-Emitting Devices (Adv. Mater. 45/2014). <i>Advanced Materials</i> , 2014 , 26, 7675-7675	24	2
67	A Donor-Acceptor-type Host Material for Solution-processed Phosphorescent Organic Light-emitting Devices Showing High Efficiency. <i>Chemistry Letters</i> , 2014 , 43, 1935-1936	1.7	7
66	Recent Progress in Phosphorescent Organic Light-Emitting Devices. <i>European Journal of Organic Chemistry</i> , 2013 , 2013, 7653-7663	3.2	205
65	J-aggregation of a squaraine dye and its application in organic photovoltaic cells. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 6547	7.1	75
64	High performance semitransparent phosphorescent white organic light emitting diodes with bi-directional and symmetrical illumination. <i>Applied Physics Letters</i> , 2013 , 102, 153308	3.4	29
63	Development of high performance OLEDs for general lighting. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 1699	7.1	532
62	Thermally cross-linkable host materials for enabling solution-processed multilayer stacks in organic light-emitting devices. <i>Organic Electronics</i> , 2013 , 14, 1614-1620	3.5	48
61	High-performance pure blue phosphorescent OLED using a novel bis-heteroleptic iridium(III) complex with fluorinated bipyridyl ligands. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 1070	7.1	114
60	Extremely Low Operating Voltage Green Phosphorescent Organic Light-Emitting Devices. <i>Advanced Functional Materials</i> , 2013 , 23, 5550-5555	15.6	135
59	A systematic study on efficiency enhancements in phosphorescent green, red and blue microcavity organic light emitting devices. <i>Light: Science and Applications</i> , 2013 , 2, e74-e74	16.7	236
58	Excimer-emitting single molecules with stacked π -conjugated groups covalently linked at the 1,8-positions of naphthalene for highly efficient blue and green OLEDs. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 3871	7.1	45
57	Chloroboron (III) subnaphthalocyanine as an electron donor in bulk heterojunction photovoltaic cells. <i>Nanotechnology</i> , 2013 , 24, 484007	3.4	16
56	Multilayered Organic Light-Emitting Devices by Solution-Process. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2013 , 26, 403-410	0.7	14

55	Development of Phenylpyridine-Containing Wide-Energy-Gap Electron-Transporters for High Performance OLEDs. <i>Kobunshi Ronbunshu</i> , 2013 , 70, 360-369	0	
54	Optimizing the charge balance of fluorescent organic light-emitting devices to achieve high external quantum efficiency beyond the conventional upper limit. <i>Advanced Materials</i> , 2012 , 24, 1765-70 ²⁴	126	
53	Solution-processable carbazole-based host materials for phosphorescent organic light-emitting devices. <i>Organic Electronics</i> , 2012 , 13, 2235-2242	3.5	33
52	Solution-processed organic light-emitting devices with two polymer light-emitting units connected in series by a charge-generation layer. <i>Journal of Materials Chemistry</i> , 2012 , 22, 22769		35
51	Solution-processed organic photovoltaic cells based on a squaraine dye. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 14661-6	3.6	61
50	Solution-processed inorganic-organic hybrid electron injection layer for polymer light-emitting devices. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 6104-8	9.5	54
49	57.2: Invited Paper: White OLEDs for General Lighting. <i>Digest of Technical Papers SID International Symposium</i> , 2012 , 43, 776-777	0.5	
48	Optical and electrical properties of a squaraine dye in photovoltaic cells. <i>Applied Physics Letters</i> , 2012 , 101, 083904	3.4	46
47	Ultra high-efficiency multi-photon emission blue phosphorescent OLEDs with external quantum efficiency exceeding 40%. <i>Organic Electronics</i> , 2012 , 13, 2615-2619	3.5	59
46	A m-Terphenyl-Modified Sulfone Derivative as a Host Material for High-Efficiency Blue and Green Phosphorescent OLEDs. <i>Chemistry of Materials</i> , 2012 , 24, 1404-1406	9.6	107
45	A single-molecule excimer-emitting compound for highly efficient fluorescent organic light-emitting devices. <i>Chemical Communications</i> , 2012 , 48, 8434-6	5.8	45
44	Co-evaporated bulk heterojunction solar cells with >6.0% efficiency. <i>Advanced Materials</i> , 2012 , 24, 2768-73		143
43	3,3RbCarbazole-based host materials for high-efficiency blue phosphorescent OLEDs with extremely low driving voltage. <i>Advanced Materials</i> , 2012 , 24, 3212-7	24	173
42	Syntheses of Solution-Processable Arylamine Derivatives and Their Application to Organic Light Emitting Devices. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2012 , 25, 335-339	0.7	1
41	Multifunctional Materials in High-Performance OLEDs: Challenges for Solid-State Lighting□ <i>Chemistry of Materials</i> , 2011 , 23, 621-630	9.6	447
40	9,10-Bis(bipyridyl, pyridylphenyl, phenylpyridyl, and biphenyl)anthracenes Combining High Electron Transport and Injection, Efficiency and Stability in Fluorescent Organic Light-emitting Devices. <i>Chemistry Letters</i> , 2011 , 40, 1092-1094	1.7	8
39	An ECarboline-containing Host Material for High-efficiency Blue and Green Phosphorescent OLEDs. <i>Chemistry Letters</i> , 2011 , 40, 306-308	1.7	41
38	fac-Tris(2-phenylpyridine)iridium (III)s, covalently surrounded by six bulky host dendrons, for a highly efficient solution-processed organic light emitting device. <i>Organic Electronics</i> , 2011 , 12, 2103-2110 ^{3.5}	22	

37	Influence of Substituted Pyridine Rings on Physical Properties and Electron Mobilities of 2-Methylpyrimidine Skeleton-Based Electron Transporters. <i>Advanced Functional Materials</i> , 2011 , 21, 336-342	15.6	118
36	Molecular Stacking Induced by Intermolecular C-H...N Hydrogen Bonds Leading to High Carrier Mobility in Vacuum-Deposited Organic Films. <i>Advanced Functional Materials</i> , 2011 , 21, 1375-1382	15.6	130
35	High-efficiency red, green and blue phosphorescent homojunction organic light-emitting diodes based on bipolar host materials. <i>Organic Electronics</i> , 2011 , 12, 843-850	3.5	78
34	Ultra-high efficiency by multiple emission from stacked organic light-emitting devices. <i>Organic Electronics</i> , 2011 , 12, 710-715	3.5	127
33	Efficient Low-Driving-Voltage Blue Phosphorescent Homojunction Organic Light-Emitting Devices. <i>Japanese Journal of Applied Physics</i> , 2011 , 50, 040204	1.4	14
32	Efficient Low-Driving-Voltage Blue Phosphorescent Homojunction Organic Light-Emitting Devices. <i>Japanese Journal of Applied Physics</i> , 2011 , 50, 040204	1.4	4
31	Alkoxyphenyl Group-Containing Starburst Host Materials for Efficient Blue and Green Organic Light-Emitting Devices. <i>IEICE Transactions on Electronics</i> , 2011 , E94-C, 1848-1850	0.4	
30	Electron Injection and Transport Properties of Phenazine Compounds with Fused Rings. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 01AB11	1.4	6
29	Axle length effect on photoinduced electron transfer in triad rotaxane with porphyrin, [60]fullerene, and triphenylamine. <i>Journal of Physical Chemistry A</i> , 2010 , 114, 5242-50	2.8	21
28	Highly Efficient Green Phosphorescent OLED Based on Pyridine-containing Starburst Electron-transporting Materials. <i>Chemistry Letters</i> , 2010 , 39, 140-141	1.7	21
27	Tuning energy levels of electron-transport materials by nitrogen orientation for electrophosphorescent devices with an ideal operating voltage. <i>Advanced Materials</i> , 2010 , 22, 3311-6	24	154
26	High-efficiency blue and white organic light-emitting devices incorporating a blue iridium carbene complex. <i>Advanced Materials</i> , 2010 , 22, 5003-7	24	469
25	Photoinduced electron transfer processes of fullerene rotaxanes containing various electron-donors. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2010 , 11, 73-92	16.4	20
24	Axle charge effects on photoinduced electron transfer processes in rotaxanes containing porphyrin and [60]fullerene. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 10908-15	3.6	22
23	m-Terphenyl-modified carbazole host material for highly efficient blue and green PHOLEDS. <i>Chemical Communications</i> , 2009 , 6655-7	5.8	82
22	Phenanthroline Derivatives for Electron-transport Layer in Organic Light-emitting Devices. <i>Chemistry Letters</i> , 2009 , 38, 712-713	1.7	12
21	Wide-Energy-Gap Electron-Transport Materials Containing 3,5-Dipyridylphenyl Moieties for an Ultra High Efficiency Blue Organic Light-Emitting Device. <i>Chemistry of Materials</i> , 2008 , 20, 5951-5953	9.6	222
20	2-Phenylpyrimidine skeleton-based electron-transport materials for extremely efficient green organic light-emitting devices. <i>Chemical Communications</i> , 2008 , 5821-3	5.8	117

19	Pyridine-Containing Bipolar Host Materials for Highly Efficient Blue Phosphorescent OLEDs. <i>Chemistry of Materials</i> , 2008 , 20, 1691-1693	9.6	461
18	Novel four-pyridylbenzene-armed biphenyls as electron-transport materials for phosphorescent OLEDs. <i>Organic Letters</i> , 2008 , 10, 941-4	6.2	115
17	Highly Efficient Organic Blue-and White-Light-Emitting Devices Having a Carrier- and Exciton-Confining Structure for Reduced Efficiency Roll-Off. <i>Advanced Materials</i> , 2008 , 20, NA-NA	24	114
16	Ultra High Efficiency Green Organic Light-Emitting Devices. <i>Japanese Journal of Applied Physics</i> , 2007 , 46, L10-L12	1.4	324
15	Synthesis of poly[2]rotaxane by Sonogashira polycondensation. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 4154-4160	2.5	24
14	Design and construction of photoinduced electron transfer systems based on [60]fullerene and porphyrin-containing [2]rotaxanes. <i>Journal of Porphyrins and Phthalocyanines</i> , 2007 , 11, 334-341	1.8	14
13	Photoinduced Electron Transfer Processes in Rotaxanes Containing [60]Fullerene and Ferrocene: Effect of Axle Charge on Light-Induced Molecular Motion. <i>Australian Journal of Chemistry</i> , 2006 , 59, 186	1.2	21
12	Photoinduced electron transfer processes in three component rotaxanes with porphyrins, [60]fullerene and triphenylamine. <i>Journal of Porphyrins and Phthalocyanines</i> , 2006 , 10, 1346-1359	1.8	19
11	Rotaxane Synthesized by End-capping via Hydorruthenation of Axle Terminal Acetylene and Its Derivation to β -Allylruthenium Complex-containing Rotaxane. <i>Chemistry Letters</i> , 2006 , 35, 212-213	1.7	16
10	Synthesis of [60]fullerene-functionalized rotaxanes. <i>Tetrahedron</i> , 2006 , 62, 1988-1997	2.4	17
9	Efficient synthesis of [2]- and higher order rotaxanes via the transition metal-catalyzed hydrosilylation of alkyne. <i>Tetrahedron Letters</i> , 2005 , 46, 3851-3853	2	29
8	Photoinduced electron and energy transfer processes in rotaxanes containing zinc porphyrin as pendant and [60]fullerene and ferrocene as axle ends. <i>Journal of Porphyrins and Phthalocyanines</i> , 2005 , 09, 724-734	1.8	16
7	End-capping of a pseudorotaxane via Diels-Alder reaction for the construction of C60-terminated [2]rotaxanes. <i>Organic Letters</i> , 2004 , 6, 3957-60	6.2	51
6	Photoinduced Electron-Transfer Processes between [C60]Fullerene and Triphenylamine Moieties Tethered by Rotaxane Structures. Through-Space Electron Transfer via Excited Triplet States of [60]Fullerene. <i>Journal of Physical Chemistry A</i> , 2004 , 108, 5145-5155	2.8	72
5	Synthesis of [2]- and [3]Rotaxanes by an End-Capping Approach Utilizing Urethane Formation. <i>Bulletin of the Chemical Society of Japan</i> , 2004 , 77, 179-185	5.1	52
4	Diastereotopic relationship between planar and central chiralities in the formation of Ru(β -allyl)(CO)(PPh ₃)(L \square ?) complexes. <i>Inorganic Chemistry Communication</i> , 2003 , 6, 1140-1143	3.1	17
3	Preparation of Ru(β -2-alkenylallyl)(CO)Cl(PPh ₃) ₂ complexes via carbometallation of allenes with alkenyl ruthenium complexes. <i>Inorganic Chemistry Communication</i> , 2002 , 5, 177-180	3.1	16
2	Facile Routes to Ru(β -Allyl)(NO)(PPh ₃) ₂ Complexes via Hydrometallation of RuH(NO)(PPh ₃) ₃ to 1,3-Butadienes and Allenes. <i>Chemistry Letters</i> , 2000 , 29, 1058-1059	1.7	10

1 Extremely High Power Efficiency Solution-Processed Orange-Red TADF OLEDs via a Synergistic Strategy of Molecular and Device Engineering. *Advanced Optical Materials*, 2102774 8.1 1