

# Mara Rejane Ritter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3024562/publications.pdf>

Version: 2024-02-01

16

papers

199

citations

1684188

5

h-index

1058476

14

g-index

16

all docs

16

docs citations

16

times ranked

301

citing authors

#	ARTICLE	IF	CITATIONS
1	Plants popularly used for loosing weight purposes in Porto Alegre, South Brazil. <i>Journal of Ethnopharmacology</i> , 2007, 109, 60-71.	4.1	112
2	Bibliometric analysis of ethnobotanical research in Brazil (1988-2013). <i>Acta Botanica Brasilica</i> , 2015, 29, 113-119.	0.8	19
3	Biogeografia do gênero <i>Mikania</i> Willd. (Asteraceae) no Rio Grande do Sul, Brasil. <i>Acta Botanica Brasilica</i> , 2004, 18, 643-652.	0.8	17
4	Micromorfologia da superfície do fruto de espécies de <i>Mikania</i> Willd. (Asteraceae) ocorrentes no estado do Rio Grande do Sul, Brasil. <i>Acta Botanica Brasilica</i> , 2006, 20, 241-247.	0.8	12
5	Medicinal plants for the "nerves": a review of ethnobotanical studies carried out in South Brazil. <i>Acta Botanica Brasilica</i> , 2019, 33, 269-282.	0.8	8
6	Where are the Brazilian ethnobotanical studies in the Atlantic Forest and Caatinga?. <i>Rodriguesia</i> , 2017, 68, 1225-1240.	0.9	6
7	O gênero <i>Chaptalia</i> (Asteraceae, Mutisieae) no Rio Grande do Sul, Brasil. <i>Rodriguesia</i> , 2014, 65, 141-158.	0.9	6
8	A taxonomic study of Praxelinae (Asteraceae-Eupatorieae) in Rio Grande do Sul, Brazil. <i>Phytotaxa</i> , 2019, 393, 141.	0.3	5
9	Especies medicinais comercializadas como "quebra-pedras" em Porto Alegre, Rio Grande do Sul, Brasil. <i>Revista Brasileira De Farmacognosia</i> , 2009, 19, 471-477.	1.4	5
10	Chemical and phylogenetic characterization of Guaco ( <i>Mikania laevigata</i> ; <i>M. glomerata</i> ) germplasm. <i>Biochemical Systematics and Ecology</i> , 2020, 90, 104029.	1.3	3
11	New natural coumarins from <i>Trichocline macrocephala</i> (Asteraceae). <i>Phytochemistry Letters</i> , 2019, 32, 129-133.	1.2	2
12	Levantamento de plantas invasoras no campus da UFSM – Santa Maria, RS – Magnoliopsida. <i>Ciência E Natura</i> , 1995, 17, 65.	0.0	2
13	TYPIFICATIONS IN CHROMOLAENA AND PRAXELIS (ASTERACEAE: EUPATORIEAE). <i>Phytotaxa</i> , 2018, 362, 112.	0.3	1
14	Multilocus approach reveals a complex evolutionary history of the invasive mile-a-minute plant, <i>Mikania micrantha</i> (Asteraceae), in its natural habitat. <i>Botanical Journal of the Linnean Society</i> , 2019, 191, 188-215.	1.6	1
15	<span lang="EN-US"> <i>Porophyllum spathulatum</i> </span><span lang="EN-US">(Asteraceae: Tageteae), a new species from the southern Brazilian coast</span>. <i>Phytotaxa</i> , 2014, 173, 157.	0.3	0
16	Lectotypifications in Brazilian <i>Porophyllum</i> (Asteraceae: Tageteae). <i>Phytotaxa</i> , 2016, 278, 62.	0.3	0