

Terry F Wall

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3025022/terry-f-wall-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172
papers

9,766
citations

51
h-index

94
g-index

179
ext. papers

10,469
ext. citations

6.4
avg, IF

6.12
L-index

#	Paper	IF	Citations
172	Volatile release from maceral concentrates of pulverised coals used for pulverised coal injection at temperatures of 1550 °C and their relationship with density. <i>Fuel</i> , 2021 , 297, 120784	7.1	1
171	Impact of large sized inertinite particles on thermo-swelling and volatile release of coking coals. <i>Fuel Processing Technology</i> , 2019 , 193, 63-72	7.2	3
170	Low-Cost Carbon Fibre Derived from Sustainable Coal Tar Pitch and Polyacrylonitrile: Fabrication and Characterisation. <i>Materials</i> , 2019 , 12,	3.5	13
169	An investigation of the molecular change in coal maceral concentrates prepared under dimensional heating condition. <i>Fuel Processing Technology</i> , 2019 , 189, 80-88	7.2	1
168	In-situ study of plastic layers during coking of six Australian coking coals using a lab-scale coke oven. <i>Fuel Processing Technology</i> , 2019 , 188, 51-59	7.2	16
167	Study of chemical structure transition in the plastic layers sampled from a pilot-scale coke oven using a thermogravimetric analyzer coupled with Fourier transform infrared spectrometer. <i>Fuel</i> , 2019 , 242, 277-286	7.1	14
166	Evaluating the Thermal Extrusion Behavior of a Coking Coal for Direct Carbon Fiber Production. <i>Energy & Fuels</i> , 2018 , 32, 4528-4537	4.1	3
165	Impact of Coal Pyrolysis Products as a Rheological Additive on Thermoplasticity of a Coking Coal. <i>Energy & Fuels</i> , 2018 , 32, 4382-4390	4.1	6
164	Thermoplastic development of coking and non-coking maceral concentrates and molecular weight distribution of their pyrolysis products. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018 , 129, 72-85	6	5
163	Dataset for the estimation of costs for direct contact condenser. <i>Data in Brief</i> , 2018 , 20, 535-543	1.2	
162	Dynamic measurement of liquid-phase mass transfer coefficient and significance on the SO ₂ absorption rate. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2018 , 13, e2242	1.3	
161	A comparative study on the design of direct contact condenser for air and oxy-fuel combustion flue gas based on Callide Oxy-fuel Project. <i>International Journal of Greenhouse Gas Control</i> , 2018 , 75, 74-84	4.2	6
160	Separation and analysis of high range extractable molecules formed during coal pyrolysis using coupled thin layer chromatography-imaging mass spectrometry (TLC-LDI-IMS). <i>Fuel</i> , 2017 , 196, 269-279	7.1	11
159	CO ₂ quality control in Oxy-fuel technology for CCS: SO ₂ removal by the caustic scrubber in Callide Oxy-fuel Project. <i>International Journal of Greenhouse Gas Control</i> , 2016 , 51, 207-217	4.2	10
158	Impacts of Mild Pyrolysis and Solvent Extraction on Coking Coal Thermoplasticity. <i>Energy & Fuels</i> , 2016 , 30, 9293-9302	4.1	7
157	Chemical Changes of Australian Coking Coals from Different Basins with Various Ranks and Maceral Compositions: Linking to Both Physical and Thermal Changes. <i>Energy & Fuels</i> , 2016 , 30, 10136-10147	4.1	3
156	Thermo-swelling Behavior of Australian Coking Coals from Different Basins: Relating to Rank and Maceral Compositions. <i>Energy & Fuels</i> , 2016 , 30, 10126-10135	4.1	4

155	The pyrolysis behaviour of solvent extracted metaplast material from heated coal using LDI-TOF mass spectroscopy measurements. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016 , 120, 258-268	6	14
154	The effects of oxygen and metal oxide catalysts on the reduction reaction of NO with lignite char during combustion flue gas cleaning. <i>Fuel Processing Technology</i> , 2016 , 152, 102-107	7.2	20
153	The use of LDI-TOF imaging mass spectroscopy to study heated coal with a temperature gradient incorporating the plastic layer and semi-coke. <i>Fuel</i> , 2016 , 165, 33-40	7.1	16
152	Maceral separation from coal by the Reflux Classifier. <i>Fuel Processing Technology</i> , 2016 , 143, 43-50	7.2	27
151	Mercury and SO ₃ measurements on the fabric filter at the Callide Oxy-fuel Project during air and oxy-fuel firing transitions. <i>International Journal of Greenhouse Gas Control</i> , 2016 , 47, 221-232	4.2	9
150	Linking Thermoplastic Development and Swelling with Molecular Weight Changes of a Coking Coal and Its Pyrolysis Products. <i>Energy & Fuels</i> , 2016 , 30, 3906-3916	4.1	14
149	Impacts of Sulfur Oxides on Mercury Speciation and Capture by Fly Ash during Oxy-fuel Pulverized Coal Combustion. <i>Energy & Fuels</i> , 2016 , 30, 8658-8664	4.1	15
148	Conceptual design of a packed bed for the removal of SO ₂ in Oxy-fuel combustion prior to compression. <i>International Journal of Greenhouse Gas Control</i> , 2016 , 53, 65-78	4.2	6
147	CO ₂ quality control through scrubbing in oxy-fuel combustion: Rate limitation due to S(IV) oxidation in sodium solutions in scrubbers and prior to waste disposal. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 39, 148-157	4.2	5
146	Oxyfuel derived CO ₂ compression experiments with NO _x , SO _x and mercury removal Experiments involving compression of slip-streams from the Callide Oxyfuel Project (COP). <i>International Journal of Greenhouse Gas Control</i> , 2015 , 41, 50-59	4.2	21
145	Oxyfuel combustion for CO ₂ capture in power plants. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 40, 55-125	4.2	262
144	CO ₂ quality control through scrubbing in oxy-fuel combustion: Simulations on the absorption rates of SO ₂ into droplets to identify operational pH regions. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 37, 115-126	4.2	5
143	Thermo-swelling Properties of Particle Size Cuts of Coal Maceral Concentrates. <i>Energy & Fuels</i> , 2015 , 29, 4893-4901	4.1	20
142	Field measurements of NO _x and mercury from oxy-fuel compression condensates at the Callide Oxyfuel Project. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 42, 485-493	4.2	6
141	CO ₂ quality control through scrubbing in oxy-fuel combustion: An evaluation of operational pH impacts, and prediction of SO ₂ absorption rate at steady state. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 32, 37-46	4.2	4
140	Changes in Solvent-Extracted Matter for Heated Coal during Metaplast Formation Using High-Range Mass Spectrometry. <i>Energy & Fuels</i> , 2015 , 29, 7101-7113	4.1	22
139	Ultrasonic-assisted preparation of highly reactive Fe ₃ O ₄ sorbents supported on activated-char for desulfurization of COG. <i>Fuel Processing Technology</i> , 2015 , 135, 187-194	7.2	17
138	Associations of physical, chemical with thermal changes during coking as coal heats Experiments on coal maceral concentrates. <i>Fuel</i> , 2015 , 147, 1-8	7.1	23

137	Characteristics of Chars from Low-Temperature Pyrolysis of Lignite. <i>Energy & Fuels</i> , 2014 , 28, 275-284	4.1	115
136	Experimental Study on Microwave Pyrolysis of an Indonesian Low-Rank Coal. <i>Energy & Fuels</i> , 2014 , 28, 254-263	4.1	58
135	Comparative Study on the Combustion Performance of Coals on a Pilot-Scale Test Rig Simulating Blast Furnace Pulverized Coal Injection and a Lab-Scale Drop-Tube Furnace. <i>Energy & Fuels</i> , 2014 , 28, 363-368	4.1	15
134	Coal Oxidation under Mild Conditions: Current Status and Applications. <i>Chemical Engineering and Technology</i> , 2014 , 37, 1635-1644	2	30
133	Analysis on Chemical Reaction Kinetics of CuO/SiO ₂ Oxygen Carriers for Chemical Looping Air Separation. <i>Energy & Fuels</i> , 2014 , 28, 173-182	4.1	50
132	Oxyfuel CO ₂ compression: The gas phase reaction of elemental mercury and NO _x at high pressure and absorption into nitric acid. <i>International Journal of Greenhouse Gas Control</i> , 2014 , 29, 125-134	4.2	10
131	Sulfur Capture by Fly Ash in Air and Oxy-fuel Pulverized Fuel Combustion. <i>Energy & Fuels</i> , 2014 , 28, 5472-5479	4.1	17
130	SO ₃ Emissions and Removal by Ash in Coal-Fired Oxy-Fuel Combustion. <i>Energy & Fuels</i> , 2014 , 28, 5296-5306	4.1	45
129	Reactivity of Al ₂ O ₃ - or SiO ₂ -Supported Cu-, Mn-, and Co-Based Oxygen Carriers for Chemical Looping Air Separation. <i>Energy & Fuels</i> , 2014 , 28, 1284-1294	4.1	64
128	Mercury Emissions and Removal by Ash in Coal-Fired Oxy-fuel Combustion. <i>Energy & Fuels</i> , 2014 , 28, 123-135	4.1	38
127	Low-Temperature Oxidation Characteristics of Lignite Chars from Low-Temperature Pyrolysis. <i>Energy & Fuels</i> , 2014 , 28, 5612-5622	4.1	25
126	A differential scanning calorimetric (DSC) study on the characteristics and behavior of water in low-rank coals. <i>Fuel</i> , 2014 , 135, 243-252	7.1	52
125	Dynamic measurement of coal thermal properties and elemental composition of volatile matter during coal pyrolysis. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 2-8	5.5	21
124	Interactions between vitrinite and inertinite-rich coals and the ionic liquid [bmim][Cl]. <i>Fuel</i> , 2014 , 119, 214-218	7.1	31
123	Mercury and SO ₃ Emissions in Oxy-fuel Combustion. <i>Energy Procedia</i> , 2014 , 63, 386-402	2.3	21
122	High pressure conversion of NO _x and Hg and their capture as aqueous condensates in a laboratory piston-compressor simulating oxy-fuel CO ₂ compression. <i>International Journal of Greenhouse Gas Control</i> , 2014 , 29, 209-220	4.2	8
121	High-Temperature Conversion of SO ₂ to SO ₃ : Homogeneous Experiments and Catalytic Effect of Fly Ash from Air and Oxy-fuel Firing. <i>Energy & Fuels</i> , 2014 , 28, 7243-7251	4.1	76
120	Dynamic behaviour of coal macerals during pyrolysis [Associations between physical, thermal and chemical changes. <i>Proceedings of the Combustion Institute</i> , 2013 , 34, 2393-2400	5.9	19

119	CO ₂ quality control by scrubbing in oxy-fuel combustion prior to compression: Relating pH to the liquid composition from absorption of SO ₂ into sodium based solutions to identify an operational pH window. <i>International Journal of Greenhouse Gas Control</i> , 2013 , 19, 462-470	4.2	9
118	Integration options for novel chemical looping air separation (ICLAS) process for oxygen production in oxy-fuel coal fired power plants. <i>Fuel</i> , 2013 , 107, 356-370	7.1	66
117	Dynamic Elemental Thermal Analysis (DETA) A characterisation technique for the production of biochar and bio-oil from biomass resources. <i>Fuel</i> , 2013 , 108, 656-667	7.1	9
116	CO ₂ quality control in oxy-fuel combustion: A dynamic study on the absorption of SO ₂ into sodium based aqueous solutions relevant to scrubbing prior to CO ₂ compression. <i>International Journal of Greenhouse Gas Control</i> , 2013 , 12, 2-8	4.2	9
115	Laboratory investigation of high pressure NO oxidation to NO ₂ and capture with liquid and gaseous water under oxy-fuel CO ₂ compression conditions. <i>International Journal of Greenhouse Gas Control</i> , 2013 , 18, 15-22	4.2	35
114	Gas cleaning challenges for coal-fired oxy-fuel technology with carbon capture and storage. <i>Fuel</i> , 2013 , 108, 85-90	7.1	50
113	Dynamic Elemental Thermal Analysis: A technique for continuous measurement of carbon, hydrogen, oxygen chemistry of tar species evolved during coal pyrolysis. <i>Fuel</i> , 2013 , 103, 764-772	7.1	15
112	Coal macerals separation by reflux classification and thermo-swelling analysis based on the Computer Aided Thermal Analysis. <i>Fuel</i> , 2013 , 103, 1023-1031	7.1	33
111	Effect of flue gas impurities on the performance of a chemical looping based air separation process for oxy-fuel combustion. <i>Fuel</i> , 2013 , 103, 932-942	7.1	48
110	Experimental Study of Volatile-N Conversion at O ₂ /CO ₂ Atmosphere in a Drop Tube Furnace 2013 , 371-376		
109	Selection of Suitable Oxygen Carriers for Chemical Looping Air Separation: A Thermodynamic Approach. <i>Energy & Fuels</i> , 2012 , 26, 2038-2045	4.1	98
108	Reactivity Study of Two Coal Chars Produced in a Drop-Tube Furnace and a Pulverized Coal Injection Rig. <i>Energy & Fuels</i> , 2012 , 26, 4690-4695	4.1	10
107	Demonstrations of coal-fired oxy-fuel technology for carbon capture and storage and issues with commercial deployment. <i>International Journal of Greenhouse Gas Control</i> , 2011 , 5, S5-S15	4.2	85
106	Sulphur impacts during pulverised coal combustion in oxy-fuel technology for carbon capture and storage. <i>Progress in Energy and Combustion Science</i> , 2011 , 37, 69-88	33.6	157
105	Experimental study of influence of temperature on fuel-N conversion and recycle NO reduction in oxyfuel combustion. <i>Proceedings of the Combustion Institute</i> , 2011 , 33, 1731-1738	5.9	44
104	Pyrolysis and Combustion Characteristics of an Indonesian Low-Rank Coal under O ₂ /N ₂ and O ₂ /CO ₂ Conditions <i>Energy & Fuels</i> , 2010 , 24, 160-164	4.1	86
103	Computational Fluid Dynamics Modeling of NO _x Reduction Mechanism in Oxy-Fuel Combustion <i>Energy & Fuels</i> , 2010 , 24, 131-135	4.1	47
102	Removal of sulfur at high temperatures using iron-based sorbents supported on fine coal ash. <i>Fuel</i> , 2010 , 89, 868-873	7.1	62

101	Experimental study on drying and moisture re-adsorption kinetics of an Indonesian low rank coal. <i>Journal of Environmental Sciences</i> , 2009 , 21 Suppl 1, S127-30	6.4	54
100	Differences in reactivity of pulverised coal in air (O ₂ /N ₂) and oxy-fuel (O ₂ /CO ₂) conditions. <i>Fuel Processing Technology</i> , 2009 , 90, 797-802	7.2	230
99	An overview on oxyfuel coal combustion—State of the art research and technology development. <i>Chemical Engineering Research and Design</i> , 2009 , 87, 1003-1016	5.5	646
98	Characterization of Ash Deposition and Heat Transfer Behavior of Coals during Combustion in a Pilot-Scale Facility and Full-Scale Utility. <i>Energy & Fuels</i> , 2009 , 23, 2570-2575	4.1	11
97	Semi-quantitative characterisation of ambient ultrafine aerosols resulting from emissions of coal fired power stations. <i>Science of the Total Environment</i> , 2008 , 391, 104-13	10.2	13
96	Rate Limitations of Lime Dissolution into Coal Ash Slag. <i>Energy & Fuels</i> , 2008 , 22, 3626-3630	4.1	9
95	Factors influencing the ignition of flames from air-fired swirl pf burners retrofitted to oxy-fuel. <i>Fuel</i> , 2008 , 87, 1042-1049	7.1	110
94	Use of TMA to predict deposition behaviour of biomass fuels. <i>Fuel</i> , 2007 , 86, 2446-2456	7.1	30
93	Factors affecting the vaporisation of silica during coal combustion. <i>Fuel Processing Technology</i> , 2007 , 88, 157-164	7.2	3
92	Characterising ash of biomass and waste. <i>Fuel Processing Technology</i> , 2007 , 88, 1071-1081	7.2	272
91	Assessing slagging and fouling during biomass combustion: A thermodynamic approach allowing for alkali/ash reactions. <i>Fuel Processing Technology</i> , 2007 , 88, 1044-1052	7.2	106
90	Thermomechanical analysis of laboratory ash, combustion ash and deposits from coal combustion. <i>Fuel Processing Technology</i> , 2007 , 88, 1099-1107	7.2	11
89	Formation of the structure of chars during devolatilization of pulverized coal and its thermoproperties: A review. <i>Progress in Energy and Combustion Science</i> , 2007 , 33, 135-170	33.6	298
88	Combustion processes for carbon capture. <i>Proceedings of the Combustion Institute</i> , 2007 , 31, 31-47	5.9	466
87	Ash Formation from Excluded Minerals Including Consideration of Mineral—Mineral Associations— <i>Energy & Fuels</i> , 2007 , 21, 461-467	4.1	33
86	Fine ash formation during combustion of pulverised coal—Coal property impacts. <i>Fuel</i> , 2006 , 85, 185-193	7.1	97
85	Flow properties of biomass and coal blends. <i>Fuel Processing Technology</i> , 2006 , 87, 281-288	7.2	55
84	An overview of the Australian biomass resources and utilization technologies. <i>BioResources</i> , 2006 , 1, 93-115	1.3	15

83	The Heterogeneity of Coal Chemical Properties Derived from a Reflectogram. <i>Energy & Fuels</i> , 2005 , 19, 130-137	4.1	3
82	Measurement of the Viscosity of Coal-Derived Slag Using Thermomechanical Analysis. <i>Energy & Fuels</i> , 2005 , 19, 1078-1083	4.1	20
81	Oxy-fuel combustion technology for coal-fired power generation. <i>Progress in Energy and Combustion Science</i> , 2005 , 31, 283-307	33.6	1163
80	Effect of pressure on the swelling of density separated coal particles. <i>Fuel</i> , 2005 , 84, 1238-1245	7.1	24
79	The physical character of coal char formed during rapid pyrolysis at high pressure. <i>Fuel</i> , 2005 , 84, 63-69	7.1	43
78	The sintering temperature of ash, agglomeration, and defluidisation in a bench scale PFBC. <i>Fuel</i> , 2005 , 84, 109-114	7.1	29
77	Mineral matter/organic matter association characterisation by QEMSCAN and applications in coal utilisation. <i>Fuel</i> , 2005 , 84, 1259-1267	7.1	52
76	The estimation of char reactivity from coal reflectogram. <i>Fuel</i> , 2005 , 84, 127-134	7.1	13
75	Submicron ash formation from coal combustion. <i>Fuel</i> , 2005 , 84, 1206-1214	7.1	92
74	The char structure characterization from the coal reflectogram. <i>Fuel</i> , 2005 , 84, 1268-1276	7.1	17
73	BIOMASS GASIFICATION KINETICS: INFLUENCES OF PRESSURE AND CHAR STRUCTURE. <i>Combustion Science and Technology</i> , 2005 , 177, 765-791	1.5	48
72	Pyrolytic characteristics of blended coal and woody biomass. <i>Fuel</i> , 2004 , 83, 745-750	7.1	126
71	A computational fluid dynamics based study of the combustion characteristics of coal blends in pulverised coal-fired furnace. <i>Fuel</i> , 2004 , 83, 1543-1552	7.1	70
70	Influence of pyrolysis conditions on the structure and gasification reactivity of biomass chars. <i>Fuel</i> , 2004 , 83, 2139-2150	7.1	366
69	Modeling the development of char structure during the rapid heating of pulverized coal. <i>Combustion and Flame</i> , 2004 , 136, 519-532	5.3	43
68	A Mechanistic Approach To Characterize Coal Heterogeneity in Predicting High-Temperature Volatile Matter Yields. <i>Energy & Fuels</i> , 2004 , 18, 1716-1722	4.1	8
67	Effect of Pressure on Char Formation during Pyrolysis of Pulverized Coal. <i>Energy & Fuels</i> , 2004 , 18, 1346-1353	4.1	31
66	Swelling behaviour of individual coal particles in the single particle reactor. <i>Fuel</i> , 2003 , 82, 1977-1987	7.1	48

65	Coal and carbon nanotube production. <i>Fuel</i> , 2003 , 82, 2025-2032	7.1	39
64	An Empirical Method for the Prediction of Coal Ash Slag Viscosity. <i>Energy & Fuels</i> , 2003 , 17, 731-737	4.1	129
63	Swelling and Char Structures from Density Fractions of Pulverized Coal. <i>Energy & Fuels</i> , 2003 , 17, 1160-1174	4.1	38
62	Coal Ash Buildup on Ceramic Filters in a Hot Gas Filtration System. <i>Energy & Fuels</i> , 2003 , 17, 316-320	4.1	13
61	On the Effects of High Pressure and Heating Rate during Coal Pyrolysis on Char Gasification Reactivity. <i>Energy & Fuels</i> , 2003 , 17, 887-895	4.1	88
60	E304 CHAR MORPHOLOGY FROM THE AUTOMATED REFLECTOGRAM OF A COAL AND ITS IMPLICATIONS ON BURNOUT AND ASH FORMATION. <i>The Proceedings of the International Conference on Power Engineering (ICOPE)</i> , 2003 , 2003.3, _3-317_-_3-322_		
59	The effects of pressure on coal reactions during pulverised coal combustion and gasification. <i>Progress in Energy and Combustion Science</i> , 2002 , 28, 405-433	33.6	219
58	A mathematical model of ash formation during pulverized coal combustion. <i>Fuel</i> , 2002 , 81, 337-344	7.1	73
57	The implication of mineral coalescence behaviour on ash formation and ash deposition during pulverised coal combustion. <i>Fuel</i> , 2001 , 80, 1333-1340	7.1	71
56	Fragmentation Behavior of Pyrite and Calcite during High-Temperature Processing and Mathematical Simulation. <i>Energy & Fuels</i> , 2001 , 15, 389-394	4.1	53
55	Thermal conductivity of coal ash and slags and models used. <i>Fuel</i> , 2000 , 79, 1697-1710	7.1	100
54	Modelling of a pressurised entrained flow coal gasifier: the effect of reaction kinetics and char structure. <i>Fuel</i> , 2000 , 79, 1767-1779	7.1	68
53	Modeling the fragmentation of non-uniform porous char particles during pulverized coal combustion. <i>Fuel</i> , 2000 , 79, 627-633	7.1	51
52	Mathematical modeling of coal char reactivity with CO ₂ at high pressures and temperatures. <i>Fuel</i> , 2000 , 79, 1145-1154	7.1	73
51	Modeling char combustion: The influence of parent coal petrography and pyrolysis pressure on the structure and intrinsic reactivity of its char. <i>Proceedings of the Combustion Institute</i> , 2000 , 28, 2233-2241	5.9	72
50	The porous structure of bituminous coal chars and its influence on combustion and gasification under chemically controlled conditions. <i>Fuel</i> , 2000 , 79, 617-626	7.1	99
49	An Experimental Study on the Effect of System Pressure on Char Structure of an Australian Bituminous Coal. <i>Energy & Fuels</i> , 2000 , 14, 282-290	4.1	73
48	Thermomechanical Analysis of Coal Ash: The Influence of the Material for the Sample Assembly. <i>Energy & Fuels</i> , 2000 , 14, 326-335	4.1	19

47	The Effect of Pressure on Ash Formation during Pulverized Coal Combustion. <i>Energy & Fuels</i> , 2000 , 14, 745-750	4.1	51
46	Index for Iron-Based Slagging for Pulverized Coal Firing in Oxidizing and Reducing Conditions. <i>Energy & Fuels</i> , 2000 , 14, 349-354	4.1	52
45	Experimental Options for Determining the Temperature for the Onset of Sintering of Coal Ash. <i>Energy & Fuels</i> , 2000 , 14, 227-233	4.1	50
44	Ash Formation Mechanisms during pf Combustion in Reducing Conditions. <i>Energy & Fuels</i> , 2000 , 14, 150-159	4.1	102
43	Measurement of the Sintering Kinetics of Coal Ash. <i>Energy & Fuels</i> , 2000 , 14, 994-1001	4.1	34
42	Development of emittance of coal particles during devolatilisation and burnoff. <i>Fuel</i> , 1999 , 78, 511-519	7.1	28
41	False deformation temperatures for ash fusibility associated with the conditions for ash preparation. <i>Fuel</i> , 1999 , 78, 1057-1063	7.1	14
40	Ash Liberation from Included Minerals during Combustion of Pulverized Coal: The Relationship with Char Structure and Burnout. <i>Energy & Fuels</i> , 1999 , 13, 1197-1202	4.1	61
39	Dissolution of lime into synthetic coal ash slags. <i>Fuel Processing Technology</i> , 1998 , 56, 45-53	7.2	15
38	An analysis of the angular scatter measurement to determine the optical constants of coal and ashy materials. <i>International Communications in Heat and Mass Transfer</i> , 1996 , 23, 809-821	5.8	4
37	Reducing fly ash deposition by pretreatment of brown coal: Effect of aluminium on ash character. <i>Fuel Processing Technology</i> , 1996 , 46, 117-132	7.2	40
36	The character of ash deposits and the thermal performance of furnaces. <i>Fuel Processing Technology</i> , 1995 , 44, 143-153	7.2	39
35	STM examination of O2 etching on graphite surfaces in air. <i>Fuel</i> , 1994 , 73, 1372	7.1	
34	The ignition of single pulverized coal particles: Minimum laser power required. <i>Fuel</i> , 1994 , 73, 647-655	7.1	16
33	Ignition of coal particles: the influence of experimental technique. <i>Fuel</i> , 1994 , 73, 1114-1119	7.1	77
32	Sulphur retention as CaS(s) during coal combustion: a modelling study to define mechanisms and possible technologies. <i>Fuel</i> , 1993 , 72, 633-643	7.1	12
31	An analysis of the ignition of coal dust clouds. <i>Combustion and Flame</i> , 1993 , 92, 475-480	5.3	34
30	The properties and thermal effects of ash deposits in coal-fired furnaces. <i>Progress in Energy and Combustion Science</i> , 1993 , 19, 487-504	33.6	86

29	STM examination of O ₂ etching on graphite surfaces in air. <i>Fuel</i> , 1993 , 72, 1454-1455	7.1	4
28	Fibre optic ignition of combustible gas mixtures by the radiative heating of small particles. <i>Proceedings of the Combustion Institute</i> , 1992 , 24, 1761-1767		12
27	Experimental studies of ignition behaviour and combustion reactivity of pulverized fuel particles. <i>Fuel</i> , 1992 , 71, 1239-1246	7.1	27
26	The reactivity of pulverized coal char particles: experiments using ignition, burnout and DTG techniques and partly burnt chars. <i>Fuel</i> , 1992 , 71, 1247-1253	7.1	14
25	The ignition of coal particles and explosions in surrounding combustible gases during heating by laser irradiation. <i>Fuel</i> , 1992 , 71, 1206-1207	7.1	6
24	Laser ignition of combustible gases by radiative heating of small particles. <i>Combustion and Flame</i> , 1992 , 91, 399-412	5.3	23
23	Sodium ash reactions during combustion of pulverised coal. <i>Proceedings of the Combustion Institute</i> , 1991 , 23, 1313-1321		18
22	The ignition of coal particles. <i>Fuel</i> , 1991 , 70, 1011-1016	7.1	60
21	A char morphology system with applications to coal combustion. <i>Fuel</i> , 1990 , 69, 225-239	7.1	168
20	Stress distribution in a packed bed above raceway cavities formed by an air jet. <i>AIChE Journal</i> , 1990 , 36, 461-468	3.6	17
19	Mechanisms for the ignition of pulverized coal particles. <i>Combustion and Flame</i> , 1990 , 81, 119-132	5.3	60
18	Ignition temperature of pulverized coal particles: Experimental techniques and coal-related influences. <i>Combustion and Flame</i> , 1990 , 79, 333-339	5.3	18
17	The combustion of evolved volatile matter in the vicinity of a coal particle. An evaluation of the diffusion limited model. <i>Combustion and Flame</i> , 1988 , 72, 1-12	5.3	22
16	Indicators of ignition for clouds of pulverized coal. <i>Combustion and Flame</i> , 1988 , 72, 111-118	5.3	30
15	Modelling of High Intensity Combustion of Pulversized Coal in a Tabular Combustor. <i>Combustion Science and Technology</i> , 1987 , 55, 89-113	1.5	5
14	Devolatilization of bituminous coals at medium to high heating rates. <i>Combustion and Flame</i> , 1986 , 63, 329-337	5.3	33
13	Coal burnout in the IFRF No. 1 furnace. <i>Combustion and Flame</i> , 1986 , 66, 137-150	5.3	6
12	Combustion kinetics and the heterogeneous ignition of pulverized coal. <i>Combustion and Flame</i> , 1986 , 66, 151-157	5.3	35

11	An Investigation of Factors Affecting the Physical Characteristics of Flyash Formed in a Laboratory Scale Combustor. <i>Combustion Science and Technology</i> , 1986 , 48, 177-190	1.5	33
10	Nitrogen oxide formation from australian coals. <i>Combustion and Flame</i> , 1985 , 62, 21-30	5.3	46
9	Modeling of coal devolatilization and its effect on combustion calculations. <i>Combustion and Flame</i> , 1985 , 62, 85-89	5.3	17
8	The optical properties of fly ash in coal fired furnaces. <i>Combustion and Flame</i> , 1985 , 61, 145-151	5.3	47
7	Intrinsic reactivity of carbons to oxygen. <i>Fuel</i> , 1983 , 62, 484-486	7.1	3
6	Alkali-ash reactions and deposit formation in pulverized-coal-fired boilers: experimental aspects of sodium silicate formation and the formation of deposits. <i>Fuel</i> , 1982 , 61, 93-99	7.1	49
5	Alkali-ash reactions and deposit formation in pulverized-coal-fired boilers: the thermodynamic aspects involving silica, sodium, sulphur and chlorine. <i>Fuel</i> , 1982 , 61, 87-92	7.1	69
4	Fly Ash Characteristics and Radiative Heat Transfer in Pulverized-Coal-Fired Furnaces. <i>Combustion Science and Technology</i> , 1981 , 26, 107-121	1.5	33
3	Combustion of particles in a large pulverized brown coal flame. <i>Combustion and Flame</i> , 1980 , 39, 69-81	5.3	11
2	Mineral matter in coal and the thermal performance of large boilers. <i>Progress in Energy and Combustion Science</i> , 1979 , 5, 1-29	33.6	73
1	Combustion kinetics in the modeling of large, pulverized fuel furnaces: A numerical experiment in sensitivity. <i>AIChE Journal</i> , 1977 , 23, 440-448	3.6	9