

Kazushi Mashima

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3025532/publications.pdf>

Version: 2024-02-01

311
papers

11,981
citations

22153

59
h-index

51608

86
g-index

317
all docs

317
docs citations

317
times ranked

7349
citing authors

#	ARTICLE	IF	CITATIONS
1	Diarylcuprates for Selective Syntheses of Multifunctionalized Ketones from Thioesters under Mild Conditions. <i>Chemistry - A European Journal</i> , 2022, 28, .	3.3	2
2	Olefin Metathesis Catalysts Generated In Situ from Molybdenum(VI)â€Oxo Complexes by Tuning Pendant Ligands. <i>Chemistry - A European Journal</i> , 2022, , .	3.3	5
3	<i>N</i> -Methylation of Aniline Derivatives with CO ₂ and Phenylsilane Catalyzed by Lanthanum Hydridotriarylborate Complexes bearing a Nitrogen Tridentate Ligand. <i>ACS Catalysis</i> , 2022, 12, 8220-8228.	11.2	6
4	Aerobic oxygenation of Î±-methylene ketones under visible-light catalysed by a CeNi ₃ complex with a macrocyclic tris(salen)-ligand. <i>Chemical Communications</i> , 2021, 57, 11169-11172.	4.1	6
5	Direct Synthesis of Indoles from Azoarenes and Ketones with Bis(neopentylglycolato)diboron Using 4,4â€²-Bipyridyl as an Organocatalyst. <i>Journal of Organic Chemistry</i> , 2021, 86, 3287-3299.	3.2	9
6	Renaissance of Homogeneous Cerium Catalysts with Unique â€â€â€Ce(IV/III) Couple: Redox-Mediated Organic Transformations Involving Homolysis of Ce(IV)â€Ligand Covalent Bonds. <i>Journal of the American Chemical Society</i> , 2021, 143, 7879-7890.	13.7	39
7	Mechanistic Study of Ni and Cu Dual Catalyst for Asymmetric Câ€C Bond Formation; Asymmetric Coupling of 1,3-Dienes with C-nucleophiles to Construct Vicinal Stereocenters. <i>ACS Catalysis</i> , 2021, 11, 6643-6655.	11.2	52
8	Effects of Silver Carbonate and <i>p</i> -Nitrobenzoic Acid for Accelerating Palladium-Catalyzed Allylic Câ€H Acyloxylation. <i>Organic Letters</i> , 2021, 23, 7044-7048.	4.6	4
9	Rungeâ€Kutta analysis for optimizing the Zn-catalyzed transesterification conditions of MA and MMA with diols to maximize monoesterified products. <i>Catalysis Science and Technology</i> , 2021, 11, 6975-6986.	4.1	2
10	Diagonal Relationship among Organometallic Transition-Metal Complexes. <i>Organometallics</i> , 2021, 40, 3497-3505.	2.3	11
11	Cobaltâ€Catalyzed Eâ€Selective Crossâ€Dimerization of Terminal Alkynes: A Mechanism Involving Cobalt(0/II) Redox Cycles. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 1552-1556.	13.8	32
12	Cobaltâ€Catalyzed Eâ€Selective Crossâ€Dimerization of Terminal Alkynes: A Mechanism Involving Cobalt(0/II) Redox Cycles. <i>Angewandte Chemie</i> , 2020, 132, 1568-1572.	2.0	5
13	Esterification of Tertiary Amides: Remarkable Additive Effects of Potassium Alkoxides for Generating Hetero Manganeseâ€Potassium Dinuclear Active Species. <i>Chemistry - A European Journal</i> , 2020, 26, 10647-10647.	3.3	0
14	Self-Assembled Multilayer Iron(0) Nanoparticle Catalyst for Ligand-Free Carbonâ€Carbon/Carbonâ€Nitrogen Bond-Forming Reactions. <i>Organic Letters</i> , 2020, 22, 7244-7249.	4.6	18
15	Syntheses of SGLT2 Inhibitors by Ni- and Pd-Catalyzed Fukuyama Coupling Reactions. <i>Journal of Organic Chemistry</i> , 2020, 85, 12382-12392.	3.2	6
16	Esterification of Tertiary Amides: Remarkable Additive Effects of Potassium Alkoxides for Generating Hetero Manganeseâ€Potassium Dinuclear Active Species. <i>Chemistry - A European Journal</i> , 2020, 26, 10735-10742.	3.3	6
17	Alternating Copolymerization of CO ₂ and Cyclohexene Oxide Catalyzed by Cobaltâ€Lanthanide Mixed Multinuclear Complexes. <i>Inorganic Chemistry</i> , 2020, 59, 7928-7933.	4.0	45
18	Chromium-catalyzed cyclopropanation of alkenes with bromoform in the presence of 2,3,5,6-tetramethyl-1,4-bis(trimethylsilyl)-1,4-dihydropyrazine. <i>Chemical Science</i> , 2020, 11, 3604-3609.	7.4	13

#	ARTICLE	IF	CITATIONS
19	Monohydride- δ -Dichloro Rhodium(III) Complexes with Chiral Diphosphine Ligands as Catalysts for Asymmetric Hydrogenation of Olefinic Substrates. <i>Chemistry - A European Journal</i> , 2020, 26, 8749-8759.	3.3	7
20	Cerium(IV) Carboxylate Photocatalyst for Catalytic Radical Formation from Carboxylic Acids: Decarboxylative Oxygenation of Aliphatic Carboxylic Acids and Lactonization of Aromatic Carboxylic Acids. <i>Journal of the American Chemical Society</i> , 2020, 142, 5668-5675.	13.7	94
21	Synthesis, Structure, and Reactivity of Dicationic Bimetallic Tetrabenzylidhafnium Complexes Bearing a Chelating (2-Hydroxyethyl)amido Ligand. <i>Organometallics</i> , 2020, 39, 614-622.	2.3	0
22	Asymmetric Allylic Alkylation of β -Ketoesters via C=N Bond Cleavage of <i>N</i> -Allyl- <i>N</i> -methylaniline Derivatives Catalyzed by a Nickel-Diphosphine System. <i>ACS Catalysis</i> , 2020, 10, 5828-5839.	11.2	32
23	A New Protocol to Generate Catalytically Active Species of Group 6 Metals by Organosilicon-Based Salt-Free Reductants. <i>Chemistry - A European Journal</i> , 2019, 25, 913-919.	3.3	25
24	4,4'-Bipyridyl-Catalyzed Reduction of Nitroarenes by Bis(neopentylglycolato)diboron. <i>Organic Letters</i> , 2019, 21, 9812-9817.	4.6	40
25	\pm -Diimine-Niobium Complex-Catalyzed Deoxychlorination of Benzyl Ethers with Silicon Tetrachloride. <i>Inorganic Chemistry</i> , 2019, 58, 12825-12831.	4.0	5
26	Synthesis and Characterization of Alkoxide-Bridged Heterometallic Clusters of Cerium and Copper. <i>Inorganic Chemistry</i> , 2019, 58, 12565-12572.	4.0	4
27	Synthesis of Pyridylimido Complexes of Tantalum and Niobium by Reductive Cleavage of the N=N Bond of 2,2'-Azopyridine: Precursors for Early-Late Heterobimetallic Complexes. <i>Inorganic Chemistry</i> , 2019, 58, 15155-15165.	4.0	17
28	C ₂ -C ₂ Bond Fission of Metallacyclopentadiene over a Low-Valent Ditantalum Scaffold. <i>Organometallics</i> , 2019, 38, 722-729.	2.3	5
29	Dinuclear manganese alkoxide complexes as catalysts for C=N bond cleavage of simple tertiary <i>N,N</i> -dialkylamides to give esters. <i>Chemical Science</i> , 2019, 10, 2860-2868.	7.4	29
30	Asymmetric Hydrogenation of Aryl Perfluoroalkyl Ketones Catalyzed by Rhodium(III) Monohydride Complexes Bearing Josiphos Ligands. <i>Chemistry - A European Journal</i> , 2019, 25, 10818-10822.	3.3	21
31	Hydrodehalogenation of alkyl halides catalyzed by a trichloroniobium complex with a redox active \pm -diimine ligand. <i>Chemical Communications</i> , 2019, 55, 7247-7250.	4.1	13
32	Salt-Free Reduction of Transition Metal Complexes by Bis(trimethylsilyl)cyclohexadiene, -dihydropyrazine, and -4,4'-bipyridinylidene Derivatives. <i>Accounts of Chemical Research</i> , 2019, 52, 769-779.	15.6	43
33	Bis(imido)vanadium(V)-Catalyzed [2+2+1] Coupling of Alkynes and Azobenzenes Giving Multisubstituted Pyrroles. <i>Journal of the American Chemical Society</i> , 2019, 141, 4194-4198.	13.7	67
34	Nickel-catalyzed cyanation of aryl halides and triflates using acetonitrile <i>via</i> C=N bond cleavage assisted by 1,4-bis(trimethylsilyl)-2,3,5,6-tetramethyl-1,4-dihydropyrazine. <i>Chemical Science</i> , 2019, 10, 994-999.	7.4	49
35	Metal-Free Deoxygenation and Reductive Disilylation of Nitroarenes by Organosilicon Reducing Reagents. <i>Chemistry - A European Journal</i> , 2018, 24, 11278-11282.	3.3	29
36	Organosilicon Reducing Reagents for Stereoselective Formations of Silyl Enol Ethers from \pm -Halo Carbonyl Compounds. <i>Journal of Organic Chemistry</i> , 2018, 83, 2409-2417.	3.2	16

#	ARTICLE	IF	CITATIONS
37	Metathesis cleavage of an Ni–N bond in benzo[<i>c</i>]cinnolines and azobenzenes by triply-bonded tungsten complexes. <i>Chemical Communications</i> , 2018, 54, 3709-3711.	4.1	12
38	Lanthanide Complexes Supported by a Trizinc Crown Ether as Catalysts for Alternating Copolymerization of Epoxide and CO ₂ : Telomerization Controlled by Carboxylate Anions. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2492-2496.	13.8	103
39	Multiply-bonded dinuclear complexes of early-transition metals as minimum entities of metal cluster catalysts. <i>Coordination Chemistry Reviews</i> , 2018, 355, 223-239.	18.8	41
40	In Situ Catalyst Generation and Benchtop-Compatible Entry Points for Ti ^{II} /Ti ^{IV} Redox Catalytic Reactions. <i>Organometallics</i> , 2018, 37, 4439-4445.	2.3	24
41	Deprotonation of a formate ligand by a cis-coordinated carbyne ligand within a bis(phenolate) tungsten complex. <i>Dalton Transactions</i> , 2018, 47, 13328-13331.	3.3	6
42	Planar and Bent BN-Embedded <i>p</i> -Quinodimethanes Synthesized by Transmetalation of Bis(trimethylsilyl)-1,4-dihydropyrazines with Chloroborane. <i>Organometallics</i> , 2018, 37, 1833-1836.	2.3	14
43	Oxidation of Alcohols to Carbonyl Compounds Catalyzed by Oxo-Bridged Dinuclear Cerium Complexes with Pentadentate Schiff-Base Ligands under a Dioxygen Atmosphere. <i>ACS Catalysis</i> , 2018, 8, 6939-6947.	11.2	40
44	Functionalization of the C–H Bond of N-Heteroaromatics Assisted by Early Transition-Metal Complexes. <i>Asian Journal of Organic Chemistry</i> , 2018, 7, 1256-1269.	2.7	25
45	Development of Direct Enantioselective Alkynylation of α -Ketoester and α -Ketimoesters Catalyzed by Phenylbis(oxazoline)Rh(III) Complexes. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 2018, 76, 226-240.	0.1	3
46	Structural and Electronic Noninnocence of α -Diimine Ligands on Niobium for Reductive C–Cl Bond Activation and Catalytic Radical Addition Reactions. <i>Journal of the American Chemical Society</i> , 2017, 139, 6494-6505.	13.7	54
47	Tunable Ligand Effects on Ruthenium Catalyst Activity for Selectively Preparing Imines or Amides by Dehydrogenative Coupling Reactions of Alcohols and Amines. <i>Chemistry - A European Journal</i> , 2017, 23, 12795-12804.	3.3	41
48	Zinc-Catalyzed Esterification of <i>N</i> -Hydroxyethylamides: Removal of Directing Groups under Mild Conditions. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 5010-5014.	2.4	27
49	Group 2 metal (Mg, Ca, Sr) silylamides supported by a cyclen-derived macrocyclic polyamine. <i>Dalton Transactions</i> , 2017, 46, 8451-8457.	3.3	12
50	Inorganic-Salt-Free Reduction in Main-Group Chemistry: Synthesis of a Dibismuthene and a Distibene. <i>Organometallics</i> , 2017, 36, 1224-1226.	2.3	37
51	Mixed Ligated Tris(amidinate)dimolybdenum Complexes as Catalysts for Radical Addition of CCl ₄ to 1-Hexene: Leaving Ligand Lability Controls Catalyst Activity. <i>Inorganic Chemistry</i> , 2017, 56, 634-644.	4.0	20
52	Tantalacyclopentadiene as a unique metal-containing diene ligand coordinated to nickel for preparing tantalum–nickel heterobimetallic complexes. <i>Dalton Transactions</i> , 2017, 46, 13043-13054.	3.3	6
53	Front Cover: Zinc-Catalyzed Esterification of <i>N</i> -Hydroxyethylamides: Removal of Directing Groups under Mild Conditions (Eur. J. Org. Chem. 34/2017). <i>European Journal of Organic Chemistry</i> , 2017, 2017, 4995-4995.	2.4	0
54	Propargylic C(sp ³)–H Bond Activation for Preparing γ -Propargyl/Allenyl Complexes of Yttrium. <i>Organometallics</i> , 2017, 36, 3061-3067.	2.3	12

#	ARTICLE	IF	CITATIONS
55	Dehalogenation of vicinal dihalo compounds by 1,1-bis(trimethylsilyl)-1H-4,4-bipyridinylidene for giving alkenes and alkynes in a salt-free manner. <i>Chemical Communications</i> , 2017, 53, 13157-13160.	4.1	21
56	Arylimido-Bridged Dinuclear Ti(IV)-NAr ₂ Ti Scaffold for Alkyne Insertion into the ortho-C-H Bond of Arylimido Ligands. <i>Chemistry - A European Journal</i> , 2017, 23, 586-596.	3.3	9
57	Asymmetric Hydrogenation of Six-Membered Monocyclic N-Heteroaromatic Compounds. <i>Heterocycles</i> , 2017, 95, 63.	0.7	11
58	Direct Enantioselective Alkynylation of β -Ketoesters and β -Ketiminoesters Catalyzed by [bis(Oxazoline)phenyl]rhodium(III) Complexes. <i>Heterocycles</i> , 2017, 95, 637.	0.7	5
59	Asymmetric Hydrogenation of β -Amido- α -arylpiperidinium Salts by Triply Chloride-Bridged Dinuclear Iridium Complexes Bearing Enantiopure Diphosphine Ligands: Synthesis of Neurokinin-1 Receptor Antagonist Derivatives. <i>Advanced Synthesis and Catalysis</i> , 2016, 358, 1929-1933.	4.3	17
60	Chloride-Bridged Dinuclear Rhodium(III) Complexes Bearing Chiral Diphosphine Ligands: Catalyst Precursors for Asymmetric Hydrogenation of Simple Olefins. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 8299-8303.	13.8	32
61	Synthesis and Reactions of Ditantalum-Allyl Complexes Derived from Intramolecular C-H Bond Activation of the Methylene of the Ethyl Group Bound to Ditantalacyclopentadiene. <i>Organometallics</i> , 2016, 35, 2384-2390.	2.3	8
62	Cerium-Complex-Catalyzed Oxidation of Arylmethanols under Atmospheric Pressure of Dioxygen and Its Mechanism through a Side-On η^4 -Peroxo Dicerium(IV) Complex. <i>Chemistry - A European Journal</i> , 2016, 22, 4008-4014.	3.3	25
63	Iridium-Catalyzed Asymmetric Hydrogenation of Tosylamido-Substituted Pyrazines for Constructing Chiral Tetrahydropyrazines with an Amidine Skeleton. <i>Advanced Synthesis and Catalysis</i> , 2016, 358, 3949-3954.	4.3	13
64	Alkyne-Induced Facile C-C Bond Formation of Two $\text{C}^{\text{sp}2}$ -Alkynes on Dinuclear Tantalum Bis(alkyne) Complexes To Give Dinuclear Tantalacyclopentadienes. <i>Organometallics</i> , 2016, 35, 1573-1581.	2.3	20
65	Mechanistic Studies and Expansion of the Substrate Scope of Direct Enantioselective Alkynylation of β -Ketiminoesters Catalyzed by Adaptable (Phebox)Rhodium(III) Complexes. <i>Journal of the American Chemical Society</i> , 2016, 138, 6194-6203.	13.7	87
66	Magnesium hydridotriphenylborate [Mg(thf) ₆][HBPh ₃] ₂ : a versatile hydroboration catalyst. <i>Chemical Communications</i> , 2016, 52, 13155-13158.	4.1	212
67	Mechanistic understanding of alkyne cyclotrimerization on mononuclear and dinuclear scaffolds: [4 + 2] cycloaddition of the third alkyne onto metallacyclopentadienes and dimetallacyclopentadienes. <i>Dalton Transactions</i> , 2016, 45, 17072-17081.	3.3	59
68	Low Temperature Activation of Supported Metathesis Catalysts by Organosilicon Reducing Agents. <i>ACS Central Science</i> , 2016, 2, 569-576.	11.3	65
69	Triply Halide-Bridged Dinuclear Iridium(III) Complexes with Chiral Diphosphine Ligands as New Easy-to-Handle Iridium Catalysts for Asymmetric Hydrogenation of Imines and α -Heteroaromatics. <i>Chemical Record</i> , 2016, 16, 2585-2598.	5.8	12
70	Chemoselective Reduction of Tertiary Amides to Amines Catalyzed by Triphenylborane. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 13326-13329.	13.8	70
71	E -Selective Semi-hydrogenation of Alkynes with Dinuclear Iridium Complexes under Atmospheric Pressure of Hydrogen. <i>Chemistry Letters</i> , 2016, 45, 866-868.	1.3	28
72	$\text{C}^{\text{sp}3}$ -H Alkenylation Catalyzed by Cationic Alkylhafnium Complexes: Stereoselective Synthesis of Trisubstituted Alkenes from 2,6-Dimethylpyridines and Internal Alkynes. <i>Organometallics</i> , 2016, 35, 3816-3827.	2.3	21

#	ARTICLE	IF	CITATIONS
73	Synthesis and Characterization of Heterobimetallic Tantalum–Rhodium and Tantalum–Iridium Complexes Connected by a Tantalacyclopentadiene Fragment. <i>Helvetica Chimica Acta</i> , 2016, 99, 848-858.	1.6	15
74	Chemo- and Regioselective Reduction of 5,15-Diazaporphyrins Providing Antiaromatic Azaporphyrinoids. <i>Chemistry - A European Journal</i> , 2016, 22, 3956-3961.	3.3	41
75	Asymmetric Allylic Alkylation of α -Ketoesters with Allylic Alcohols by a Nickel/Diphosphine Catalyst. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1098-1101.	13.8	112
76	Studies of the Electronic Effects of Zinc Cluster Catalysts and Their Application to the Transesterification of α -Keto Esters. <i>Chemistry - an Asian Journal</i> , 2016, 11, 1548-1554.	3.3	20
77	Reversible Transformation between Alkylidene, Alkylidyne, and Vinylidene Ligands in High-Valent Bis(phenolate) Tungsten Complexes. <i>Organometallics</i> , 2016, 35, 932-935.	2.3	10
78	Synthesis and Characterization of Paramagnetic Tungsten Imido Complexes Bearing \pm -Diimine Ligands. <i>Inorganic Chemistry</i> , 2016, 55, 1446-1452.	4.0	27
79	Cerium(IV) Hexanuclear Clusters from Cerium(III) Precursors: Molecular Models for Oxidative Growth of Ceria Nanoparticles. <i>Chemistry - A European Journal</i> , 2015, 21, 13454-13461.	3.3	44
80	Pentacoordinated Carboxylate π -Allyl Nickel Complexes as Key Intermediates for the Ni-Catalyzed Direct Amination of Allylic Alcohols. <i>Chemistry - A European Journal</i> , 2015, 21, 14571-14578.	3.3	66
81	Direct Evidence for a [4+2] Cycloaddition Mechanism of Alkynes to Tantalacyclopentadiene on Dinuclear Tantalum Complexes as a Model of Alkyne Cyclotrimerization. <i>Chemistry - A European Journal</i> , 2015, 21, 11369-11377.	3.3	44
82	Salt-Free Reduction of Nonprecious Transition-Metal Compounds: Generation of Amorphous Ni Nanoparticles for Catalytic C–C Bond Formation. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 14437-14441.	13.8	66
83	Reduction of $(\text{Bu}^t)_2\text{NbCl}_3(\text{py})_2$ in a Salt-Free Manner for Generating Nb(IV) Dinuclear Complexes and Their Reactivity toward Benzo[c]cinnoline. <i>Inorganic Chemistry</i> , 2015, 54, 6004-6009.	4.0	27
84	Aminomethylation Reaction of <i>ortho</i> -Pyridyl C–H Bonds Catalyzed by Group 3 Metal Triamido Complexes. <i>Journal of the American Chemical Society</i> , 2015, 137, 640-643.	13.7	63
85	Synthesis of Alkyl and Alkylidene Complexes of Tungsten Bearing Imido and Redox-Active \pm -Diimine or <i>o</i> -Iminoquinone Ligands and Their Application as Catalysts for Ring-Opening Metathesis Polymerization of Norbornene. <i>Organometallics</i> , 2015, 34, 731-741.	2.3	14
86	Gold-Catalyzed Carbenoid Transfer Reactions of Dienes – Pinacol Rearrangement versus Retro-Buchner Reaction. <i>Advanced Synthesis and Catalysis</i> , 2015, 357, 775-781.	4.3	44
87	Enhancing Effects of Salt Formation on Catalytic Activity and Enantioselectivity for Asymmetric Hydrogenation of Isoquinolinium Salts by Dinuclear Halide-Bridged Iridium Complexes Bearing Chiral Diphosphine Ligands. <i>Chemistry - A European Journal</i> , 2015, 21, 1915-1927.	3.3	42
88	Asymmetric hydrogenation of quinazolinium salts catalysed by halide-bridged dinuclear iridium complexes bearing chiral diphosphine ligands. <i>Chemical Communications</i> , 2015, 51, 4380-4382.	4.1	28
89	2,2'-Bipyridyl formation from 2-arylpyridines through bimetallic diyttrium intermediate. <i>Chemical Science</i> , 2015, 6, 5394-5399.	7.4	20
90	Organomagnesium-Catalyzed Isomerization of Terminal Alkynes to Allenes and Internal Alkynes. <i>Chemistry - A European Journal</i> , 2015, 21, 8112-8120.	3.3	22

#	ARTICLE	IF	CITATIONS
91	Manganese(II)-Catalyzed Esterification of N- β -Hydroxyethyl Amides. <i>Synlett</i> , 2015, 26, 1831-1834.	1.8	15
92	Mixed-ligand complexes of paddlewheel dinuclear molybdenum as hydrodehalogenation catalysts for polyhaloalkanes. <i>Chemical Science</i> , 2015, 6, 3434-3439.	7.4	22
93	Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry, 2015, 73, 873-874.		
94	1,4-Bis(trimethylsilyl)-1,4-diaza-2,5-cyclohexadienes as Strong Salt-Free Reductants for Generating Low-Valent Early Transition Metals with Electron-Donating Ligands. <i>Journal of the American Chemical Society</i> , 2014, 136, 5161-5170.	13.7	129
95	Supramolecular assemblies of multi-nuclear transition metal complexes: Synthesis and redox properties. <i>Coordination Chemistry Reviews</i> , 2014, 265, 38-51.	18.8	39
96	Transition-metal clusters as catalysts for chemoselective transesterification of alcohols in the presence of amines. <i>Pure and Applied Chemistry</i> , 2014, 86, 335-343.	1.9	10
97	Dual Platinum and Pyrrolidine Catalysis in the Direct Alkylation of Allylic Alcohols: Selective Synthesis of Monoalkylation Products. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 4377-4381.	13.8	48
98	Direct functionalization of unactivated C-H bonds catalyzed by group 3 metal alkyl complexes. <i>Dalton Transactions</i> , 2014, 43, 2331-2343.	3.3	71
99	Additive Effects on Asymmetric Hydrogenation of N-Heteroaromatics. <i>Heterocycles</i> , 2014, 88, 103.	0.7	35
100	Hydrogenation of amides catalyzed by a combined catalytic system of a Ru complex with a zinc salt. <i>Chemical Communications</i> , 2014, 50, 11211-11213.	4.1	48
101	Iridium-catalyzed Asymmetric Hydrogenation of Pyridinium Salts for Constructing Multiple Stereogenic Centers on Piperidines. <i>Chemistry Letters</i> , 2014, 43, 284-286.	1.3	52
102	C-H Metalation Reaction of Diarylamine and Carbazole by Alkylaluminum Complexes at the Heteroatom-Bridged Dimeric Aluminum Core. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3821-3825.	2.0	5
103	Hemilabile <i>N</i> -Xylyl- <i>N</i> - ϵ -methylperimidine Carbene Iridium Complexes as Catalysts for C-H Activation and Dehydrogenative Silylation: Dual Role of <i>N</i> -Xylyl Moiety for ortho-C-H Bond Activation and Reductive Bond Cleavage. <i>Journal of the American Chemical Society</i> , 2013, 135, 13149-13161.	13.7	105
104	Combined Catalytic System of Scandium Triflate and Boronic Ester for Amide Bond Cleavage. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 3391-3395.	4.3	36
105	Isospecific polymerization of 1-hexene by <i>C</i> ₁ -symmetric half-metallocene dimethyl complexes of group 4 metals with bidentate <i>N</i> -substituted iminomethylpyrrolyl ligands. <i>Dalton Transactions</i> , 2013, 42, 9120-9128.	3.3	10
106	Reaction of [η -1- η -5-(Me ₂ NCH ₂ CH ₂)C ₂ B ₉ H ₁₀]TaMe ₃ with aryl isocyanides: tantalum-carborane-mediated facile cleavage of C-N multiple bonds. <i>Chemical Communications</i> , 2013, 49, 9039.	4.1	17
107	Tetraplatinum cluster complexes bearing hydrophilic anchors as precursors for γ -Al ₂ O ₃ -supported platinum nanoparticles. <i>Dalton Transactions</i> , 2013, 42, 12662.	3.3	6
108	Unique stepwise substitution reaction of a mono(guanidinate)tetraplatinum complex with amidines, giving mono(amidinate)tetraplatinum complexes through mixed-ligand intermediate complexes. <i>Dalton Transactions</i> , 2013, 42, 2831-2840.	3.3	15

#	ARTICLE	IF	CITATIONS
109	Salt-Free Reducing Reagent of Bis(trimethylsilyl)cyclohexadiene Mediates Multielectron Reduction of Chloride Complexes of W(VI) and W(IV). <i>Journal of the American Chemical Society</i> , 2013, 135, 5986-5989.	13.7	55
110	Enzyme-Like Catalysis via Ternary Complex Mechanism: Alkoxy-Bridged Dinuclear Cobalt Complex Mediates Chemoselective O-Esterification over N-Amidation. <i>Journal of the American Chemical Society</i> , 2013, 135, 6192-6199.	13.7	64
111	Rh ⁺ -Catalyzed Direct Enantioselective Alkynylation of α -Ketimoesters. <i>Chemistry - A European Journal</i> , 2013, 19, 8417-8420.	3.3	85
112	Synthesis of Rare-Earth-Metal Iminopyrrolyl Complexes from Alkyl Precursors: Ln ⁺ Al N-Ancillary Ligand Transfer. <i>Organometallics</i> , 2013, 32, 1199-1208.	2.3	25
113	Asymmetric Hydrogenation of Isoquinolinium Salts Catalyzed by Chiral Iridium Complexes: Direct Synthesis for Optically Active 1,2,3,4-Tetrahydroisoquinolines. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 2046-2050.	13.8	140
114	Transesterification of α -Amino Esters Catalyzed by a Tetranuclear Zinc Cluster: Zn ₄ (OCOCF ₃) ₆ O. <i>Synlett</i> , 2012, 2012, 137-141.	1.8	3
115	Preparation and Structure of Iminopyrrolyl and Amidopyrrolyl Complexes of Group 2 Metals. <i>Organometallics</i> , 2012, 31, 2268-2274.	2.3	35
116	Aluminum Triflate as a Powerful Catalyst for Direct Amination of Alcohols, Including Electron-Withdrawing Group-Substituted Benzhydrols. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 2447-2452.	4.3	61
117	Additive Effects of Amines on Asymmetric Hydrogenation of Quinoxalines Catalyzed by Chiral Iridium Complexes. <i>Chemistry - A European Journal</i> , 2012, 18, 11578-11592.	3.3	62
118	Synthesis, Characterization, and Lactide Polymerization Activity of Group 4 Metal Complexes Containing Two Bis(phenolate) Ligands. <i>Inorganic Chemistry</i> , 2012, 51, 5764-5770.	4.0	47
119	Platinum-Catalyzed Direct Amination of Allylic Alcohols. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 2012, 70, 1145-1156.	0.1	5
120	Dianion and Monoanion Ligation of 1,4-Diaza-1,3-butadiene to Barium, Strontium, and Calcium. <i>Organometallics</i> , 2012, 31, 3178-3184.	2.3	40
121	Sodium methoxide: a simple but highly efficient catalyst for the direct amidation of esters. <i>Chemical Communications</i> , 2012, 48, 5434.	4.1	116
122	General Asymmetric Hydrogenation of 2-Alkyl- and 2-Aryl-Substituted Quinoxaline Derivatives Catalyzed by Iridium-Difluorophos: Unusual Halide Effect and Synthetic Application. <i>Journal of Organic Chemistry</i> , 2012, 77, 4544-4556.	3.2	65
123	Synthesis of Ir ^{IV} -(N-N)]M (M = Ir and Ru) Homo- and Heterobimetallic Complexes through a Condensation Reaction of N-Amino and Formyl Groups Bound to Mononuclear (Ir ⁿ -CnMen)M Units (n = 1, 2). <i>Journal of Organometallic Chemistry</i> , 2012, 881, 1-14.	2.0	784314
124	Zinc-Catalyzed Amide Cleavage and Esterification of α -Hydroxyethylamides. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 5723-5726.	13.8	73
125	Diene Dissolution of the Heavier Alkaline Earth Metals. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 998-1003.	2.0	18
126	Platinum-Catalyzed Direct Amination of Allylic Alcohols with Aqueous Ammonia: Selective Synthesis of Primary Allylamines. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 150-154.	13.8	90

#	ARTICLE	IF	CITATIONS
127	Oxidant-Free Direct Coupling of Internal Alkynes and 2-Alkylpyridine via Double C-H Activations by Alkylhafnium Complexes. <i>Journal of the American Chemical Society</i> , 2011, 133, 732-735.	13.7	61
128	Direct substitution of the hydroxy group with highly functionalized nitrogen nucleophiles catalyzed by Au(III). <i>Chemical Communications</i> , 2011, 47, 8322.	4.1	50
129	Interaction of Ferrocene Moieties Across a Square Pt ₄ Unit: Synthesis, Characterization, and Electrochemical Properties of Carboxylate-Bridged Bimetallic Pt ₄ Fe _n (<i>n</i> = 2, 3, and 4) Complexes. <i>Inorganic Chemistry</i> , 2011, 50, 11384-11393.	4.0	17
130	Reactivity of Permethylated Magnesium Complexes toward $\hat{\text{I}}^2$ -Diimines. <i>Organometallics</i> , 2011, 30, 3818-3825.	2.3	15
131	End-Functionalized Polymerization of 2-Vinylpyridine through Initial C-H Bond Activation of <i>n</i> -Heteroaromatics and Internal Alkynes by Yttrium $\hat{\text{E}}$ -Diamido Complexes. <i>Journal of the American Chemical Society</i> , 2011, 133, 19626-19629.	13.7	101
132	Dinuclear molybdenum cluster-catalyzed radical addition and polymerization reactions by tuning the redox potential of a quadruple bonded Mo ₂ core. <i>Dalton Transactions</i> , 2011, 40, 9358.	3.3	15
133	Synthesis and Reaction of Neutral and Cationic Alkyltantalum Complexes with a Linked Cyclopentadienyl-Carboranyl Ligand. <i>Organometallics</i> , 2011, 30, 5960-5964.	2.3	14
134	Carbon Radical Generation by $\hat{\text{O}}$ Tantalum Complexes with $\hat{\text{I}}^{\pm}$ -Diimine Ligands through Ligand-Centered Redox Processes. <i>Journal of the American Chemical Society</i> , 2011, 133, 18673-18683.	13.7	75
135	<i>n</i> C ₁ -Symmetric Rh/Phebox-Catalyzed Asymmetric Alkynylation of $\hat{\text{I}}^{\pm}$ -Ketoesters. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6296-6300.	13.8	100
136	Rational Synthesis of Supramolecular Assemblies Based on Tetraplatinum Units: Synthesis, Characterization, and Selective Substitution Reactions of Four Different Pt ₄ Clusters. <i>Chemistry - A European Journal</i> , 2011, 17, 3693-3709.	3.3	27
137	Synthesis, structure and DFT calculation of a hexanuclear mixed-valence copper cluster supported by 2,3-disulfidobenzoate and 3-carboxybenzene-1,2-bis(thiolate). <i>Inorganica Chimica Acta</i> , 2011, 373, 68-72.	2.4	2
138	First isolation of fully delocalized mixed-valent imido-bridged [Ti ₂] ⁷⁺ complexes by one-electron reduction of [(C ₅ R ₅)TiCl] ₂ ($\hat{\text{I}}^{\frac{1}{4}}$ -NAr) ₂ . <i>Chemical Communications</i> , 2011, 47, 5620-5622.	4.1	18
139	Linearly Aligned Metal Clusters: Versatile Reactivity and Bonding Nature of Tetrametal Mo $\hat{\text{E}}$ Mo $\hat{\text{E}}$ M Complexes (M = Pt, Pd, Ir, and Rh) Supported by 6-Diphenylphosphino-2-pyridonato Ligand. <i>Bulletin of the Chemical Society of Japan</i> , 2010, 83, 299-312.	3.2	30
140	Salt Metathesis and Direct Reduction Reactions Leading to Group 3 Metal Complexes with a <i>n</i> , <i>n</i> - $\hat{\text{E}}^2$ -Bis(2,6-diisopropylphenyl)-1,4-diaza-1,3-butadiene Ligand and Their Solid-State Structures. <i>Organometallics</i> , 2010, 29, 2610-2615.	2.3	58
141	Solvent-Dependent cis/trans Isomerism at the Paddlewheel Mo ₂ Core of Linear Tetranuclear Clusters of MoII and CuI Supported by 6-(Diphenylphosphanyl)pyridin-2-olate (pyphos). <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 5668-5674.	2.0	14
142	Iridium $\hat{\text{E}}$ difluorophos $\hat{\text{E}}$ Catalyzed Asymmetric Hydrogenation of 2-Alkyl $\hat{\text{E}}$ and 2-Aryl $\hat{\text{E}}$ Substituted Quinoxalines: A General and Efficient Route into Tetrahydroquinoxalines. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 1886-1891.	4.3	81
143	A Tetranuclear $\hat{\text{E}}$ Zinc $\hat{\text{E}}$ Cluster $\hat{\text{E}}$ Catalyzed Practical and Versatile Deprotection of Acetates and Benzoates. <i>Chemistry - A European Journal</i> , 2010, 16, 11567-11571.	3.3	37
144	C-H bond activation of N-heterocyclic carbene IMes by rare-earth metal alkyl complexes. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 2794-2797.	1.8	13

#	ARTICLE	IF	CITATIONS
145	Carboxylate Ligand-Induced Intramolecular C-H Bond Activation of Iridium Complexes with <i>N</i> -Phenylperimidine-Based Carbene Ligands. <i>Organometallics</i> , 2010, 29, 4120-4129.	2.3	39
146	Intramolecular Alkylation of λ^2 -Diimine Ligands Giving Amido-imino and Diamido Scandium and Yttrium Complexes as Catalysts for Intramolecular Hydroamination/Cyclization. <i>Organometallics</i> , 2010, 29, 3463-3466.	2.3	46
147	Highly Reactive Metal-Nitrogen Bond Induced C-H Bond Activation and Azametallacycle Formation. <i>Organometallics</i> , 2010, 29, 34-37.	2.3	30
148	Silicon-Bridged Tetramethylcyclopentadienyl-Phenoxy Complexes of Tantalum: Preparation and Alkylation of Et ₂ Si(η -5-C ₅ Me ₄)(3- <i>t</i> Bu-5-Me-2-C ₆ H ₂ O)TaCl ₃ and Generation of Its Cationic Complex. <i>Organometallics</i> , 2010, 29, 2080-2084.	2.3	6
149	Asymmetric Hydrogenation of Heteroaromatic Ketones and Cyclic and Acyclic Enones Mediated by Cu(I)-Chiral Diphosphine Catalysts. <i>Synlett</i> , 2009, 2009, 3143-3146.	1.8	49
150	A Simple, General, and Highly Chemoselective Acetylation of Alcohols Using Ethyl Acetate as the Acetyl Donor Catalyzed by a Tetranuclear Zinc Cluster. <i>Synlett</i> , 2009, 2009, 1659-1663.	1.8	5
151	Unprecedented Halide Dependence on Catalytic Asymmetric Hydrogenation of α -Aryl- and α -Alkyl-substituted Quinolinium Salts by Using Ir Complexes with Difluorophos and Halide Ligands. <i>Chemistry - A European Journal</i> , 2009, 15, 9990-9994.	3.3	125
152	Rare-Earth Metal Bis(dimethylsilyl)amide Complexes Supported by Cyclooctatetraenyl Ligands. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 76-85.	2.0	37
153	Oxidative Reactions of Tetrametal Pd(0)- μ_2 -Mo(II)- μ_2 -Mo(II)- μ_2 -Pd(0) Clusters: Electrochemical Communication of Two Pd(0) Centers through the Mo ₂ Moiety and Oxidative Formation of a Pd(I)- μ_2 -Mo(II)- μ_2 -Mo(II)- μ_2 -Pd(I) Array. <i>Inorganic Chemistry</i> , 2009, 48, 1879-1886.	4.0	19
154	Titanium Complexes of Silicon-Bridged Cyclopentadienyl-Phenoxy Ligands Modified with Fused-Thiophene: Synthesis, Characterization, and Their Catalytic Performance in Copolymerization of Ethylene and 1-Hexene. <i>Organometallics</i> , 2009, 28, 6915-6926.	2.3	23
155	Controlled Benzoylation of λ^2 -Diimine Ligands Bound to Zirconium and Hafnium: An Alternative Method for Preparing Mono- and Bis(amido)M(CH ₂) ₂ Ph (<i>n</i> = 2, 3) Complexes as Catalyst Precursors for Isospecific Polymerization of λ^2 -Olefins. <i>Organometallics</i> , 2009, 28, 680-687.	2.3	49
156	Platinum-Catalyzed Direct Amination of Allylic Alcohols under Mild Conditions: Ligand and Microwave Effects, Substrate Scope, and Mechanistic Study. <i>Journal of the American Chemical Society</i> , 2009, 131, 14317-14328.	13.7	166
157	New Tantalum Ligand-Free Catalyst System for Highly Selective Trimerization of Ethylene Affording 1-Hexene: New Evidence of a Metallacycle Mechanism. <i>Journal of the American Chemical Society</i> , 2009, 131, 5370-5371.	13.7	107
158	Theoretical study of Al(III)-catalyzed conversion of glyoxal to glycolic acid: dual activated 1,2-hydride shift mechanism by protonated Al(OH) ₃ species. <i>Chemical Communications</i> , 2009, , 2688.	4.1	16
159	Synthesis and Characterization of Proximal Dinuclear Complexes of Palladium Supported by 2,6-Bis(arylimino)phenoxy (aryl = 2,6-diisopropylphenyl and 2,4,6-tri- <i>t</i> -butylphenyl) and 3,6-Bis(imino(2,6-diisopropylphenyl))pyridazine Ligands. <i>Organometallics</i> , 2009, 28, 3256-3263.	2.3	20
160	Tantalum-Benzylidene Complexes Supported by C ₅ Me ₅ and Diazadiene Ligands: Synthesis, Kinetic Analysis of the Formation, and Reactive Studies. <i>Organometallics</i> , 2009, 28, 1950-1960.	2.3	25
161	Development of Environmentally Benign Catalytic Reactions Using Tetranuclear Zinc Clusters. Yuki Gosei Kagaku Kyokaiishi/ <i>Journal of Synthetic Organic Chemistry</i> , 2009, 67, 494-506.	0.1	3
162	Highly Enantio- and <i>s</i> -trans- C ₁ ³⁴C Bond Selective Catalytic Hydrogenation of Cyclic Enones: Alternative Synthesis of (λ^2)-Menthol. <i>Chemistry - A European Journal</i> , 2008, 14, 2060-2066.	3.3	49

#	ARTICLE	IF	CITATIONS
163	Stepwise and one-pot syntheses of Ir(III) complexes with imidazolium-based carbene ligands. Dalton Transactions, 2008, , 916-923.	3.3	75
164	Zinc-Catalyzed Cycloisomerizations. Synthesis of Substituted Furans and Furopyrimidine Nucleosides. Journal of Organic Chemistry, 2008, 73, 5881-5889.	3.2	56
165	Transesterification of Various Methyl Esters Under Mild Conditions Catalyzed by Tetranuclear Zinc Cluster. Journal of Organic Chemistry, 2008, 73, 5147-5150.	3.2	94
166	Enzyme-Like Chemoselective Acylation of Alcohols in the Presence of Amines Catalyzed by a Tetranuclear Zinc Cluster. Journal of the American Chemical Society, 2008, 130, 2944-2945.	13.7	160
167	Novel Ir-SYNPHOS® and Ir-DIFLUORPHOS® Catalysts for Asymmetric Hydrogenation of Quinolines. Synlett, 2007, 2007, 2743-2747.	1.8	10
168	Olefin Polymerization Catalyst Derived by Activation of a Neutral Monoalkyl Titanium Complex with an Aminopyrrole Ligand Using Triisobutylaluminum and Trityl Borate. Chemistry Letters, 2007, 36, 1030-1031.	1.3	10
169	Benzylation of $\hat{\text{I}}\pm$ -Diimine Ligands Bound to Zirconium and Hafnium. A New Convenient Route to Olefin Polymerization Catalysts. Chemistry Letters, 2007, 36, 1420-1421.	1.3	27
170	Preferential Geometry and Reactivity of Neutral Iridium(III) and Rhodium(III) Complexes Bearing a Flexible Heterochelate PN Ligand (PN = o-Ph ₂ PC ₆ H ₄ CH ₂ OCH ₂ C ₅ H ₄ N-2). Organometallics, 2007, 26, 110-118.	2.3	17
171	Direct Use of Allylic Alcohols for Platinum-Catalyzed Monoallylation of Amines. Organic Letters, 2007, 9, 3371-3374.	4.6	125
172	Linear Metal-Metal Bonded Tetranuclear M-Mo-Mo-M Complexes (M = Ir and Rh): Oxidative Metal-Metal Bond Formation in a Tetrametallic System and 1,4-Addition Reaction of Alkyl Halides. Inorganic Chemistry, 2007, 46, 6702-6714.	4.0	22
173	Tetraplatinum precursors for supramolecular assemblies: syntheses, crystal structures, and stereoselective self-assemblies of [Pt ₄ ($\frac{1}{4}$ -OCOCH ₃) ₆ ($\hat{\text{I}}^4$ -N ₄ -DArBp)] (DArBp =) Tj ETQq1 1 0.784314 rgBT /Overloc h 10 Tf 50+337 Td (1.0	50
174	Formation of a Dative Bond Between PtO and Moll in Linear PtO-Moll-Moll-PtO Complexes, Moll ₂ PtO ₂ (pyphos) ₄ (PR ₃) ₂ , and Unique 1,4-Oxidative Addition Reaction of Diaryl Disulfides Giving Moll ₂ PtI ₂ (pyphos) ₄ (SAr) ₂ (pyphos = 6-Diphenylphosphanyl-2-pyridonato). European Journal of Inorganic Chemistry, 2007, 2007, 235-238.	2.0	22
175	Synthesis and characterization of titanium alkyl, oxo, and diene complexes bearing a SiMe ₂ -bridged phenoxy-cyclopentadienyl ligand and their catalytic performance for copolymerization of ethylene and 1-hexene. Journal of Organometallic Chemistry, 2007, 692, 4717-4724.	1.8	20
176	Direct conversion of esters, lactones, and carboxylic acids to oxazolines catalyzed by a tetranuclear zinc cluster. Chemical Communications, 2006, , 2711.	4.1	78
177	Oxidative Addition of RCO ₂ H and HX to Chiral Diphosphine Complexes of Iridium(I): A Convenient Synthesis of Mononuclear Halo-Carboxylate Iridium(III) Complexes and Cationic Dinuclear Triply Halogen-Bridged Iridium(III) Complexes and Their Catalytic Performance in Asymmetric Hydrogenation of Cyclic Imines and 2-Phenylquinoline. Organometallics, 2006, 25, 2505-2513.	2.3	94
178	Hafnocene Catalysts for Selective Propylene Oligomerization: Efficient Synthesis of 4-Methyl-1-pentene by $\hat{\text{I}}^2$ -Methyl Transfer. Journal of the American Chemical Society, 2006, 128, 13017-13025.	13.7	39
179	Synthesis, Structure, and Reactivity of Tantalum and Tungsten Homoenate Complexes. Organometallics, 2006, 25, 3179-3189.	2.3	24
180	Surface Modification of n-Si(111) Electrodes with Brominated and Sulfonylated Alkyl Chains and Their Photoelectrochemical Characteristics. Chemistry Letters, 2006, 35, 1360-1361.	1.3	3

#	ARTICLE	IF	CITATIONS
181	Metathesis Approach to Linkage of Two Tetraplatinum Cluster Units: Synthesis, Characterization, and Dimerization of $[Pt_4(\eta^4\text{-OCOCH}_3)_7(\eta^4\text{-OCO}(\text{CH}_2)_n\text{CH}=\text{CH}_2)]$ ($n = 0\text{--}3$). <i>Chemistry Letters</i> , 2006, 35, 954-955.	1.3	13
182	Modification of then-Si(111) Surface with Alkyl Chains Having the Terminal C=C Double Bond. <i>Chemistry Letters</i> , 2006, 35, 956-957.	1.3	4
183	Hexapalladium cluster: Unique cluster construction reaction of cyclic $Pd_3(\text{CNC}_6\text{H}_3\text{Me}_{2,6})_6$ and linear $[Pd_3(\text{CNC}_6\text{H}_3\text{Me}_{2,6})_8]^{2+}$. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 2457-2464.	1.8	7
184	η^6 -Conjugated η^5 -Diphenylpolyene Complexes of $RuClCp^*$ Fragment(s) in η^4 -s-cis Conformation. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 5006-5011.	2.0	11
185	Uniqueness and versatility of iminopyrrolyl ligands for transition metal complexes. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 4414-4423.	1.8	74
186	A topological isomer of ferrocene: Theoretical approach for transition metal complexes with conjugated all trans cyclodecapentaene. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 4373-4375.	1.8	1
187	Ligand Architecture on Stereocontrol of Half-Metallocene Benzylidene Complexes of Tantalum. <i>Advanced Synthesis and Catalysis</i> , 2005, 347, 323-328.	4.3	6
188	Surface Structures, Photovoltages, and Stability of n-Si(111) Electrodes Surface Modified with Metal Nanodots and Various Organic Groups. <i>Langmuir</i> , 2005, 21, 8832-8838.	3.5	22
189	Isoselective Living Polymerization of 1-Hexene Catalyzed by Half-Metallocene Dimethyl Complexes of Hafnium with Bidentate N-Substituted (Iminomethyl)pyrrolyl Ligands. <i>Organometallics</i> , 2005, 24, 3375-3377.	2.3	56
190	Unique Preferential Conformation and Movement of $Ru(\text{acac})_2$ Fragment(s) Coordinated in an η^4 -s-trans Fashion to All Diene Unit(s) of η^5 -Diphenylpolyenes. <i>Organometallics</i> , 2005, 24, 3932-3938.	2.3	8
191	Catalytic and Stoichiometric Reactions by Half-metallocene Diene Complexes of Niobium and Tantalum. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 2004, 62, 1166-1171.	0.1	6
192	Diene complexes of early transition metals: ideas and progresses at Osaka University. <i>Journal of Organometallic Chemistry</i> , 2004, 689, 4552-4563.	1.8	18
193	Rhodium and iridium complexes bearing an alkyloxazoline-substituted indenyl ligand (Indox ligand) and their stereoselective construction of metal-centered chirality. <i>Inorganica Chimica Acta</i> , 2004, 357, 2965-2979.	2.4	6
194	Unique Oxidative Metal-Metal Bond Formation of Linearly Aligned Tetranuclear $Rh^{\text{III}}Mo^{\text{IV}}Mo^{\text{IV}}Rh$ Clusters. <i>Journal of the American Chemical Society</i> , 2004, 126, 12244-12245.	13.7	38
195	An Infinite Zigzag Chain of Alternating $Cl^{\text{I}}Pd^{\text{II}}Pd^{\text{II}}Cl$ and $Mo^{\text{IV}}Mo^{\text{IV}}$ Units. <i>Inorganic Chemistry</i> , 2004, 43, 6596-6599.	4.0	8
196	Intramolecular Benzoylation of an Imino Group of Tridentate 2,5-Bis(N-aryliminomethyl)pyrrolyl Ligands Bound to Zirconium and Hafnium Gives Amido-Pyrrolyl Complexes That Catalyze Ethylene Polymerization. <i>Organometallics</i> , 2004, 23, 2797-2805.	2.3	71
197	Asymmetric Transfer Hydrogenation of Aryl Ketones Catalyzed by Salt-Free Two Samarium Centers Supported by a Chiral Multidentate Alkoxy Ligand. <i>Organic Letters</i> , 2004, 6, 4695-4697.	4.6	28
198	Construction of Metal-Centered Chirality: A Diastereoselective Addition of the Meerwein Reagent (Me_3OBF_4) to Rhodium Carbonyl Complexes Having the Cp^*P Ligand. <i>Organometallics</i> , 2004, 23, 2095-2099.	2.3	24

#	ARTICLE	IF	CITATIONS
199	Unique ring-methyl deprotonation of 1,4-1,2-dimethyl-3,4-di(tert-butyl)cyclobutadiene complexes of palladium(II) bearing phosphine ligand. <i>Inorganica Chimica Acta</i> , 2003, 352, 105-109.	2.4	4
200	Magnetic effective density functional studies on electronic states of Cr ² (pyphos) ₄ and Pt ² Cr ² (pyphos) ₄ (CH ₃) ₄ . <i>Polyhedron</i> , 2003, 22, 2019-2025.	2.2	6
201	Arene- π -Ruthenium Complexes of an Acyclic Thiolate- π -Thioether and Tridentate Thioether Derivatives Resulting from Ring-Closure Reactions. <i>Inorganic Chemistry</i> , 2003, 42, 96-106.	4.0	40
202	Preparation, Structural Characterization, and Reactions of Tantalum-Alkyne Complexes TaCl ₃ (R ₁ C \equiv CR ₂)L ₂ (L ₂ = DME, Bipy, and TMEDA; L = Py). <i>Organometallics</i> , 2003, 22, 464-472.	2.3	50
203	Synthesis, Characterization, and Reactions of a Half-Metallocene Benzylidene Complex of Tantalum Bearing 2,3-Dimethyl-1,3-butadiene and Pentamethylcyclopentadienyl Ligands. <i>Organometallics</i> , 2003, 22, 3766-3772.	2.3	17
204	Synthesis and Structural Characterization of 2,5-Bis(N-aryliminomethyl)pyrrolyl Complexes of Aluminum. <i>Bulletin of the Chemical Society of Japan</i> , 2003, 76, 1965-1968.	3.2	34
205	Unusual Enhancement of Ethylene Polymerization Activity of Benzyl Zirconium Complexes by Benzylation of the Imino Moiety of 2-(N-Aryliminomethyl)pyrrolyl Ligand. <i>Chemistry Letters</i> , 2003, 32, 756-757.	1.3	42
206	Half-Metallocene 1-Aza-1,3-butadiene Complexes of Tantalum: Auxiliary Ligand Effects on Controlling Coordination Modes of 1-Aza-1,3-butadiene Ligand. <i>Bulletin of the Chemical Society of Japan</i> , 2002, 75, 1291-1297.	3.2	9
207	Intramolecular Coupling Reaction of 1-Aza-1,3-butadiene Ligand and Iminoacyl Ligand Giving Amido- π -Imido Complexes of Tantalum. <i>Organometallics</i> , 2002, 21, 138-143.	2.3	28
208	Adaptable coordination modes of conjugated 1,3-diene: uniqueness of s-trans coordination. <i>Journal of Organometallic Chemistry</i> , 2002, 663, 5-12.	1.8	11
209	Selective Formation of Homoleptic and Heteroleptic 2,5-Bis(N-aryliminomethyl)pyrrolyl Yttrium Complexes and Their Performance as Initiators of μ -Caprolactone Polymerization. <i>Organometallics</i> , 2001, 20, 3510-3518.	2.3	99
210	Unique Axial Interaction of a Quadruply-Bonded Cr(II)-Cr(II) with Two Pt(II) Atoms in the Linearly Aligned Pt-Cr-Cr-Pt Supported by Four 6-Diphenylphosphino-2-pyridonate Ligands. <i>Bulletin of the Chemical Society of Japan</i> , 2001, 74, 67-75.	3.2	11
211	π -Supine TM or π -prone TM ligands: geometric preference of conjugated diene, 1-azadiene, and 1,4-diazadiene ligands on half-metallocene complexes of early transition metals. <i>Journal of Organometallic Chemistry</i> , 2001, 621, 224-230.	1.8	37
212	Half-Metallocene Tantalum Complexes Bearing Methyl Methacrylate (MMA) and 1,4-Diaza-1,3-diene Ligands as MMA Polymerization Catalysts. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 960-962.	13.8	42
213	Synthesis and Characterization of Bis(iminopyrrolyl)zirconium Complexes. <i>Chemistry Letters</i> , 2000, 29, 1114-1115.	1.3	47
214	Substituent Effect on Organotin Tp*Compounds as the Tp*Reagent for the Preparation of Mono Tp*Complexes of Group 4 TM Metals (Tp* = Tris(3,5-dimethylpyrazol-1-yl)hydroborate). <i>Bulletin of the Chemical Society of Japan</i> , 2000, 73, 1735-1748.	3.2	31
215	Convenient synthesis of anionic dinuclear ruthenium(II) complexes [NR ₂ H ₂][{RuCl(diphosphine)} ₂ (η -4-Cl) ₃] [diphosphine = 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl, 2,2'-bis(di(p-tolyl)phosphino)-1,1'-binaphthyl, and 1,2-bis(diphenylphosphino)benzene]; crystal structure of [NEt ₂ H ₂][{RuCl(1,2-bis(diphenylphosphino)benzene)} ₂ (η -4-Cl) ₃]. <i>Journal of Organometallic Chemistry</i> , 2000, 607, 51-56.	1.8	35
216	1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of TaCl ₂ (η -5-C ₅ Me ₅)(η -4-1-aza-1,3-butadiene). <i>Journal of Organometallic Chemistry</i> , 2000, 593-594, 69-76.	1.8	16

#	ARTICLE	IF	CITATIONS
217	Activation of E-H (E=hetero atom) and C-H Bonds by Iridium Complexes and Their Application to Homogeneous Catalysis.. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 1999, 57, 656-666.	0.1	3
218	Novel synthesis of lanthanoid complexes starting from metallic lanthanoid sources. Journal of the Chemical Society Dalton Transactions, 1999, , 3899-3907.	1.1	12
219	Unique Complexation of 1,4-Diaza-1,3-butadiene Ligand on Half-Metallocene Fragments of Niobium and Tantalum. Organometallics, 1999, 18, 1471-1481.	2.3	60
220	Unique complexation by the tridentate ligands, 6-diphenylphosphino-2-pyridonate (pyphos) and 6-diphenylphosphino-2-pyridone (pyphosH), on ruthenium(II): Crystal structures of (pyphosH)RuCl($\frac{1}{4}$ -Cl)Mo ₂ Cl(pyphos) ₃ , RuCl ₂ (CO)(pyphosH) ₂ , [Ru(pyphos) ₃]($\frac{1}{4}$ -Na) ₂ [Ru(pyphos) ₃]. Inorganica Chimica Acta, 1998, 270, 459-466.	2.4	15
221	Dative Pd(0) \rightarrow Mo(II) Bonds in a Linearly Aligned Tetrametal System: Preparation, Characterization, and Reaction of a Tetranuclear Pd(0) \rightarrow Mo(II) \rightarrow Mo(II) \rightarrow Pd(0) Supported by Four 6-Diphenylphosphino-2-pyridonate Ligands. Journal of the American Chemical Society, 1998, 120, 12151-12152.	13.7	47
222	Half-sandwich complexes of niobium and tantalum bearing o-xyllylene, anthracene, or cyclooctatetraene: crystal structures of ($\frac{1}{5}$ -C ₅ Me ₅)Nb{o-(CH ₂) ₂ C ₆ H ₄ }Cl ₂ , ($\frac{1}{5}$ -C ₅ Me ₅)Ta($\frac{1}{4}$ -anthracene)(CH ₂ Ph) ₂ , and ($\frac{1}{5}$ -C ₅ Me ₅)Nb($\frac{1}{4}$ -butadiene)($\frac{1}{3}$ -cyclooctatetraene). Journal of Organometallic Chemistry, 1998, 557, 3-12.	1.8	20
223	Mononuclear $\frac{1}{8}$ -cyclooctatetraenyl(thiolato)samarium(III) complexes ($\frac{1}{8}$ -C ₈ H ₈)Sm(SR)(hmpa) ₂ (R=2,4,6-triisopropylphenyl and 2-pyridyl; HMPA=hexamethylphosphoric triamide) derived from metallic samarium, diaryl disulfide, and 1,3,5,7-cyclooctatetraene in the presence of HMPA. Journal of Organometallic Chemistry, 1998, 559, 197-201.	1.8	17
224	Polymerization of ethylene catalyzed by half-metallocene complexes of niobium, tantalum, and zirconium bearing o-xyllylene or anthracene as an auxiliary ligand: molecular structure of [Mg ₂ Cl ₃ (THF) ₆][ZrCl ₂ ($\frac{1}{5}$ -C ₅ Me ₅)($\frac{1}{4}$ -anthracene)]. Journal of Organometallic Chemistry, 1998, 566, 111-116.	1.8	21
225	Dialkylchromium complexes bearing a hydrotris(3,5-dimethylpyrazolyl)borate ligand: synthesis and		

#	ARTICLE	IF	CITATIONS
235	Oxidative Addition of a Hypervalent Transannular Sulfur-Sulfur Bond to a Pd(0) Complex: Synthesis and Crystal Structures of 1,5-Dithiacyclooctanepalladium(II) Bis(trifluoromethanesulfonate) Having Phosphine Ligands. <i>Bulletin of the Chemical Society of Japan</i> , 1998, 71, 2859-2864.	3.2	2
236	Large Third-Order Nonlinear Optical Susceptibilities of Multiply-Bonded M ₂ (pyphos) ₄ and M ₂ Pd ₂ Cl ₂ (pyphos) ₄ (M = Cr, Mo; Pyphos = 6-Diphenylphosphino-2-pyridonate) by Picosecond Degenerate Four-Wave Mixing Method. <i>Chemistry Letters</i> , 1997, 26, 411-412.	1.3	22
237	Oxidative Reaction of 1,5-Dithionibicyclo[3.3.0]octane Bis(trifluoromethanesulfonate) with Diene Complexes of Zirconium and Tantalum: Synthesis of Cp ₂ Zr(OTf) ₂ (thf) and Cp(1,3-butadiene)Ta(OTf) ₂ . <i>Chemistry Letters</i> , 1997, 26, 793-794.	1.3	8
238	Lanthanoid Complexes of Azobenzene and Benzo[c]cinnoline Derived from Metallic Lanthanoids: Crystal Structures of Binuclear [SmI(thf) ₃ (1,2-trans-PhNNPh)SmI(thf) ₃] and Mononuclear [Yb(benzo[c]cinnoline) ₃ (thf) ₂]. <i>Chemistry Letters</i> , 1997, 26, 803-804.	1.3	13
239	A 16 Electron Cyclobutadiene-η ⁶ -benzene-1,2-dithiolate Complex of Palladium(II) Bearing A Two-legged Piano-stool Geometry: (1,4-C ₄ Me ₂ (tBu) ₂)Pd(1,2-S ₂ C ₆ H ₄). <i>Chemistry Letters</i> , 1997, 26, 347-348.	1.3	15
240	Combined Effect of Bulkiness and NH ₂ -S Hydrogen Bonding Controls the Formation of Terminal and Bridging Hydrazine Ruthenium(II) Complexes with Thiolate Ligands. <i>Chemistry Letters</i> , 1997, 26, 569-570.	1.3	16
241	Nonplanar η ² - and Planar η ² -Enediamide Coordinations of 1,4-Di(p-methoxyphenyl)-1,4-diaza-1,3-butadiene (=MeOC ₆ H ₄ -DAD) on Ta(1,5-C ₅ R ₅) Fragments (R=H,Me): Crystal Structures of TaCl ₂ (η ² -MeOC ₆ H ₄ -dad)(1,5-C ₅ H ₅) and Ta(η ² -MeOC ₆ H ₄ -dad)(1,5-C ₅ Me ₅)(1,3-butadiene). <i>Chemistry Letters</i> , 1997, 26, 767-768.	1.3	30
242	Chemistry of Coordinatively Unsaturated Bis(thiolato)ruthenium(II) Complexes (η ⁶ -arene)Ru(SAr) ₂ [SAr = 2,6-Dimethylbenzenethiolate, 2,4,6-Triisopropylbenzenethiolate; (SAr) ₂ = 1,2-Benzenedithiolate; Arene = Benzene, p-Cymene, Hexamethylbenzene]. <i>Organometallics</i> , 1997, 16, 1016-1025.	2.3	79
243	Elongation of the Quadruple CrII-CrIIBond Induced by Two PtMe ₂ Moieties in the Linearly Aligned Tetrametal System, PtMe ₂ -Cr-Cr-PtMe ₂ . <i>Journal of the American Chemical Society</i> , 1997, 119, 4307-4308.	13.7	47
244	Synthesis and Crystal Structure of a Cationic Trinuclear Ruthenium(II) Complex, [Ru ₃ (1/4-Cl) ₃ (1/4-Cl) ₂ {1,2-bis(diphenylphosphino)benzene} ₃]PF ₆ . <i>Inorganic Chemistry</i> , 1997, 36, 2908-2912.	4.0	14
245	Tp*Sn(Cl)Bu ₂ as a Convenient Reagent for the Preparation of Hydrotris(3,5-dimethylpyrazolyl)borate Complexes of Niobium, Tantalum, and Zirconium. <i>Organometallics</i> , 1997, 16, 2760-2762.	2.3	24
246	A Dimethyl Complex of a Niobium-Butadiene Fragment, Cp*(1,4-C ₄ H ₆)NbMe ₂ , Is a Carbene Precursor with Reactivity Similar to That of Dimethyltitanocene. <i>Organometallics</i> , 1997, 16, 1345-1348.	2.3	44
247	Synthesis and reactions of coordinatively unsaturated 16-electron chalcogenolate complexes, Ru(EAr) ₂ (η ⁶ -arene) and cationic binuclear chalcogenolate complexes, [(η ⁶ -arene) Ru(1/4-EPh) ₃ Ru(η ⁶ -arene)]PF ₆ . <i>Journal of Organometallic Chemistry</i> , 1997, 545-546, 345-356.	1.8	30
248	Ligand exchange reactions of a 1,3-butadiene complex of magnesium. <i>Journal of Organometallic Chemistry</i> , 1997, 545-546, 549-552.	1.8	9
249	An Anionic Dinuclear BINAP-Ruthenium(II) Complex: Crystal Structure of [NH ₂ Et ₂][{RuCl((R)-p-MeO-BINAP)} ₂ (1/4-Cl) ₃] and Its Use in Asymmetric Hydrogenation. <i>Organometallics</i> , 1996, 15, 1521-1523.	2.3	80
250	Synthesis of Arenethiolate Complexes of Divalent and Trivalent Lanthanides from Metallic Lanthanides and Diaryl Disulfides: Crystal Structures of [Yb(hmpa) ₃] ₂ (1/4-SPh) ₃ [SPh] and Ln(SPh) ₃ (hmpa) ₃ (Ln = Sm, Yb; hmpa = Hexamethylphosphoric Triamide). <i>Inorganic Chemistry</i> , 1996, 35, 93-99.	4.0	60
251	Dinuclear Pd(I)-Pd(I) and Pt(II)-Pt(II) Complexes Supported by Tridentate Pyphos Ligands (Pyphos =) Tj ETQq. <i>Journal of Organometallic Chemistry</i> , 1996, 514, 1-4.	1.0	23
252	Reductive Formation of Straight Linear Metal-Metal Bonded Tetranuclear Complexes X ₂ M ₂ -M ₂ X from X ₂ M ₂ -M ₂ X Supported by Four Tridentate 6-Diphenylphosphino-2-pyridonate Ligands (M = Pd, Pt; X = Cl, Br, I). <i>Journal of the American Chemical Society</i> , 1996, 118, 9083-9095.	13.7	62

#	ARTICLE	IF	CITATIONS
253	Linear Trinuclear Pt-Mo-Mo Complexes [Mo ₂ PtX ₂ (pyphos) ₂ (O ₂ CR) ₂] ₂ (X = Cl, Br, I; R = CH ₃ , C(CH ₃) ₃); Tj ETQq1 1 0.784314 Mo ₂ Moiety and the Platinum Atom. <i>Inorganic Chemistry</i> , 1996, 35, 4007-4012.	4.0	23
254	cis-iso-Specific Polymerization of Norbornenes by a Unique Combination of Cp* and 1,3-Butadiene Ligands on Tantalum: Crystal Structures of Cp*(η -4-C ₄ H ₆)Ta(CH ₂ Ph) ₂ and Cp*(η -4-C ₄ H ₆)Ta(CHPh)(PMe ₃). <i>Organometallics</i> , 1996, 15, 2431-2433.	2.3	48
255	Recent progress in the chemistry of 1,3-diene complexes of niobium and tantalum. <i>Journal of Organometallic Chemistry</i> , 1995, 500, 261-267.	1.8	32
256	Synthesis, characterization and reactions of ethylene complexes bearing Ta(η -5-C ₅ R ₅)(η -4-but-1,3-diene) fragments (R = H, Me). <i>Journal of Organometallic Chemistry</i> , 1995, 502, 19-23.	1.8	11
257	Synthesis and characterization of cationic pyridine-2-thiolate complexes of lanthanoid(III): crystal structures of pentagonal bipyramidal [Ln(SC ₅ H ₄ N) ₂ (hmpa) ₃] ⁺ (Ln = Sm, Yb; hmpa =) Tj ETQq1 1 0.784314 Overlock 10.3f 50 57	0.7	5
258	Living Polymerization of Ethylene Catalyzed by Diene Complexes of Niobium and Tantalum, M(η -5-C ₅ Me ₅)(η -4-diene) ₂ and M(η -5-C ₅ Me ₅)(η -4-diene) ₂ (M = Nb and Ta), in the Presence of Methylaluminoxane. <i>Organometallics</i> , 1995, 14, 2633-2640.	2.3	123
259	Synthesis, Characterization, and Reactions of a Mononuclear Tantalum-Benzynes Complex, Ta(η -5-C ₅ Me ₅)(η -4-C ₄ H ₆)(η -2-C ₆ H ₄). <i>Organometallics</i> , 1995, 14, 5642-5651.	2.3	46
260	Synthesis and Reactions of Diene Complexes of Group 2-5 Metals.. Yuki Gosei Kagaku Kyokaiishi/ <i>Journal of Synthetic Organic Chemistry</i> , 1994, 52, 1053-1062.	0.1	0
261	A new convenient preparation of monocyclooctatetraenyl-lanthanide complexes from metallic lanthanides and oxidants. <i>Journal of Organometallic Chemistry</i> , 1994, 473, 85-91.	1.8	48
262	Cationic BINAP-Ru(II) Halide Complexes: Highly Efficient Catalysts for Stereoselective Asymmetric Hydrogenation of α - and β -Functionalized Ketones. <i>Journal of Organic Chemistry</i> , 1994, 59, 3064-3076.	3.2	329
263	Synthesis of partially hydrogenated 2,2-bis(diphenylphosphanyl)-1,1-binaphthyl (BINAP) ligands and their application to catalytic asymmetric hydrogenation. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994, , 2309-2322.	0.9	71
264	Polyethylene with extremely narrow polydispersity obtained from the new catalyst systems Nb(η -5-C ₅ Me ₅)(η -4-diene)Cl ₂ MAO and Nb(η -5-C ₅ Me ₅)(η -4-diene) ₂ MAO. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 1623-1624.	2.0	54
265	Formation of lanthanoid(II) and lanthanoid(III) thiolate complexes derived from metals and organic disulfides: crystal structures of [Ln(SAr)(μ -SAr)(thf) ₃] ₂ (Ln = Sm, Eu), [Sm(SAr) ₃ (py) ₂ (thf)] and [Yb(SAr) ₃ (py) ₃](Ar = 2,4,6-triisopropylphenyl; py = pyridine). <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 2523-2524.	2.0	42
266	Diene complex of lanthanum: the crystal structure of a diene-bridged dilanthanum complex, [La ₂ (thf) ₃ (μ - η -4: η -4-PhCH ₂ CHCH ₂ Ph)Lal ₂ (thf) ₃]. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 1581-1582.	2.0	29
267	Diene Complexes of Calcium and Strontium: First Crystal Structures of Calcium- and Strontium-Diene Complexes, M(2,3-dimethyl-1,4-diphenyl-1,3-butadiene)(THF) ₄ (M = Ca and Sr). <i>Journal of the American Chemical Society</i> , 1994, 116, 6977-6978.	13.7	60
268	Synthesis and reaction of (η -5-pentamethylcyclopentadienyl)-bis(allyl)tantalum(III) complexes; crystal structure of Ta(η -5-C ₅ Me ₅)(η -3-1-phenylallyl) ₂ . <i>Journal of Organometallic Chemistry</i> , 1993, 455, C6-C8.	1.8	5
269	Preparation, characterization, and reactions of 16-electron Ta(η -5-C ₅ Me ₅)(η -3-1-phenylallyl) ₂ . <i>Journal of Organometallic Chemistry</i> , 1993, 459, 131-138.	1.8	10
270	Polymerization of ethylene catalyzed by a tantalum system Ta(η -3-C ₅ Me ₅)(η -4-diene)(CH ₃) ₂ /MAO: an isoelectronic analog for group 4 metallocene catalyst (MAO = methylaluminoxane). <i>Journal of the American Chemical Society</i> , 1993, 115, 10990-10991.	13.7	101

#	ARTICLE	IF	CITATIONS
271	Monocyclooctatetraenyl(thiolato)samarium(III) complexes from the reaction of metallic samarium with cyclooctatetraene and diaryldisulfide: crystal structures of $[\text{Sm}(\mu\text{-SPh})(\text{C}_8\text{H}_8)(\text{thf})_2]_2$ and $[\{\text{Sm}[\mu\text{-S}(2,4,6\text{-triisopropylphenyl})(\text{C}_8\text{H}_8)(\text{thf})_2]\}_2]$. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 1847-1848.	2.0	31
272	New synthetic strategy for a straight linear metal-metal bonded tetranuclear complex, the palladium-molybdenum-molybdenum-palladium system supported by four tridentate 6-(diphenylphosphino)-2-pyridonate ligands. <i>Journal of the American Chemical Society</i> , 1993, 115, 11632-11633.	13.7	59
273	Asymmetric hydrogenation of cycloalkanones catalyzed by BINAP-iridium(I)-aminophosphine systems. <i>Journal of the American Chemical Society</i> , 1993, 115, 3318-3319.	13.7	115
274	16-Electron Half-sandwich Ru(II) π -Thiolate Complexes, $\text{Ru}(\text{SAr})_2(\eta^6\text{-p-cymene})$ (Ar = 2,6-dimethylphenyl) <i>Tetrahedron Letters</i> , 1993, 34, 1509-1512.	1.3	15
275	Preparation and Structural Characterization of Cationic Dinuclear Ruthenium(II) π -Thiolate Complexes, $[\text{Ru}_2(\text{SPh})_3(\eta^6\text{-p-cymene})_2]^+ \text{Y}^-$ (Y = Cl and PF ₆). <i>Chemistry Letters</i> , 1992, 21, 1795-1798.	1.3	29
276	Rational Preparation and Characterization of Tandem Tetrametal Clusters. Crystal Structure of Tetrakis(6-diphenylphosphino-2-pyridonato)dimolybdenum. <i>Chemistry Letters</i> , 1992, 21, 185-188.	1.3	9
277	Bulky aryloxo complexes of tungsten and niobium as catalyst precursors for high polymerization of alk-1-yenes. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 1496.	2.0	13
278	Synthesis and characterization of mono- and tri-nuclear ruthenium complexes of 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and their catalytic activity. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 2099-2107.	1.1	40
279	Asymmetric hydroformylation of vinyl acetate by use of chiral bis(triarylphosphite)-rhodium(I) complexes. <i>Tetrahedron: Asymmetry</i> , 1992, 3, 583-586.	1.8	74
280	Chemoselective asymmetric hydrogenation of α,β -unsaturated carbonyl compounds to allylic alcohols catalysed by $[\text{Ir}(\text{binap})(\text{cod})]\text{BF}_4$ -aminophosphine. <i>Journal of Organometallic Chemistry</i> , 1992, 428, 213-222.	1.8	52
281	Convenient synthesis of pentamethylcyclopentadienyltantalum-diene complexes via the reaction of $\text{Cp}^*\text{-TaCl}_4$ with methylated-allyl anions. <i>Journal of Organometallic Chemistry</i> , 1992, 428, C5-C7.	1.8	10
282	Agostic interaction in early transition metal alkyls and their role in catalytic activity for olefin polymerizations. <i>Journal of Organometallic Chemistry</i> , 1992, 428, 49-58.	1.8	28
283	Preparation, characterization and thermal reactions of 1-oxa-2-zirconacyclopentanes and 1-oxa-2-zirconacyclohexane: crystal structures of $[\{\text{Zr}(\text{C}_5\text{H}_5)_2(\text{OCH}_2\text{CH}_2\text{CHMe})\}_2]$ and $[\text{Zr}(\text{C}_5\text{Me}_5)_2\{\text{OCH}_2(\text{CH}_2)_2\text{CH}_2\}]$. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 2851.	1.1	12
284	Highly stereoselective asymmetric hydrogenation of 2-benzamidomethyl-3-oxobutanoate catalysed by cationic binap π -ruthenium(II) complexes. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 609-610.	2.0	79
285	(η^1 -Acyl)titanium complexes prepared by the carbonylation of 1-oxa-5-titanacyclopentanes. <i>Organometallics</i> , 1991, 10, 2731-2736.	2.3	25
286	Synthesis and Reactions of Titanoxycarbene π -Metal Carbonyl Complexes. <i>Bulletin of the Chemical Society of Japan</i> , 1991, 64, 2065-2076.	3.2	13
287	Synthesis, Structure, and Reactions of Stable Titanacyclopentanes. <i>Bulletin of the Chemical Society of Japan</i> , 1991, 64, 2475-2483.	3.2	33
288	Synthesis of partially hydrogenated BINAP variants. <i>Tetrahedron Letters</i> , 1991, 32, 7283-7286.	1.4	103

#	ARTICLE	IF	CITATIONS
289	Synthesis and characterization of cationic trinuclear BINAP η^5 Ru(II) complexes: crystal structure of [Ru ₃ Cl ₅ ((S)-binap) ₃]BF ₄ . Tetrahedron Letters, 1991, 32, 3101-3104.	1.4	19
290	Preparation, structure, and reaction of the tricarbonyliron complex of tricyclo[5.3.1.0 ^{4,9}]undeca-2,5-diene, a strongly homo-conjugated nonparallel 1,4-diene. Journal of Organometallic Chemistry, 1991, 419, 181-191.	1.8	6
291	New chiral ruthenium complexes for asymmetric catalytic hydrogenations. Pure and Applied Chemistry, 1990, 62, 1135-1138.	1.9	53
292	Synthesis of new chiral bis(triarylphosphine) ligands based on asymmetric hydrogenation of 4,5-diaryl-2-oxocyclopentanecarb oxylates. Tetrahedron Letters, 1990, 31, 7185-7188.	1.4	17
293	Chapter IV.2 New Chiral Rh(I) and Ru(II) Complexes: Highly Efficient Catalysts for Homogeneous Asymmetric Hydrogenation. Studies in Surface Science and Catalysis, 1990, , 322-339.	1.5	0
294	Regio- and stereochemistry in the sequential insertion of carbonyl compounds into zirconium-diene complexes. Journal of Organometallic Chemistry, 1989, 363, 61-76.	1.8	22
295	A new convenient synthesis of cyclooctatetraenyllanthanide complexes: x-ray crystal structure of Ce(C ₈ H ₈)(THF) ₃ . Tetrahedron Letters, 1989, 30, 3697-3700.	1.4	41
296	Synthesis of new cationic BINAP η^5 ruthenium(II) complexes and their use in asymmetric hydrogenation [BINAP = 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]. Journal of the Chemical Society Chemical Communications, 1989, , 1208-1210.	2.0	145
297	Reaction of [cyclic](η^5 -C ₅ Me ₅) ₂ TiOC[Re(CO) ₄ Re(CO) ₅]CH ₂ CH ₂ with tert-butyl isocyanide: molecular structure of a new zwitterionic complex involving (η^5 -2-imido)ytitanium and acyldirhenium carbonyl moieties. Organometallics, 1987, 6, 885-887.	2.3	19
298	Practical synthesis of (R)- or (S)-2,2'-bis(diarylphosphino)-1,1'-binaphthyls (BINAPs). Journal of Organic Chemistry, 1986, 51, 629-635.	3.2	366
299	Synthesis of new fischer-type carbene complexes: characterization and reactions of titanoxycarbene η^5 metal complexes derived from (η^5 -C ₅ Me ₅) ₂ Ti(C ₂ H ₄) and metal carbonyls. Journal of the Chemical Society Chemical Communications, 1986, , 1145-1146.	2.0	22
300	Racemic structures of organic ammonium salts of N-acetyl-DL-norleucine and optical resolution by preferential crystallization of the DL-ammonium salt.. Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 1986, 1986, 177-185.	0.1	1
301	Unique bonding and geometry in η^5 -cyclopentadienyltantalum-diene complexes. Preparation, x-ray structural analyses, and EMO calculations. Journal of the American Chemical Society, 1985, 107, 2410-2422.	13.7	104
302	Stable titanacyclopentanes: isolation, characterization, and reactions of 5,5-bis(pentamethylcyclopentadienyl)-5-titanaspiro[2.4]heptanes derived from (η^5 -C ₅ Me ₅) ₂ Ti(CH ₂ :CH ₂) and methylenecyclopropanes. Organometallics, 1985, 4, 1464-1466.	2.3	31
303	Synthesis and characterization of 2-[di(cyclopentadienyl)zircona]-1-oxacyclopentanes. X-Ray crystal structure of [(η^5 -C ₅ H ₅) ₂ ZrOCH ₂ CH ₂ CHMe] ₂ . Journal of the Chemical Society Chemical Communications, 1983, , 1283-1284.	2.0	19
304	STRUCTURES OF MONO- AND BIS(2-BUTENYL)ZIRCONIUM COMPLEXES IN SOLUTION AND THREE SELECTIVE INSERTION REACTION OF ALIPHATIC ALDEHYDES. Chemistry Letters, 1983, 12, 219-222.	1.3	29
305	THE X-RAY STRUCTURE OF A MAGNESIUM-1,3-DIENE COMPLEX. THE UNIQUE MODE OF COORDINATION OF DIENE OBSERVED IN PENTA-COORDINATED Mg(THF) ₃ (s-cis-PhCH=CH η^5 CH=CHPh). Chemistry Letters, 1982, 11, 1277-1280.	1.3	40
306	MOLECULAR STRUCTURE OF [(η^5 -C ₅ H ₅) ₂ Zr(CH ₂ =C(CH ₃)=CH-CH ₂) η^5 C(CH ₃)] PREPARED BY REGIOSELECTIVE INSERTION OF 2-BUTYNE TO Zr(η^5 -C ₅ H ₅) ₂ (ISOPRENE). Chemistry Letters, 1982, 11, 1979-1982.	1.3	11

#	ARTICLE	IF	CITATIONS
307	1,3-Diene complexes of zirconium and hafnium prepared by the reaction of enediylmagnesium with MCl_2Cp_2 . A remarkable difference between the zirconium and hafnium analogs as revealed by proton NMR and electronic spectra. <i>Organometallics</i> , 1982, 1, 388-396.	2.3	163
308	X-Ray evidence for a mononuclear s-trans-1,3-diene complex; molecular structure of $Zr(\eta^5-C_5H_5)_2(s\text{-trans-PhCH=CH-CH=CHPh})$. <i>Journal of the Chemical Society Chemical Communications</i> , 1982, , 191-192.	2.0	29
309	1H -NMR EVIDENCE FOR 1,4-DIENE COORDINATION STRUCTURE OF $ZrCp_2(C_4H_6)$ AND HAFNACYCLO-3-PENTENE STRUCTURE OF $HfCp_2(C_4H_6)$ IN SOLUTION. <i>Chemistry Letters</i> , 1981, 10, 519-522.	1.3	26
310	REGIOSELECTIVE ADDITION OF CARBONYL COMPOUNDS TO ISOPRENE COORDINATED TO Zr. <i>Chemistry Letters</i> , 1981, 10, 671-674.	1.3	29
311	REGIOSELECTIVE CARBON-CARBON BOND FORMATION BY REACTION OF Zr-ISOPRENE COMPLEX WITH ALKENES, ALKYNES AND ALKADIENES. <i>Chemistry Letters</i> , 1981, 10, 719-722.	1.3	25